Etify A -G Bakhite

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9093520/publications.pdf

Version: 2024-02-01

840776 839539 51 410 11 18 citations h-index g-index papers 51 51 51 305 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Pyridine Derivatives as Insecticides. Part 1: Synthesis and Toxicity of Some Pyridine Derivatives Against Cowpea Aphid, <i>Aphis craccivora</i> Koch (Homoptera: Aphididae). Journal of Agricultural and Food Chemistry, 2014, 62, 9982-9986.	5.2	50
2	Synthesis and Antimicrobial Activity of New Pyridothienopyrimidines and Pyridothienotriazines. Journal of the Chinese Chemical Society, 2002, 49, 223-231.	1.4	42
3	Durable fluorescent cotton textile by immobilization of unique tetrahydrothienoisoquinoline derivatives. Cellulose, 2021, 28, 5937.	4.9	29
4	Synthesis and application of some new S-(substituted)thio- and thienoquinoline derivatives as antimicrobial agents. Collection of Czechoslovak Chemical Communications, 1991, 56, 1749-1760.	1.0	21
5	SYNTHESIS AND ANTIMICROBIAL ACTIVITY OF SOME NEW PYRIDO[3′,2′:4,5]THIENO[3,2-d]- PYRIMIDINE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 513-520.	1.6	21
6	Pyridine derivatives as insecticides. Part 2: Synthesis of some piperidinium and morpholinium cyanopyridinethiolates and their insecticidal activity. Journal of Saudi Chemical Society, 2017, 21, 95-104.	5.2	21
7	SYNTHESIS AND BIOLOGICAL ACTIVITY OF SOME NEW HETEROCYCLIC QUINOLINE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1991, 57, 293-301.	1.6	16
8	Convenient heterocyclization reactions with 2-functionalized 3-amino-4-aryl-5,6,7,8-tetrahydrothieno[2,3- <l>b</l>]quinolines: synthesis of new thienoquinolines, pyridothienoquinolines, pyranothienoquinolines and pyrimidothienoquinolines. Journal of Chemical Research, 2000, 2000, 500-501.	1.3	14
9	SYNTHESIS AND ANTIBACTERIAL ACTIVITIES OF SOME NEW THIENO-[2,3-b]QUINOLINES. Phosphorus, Sulfur and Silicon and the Related Elements, 1992, 73, 219-227.	1.6	13
10	SYNTHESIS OF SOME NEW HETEROCYCLIC COMPOUNDS CONTAINING THIENO [2,3-b] QUINOLINE MOIETY. Phosphorus, Sulfur and Silicon and the Related Elements, 1991, 60, 189-199.	1.6	12
11	Synthesis and application of some new oxazole derivatives as antimicrobial agents. Journal of Chemical Technology and Biotechnology, 1992, 55, 157-161.	3.2	11
12	SYNTHESIS AND REACTIONS OF SOME NEW HETEROCYCLIC COMPOUNDS CONTAINING THE THIENYLTHIENO[2,3-B]PYRIDINE MOIETY. Phosphorus, Sulfur and Silicon and the Related Elements, 2004, 179, 1983-2006.	1.6	9
13	Fluorine-Containing Heterocycles: Part I. Synthesis of New 7-(2-thienyl)-9-Trifluoromethylpyrido[3′,2′:4,5]Thieno[3,2-d]Pyrimidines and Related Fused Tetracyclic Systems. Journal of Chemical Research, 2005, 2005, 147-154.	1.3	8
14	Fluorine-containing heterocycles: Part III. Synthesis of some new furo[2,3-b]-, pyrazolo[3,4-b]- and thieno[2,3-b]pyridines with anticipated biological activities. Arabian Journal of Chemistry, 2014, 7, 936-946.	4.9	8
15	Synthese neuer Thieno [2,3 Monatshefte F $ ilde{A}$ ½r Chemie, 1999, 130, 1117.	1.8	8
16	SYNTHESIS OF THIENOQUINOLINES: PART III. SYNTHESIS OF NOVEL 4-HYDRAZINO-TETRAHYDROQUINOLINO[3′,2′:4,5]THIENO-[3,2=D]PYRIMIDINE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1992, 69, 213-218.	1.6	7
17	BENZOQUINOLINES. I. SYNTHESIS AND REACTIONS OF SOME NEW FURYLBENZO[h]QUINOLINE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 85, 129-139.	1.6	7
18	Fluorine-containing Heterocycles: Part II Synthesis and Reactions of New Thieno[2,3-b]Pyridine Derivatives Bearing Trifluoromethyl Group. Journal of Chemical Research, 2005, 2005, 461-468.	1.3	7

#	Article	IF	CITATIONS
19	Synthesis and Characterization of Novel Functionally Substituted Planar Pyrimidothienoisoquinolines and Nonplanar (3a <i>R</i> , 4 <i>S</i> ,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0 3.3 7 Td (9 a <i>S</i>)-
20	Nitrophenyl-Group-Containing Heterocycles. I. Synthesis, Characterization, Crystal Structure, Anticancer Activity, and Antioxidant Properties of Some New 5,6,7,8-Tetrahydroisoquinolines Bearing 3(4)-Nitrophenyl Group. ACS Omega, 2022, 7, 8767-8776.	3.5	7
21	SYNTHESIS AND SOME REACTIONS OF NEW BENZO[b]PYRAN DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1995, 101, 207-211.	1.6	6
22	Synthesis, characterization, and biological activities of some novel thienylpyrido[3′,2′:4,5]thieno[3,2―d]pyrimidines and related heterocycles. Journal of Heterocyclic Chemistry, 2021, 58, 1784-1801.	2.6	6
23	SYNTHESIS OF THIENOQUINOLINES: PART I. SYNTHESIS OF NOVEL HETEROCYCLO-THIENO[2,3-b]QUINOLINE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1991, 61, 305-318.	1.6	5
24	Synthesis and Antibacterial Activities of Some New Thieno-[2,3-b]Quinolines. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 75, 219-227.	1.6	5
25	Synthesis of New Thiopyridines, Thienopyridines, Pyridothienopyrimidines and Pyranothienopyridines with Anticipated Biological Activity. Journal of Chemical Research, 2003, 2003, 320-321.	1.3	5
26	Synthesis and Characterization of New Heterocyclic Compounds Containing Thienylbenzo[h]Quinoline Moiety. Journal of Heterocyclic Chemistry, 2016, 53, 1479-1487.	2.6	5
27	Crystallographic and spectroscopic characterization of 2-[(7-acetyl-4-cyano-6-hydroxy-1,6-dimethyl-8-phenyl-5,6,7,8-tetrahydroisoquinolin-3-yl)sulfanyl]- <i>N</i> -phenyla Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 121-125.	ic ets mide.	5
28	Synthesis, Characterization, and Antifungal Activity of Some New Thieno[2,3-b]pyridines Incorporating Quinazoline or Benzimidazole Moiety. Russian Journal of Bioorganic Chemistry, 2021, 47, 918-928.	1.0	5
29	Synthesis, characterization, and photophysical properties of some new thieno[2,3â€ <i>b</i>]pyridines bearing phenylethenyl moiety. Journal of Heterocyclic Chemistry, 2022, 59, 359-370.	2.6	5
30	SYNTHESIS AND BIOLOGICAL ACTIVITY OF SOME HETEROCYCLIC S-TRIAZOLE DERIVATIVES. Phosphorus, Sulfur and Silicon and the Related Elements, 1990, 48, 289-295.	1.6	4
31	Synthesis of Some New Pyrimido [4',5':4,5]thieno [2,3-b] quinoline Derivatives. Collection of Czechoslovak Chemical Communications, 1993, 58, 1457-1462.	1.0	4
32	SYNTHESIS AND REACTIONS OF 2-CHLOROMETHYL-13-(2-FURYL)-3,4,11,12-TETRAHYDRO-4-OXOPYRIMIDO[4′,5′:4,5]THIENO[2,3-b]-BENZC Phosphorus, Sulfur and Silicon and the Related Elements, 1995, 101, 83-90.)[h] QUINC)4NE.
33	Synthesis and Reactions of Some New Heterocyclic Compounds Containing Cycloalka[e]thieno[2,3-b]pyridine Moiety. Journal of the Chinese Chemical Society, 2005, 52, 975-985.	1.4	4
34	Synthesis, characterization and crystal structure of some novel partially hydrogenated isoquinolines and their fused heterocyclic systems. Journal of Heterocyclic Chemistry, 0, , .	2.6	4
35	SYNTHESIS OF SOME NEW 3-ARYLOXYMETHYL- 4-PHENYL-5-(N-SUBSTITUTED) Tj ETQq1 1 0.784314 rgBT /Overlo	ock 10 Tf 5 1.6	50 107 Td (C
36	SYNTHESIS OF THIENOQUINOLINES. PART II. SYNTHESIS OF NOVEL TETRAHYDROQUINOLINO[3′,2′:4,5]THIENO[3,2-d]-PYRIMIDINE DERIVATIVES. Phosphorus, Sulfur and Silicol and the Related Elements, 1992, 66, 171-176.	n 1.6	3

#	Article	IF	CITATIONS
37	Synthesis and characterization of some new pyridines, thieno[2,3―b] pyridines and pyrido[3′,2′:4,5]thieno[3,2―d]pyrimidineâ€4(3 H)â€ones bearing styryl moiety. Journal of Heterocyclic Chemistry, 2020, 57, 2379-2388.	2.6	3
38	Synthesis, Characterization, and Crystal Structure of Some New Tetrahydroisoquinolines and Related Tetrahydrothieno[2,3- <i>c</i>)isoquinolines. ACS Omega, 2021, 6, 8332-8339.	3.5	3
39	Crystal structure of ethyl 3-amino-6-methyl-2-[(4-methylphenyl)carbamoyl]-4-[(<i>E</i>)-2-phenylethenyl]thieno[2,3- <i>b</i>)-pyridine-5-carmonohydrate. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 297-299.	rbo <i>x</i> sylate	3
40	Synthesis of Novel Thieno [2,3-c] pyridazines and Related Heterocycles. Monatshefte FÃ $\frac{1}{4}$ r Chemie, 1999, 130, 1117-1128.	1.8	2
41	7-Acetyl-8-(4-chlorophenyl)-3-ethylsulfanyl-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinoline-4-carbonitrile. IUCrData, 2017, 2, .	0.3	2
42	Methyl 2-{[(6S*,7R*,8S*)-7-acetyl-8-(4-chlorophenyl)-4-cyano-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]su IUCrData, 2017, 2, .	ıl fa.s yl}ace	et a te.
43	Synthesis and characterization of new quinazolinylmethylsulfanylpyridines, quinazolinylthieno[2,3-b]pyridines and pyrido[3",2":4',5'] thieno[3',2':4,5]pyrimido[6,1-b]quinazolines. Arkivoc, 2020, 2019, 446-458.	0.5	1
44	Synthesis and characterization of some new S-substituted sulfanylpyridines, thieno [2,3-b] pyridines and related heterocycles. Arkivoc, 2021, 2020, 46-57.	0.5	1
45	Crystal structure and Hirshfeld surface analysis of 2-{[7-acetyl-8-(4-chlorophenyl)-4-cyano-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}- <i>N Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 527-531.</i>	ix 0(1 -chlor	ophenyl)a <mark>c</mark> e
46	Crystal structure and Hirshfeld surface analysis of 2-{[7-acetyl-4-cyano-6-hydroxy-8-(4-methoxyphenyl)-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}- <i>N Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 663-667.</i>	I <i><</i> øi5-phen	ylacetamide
47	s-Triazole systems. Part IV: Novel substituted thio-s-triazole derivatives. Journal of Chemical Technology and Biotechnology, 2007, 55, 355-360.	3.2	О
48	Crystal structure and Hirshfeld surface analysis of ethyl 2-({5-acetyl-3-cyano-6-methyl-4-[(<i>E</i>)-2-phenylethenyl]pyridin-2-yl}sulfanyl)acetate. Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 730-733.	0.5	0
49	Crystal structure and Hirshfeld surface analysis of 5-acetyl-3-amino-6-methyl- $\langle i \rangle N < i \rangle$ -phenyl-4-[($\langle i \rangle E < i \rangle$)-2-phenylethenyl]thieno[2,3- $\langle i \rangle b < i \rangle$]pyridine-2-carboxam Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 225-230.	ide5	0
50	Crystal structure and Hirshfeld surface analysis of 2-{[7-acetyl-4-cyano-6-hydroxy-8-(4-methoxyphenyl)-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}aceti acid ethyl ester. Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 220-224.	^C 0.5	0
51	Synthesis, Characterization, and Antimicrobial Activity of Some New Thiophene Derivatives and Crystal Structure of Ethyl [4-(2-Thienylmethylene)Aminophenoxy]Acetate. Russian Journal of Bioorganic Chemistry, 2022, 48, 423-429.	1.0	O