
Ana-Maria Vranceanu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9093557/publications.pdf Version: 2024-02-01



ANA-MADIA VDANCEANIL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Adaptation and virtual feasibility pilot of a mindfulness-based lifestyle program targeting modifiable dementia risk factors in older adults. Aging and Mental Health, 2023, 27, 695-707. | 2.8 | 1 |
| 2 | My Healthy Brain: a multimodal lifestyle program to promote brain health. Aging and Mental Health, 2022, 26, 980-991. | 2.8 | 8 |
| 3 | Psychosocial Stressors and Adaptive Coping Strategies in Couples After a Diagnosis of Young-Onset Dementia. Gerontologist, The, 2022, 62, 262-275. | 3.9 | 14 |
| 4 | Psychosocial treatment preferences of persons living with young-onset dementia and their partners. Dementia, 2022, 21, 41-60. | 2.0 | 6 |
| 5 | Emotional distress in neuro-ICU survivor–caregiver dyads: The recovering together randomized clinical trial Health Psychology, 2022, 41, 268-277. | 1.6 | 6 |
| 6 | Impact of the coronavirus pandemic on mental health and health care in adults with neurofibromatosis: Patient perspectives from an online survey. American Journal of Medical Genetics, Part A, 2022, 188, 71-82. | 1.2 | 8 |
| 7 | Feasibility Randomized Controlled Trial of a Mind–Body Activity Program for Older Adults With Chronic Pain and Cognitive Decline: The Virtual "Active Brains―Study. Gerontologist, The, 2022, 62, 1082-1094. | 3.9 | 9 |
| 8 | A qualitative meta-synthesis of common and unique preferences for supportive services among persons with young onset dementia and their caregivers. Dementia, 2022, 21, 519-539. | 2.0 | 12 |
| 9 | A Call for Interdisciplinary Collaboration to Promote Musculoskeletal Health: The Creation of the International Musculoskeletal Mental and Social Health Consortium (I-MESH). Journal of Clinical Psychology in Medical Settings, 2022, 29, 709-715. | 1.4 | 15 |
| 10 | What Are Orthopaedic Healthcare Professionals' Attitudes Toward Addressing Patient Psychosocial Factors? A Mixed-Methods Investigation. Clinical Orthopaedics and Related Research, 2022, 480, 248-262. | 1.5 | 19 |
| 11 | Understanding the interplay between lifestyle factors and emotional distress for hemorrhagic stroke survivors and their informal caregivers: Protocol for a mixed methods dyadic natural history study. PLoS ONE, 2022, 17, e0261635. | 2.5 | 0 |
| 12 | My Healthy Brain: Rationale and Case Report of a Virtual Group Lifestyle Program Targeting Modifiable Risk Factors for Dementia. Journal of Clinical Psychology in Medical Settings, 2022, , 1. | 1.4 | 0 |
| 13 | Psychosocial profiles of risk and resiliency in neurofibromatoses: a person-centered analysis of illness adaptation. Journal of Neuro-Oncology, 2022, 156, 519-527. | 2.9 | 1 |
| 14 | Association Between Coping Strategies and Pain-Related Outcomes Among Individuals with Chronic Orofacial Pain. Journal of Pain Research, 2022, Volume 15, 431-442. | 2.0 | 8 |
| 15 | Mindfulness is inversely associated with psychological symptoms in long-term cardiac arrest survivors. Journal of Behavioral Medicine, 2022, , 1. | 2.1 | 2 |
| 16 | "Practice Makes Perfect� Associations Between Home Practice and Physical and Emotional Function Outcomes Among Patients with Chronic Pain Enrolled in a Mind–Body Program. , 2022, , . | | 0 |
| 17 | Optimizing the implementation of a multisite feasibility trial of a mind–body program in acute orthopedic trauma. Translational Behavioral Medicine, 2022, , . | 2.4 | 3 |
| 18 | The Strategies for Quantitative and Qualitative Remote Data Collection: Lessons From the COVID-19 Pandemic. JMIR Formative Research, 2022, 6, e30055. | 1.4 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Live Video Mind-Body Program for Patients With Knee Osteoarthritis, Comorbid Depression, and Obesity: Development and Feasibility Pilot Study. JMIR Formative Research, 2022, 6, e34654. | 1.4 | 3 |
| 20 | Editorial Comment: Papers from the International Consortium for Mental and Social Health in Musculoskeletal Care. Clinical Orthopaedics and Related Research, 2022, 480, 246-247. | 1.5 | 5 |
| 21 | OUP accepted manuscript. Gerontologist, The, 2022, , . | 3.9 | 5 |
| 22 | Orthopedic Providers' Preferences for Education and Training on Psychosocial Clinical Research Initiatives: A Qualitative Investigation. Journal of Patient Experience, 2022, 9, 237437352210925. | 0.9 | 4 |
| 23 | Together from the start: A transdiagnostic framework for early dyadic interventions for neurodegenerative diseases. Journal of the American Geriatrics Society, 2022, 70, 1850-1862. | 2.6 | 10 |
| 24 | Psychosocial Predictors of Chronic Musculoskeletal Pain Outcomes and their Contextual Determinants Among Black Individuals: A Narrative Review. Journal of Pain, 2022, 23, 1697-1711. | 1.4 | 6 |
| 25 | Resilient youth with neurofibromatosis: Less perceived stress and greater life satisfaction after an 8-week virtual mind–body intervention. Journal of Psychosocial Oncology, 2021, 39, 680-685. | 1.2 | 2 |
| 26 | Feasibility Trial of a Mind–Body Activity Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 1326-1337. | 3.9 | 22 |
| 27 | Associations Between Baseline Total PTSD Symptom Severity, Specific PTSD Symptoms, and 3-Month Quality of Life in Neurologically Intact Neurocritical Care Patients and Informal Caregivers. Neurocritical Care, 2021, 34, 54-63. | 2.4 | 5 |
| 28 | Mind–Body Therapy via Videoconferencing in Patients With Neurofibromatosis: Analyses of 1-Year Follow-up. Annals of Behavioral Medicine, 2021, 55, 77-81. | 2.9 | 4 |
| 29 | Development of a Novel Mind–Body Activity and Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 449-459. | 3.9 | 13 |
| 30 | Effects of a mind-body program on symptoms of depression and perceived stress among adults with neurofibromatosis type 2 who are deaf: A live-video randomized controlled trial. Complementary Therapies in Medicine, 2021, 56, 102581. | 2.7 | 10 |
| 31 | Usage Patterns of the Calm Meditation App Among People with Cardiovascular Disease. Mindfulness, 2021, 12, 983-993. | 2.8 | 4 |
| 32 | Getting Active Mindfully: Rationale and Case Illustration of a Group Mind-body and Activity Program for Chronic Pain. Journal of Clinical Psychology in Medical Settings, 2021, 28, 706-719. | 1.4 | 1 |
| 33 | A Live Video Mind-Body Treatment to Prevent Persistent Symptoms Following Mild Traumatic Brain Injury: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2021, 10, e25746. | 1.0 | 6 |
| 34 | Mind-Body Activity Program for Chronic Pain: Exploring Mechanisms of Improvement in Patient-Reported, Performance-Based and Ambulatory Physical Function. Journal of Pain Research, 2021, Volume 14, 359-368. | 2.0 | 11 |
| 35 | The role of social isolation in physical and emotional outcomes among patients with chronic pain. General Hospital Psychiatry, 2021, 69, 50-54. | 2.4 | 22 |
| 36 | Sustainability of Improvements in Adaptive Coping Following Mind–Body and Activity Training for Chronic Pain. International Journal of Behavioral Medicine, 2021, 28, 820-826. | 1.7 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Associations between posttraumatic stress symptoms and quality of life in cardiac arrest survivors and informal caregivers: A pilot survey study. Resuscitation Plus, 2021, 5, 100085. | 1.7 | 17 |
| 38 | Development of a mind body program for obese knee osteoarthritis patients with comorbid depression. Contemporary Clinical Trials Communications, 2021, 21, 100720. | 1.1 | 10 |
| 39 | Can a Dyadic Resiliency Program Improve Quality of Life in Cognitively Intact Dyads of Neuro-ICU Survivors and Informal Caregivers? Results from a Pilot RCT. Neurocritical Care, 2021, 35, 756-766. | 2.4 | 4 |
| 40 | Sustainability of Improvements in Physical and Emotional Function Following a Mind–Body Physical Activity Program for Chronic Pain. Journal of Alternative and Complementary Medicine, 2021, 27, 360-364. | 2.1 | 4 |
| 41 | A Live Video Program to Prevent Chronic Pain and Disability in At-Risk Adults With Acute Orthopedic Injuries (Toolkit for Optimal Recovery): Protocol for a Multisite Feasibility Study. JMIR Research Protocols, 2021, 10, e28155. | 1.0 | 6 |
| 42 | Thematic Analysis of Dyadic Coping in Couples With Young-Onset Dementia. JAMA Network Open, 2021, 4, e216111. | 5.9 | 16 |
| 43 | Letter to the Editor: Editor's Spotlight/Take 5: Do Relaxation Exercises Decrease Pain After Arthroscopic Rotator Cuff Repair? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2021, 479, 1869-1870. | 1.5 | 0 |
| 44 | Adaptation of a Live Video Mind–Body Program to a Web-Based Platform for English-Speaking Adults With Neurofibromatosis: Protocol for the NF-Web Study. JMIR Research Protocols, 2021, 10, e27526. | 1.0 | 4 |
| 45 | Current Recommendations for Patient-Reported Outcome Measures Assessing Domains of Quality of Life in Neurofibromatosis Clinical Trials. Neurology, 2021, 97, S50-S63. | 1.1 | 11 |
| 46 | A qualitative investigation of activity measurement and change following a mind-body activity program for chronic pain. Complementary Therapies in Clinical Practice, 2021, 44, 101410. | 1.7 | 4 |
| 47 | Depression explains the association between pain intensity and pain interference among adults with neurofibromatosis. Journal of Neuro-Oncology, 2021, 154, 257-263. | 2.9 | 7 |
| 48 | Understanding barriers and facilitators to implementation of psychosocial care within orthopedic trauma centers: a qualitative study with multidisciplinary stakeholders from geographically diverse settings. Implementation Science Communications, 2021, 2, 102. | 2.2 | 20 |
| 49 | The Role of Mindfulness and Relaxation in Improved Sleep Quality Following a Mind–Body and Activity Program for Chronic Pain. Mindfulness, 2021, 12, 2672-2680. | 2.8 | 5 |
| 50 | Psychological resiliency explains the relationship between emotional distress and quality of life in neurofibromatosis. Journal of Neuro-Oncology, 2021, 155, 125-132. | 2.9 | 10 |
| 51 | Mechanisms of change in depression and anxiety within a mind-body activity intervention for chronic pain. Journal of Affective Disorders, 2021, 292, 534-541. | 4.1 | 9 |
| 52 | A mindfulness meditation mobile app improves depression and anxiety in adults with sleep disturbance: Analysis from a randomized controlled trial. General Hospital Psychiatry, 2021, 73, 30-37. | 2.4 | 27 |
| 53 | Live Video Adaptations to a Mind-Body Activity Program for Chronic Pain and Cognitive Decline: Protocol for the Virtual Active Brains Study. JMIR Research Protocols, 2021, 10, e25351. | 1.0 | 13 |
| 54 | Testing a mindfulness meditation mobile app for the treatment of sleep-related symptoms in adults with sleep disturbance: A randomized controlled trial. PLoS ONE, 2021, 16, e0244717. | 2.5 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Can a meditation app help my sleep? A cross-sectional survey of Calm users. PLoS ONE, 2021, 16, e0257518. | 2.5 | 9 |
| 56 | Stopping to Listen: Using Qualitative Methods to Inform a Web-Based Platform for Adults With Neurofibromatosis. Journal of Patient Experience, 2021, 8, 237437352110496. | 0.9 | 3 |
| 57 | CORR Insights®: Do Unhelpful Thoughts or Confidence in Problem Solving Have Stronger Associations with Musculoskeletal Illness?. Clinical Orthopaedics and Related Research, 2021, Publish Ahead of Print, . | 1.5 | Ο |
| 58 | The Stony Brook Health Enhancement Program: The development of an active control condition for mind–body interventions. Journal of Health Psychology, 2020, 25, 2129-2140. | 2.3 | 16 |
| 59 | Rapid Progression of Knee Pain and Osteoarthritis Biomarkers Greatest for Patients with Combined Obesity and Depression: Data from the Osteoarthritis Initiative. Cartilage, 2020, 11, 38-46. | 2.7 | 27 |
| 60 | Pain Catastrophizing and Limiting Behavior Mediate the Association Between Anxiety and Postconcussion Symptoms. Psychosomatics, 2020, 61, 49-55. | 2.5 | 30 |
| 61 | Gender Differences in Longitudinal Associations Between Intimate Care, Resiliency, and Depression Among Informal Caregivers of Patients Surviving the Neuroscience Intensive Care Unit. Neurocritical Care, 2020, 32, 512-521. | 2.4 | 9 |
| 62 | Baseline resilience and depression symptoms predict trajectory of depression in dyads of patients and their informal caregivers following discharge from the Neuro-ICU. General Hospital Psychiatry, 2020, 62, 87-92. | 2.4 | 20 |
| 63 | Baseline Resilience and Posttraumatic Symptoms in Dyads of Neurocritical Patients and Their Informal Caregivers: A Prospective Dyadic Analysis. Psychosomatics, 2020, 61, 135-144. | 2.5 | 25 |
| 64 | Virtual mind-body treatment for geographically diverse youth with neurofibromatosis: A pilot randomized controlled trial. General Hospital Psychiatry, 2020, 62, 72-78. | 2.4 | 16 |
| 65 | Virtual mind-body treatment for adolescents with neurofibromatosis: Study protocol for a single-blind randomized controlled trial. Contemporary Clinical Trials, 2020, 95, 106078. | 1.8 | 17 |
| 66 | In It Together: A Qualitative Meta-Synthesis of Common and Unique Psychosocial Stressors and Adaptive Coping Strategies of Persons With Young-Onset Dementia and Their Caregivers. Gerontologist, The, 2020, , . | 3.9 | 17 |
| 67 | Building Resiliency in Dyads of Patients Admitted to the Neuroscience Intensive Care Unit and Their Family Caregivers: Lessons Learned From William and Laura. Cognitive and Behavioral Practice, 2020, 27, 321-335. | 1.5 | 17 |
| 68 | Early Psychological and Social Factors Explain the Recovery Trajectory After Distal Radial Fracture. Journal of Bone and Joint Surgery - Series A, 2020, 102, 788-795. | 3.0 | 48 |
| 69 | <p>Psychosocial Correlates of Objective, Performance-Based, and Patient-Reported Physical Function Among Patients with Heterogeneous Chronic Pain</p> . Journal of Pain Research, 2020, Volume 13, 2255-2265. | 2.0 | 20 |
| 70 | Feasibility and Efficacy of a Resiliency Intervention for the Prevention of Chronic Emotional Distress Among Survivor-Caregiver Dyads Admitted to the Neuroscience Intensive Care Unit. JAMA Network Open, 2020, 3, e2020807. | 5.9 | 62 |
| 71 | CORR Insights®: Does Intolerance of Uncertainty Affect the Magnitude of Limitations or Pain Intensity?. Clinical Orthopaedics and Related Research, 2020, 478, 389-391. | 1.5 | 3 |
| 72 | Associations Between Gender, Resiliency Factors, and Anxiety in Neuro-ICU Caregivers: a Prospective Study. International Journal of Behavioral Medicine, 2020, 27, 677-686. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Recovering together: building resiliency in dyads of stroke patients and their caregivers at risk for chronic emotional distress; a feasibility study. Pilot and Feasibility Studies, 2020, 6, 75. | 1.2 | 30 |
| 74 | Improvement in resiliency factors among adolescents with neurofibromatosis who participate in a virtual mind–body group program. Journal of Neuro-Oncology, 2020, 147, 451-457. | 2.9 | 8 |
| 75 | The Impact of Resilience Factors and Anxiety During Hospital Admission on Longitudinal Anxiety Among Dyads of Neurocritical Care Patients Without Major Cognitive Impairment and Their Family Caregivers. Neurocritical Care, 2020, 33, 468-478. | 2.4 | 21 |
| 76 | A Mind-Body Physical Activity Program for Chronic Pain With or Without a Digital Monitoring Device: Proof-of-Concept Feasibility Randomized Controlled Trial. JMIR Formative Research, 2020, 4, e18703. | 1.4 | 46 |
| 77 | Use of the Consumer-Based Meditation App Calm for Sleep Disturbances: Cross-Sectional Survey Study. JMIR Formative Research, 2020, 4, e19508. | 1.4 | 12 |
| 78 | Burnout and Resiliency Among Neurocritical Care Staff; Potential Solutions to A Growing Problem. Neurocritical Care, 2019, 31, 251-252. | 2.4 | 3 |
| 79 | Cultivating resiliency in patients with neurofibromatosis 2 who are deafened or have severe hearing loss: a live‑video randomized control trial. Journal of Neuro-Oncology, 2019, 145, 561-569. | 2.9 | 7 |
| 80 | Review: Post-Intensive Care Syndrome: Unique Challenges in the Neurointensive Care Unit. Neurocritical Care, 2019, 31, 534-545. | 2.4 | 46 |
| 81 | Physical functioning and mindfulness skills training in chronic pain: a systematic review. Journal of Pain Research, 2019, Volume 12, 179-189. | 2.0 | 28 |
| 82 | Can we prevent chronic posttraumatic stress disorder in caregivers of critical care patients?. Journal of Emergency and Critical Care Medicine, 2019, 3, 2-2. | 0.7 | 3 |
| 83 | First report of quality of life in adults with neurofibromatosis 2 who are deafened or have significant hearing loss: results of a live-video randomized control trial. Journal of Neuro-Oncology, 2019, 143, 505-513. | 2.9 | 14 |
| 84 | Results of a feasibility randomized controlled trial (RCT) of the Toolkit for Optimal Recovery (TOR): a live video program to prevent chronic pain in at-risk adults with orthopedic injuries. Pilot and Feasibility Studies, 2019, 5, 30. | 1.2 | 49 |
| 85 | What Role Does Positive Psychology Play in Understanding Pain Intensity and Disability Among Patients with Hand and Upper Extremity Conditions?. Clinical Orthopaedics and Related Research, 2019, 477, 1769-1776. | 1.5 | 20 |
| 86 | <p>Development And Early Feasibility Testing Of A Mind-Body Physical Activity Program For Patients With Heterogeneous Chronic Pain; The GetActive Study</p> . Journal of Pain Research, 2019, Volume 12, 3279-3297. | 2.0 | 44 |
| 87 | Relationship Between Magnitude of Limitations and Patient Experience During Recovery from Upper-Extremity Fracture. JBJS Open Access, 2019, 4, e0002. | 1.5 | 9 |
| 88 | The Relaxation Response Resiliency Program (3RP) in Patients with Headache and Musculoskeletal Pain: A Retrospective Analysis of Clinical Data. Pain Management Nursing, 2019, 20, 70-74. | 0.9 | 11 |
| 89 | Preventing Chronic Emotional Distress in Stroke Survivors and Their Informal Caregivers. Neurocritical Care, 2019, 30, 581-589. | 2.4 | 75 |
| 90 | Characteristics and Usage Patterns Among 12,151 Paid Subscribers of the Calm Meditation App: Cross-Sectional Survey. JMIR MHealth and UHealth, 2019, 7, e15648. | 3.7 | 52 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Resiliency is independently associated with greater quality of life among informal caregivers to neuroscience intensive care unit patients. General Hospital Psychiatry, 2018, 52, 27-33. | 2.4 | 24 |
| 92 | Early Risk and Resiliency Factors Predict Chronic Posttraumatic Stress Disorder in Caregivers of Patients Admitted to a Neuroscience ICU. Critical Care Medicine, 2018, 46, 713-719. | 0.9 | 29 |
| 93 | The impact of a mind–body program on multiple dimensions of resiliency among geographically diverse patients with neurofibromatosis. Journal of Neuro-Oncology, 2018, 137, 321-329. | 2.9 | 26 |
| 94 | Challenges associated with parenting youth with neurofibromatosis: A qualitative investigation. American Journal of Medical Genetics, Part A, 2018, 176, 959-968. | 1.2 | 8 |
| 95 | Bidirectional mediation of depression and pain intensity on their associations with upper extremity physical function. Journal of Behavioral Medicine, 2018, 41, 309-317. | 2.1 | 20 |
| 96 | Type D personality in patients with upper extremity musculoskeletal illness: Internal consistency, structural validity and relationship to pain interference. General Hospital Psychiatry, 2018, 50, 38-44. | 2.4 | 9 |
| 97 | Health literacy assessment in adults with neurofibromatosis: electronic and short-form measurement using FCCHL and Health LiTT. Journal of Neuro-Oncology, 2018, 136, 335-342. | 2.9 | 7 |
| 98 | What Factors Are Associated With Disability After Upper Extremity Injuries? A Systematic Review. Clinical Orthopaedics and Related Research, 2018, 476, 2190-2215. | 1.5 | 92 |
| 99 | The Future of Orthopaedic Care: Promoting Psychosocial Resiliency in Orthopaedic Surgical Practices. Journal of Bone and Joint Surgery - Series A, 2018, 100, e89. | 3.0 | 47 |
| 100 | What Is the Relationship of Fear Avoidance to Physical Function and Pain Intensity in Injured Athletes?. Clinical Orthopaedics and Related Research, 2018, 476, 754-763. | 1.5 | 49 |
| 101 | Does a Brief Mindfulness Exercise Improve Outcomes in Upper Extremity Patients? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2018, 476, 790-798. | 1.5 | 35 |
| 102 | Mind-Body Treatment for International English-Speaking Adults With Neurofibromatosis via Live Videoconferencing: Protocol for a Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e11008. | 1.0 | 35 |
| 103 | First report of factors associated with satisfaction in patients with neurofibromatosis. American Journal of Medical Genetics, Part A, 2017, 173, 671-677. | 1.2 | 9 |
| 104 | First use of patient reported outcomes measurement information system (PROMIS) measures in adults with neurofibromatosis. Journal of Neuro-Oncology, 2017, 131, 413-419. | 2.9 | 13 |
| 105 | Cognitive intrusion of pain and catastrophic thinking independently explain interference of pain in the activities of daily living. Journal of Psychiatric Research, 2017, 91, 156-163. | 3.1 | 24 |
| 106 | Anxiety and Depressive Symptoms Among Two Seriously Medically Ill Populations and Their Family Caregivers: A Comparison and Clinical Implications. Neurocritical Care, 2017, 27, 180-186. | 2.4 | 28 |
| 107 | Pain Catastrophizing Mediates the Effect of Psychological Inflexibility on Pain Intensity and Upper Extremity Physical Function in Patients with Upper Extremity Illness. Pain Practice, 2017, 17, 129-140. | 1.9 | 24 |
| 108 | First Use of a Brief 60-second Mindfulness Exercise in an Orthopedic Surgical Practice; Results from a Pilot Study. Archives of Bone and Joint Surgery, 2017, 5, 400-405. | 0.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Is Social Support Associated With Upper Extremity Disability?. Clinical Orthopaedics and Related Research, 2016, 474, 1830-1836. | 1.5 | 27 |
| 110 | Factors Associated With Met Expectations in Patients With Hand and Upper Extremity Disorders: A Pilot Study. Psychosomatics, 2016, 57, 401-408. | 2.5 | 14 |
| 111 | Mental and physical health outcomes following the Relaxation Response Resiliency Program (3RP) in a clinical practice setting. European Journal of Integrative Medicine, 2016, 8, 756-761. | 1.7 | 5 |
| 112 | Psychosocial resiliency is associated with lower emotional distress among dyads of patients and their informal caregivers in the neuroscience intensive care unit. Journal of Critical Care, 2016, 36, 154-159. | 2.2 | 39 |
| 113 | Mind–body therapy via videoconferencing in patients with neurofibromatosis. Neurology, 2016, 87, 806-814. | 1.1 | 82 |
| 114 | Mindfulness and Coping Are Inversely Related to Psychiatric Symptoms in Patients and Informal Caregivers in the Neuroscience ICU: Implications for Clinical Care. Critical Care Medicine, 2016, 44, 2028-2036. | 0.9 | 44 |
| 115 | Quality of life among children and adolescents with neurofibromatosis 1: a systematic review of the literature. Journal of Neuro-Oncology, 2015, 122, 219-228. | 2.9 | 47 |
| 116 | Do Previsit Expectations Correlate With Satisfaction of New Patients Presenting for Evaluation With an Orthopaedic Surgical Practice?. Clinical Orthopaedics and Related Research, 2015, 473, 716-721. | 1.5 | 35 |
| 117 | A preliminary RCT of a mind body skills based intervention addressing mood and coping strategies in patients with acute orthopaedic trauma. Injury, 2015, 46, 552-557. | 1.7 | 74 |
| 118 | The Relationship Between Catastrophic Thinking and Hand Diagram Areas. Journal of Hand Surgery, 2015, 40, 2440-2446.e5. | 1.6 | 22 |
| 119 | What Is the Most Useful Questionnaire for Measurement of Coping Strategies in Response to Nociception?. Clinical Orthopaedics and Related Research, 2015, 473, 3511-3518. | 1.5 | 85 |
| 120 | The relaxation response resiliency program (3RP) in patients with neurofibromatosis 1, neurofibromatosis 2, and schwannomatosis: results from a pilot study. Journal of Neuro-Oncology, 2014, 120, 103-109. | 2.9 | 55 |
| 121 | Risk Factors for Continued Opioid Use One to Two Months After Surgery for Musculoskeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, 495-499. | 3.0 | 212 |
| 122 | Psychological Factors Predict Disability and Pain Intensity After Skeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, e20. | 3.0 | 247 |
| 123 | Cognitive Coping Predicts Pain Intensity and Disability in Patients with Upper Extremity Musculoskeletal Pain. Journal of Musculoskeletal Pain, 2014, 22, 373-377. | 0.3 | 6 |
| 124 | Exploring the Effectiveness of a Modified Comprehensive Mind-Body Intervention for Medical and Psychologic Symptom Relief. Psychosomatics, 2014, 55, 386-391. | 2.5 | 24 |
| 125 | Quality of life among adult patients with neurofibromatosis 1, neurofibromatosis 2 and schwannomatosis: a systematic review of the literature. Journal of Neuro-Oncology, 2013, 114, 257-262. | 2.9 | 81 |
| 126 | The Development of a Patient-Centered Program Based on the Relaxation Response: The Relaxation Response Resiliency Program (3RP). Psychosomatics, 2013, 54, 165-174. | 2.5 | 154 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Abbreviated Psychologic Questionnaires Are Valid in Patients With Hand Conditions. Clinical Orthopaedics and Related Research, 2013, 471, 4037-4044. | 1.5 | 43 |
| 128 | The Relaxation Response Resiliency Enhancement Program in the Management of Chronic Refractory Temporomandibular Joint Disorder: Results from a Pilot Study. Journal of Musculoskeletal Pain, 2013, 21, 224-230. | 0.3 | 12 |
| 129 | Contribution of Kinesophobia and Catastrophic Thinking to Upper-Extremity-Specific Disability. Journal of Bone and Joint Surgery - Series A, 2013, 95, 76-81. | 3.0 | 184 |
| 130 | Correspondence of Patient Word Choice with Psychologic Factors in Patients With Upper Extremity Illness. Clinical Orthopaedics and Related Research, 2012, 470, 3180-3186. | 1.5 | 40 |
| 131 | Cognitive–Behavioral Therapy for Hand and Arm Pain. Journal of Hand Therapy, 2011, 24, 124-131. | 1.5 | 12 |
| 132 | The Emotive Impact of Orthopedic Words. Journal of Hand Therapy, 2011, 24, 112-117. | 1.5 | 21 |
| 133 | Predictors of Pain Intensity and Disability After Minor Hand Surgery. Journal of Hand Surgery, 2010, 35, 956-960. | 1.6 | 195 |
| 134 | Health Concerns and Somatic Symptoms Explain Perceived Disability and Idiopathic Hand and Arm Pain in an Orthopedics Surgical Practice: A Path-Analysis Model. Psychosomatics, 2010, 51, 330-337. | 2.5 | 21 |
| 135 | Health Concerns and Somatic Symptoms Explain Perceived Disability and Idiopathic Hand and Arm Pain in an Orthopedics Surgical Practice: A Path-Analysis Model. Psychosomatics, 2010, 51, 330-337. | 2.5 | 10 |
| 136 | Psychosocial Aspects of Disabling Musculoskeletal Pain. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2014-2018. | 3.0 | 235 |
| 137 | Depressive symptoms and momentary affect: the role of social interaction variables. Depression and Anxiety, 2009, 26, 464-470. | 4.1 | 22 |
| 138 | Correlation of DASH and QuickDASH With Measures of Psychological Distress. Journal of Hand Surgery, 2009, 34, 1499-1505. | 1.6 | 98 |
| 139 | Integrating Patient Values into Evidence-Based Practice: Effective Communication for Shared Decision-Making. Hand Clinics, 2009, 25, 83-96. | 1.0 | 65 |
| 140 | Disability and Psychologic Distress in Patients with Nonspecific and Specific Arm Pain. Clinical Orthopaedics and Related Research, 2008, 466, 2820-2826. | 1.5 | 61 |
| 141 | Idiopathic Hand and Arm Pain: Delivering Cognitive Behavioral Therapy as Part of a Multidisciplinary Team in a Surgical Practice. Cognitive and Behavioral Practice, 2008, 15, 244-254. | 1.5 | 13 |
| 142 | Mindfulness Facets Associated with Orofacial Pain Outcomes. , 0, , . | | 0 |