## Vesna Boraska Perica

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9095669/publications.pdf

Version: 2024-02-01

53 papers

2,993 citations

20 h-index 51 g-index

54 all docs

54 docs citations

54 times ranked 7702 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. Nature Genetics, 2019, 51, 1207-1214.	21.4	641
2	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.	7.2	410
3	Identification of new susceptibility loci for osteoarthritis (arcOGEN): a genome-wide association study. Lancet, The, 2012, 380, 815-823.	13.7	373
4	Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. Nature Genetics, 2011, 43, 1082-1090.	21.4	367
5	Microsatelite GT polymorphism in the tollâ€ike receptor 2 is associated with colorectal cancer. Clinical Genetics, 2006, 70, 156-160.	2.0	98
6	Ethical aspects of human biobanks: a systematic review. Croatian Medical Journal, 2011, 52, 262-279.	0.7	95
7	Evidence of Inbreeding Depression on Human Height. PLoS Genetics, 2012, 8, e1002655.	3.5	79
8	Dietary Intake, <i>FTO</i> Genetic Variants, and Adiposity: A Combined Analysis of Over 16,000 Children and Adolescents. Diabetes, 2015, 64, 2467-2476.	0.6	74
9	Discovery and Fine Mapping of Serum Protein Loci through Transethnic Meta-analysis. American Journal of Human Genetics, 2012, 91, 744-753.	6.2	69
10	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. Molecular Psychiatry, 2017, 22, 192-201.	7.9	63
11	Genomeâ€wide association analysis of eating disorderâ€related symptoms, behaviors, and personality traits. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 803-811.	1.7	52
12	Genome-wide Association Study of Biochemical Traits in KorÄula Island, Croatia. Croatian Medical Journal, 2009, 50, 23-33.	0.7	49
13	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. Biological Psychiatry, 2019, 86, 577-586.	1.3	43
14	Fokl Polymorphism, Vitamin D Receptor, and Interleukin-1 Receptor Haplotypes Are Associated with Type 1 Diabetes in the Dalmatian Population. Journal of Molecular Diagnostics, 2005, 7, 600-604.	2.8	41
15	Large-scale association analysis of TNF/LTA gene region polymorphisms in type 2 diabetes. BMC Medical Genetics, 2010, 11, 69.	2.1	40
16	Genome-wide association study of breakfast skipping links clock regulation with food timing. American Journal of Clinical Nutrition, 2019, 110, 473-484.	4.7	34
17	Genome-wide meta-analysis of common variant differences between men and women. Human Molecular Genetics, 2012, 21, 4805-4815.	2.9	33
18	Using ancestry-informative markers to identify fine structure across 15 populations of European origin. European Journal of Human Genetics, 2014, 22, 1190-1200.	2.8	32

#	Article	IF	CITATIONS
19	Association of established thyroid peroxidase autoantibody (TPOAb) genetic variants with Hashimoto's thyroiditis. Autoimmunity, 2016, 49, 480-485.	2.6	28
20	Shared genetic risk between eating disorder―and substanceâ€useâ€related phenotypes: Evidence from genomeâ€wide association studies. Addiction Biology, 2021, 26, e12880.	2.6	28
21	Vitamin D and Hashimoto's Thyroiditis: Observations from CROHT Biobank. Nutrients, 2021, 13, 2793.	4.1	22
22	Environmental Risk Factors for Type 1 Diabetes Mellitus Development. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 563-570.	1.2	20
23	Family-based analysis of vitamin D receptor gene polymorphisms and type 1 diabetes in the population of South Croatia. Journal of Human Genetics, 2008, 53, 210-214.	2.3	19
24	Thyroglobulin Antibodies are Associated with Symptom Burden in Patients with Hashimoto's Thyroiditis: A Cross-Sectional Study. Immunological Investigations, 2019, 48, 198-209.	2.0	17
25	Genome-wide association analysis suggests novel loci for Hashimoto's thyroiditis. Journal of Endocrinological Investigation, 2019, 42, 567-576.	3.3	17
26	Differences in food consumption between patients with Hashimoto's thyroiditis and healthy individuals. Scientific Reports, 2020, 10, 10670.	3.3	17
27	Dietary Factors Associated with Plasma Thyroid Peroxidase and Thyroglobulin Antibodies. Nutrients, 2017, 9, 1186.	4.1	15
28	Genome-wide association analysis suggests novel loci underlying thyroid antibodies in Hashimoto's thyroiditis. Scientific Reports, 2019, 9, 5360.	3.3	15
29	Family-based analysis of tumor necrosis factor and lymphotoxin- $\hat{l}\pm$ tag polymorphisms with type 1 diabetes in the population of South Croatia. Human Immunology, 2009, 70, 195-199.	2.4	14
30	An evaluation of different meta-analysis approaches in the presence of allelic heterogeneity. European Journal of Human Genetics, 2012, 20, 709-712.	2.8	14
31	Association of NOS3 tag polymorphisms with hypoxic-ischemic encephalopathy. Croatian Medical Journal, 2011, 52, 396-402.	0.7	13
32	Genome-wide meta-analysis identifies novel loci associated with free triiodothyronine and thyroid-stimulating hormone. Journal of Endocrinological Investigation, 2019, 42, 1171-1180.	3.3	13
33	Whole-exome sequencing in an isolated population from the Dalmatian island of Vis. European Journal of Human Genetics, 2016, 24, 1479-1487.	2.8	11
34	Association of established hypothyroidism-associated genetic variants with Hashimoto's thyroiditis. Journal of Endocrinological Investigation, 2017, 40, 1061-1067.	3.3	11
35	Genome-wide meta-analysis identifies novel gender specific loci associated with thyroid antibodies level in Croatians. Genomics, 2019, 111, 737-743.	2.9	11
36	AATF and SMARCA2 are associated with thyroid volume in Hashimoto's thyroiditis patients. Scientific Reports, 2020, 10, 1754.	3.3	11

#	Article	IF	Citations
37	Historic, Demographic, and Genetic Evidence for Increased Population Frequencies of CCR5Δ32 Mutation in Croatian Island Isolates after Lethal 15th Century Epidemics. Croatian Medical Journal, 2009, 50, 34-42.	0.7	9
38	Oxygenation alters ganglioside expression in rat liver following partial hepatectomy. Biochemical and Biophysical Research Communications, 2005, 330, 131-141.	2.1	8
39	Genome-wide meta-analysis identifies novel loci associated with parathyroid hormone level. Molecular Medicine, 2018, 24, 15.	4.4	8
40	Leprosy epidemics during history increased protective allele frequency of PARK2/PACRG genes in the population of the Mljet Island, Croatia. European Journal of Medical Genetics, 2011, 54, e548-52.	1.3	7
41	Genome-Wide Analysis Identifies Two Susceptibility Loci for Positive Thyroid Peroxidase and Thyroglobulin Antibodies. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 944-951.	3.6	6
42	IL12RB2 Gene Is Associated with the Age of Type 1 Diabetes Onset in Croatian Family Trios. PLoS ONE, 2012, 7, e49133.	2.5	6
43	Glycosyltransferase B4GALNT1 and type 1 diabetes in Croatian population. Clinical Biochemistry, 2009, 42, 819-822.	1.9	5
44	Association of Established Thyroid-stimulating Hormone and Free Thyroxine Genetic Variants with Hashimoto's Thyroiditis. Immunological Investigations, 2017, 46, 625-638.	2.0	5
45	Genome-wide association meta-analysis for total thyroid hormone levels in Croatian population. Journal of Human Genetics, 2019, 64, 473-480.	2.3	5
46	Genetic Variants in the ST6GAL1 Gene Are Associated with Thyroglobulin Plasma Level in Healthy Individuals. Thyroid, 2019, 29, 886-893.	4.5	5
47	Evaluation of Correlations Between Food-Specific Antibodies and Clinical Aspects of Hashimoto's Thyroiditis. Journal of the American College of Nutrition, 2019, 38, 259-266.	1.8	5
48	Presence or severity of Hashimoto's thyroiditis does not influence basal calcitonin levels: observations from CROHT biobank. Journal of Endocrinological Investigation, 2022, 45, 597-605.	3.3	4
49	Genome-Wide Association Study to Identify Common Variants Associated with Brachial Circumference: A Meta-Analysis of 14 Cohorts. PLoS ONE, 2012, 7, e31369.	2.5	3
50	The effect of multiple nutrients on plasma parathyroid hormone level in healthy individuals. International Journal of Food Sciences and Nutrition, 2019, 70, 638-644.	2.8	2
51	Thyroid hormone levels are associated with metabolic components: a cross-sectional study. Croatian Medical Journal, 2020, 61, 230-238.	0.7	2
52	Genotype association of IP6K3 gene with Hashimoto's thyroiditis in Algerian population (Aures) Tj ETQq0 0 (	O rgBJ /Ov	erlock 10 Tf 5
53	Correction: Environmental Risk Factors for Type $1$ Diabetes Mellitus Development. Experimental and Clinical Endocrinology and Diabetes, 2018, , .	1.2	O