

Vesna Boraska Perica

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9095669/publications.pdf>

Version: 2024-02-01

53
papers

2,993
citations

361413

20
h-index

182427

51
g-index

54
all docs

54
docs citations

54
times ranked

7702
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Presence or severity of Hashimoto's thyroiditis does not influence basal calcitonin levels: observations from CROHT biobank. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 597-605. | 3.3 | 4 |
| 2 | Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880. | 2.6 | 28 |
| 3 | Vitamin D and Hashimoto's Thyroiditis: Observations from CROHT Biobank. <i>Nutrients</i> , 2021, 13, 2793. | 4.1 | 22 |
| 4 | Genome-Wide Analysis Identifies Two Susceptibility Loci for Positive Thyroid Peroxidase and Thyroglobulin Antibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 944-951. | 3.6 | 6 |
| 5 | Differences in food consumption between patients with Hashimoto's thyroiditis and healthy individuals. <i>Scientific Reports</i> , 2020, 10, 10670. | 3.3 | 17 |
| 6 | AATF and SMARCA2 are associated with thyroid volume in Hashimoto's thyroiditis patients. <i>Scientific Reports</i> , 2020, 10, 1754. | 3.3 | 11 |
| 7 | Thyroid hormone levels are associated with metabolic components: a cross-sectional study. <i>Croatian Medical Journal</i> , 2020, 61, 230-238. | 0.7 | 2 |
| 8 | Genotype association of IP6K3 gene with Hashimoto's thyroiditis in Algerian population (Aures) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 1.0 | 1 |
| 9 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214. | 21.4 | 641 |
| 10 | Genome-wide association study of breakfast skipping links clock regulation with food timing. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 473-484. | 4.7 | 34 |
| 11 | Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586. | 1.3 | 43 |
| 12 | Genome-wide association meta-analysis for total thyroid hormone levels in Croatian population. <i>Journal of Human Genetics</i> , 2019, 64, 473-480. | 2.3 | 5 |
| 13 | Genome-wide meta-analysis identifies novel loci associated with free triiodothyronine and thyroid-stimulating hormone. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 1171-1180. | 3.3 | 13 |
| 14 | Genome-wide association analysis suggests novel loci underlying thyroid antibodies in Hashimoto's thyroiditis. <i>Scientific Reports</i> , 2019, 9, 5360. | 3.3 | 15 |
| 15 | Genetic Variants in the ST6GAL1 Gene Are Associated with Thyroglobulin Plasma Level in Healthy Individuals. <i>Thyroid</i> , 2019, 29, 886-893. | 4.5 | 5 |
| 16 | The effect of multiple nutrients on plasma parathyroid hormone level in healthy individuals. <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 638-644. | 2.8 | 2 |
| 17 | Thyroglobulin Antibodies are Associated with Symptom Burden in Patients with Hashimoto's Thyroiditis: A Cross-Sectional Study. <i>Immunological Investigations</i> , 2019, 48, 198-209. | 2.0 | 17 |
| 18 | Genome-wide association analysis suggests novel loci for Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 567-576. | 3.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Evaluation of Correlations Between Food-Specific Antibodies and Clinical Aspects of Hashimoto's Thyroiditis. <i>Journal of the American College of Nutrition</i> , 2019, 38, 259-266. | 1.8 | 5 |
| 20 | Genome-wide meta-analysis identifies novel gender specific loci associated with thyroid antibodies level in Croatians. <i>Genomics</i> , 2019, 111, 737-743. | 2.9 | 11 |
| 21 | Genome-wide meta-analysis identifies novel loci associated with parathyroid hormone level. <i>Molecular Medicine</i> , 2018, 24, 15. | 4.4 | 8 |
| 22 | Correction: Environmental Risk Factors for Type 1 Diabetes Mellitus Development. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, , . | 1.2 | 0 |
| 23 | Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017, 22, 192-201. | 7.9 | 63 |
| 24 | Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858. | 7.2 | 410 |
| 25 | Association of established hypothyroidism-associated genetic variants with Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2017, 40, 1061-1067. | 3.3 | 11 |
| 26 | Environmental Risk Factors for Type 1 Diabetes Mellitus Development. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 563-570. | 1.2 | 20 |
| 27 | Association of Established Thyroid-stimulating Hormone and Free Thyroxine Genetic Variants with Hashimoto's Thyroiditis. <i>Immunological Investigations</i> , 2017, 46, 625-638. | 2.0 | 5 |
| 28 | Dietary Factors Associated with Plasma Thyroid Peroxidase and Thyroglobulin Antibodies. <i>Nutrients</i> , 2017, 9, 1186. | 4.1 | 15 |
| 29 | Whole-exome sequencing in an isolated population from the Dalmatian island of Vis. <i>European Journal of Human Genetics</i> , 2016, 24, 1479-1487. | 2.8 | 11 |
| 30 | Association of established thyroid peroxidase autoantibody (TPOAb) genetic variants with Hashimoto's thyroiditis. <i>Autoimmunity</i> , 2016, 49, 480-485. | 2.6 | 28 |
| 31 | Dietary Intake, <i>FTO</i> Genetic Variants, and Adiposity: A Combined Analysis of Over 16,000 Children and Adolescents. <i>Diabetes</i> , 2015, 64, 2467-2476. | 0.6 | 74 |
| 32 | Using ancestry-informative markers to identify fine structure across 15 populations of European origin. <i>European Journal of Human Genetics</i> , 2014, 22, 1190-1200. | 2.8 | 32 |
| 33 | Evidence of Inbreeding Depression on Human Height. <i>PLoS Genetics</i> , 2012, 8, e1002655. | 3.5 | 79 |
| 34 | An evaluation of different meta-analysis approaches in the presence of allelic heterogeneity. <i>European Journal of Human Genetics</i> , 2012, 20, 709-712. | 2.8 | 14 |
| 35 | Identification of new susceptibility loci for osteoarthritis (arcOGEN): a genome-wide association study. <i>Lancet</i> , The, 2012, 380, 815-823. | 13.7 | 373 |
| 36 | Genome-wide meta-analysis of common variant differences between men and women. <i>Human Molecular Genetics</i> , 2012, 21, 4805-4815. | 2.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Genome-wide association analysis of eating disorder-related symptoms, behaviors, and personality traits. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 803-811. | 1.7 | 52 |
| 38 | Discovery and Fine Mapping of Serum Protein Loci through Transethnic Meta-analysis. <i>American Journal of Human Genetics</i> , 2012, 91, 744-753. | 6.2 | 69 |
| 39 | Genome-Wide Association Study to Identify Common Variants Associated with Brachial Circumference: A Meta-Analysis of 14 Cohorts. <i>PLoS ONE</i> , 2012, 7, e31369. | 2.5 | 3 |
| 40 | IL12RB2 Gene Is Associated with the Age of Type 1 Diabetes Onset in Croatian Family Trios. <i>PLoS ONE</i> , 2012, 7, e49133. | 2.5 | 6 |
| 41 | Leprosy epidemics during history increased protective allele frequency of PARK2/PACRG genes in the population of the Mljet Island, Croatia. <i>European Journal of Medical Genetics</i> , 2011, 54, e548-52. | 1.3 | 7 |
| 42 | Genome-wide association and large-scale follow up identifies 16 new loci influencing lung function. <i>Nature Genetics</i> , 2011, 43, 1082-1090. | 21.4 | 367 |
| 43 | Ethical aspects of human biobanks: a systematic review. <i>Croatian Medical Journal</i> , 2011, 52, 262-279. | 0.7 | 95 |
| 44 | Association of NOS3 tag polymorphisms with hypoxic-ischemic encephalopathy. <i>Croatian Medical Journal</i> , 2011, 52, 396-402. | 0.7 | 13 |
| 45 | Large-scale association analysis of TNF/LTA gene region polymorphisms in type 2 diabetes. <i>BMC Medical Genetics</i> , 2010, 11, 69. | 2.1 | 40 |
| 46 | Historic, Demographic, and Genetic Evidence for Increased Population Frequencies of CCR5 Δ 32 Mutation in Croatian Island Isolates after Lethal 15th Century Epidemics. <i>Croatian Medical Journal</i> , 2009, 50, 34-42. | 0.7 | 9 |
| 47 | Genome-wide Association Study of Biochemical Traits in Korčula Island, Croatia. <i>Croatian Medical Journal</i> , 2009, 50, 23-33. | 0.7 | 49 |
| 48 | Glycosyltransferase B4GALNT1 and type 1 diabetes in Croatian population. <i>Clinical Biochemistry</i> , 2009, 42, 819-822. | 1.9 | 5 |
| 49 | Family-based analysis of tumor necrosis factor and lymphotoxin- β tag polymorphisms with type 1 diabetes in the population of South Croatia. <i>Human Immunology</i> , 2009, 70, 195-199. | 2.4 | 14 |
| 50 | Family-based analysis of vitamin D receptor gene polymorphisms and type 1 diabetes in the population of South Croatia. <i>Journal of Human Genetics</i> , 2008, 53, 210-214. | 2.3 | 19 |
| 51 | Microsatellite GT polymorphism in the toll-like receptor 2 is associated with colorectal cancer. <i>Clinical Genetics</i> , 2006, 70, 156-160. | 2.0 | 98 |
| 52 | FokI Polymorphism, Vitamin D Receptor, and Interleukin-1 Receptor Haplotypes Are Associated with Type 1 Diabetes in the Dalmatian Population. <i>Journal of Molecular Diagnostics</i> , 2005, 7, 600-604. | 2.8 | 41 |
| 53 | Oxygenation alters ganglioside expression in rat liver following partial hepatectomy. <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 131-141. | 2.1 | 8 |