Man Ping Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9096208/publications.pdf

Version: 2024-02-01

186 papers 3,563 citations

201674 27 h-index 233421 45 g-index

208 all docs

208 docs citations

208 times ranked 3944 citing authors

#	Article	IF	CITATIONS
1	Associations Between COVID-19 Misinformation Exposure and Belief With COVID-19 Knowledge and Preventive Behaviors: Cross-Sectional Online Study. Journal of Medical Internet Research, 2020, 22, e22205.	4.3	209
2	Electronic Cigarette Use and Respiratory Symptoms in Chinese Adolescents in Hong Kong. JAMA Pediatrics, 2016, 170, 89.	6.2	114
3	Social Distancing Compliance under COVID-19 Pandemic and Mental Health Impacts: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 6692.	2.6	111
4	Social Determinants of Health Information Seeking among Chinese Adults in Hong Kong. PLoS ONE, 2013, 8, e73049.	2.5	108
5	Using WhatsApp and Facebook Online Social Groups for Smoking Relapse Prevention for Recent Quitters: A Pilot Pragmatic Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e238.	4.3	106
6	How, When and Why People Seek Health Information Online: Qualitative Study in Hong Kong. Interactive Journal of Medical Research, 2017, 6, e24.	1.4	101
7	Mental Health Impacts of the COVID-19 Pandemic on International University Students, Related Stressors, and Coping Strategies. Frontiers in Psychiatry, 2020, 11, 584240.	2.6	93
8	Short version of the Smartphone Addiction Scale in Chinese adults: Psychometric properties, sociodemographic, and health behavioral correlates. Journal of Behavioral Addictions, 2018, 7, 1157-1165.	3.7	91
9	Comprehensive smoke-free legislation and displacement of smoking into the homes of young children in Hong Kong. Tobacco Control, 2010, 19, 129-133.	3.2	84
10	Mental health crisis under COVID-19 pandemic in Hong Kong, China. International Journal of Infectious Diseases, 2020, 100, 431-433.	3.3	83
11	Health App Possession Among Smartphone or Tablet Owners in Hong Kong: Population-Based Survey. JMIR MHealth and UHealth, 2017, 5, e77.	3.7	67
12	Prevalence and determinants of SARS-CoV-2 vaccine hesitancy in Hong Kong: A population-based survey. Vaccine, 2021, 39, 3602-3607.	3.8	66
13	Exposure to health misinformation about COVID-19 and increased tobacco and alcohol use: a population-based survey in Hong Kong. Tobacco Control, 2021, 30, 696-699.	3.2	57
14	Parental Smoking, Exposure to Secondhand Smoke at Home, and Smoking Initiation Among Young Children. Nicotine and Tobacco Research, 2011, 13, 827-832.	2.6	56
15	Socioeconomic Disparities in eHealth Literacy and Preventive Behaviors During the COVID-19 Pandemic in Hong Kong: Cross-sectional Study. Journal of Medical Internet Research, 2021, 23, e24577.	4.3	54
16	Chat-based instant messaging support integrated with brief interventions for smoking cessation: a community-based, pragmatic, cluster-randomised controlled trial. The Lancet Digital Health, 2019, 1, e183-e192.	12.3	48
17	Health information exposure from information and communication technologies and its associations with health behaviors: Population-based survey. Preventive Medicine, 2018, 113, 140-146.	3.4	45
18	Impact of COVID-19 on Child Maltreatment: Income Instability and Parenting Issues. International Journal of Environmental Research and Public Health, 2021, 18, 1501.	2.6	43

#	Article	IF	CITATIONS
19	Smoking Is Associated With Poor Self-Rated Health Among Adolescents in Hong Kong. Nicotine and Tobacco Research, 2012, 14, 682-687.	2.6	40
20	Intervention With Brief Cessation Advice Plus Active Referral for Proactively Recruited Community Smokers. JAMA Internal Medicine, 2017, 177, 1790.	5.1	40
21	Electronic cigarette use among adolescents: a cross-sectional study in Hong Kong. BMC Public Health, 2016, 16, 202.	2.9	36
22	Online Social Support for the Prevention of Smoking Relapse: A Content Analysis of the WhatsApp and Facebook Social Groups. Telemedicine Journal and E-Health, 2017, 23, 507-516.	2.8	36
23	Sociodemographic risk factors of alcohol drinking in Hong Kong adolescents. Journal of Epidemiology and Community Health, 2016, 70, 374-379.	3.7	35
24	Testâ€"retest reliability and validity of a single-item Self-reported Family Happiness Scale in Hong Kong Chinese: findings from Hong Kong Jockey Club FAMILY Project. Quality of Life Research, 2019, 28, 535-543.	3.1	35
25	Association of Individual Health Literacy with Preventive Behaviours and Family Well-Being during COVID-19 Pandemic: Mediating Role of Family Information Sharing. International Journal of Environmental Research and Public Health, 2020, 17, 8838.	2.6	35
26	Perceived Benefits and Harms of the COVID-19 Pandemic on Family Well-Being and Their Sociodemographic Disparities in Hong Kong: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 1217.	2.6	35
27	Using Information and Communication Technologies for Family Communication and Its Association With Family Well-Being in Hong Kong: FAMILY Project. Journal of Medical Internet Research, 2015, 17, e207.	4.3	35
28	The association of problematic smartphone use with family well-being mediated by family communication in Chinese adults: A population-based study. Journal of Behavioral Addictions, 2019, 8, 412-419.	3.7	34
29	Fear of COVID-19 and its associations with perceived personal and family benefits and harms in Hong Kong. Translational Behavioral Medicine, 2021, 11, 793-801.	2.4	34
30	Exploring Community Smokers' Perspectives for Developing a Chat-Based Smoking Cessation Intervention Delivered Through Mobile Instant Messaging: Qualitative Study. JMIR MHealth and UHealth, 2019, 7, e11954.	3.7	32
31	Perceptions and use of e-cigarettes among young adults in Hong Kong. BMC Public Health, 2019, 19, 1123.	2.9	31
32	Problematic Smartphone Use and Mental Health in Chinese Adults: A Population-Based Study. International Journal of Environmental Research and Public Health, 2020, 17, 844.	2.6	31
33	The tobacco endgame in Hong Kong: public support for a total ban on tobacco sales. Tobacco Control, 2015, 24, 162-167.	3.2	30
34	Electronic cigarette use and its association with smoking in Hong Kong Chinese adolescents. Addictive Behaviors, 2015, 50, 124-127.	3.0	29
35	Exposure to Secondhand Smoke and Academic Performance in Non-Smoking Adolescents. Journal of Pediatrics, 2010, 157, 1012-1017.e1.	1.8	28
36	Exposure to e-cigarette advertising, attitudes, and use susceptibility in adolescents who had never used e-cigarettes or cigarettes. BMC Public Health, 2020, 20, 1349.	2.9	27

#	Article	IF	CITATIONS
37	Sharing Family Life Information Through Video Calls and Other Information and Communication Technologies and the Association With Family Well-Being: Population-Based Survey. JMIR Mental Health, 2017, 4, e57.	3.3	27
38	Short Sleep Duration and Insomnia Symptoms were Associated with Lower Happiness Levels in Chinese Adults in Hong Kong. International Journal of Environmental Research and Public Health, 2019, 16, 2079.	2.6	26
39	Secondhand Smoke and Respiratory Symptoms Among Adolescent Current Smokers. Pediatrics, 2009, 124, 1306-1310.	2.1	25
40	Overestimation of Peer Smoking Prevalence Predicts Smoking Initiation Among Primary School Students in Hong Kong. Journal of Adolescent Health, 2011, 48, 418-420.	2.5	25
41	Reported alcohol drinking and mental health problems in Hong Kong Chinese adolescents. Drug and Alcohol Dependence, 2016, 164, 47-54.	3.2	25
42	Electronic cigarette awareness and use among adults in Hong Kong. Addictive Behaviors, 2016, 52, 34-38.	3.0	25
43	Effectiveness of a Brief Self-determination Theory–Based Smoking Cessation Intervention for Smokers at Emergency Departments in Hong Kong. JAMA Internal Medicine, 2020, 180, 206.	5.1	25
44	Digital Inequalities of Family Life Information Seeking and Family Well-Being Among Chinese Adults in Hong Kong: A Population Survey. Journal of Medical Internet Research, 2014, 16, e227.	4.3	25
45	Heated tobacco products use in Chinese adults in Hong Kong: a population-based cross-sectional study. Tobacco Control, 2020, 29, tobaccocontrol-2018-054719.	3.2	24
46	Fish Consumption and Mortality in Hong Kong Chineseâ€"the LIMOR Study. Annals of Epidemiology, 2011, 21, 164-169.	1.9	23
47	Brief Advice on Smoking Reduction Versus Abrupt Quitting for Smoking Cessation in Chinese Smokers: A Cluster Randomized Controlled Trial. Nicotine and Tobacco Research, 2017, 20, 67-72.	2.6	22
48	Early childhood exposure to secondhand smoke and behavioural problems in preschoolers. Scientific Reports, 2018, 8, 15434.	3.3	22
49	Smoking family, secondhand smoke exposure at home, and nicotine addiction among adolescent smokers. Addictive Behaviors, 2012, 37, 743-746.	3.0	21
50	Effectiveness of a small cash incentive on abstinence and use of cessation aids for adult smokers: A randomized controlled trial. Addictive Behaviors, 2017, 66, 17-25.	3.0	21
51	Health Information Seeking Partially Mediated the Association between Socioeconomic Status and Self-Rated Health among Hong Kong Chinese. PLoS ONE, 2013, 8, e82720.	2.5	20
52	Adolescent Support for Tobacco Control Policies and Associations with Tobacco Denormalization Beliefs and Harm Perceptions. International Journal of Environmental Research and Public Health, 2019, 16, 147.	2.6	20
53	Impact of COVID-19 on the Hong Kong Youth Quitline Service and Quitting Behaviors of Its Users. International Journal of Environmental Research and Public Health, 2020, 17, 8397.	2.6	20
54	Smoking Family, Secondhand Smoke Exposure at Home, and Quitting in Adolescent Smokers. Nicotine and Tobacco Research, 2013, 15, 185-191.	2.6	19

#	Article	IF	Citations
55	Secondhand Smoke From Multiple Sources, Thirdhand Smoke and Respiratory Symptoms in Hong Kong Adolescents. Nicotine and Tobacco Research, 2018, 20, ntw302.	2.6	19
56	Brief intervention to promote smoking cessation and improve glycemic control in smokers with type 2 diabetes: a randomized controlled trial. Scientific Reports, 2017, 7, 45902.	3.3	19
57	Helping cancer patients quit smoking using brief advice based on risk communication: A randomized controlled trial. Scientific Reports, 2018, 8, 2712.	3.3	19
58	Adolescent Smoking in Hong Kong: Prevalence, Psychosocial Correlates, and Prevention. Journal of Adolescent Health, 2019, 64, S19-S27.	2.5	19
59	Exposure to secondhand smoke from neighbours and respiratory symptoms in never-smoking adolescents in Hong Kong: a cross-sectional study. BMJ Open, 2015, 5, e008607.	1.9	18
60	Public Support for Electronic Cigarette Regulation in Hong Kong: A Population-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2017, 14, 709.	2.6	18
61	Increasing socioeconomic disparities in sedentary behaviors in Chinese children. BMC Public Health, 2019, 19, 754.	2.9	18
62	Family E-Chat Group Use Was Associated with Family Wellbeing and Personal Happiness in Hong Kong Adults amidst the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 9139.	2.6	18
63	Electronic cigarette use is not associated with quitting of conventional cigarettes in youth smokers. Pediatric Research, 2017, 82, 14-18.	2.3	17
64	Exâ€smokers are happier than current smokers among <scp>C</scp> hinese adults in <scp>H</scp> ong <scp>K</scp> ong. Addiction, 2014, 109, 1165-1171.	3.3	16
65	The reliability and validity of the Chinese Short Warwick-Edinburgh Mental Well-being Scale in the general population of Hong Kong. Quality of Life Research, 2019, 28, 2813-2820.	3.1	16
66	Family Smoking, Exposure to Secondhand Smoke at Home and Family Unhappiness in Children. International Journal of Environmental Research and Public Health, 2015, 12, 14557-14570.	2.6	15
67	E-Cigarette Awareness, Perceptions and Use among Community-Recruited Smokers in Hong Kong. PLoS ONE, 2015, 10, e0141683.	2.5	15
68	An Evaluation of the Youth Quitline Service Young HongÂKongÂSmokers. Journal of Adolescent Health, 2017, 60, 584-591.	2.5	15
69	Meteorological factors to fall: a systematic review. International Journal of Biometeorology, 2018, 62, 2073-2088.	3.0	15
70	Effects of simple active referrals of different intensities on smoking abstinence and smoking cessation services attendance: a clusterâ€randomized clinical trial. Addiction, 2020, 115, 1902-1912.	3.3	15
71	Association of Mobile Instant Messaging Chat Group Participation With Family Functioning and Well-Being: Population-Based Cross-sectional Study. Journal of Medical Internet Research, 2021, 23, e18876.	4.3	15
72	Secondhand smoke exposure (SHS) and health-related quality of life (HRQoL) in Chinese never smokers in Hong Kong. BMJ Open, 2015, 5, e007694.	1.9	14

#	Article	IF	CITATIONS
73	A study protocol for a randomised controlled trial evaluating the use of information communication technology (WhatsApp/WeChat) to deliver brief motivational interviewing (i-BMI) in promoting smoking cessation among smokers with chronic diseases. BMC Public Health, 2019, 19, 1083.	2.9	14
74	First Report on Smoking and Infection Control Behaviours at Outdoor Hotspots during the COVID-19 Pandemic: An Unobtrusive Observational Study. International Journal of Environmental Research and Public Health, 2021, 18, 1031.	2.6	14
75	Effects of Social Networking Service (SNS) Addiction on Mental Health Status in Chinese University Students: Structural Equation Modeling Approach Using a Cross-sectional Online Survey. Journal of Medical Internet Research, 2021, 23, e26733.	4.3	14
76	Waterpipe smoking among secondary school students in Hong Kong. International Journal of Public Health, 2016, 61, 427-434.	2.3	13
77	The relationship of waterpipe use with cigarette smoking susceptibility and nicotine dependence: A cross-sectional study among Hong Kong adolescents. Addictive Behaviors, 2017, 64, 123-128.	3.0	13
78	School-level electronic cigarette use prevalence and student-level tobacco use intention and behaviours. Scientific Reports, 2019, 9, 1690.	3.3	13
79	Association of heated tobacco product use with smoking cessation in Chinese cigarette smokers in Hong Kong: a prospective study. Tobacco Control, 2021, 30, 653-659.	3.2	13
80	Self-Reported Screen Time on Social Networking Sites Associated With Problematic Smartphone Use in Chinese Adults: A Population-Based Study. Frontiers in Psychiatry, 2020, 11, 614061.	2.6	13
81	An evaluation study of a gender-specific smoking cessation program to help Hong Kong Chinese women quit smoking. BMC Public Health, 2015, 15, 986.	2.9	12
82	Comparison of two approaches in achieving smoking abstinence among patients in an outpatient clinic: A Phase 2 randomized controlled trial. Patient Education and Counseling, 2018, 101, 885-893.	2,2	12
83	Delivery of a Nicotine Replacement Therapy Sample at Outdoor Smoking Hotspots for Promoting Quit Attempts: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2020, 22, 1468-1475.	2.6	12
84	Changes in Individual Weight Status Based on Body Mass Index and Waist Circumference in Hong Kong Chinese. PLoS ONE, 2015, 10, e0119827.	2.5	12
85	Smoking and Secondhand Smoke Exposure at Home Were Associated with Poor Perceived Family Well-Being: Findings of FAMILY Project. PLoS ONE, 2016, 11, e0161761.	2.5	12
86	Brief advice and active referral for smoking cessation services among community smokers: a study protocol for randomized controlled trial. BMC Public Health, 2016, 16, 387.	2.9	11
87	Feasibility, Efficacy, and Cost Analysis of Promoting Smoking Cessation at Outdoor Smoking "Hotspots†A Pre-Post Study. Nicotine and Tobacco Research, 2018, 20, 1519-1524.	2.6	11
88	Favourable Perceptions of Electronic Cigarettes Relative to Cigarettes and the Associations with Susceptibility to Electronic Cigarette Use in Hong Kong Chinese Adolescents. International Journal of Environmental Research and Public Health, 2018, 15, 54.	2.6	11
89	Perceived family relationship quality and use of poly-tobacco products during early and late adolescence. Addictive Behaviors, 2018, 85, 38-42.	3.0	11
90	An Interactive Web-Based Sexual Health Literacy Program for Safe Sex Practice for Female Chinese University Students: Multicenter Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e22564.	4.3	11

#	Article	IF	Citations
91	Associations of Electronic Device Use Before and After Sleep With Psychological Distress Among Chinese Adults in Hong Kong: Cross-Sectional Study. JMIR Mental Health, 2020, 7, e15403.	3.3	11
92	Changes in tobacco use at the early stage of the COVID-19 pandemic: Results of four cross-sectional surveys in Hong Kong. Tobacco Induced Diseases, 2022, 20, 1-9.	0.6	11
93	Associations of Delay in Doctor Consultation With COVID-19 Related Fear, Attention to Information, and Fact-Checking. Frontiers in Public Health, 2021, 9, 797814.	2.7	11
94	A low cost surface plasmon resonance biosensor using a laser line generator. Optics Communications, 2015, 349, 83-88.	2.1	10
95	Associations of perceived interparental relationship, family harmony and family happiness with smoking intention in never-smoking Chinese children and adolescents: a cross-sectional study. BMJ Open, 2017, 7, e017523.	1.9	10
96	Association between employer's knowledge and attitude towards smoking cessation and voluntary promotion in workplace: a survey study. Tobacco Induced Diseases, 2017, 15, 44.	0.6	10
97	Digital inequalities in health information seeking behaviors and experiences in the age of web 2.0: A population-based study in Hong Kong. PLoS ONE, 2021, 16, e0249400.	2.5	10
98	Associations of COVID-19 online information sources and information overload with psychological distress symptoms: a population-based study. Translational Behavioral Medicine, 2021, 11, 1330-1338.	2.4	10
99	Factors Associated With Mental Health Symptoms During the COVID-19 Pandemic in Hong Kong. Frontiers in Psychiatry, 2021, 12, 617397.	2.6	10
100	Positive perceptions of electronic cigarettes relative to combustible cigarettes are associated with weaker support for endgame policies on combustible cigarettes: A population-based cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2019, 17, 61.	0.6	10
101	High Perceived Susceptibility to and Severity of COVID-19 in Smokers Are Associated with Quitting-Related Behaviors. International Journal of Environmental Research and Public Health, 2021, 18, 10894.	2.6	10
102	Associations of unhappiness with sociodemographic factors and unhealthy behaviours in Chinese adolescents. European Journal of Public Health, 2017, 27, 518-524.	0.3	9
103	Exploratory study on the relationship between smoking and other risk behaviours among young smokers. Journal of Clinical Nursing, 2018, 27, 2859-2867.	3.0	9
104	Does Electronic Cigarette Use Predict Abstinence from Conventional Cigarettes among Smokers in Hong Kong?. International Journal of Environmental Research and Public Health, 2018, 15, 400.	2.6	9
105	Effect of Secondary Cigarette Smoke from Household Members on Breastfeeding Duration: A Prospective Cohort Study. Breastfeeding Medicine, 2018, 13, 412-417.	1.7	9
106	Effectiveness of WhatsApp online group discussion for smoking relapse prevention: protocol for a pragmatic randomized controlled trial. Addiction, 2020, 115, 1777-1785.	3.3	9
107	Waterpipe smoking among university students in Hong Kong: a cross-sectional study. BMC Public Health, 2020, 20, 543.	2.9	9
108	A "Community Fit―Community-Based Participatory Research Program for Family Health, Happiness, and Harmony: Design and Implementation. JMIR Research Protocols, 2015, 4, e126.	1.0	9

#	Article	IF	CITATIONS
109	Correlates of Pro-Drinking Practices in Drinking Parents of Adolescents in Hong Kong. PLoS ONE, 2015, 10, e0119554.	2.5	8
110	Hong Kong Chinese Adolescents' Self-Reported Smoking and Perceptions of Parenting Styles. International Journal of Behavioral Medicine, 2015, 22, 268-275.	1.7	8
111	Paternal smoking and maternal protective behaviors at home on infant's saliva cotinine levels. Pediatric Research, 2018, 83, 936-942.	2.3	8
112	Tobacco Industry Denormalization Beliefs in Hong Kong Adolescents. Nicotine and Tobacco Research, 2019, 21, 949-954.	2.6	8
113	Effect of prepaid and promised financial incentive on follow-up survey response in cigarette smokers: a randomized controlled trial. BMC Medical Research Methodology, 2019, 19, 138.	3.1	8
114	Will the tobacco industry ultimately triumph in the midst of COVID-19 pandemic?: A call for nurses' action in tobacco control. International Journal of Nursing Studies, 2021, 115, 103726.	5 . 6	8
115	Skipping Breakfast and Eating Breakfast Away From Home Were Prospectively Associated With Emotional and Behavioral Problems in 115,217 Chinese Adolescents. Journal of Epidemiology, 2022, 32, 551-558.	2.4	8
116	Facemask Wearing Among Chinese International Students From Hong Kong Studying in United Kingdom Universities During COVID-19: A Mixed Method Study. Frontiers in Psychiatry, 2021, 12, 673531.	2.6	8
117	Active referral plus a small financial incentive upon cessation services use on smoking abstinence: a community-based, cluster-randomised controlled trial. The Lancet Regional Health - Western Pacific, 2021, 13, 100189.	2.9	8
118	Adverse Lifestyle Leads to an Annual Excess of 2 Million Deaths in China. PLoS ONE, 2014, 9, e89650.	2.5	8
119	Between- and within-person associations of mobile gaming time and total screen time with sleep problems in young adults: Daily assessment study. Addictive Behaviors, 2022, 134, 107408.	3.0	8
120	Helping cancer patients quit smoking by increasing their risk perception: a study protocol of a cluster randomized controlled trial. BMC Cancer, 2015, 15, 490.	2.6	7
121	Proactive and Brief Smoking Cessation Intervention for Smokers at Outdoor Smoking "Hotspots―in Hong Kong. Journal of Cancer Education, 2018, 33, 365-370.	1.3	7
122	Brief mindfulness training for smoking cessation in Chinese women in workplaces: A pilot randomized controlled trial. Addictive Behaviors, 2021, 113, 106677.	3.0	7
123	Characterization of Respiratory Symptoms Among Youth Using Heated Tobacco Products in Hong Kong. JAMA Network Open, 2021, 4, e2117055.	5.9	7
124	Mobile Chat Messaging for Preventing Smoking Relapse Amid the COVID-19 Pandemic: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2023, 25, 291-297.	2.6	7
125	Alcohol Drinking and Pro-drinking Practices in Parents of Hong Kong Adolescents. Alcohol and Alcoholism, 2014, 49, 668-674.	1.6	6
126	Mortality reduction from quitting smoking in Hong Kong: population-wide proportional mortality study. International Journal of Epidemiology, 2018, 47, 752-759.	1.9	6

#	Article	IF	CITATIONS
127	Parental smoking, rejection of parental smoking, and smoking susceptibility and behaviors in Hong Kong adolescents. Addictive Behaviors, 2018, 82, 19-22.	3.0	6
128	Proactive outreach smoking cessation program for Chinese employees in China. Archives of Environmental and Occupational Health, 2018, 73, 67-78.	1.4	6
129	Smoking behaviours of Hong Kong Chinese hospitalised patients and predictors of smoking abstinence after discharge: a cross-sectional study. BMJ Open, 2018, 8, e023965.	1.9	6
130	Comparing different intensities of active referral to smoking cessation services in promoting smoking cessation among community smokers: a study protocol of a cluster randomized controlled trial. BMC Public Health, 2018, 18, 830.	2.9	6
131	Mobile chat-based support plus nicotine replacement therapy sampling to promote smoking cessation for community smokers: A randomized controlled trial. Tobacco Induced Diseases, 2021, 19, 1-13.	0.6	6
132	Alcohol drinking, especially light drinking, and depressive symptoms in adolescents. Drug and Alcohol Dependence, 2021, 227, 108932.	3.2	6
133	Secondhand Smoke Exposure and Health Services Use among Adolescent Current Smokers. PLoS ONE, 2013, 8, e64322.	2.5	5
134	Motivating smokers at outdoor public smoking hotspots to have a quit attempt with a nicotine replacement therapy sample: study protocol for a randomized controlled trial. Trials, 2016, 17, 355.	1.6	5
135	Reactions to Thirdhand Smoke are Associated with Openness to Smoking in Young Never Smoking Children. Journal of Community Health, 2016, 41, 461-467.	3.8	5
136	Promoting smoking cessation among community-living female smokers by training smoking cessation and reduction ambassadors. Journal of Public Health, 2020, 42, 53-61.	1.8	5
137	Helping hospitalized smokers in Hong Kong quit smoking by understanding their risk perception, behaviour, and attitudes related to smoking. Journal of Advanced Nursing, 2019, 75, 2167-2177.	3.3	5
138	Chat-based instant messaging support combined with brief smoking cessation interventions for Chinese community smokers in Hong Kong: Rationale and study protocol for a pragmatic, cluster-randomized controlled trial. Contemporary Clinical Trials, 2019, 77, 70-75.	1.8	5
139	A descriptive study of a Smoke-free Teens Programme to promote smoke-free culture in schools and the community in Hong Kong. BMC Public Health, 2019, 19, 23.	2.9	5
140	Brief Advice, Nicotine Replacement Therapy Sampling, and Active Referral for Expectant Fathers Who Smoke Cigarettes. JAMA Internal Medicine, 2021, 181, 1081-1089.	5.1	5
141	Factor Structure and Psychometric Properties of the Family Communication Scale in the Chinese Population. Frontiers in Psychology, 2021, 12, 736514.	2.1	5
142	Effect of a workplace mobile phoneâ€based instant messaging intervention on smoking cessation: a clusterâ€randomized controlled trial. Addiction, 2022, 117, 1758-1767.	3.3	5
143	A Population Study on COVID-19 Information Sharing: Sociodemographic Differences and Associations with Family Communication Quality and Well-Being in Hong Kong. International Journal of Environmental Research and Public Health, 2022, 19, 3577.	2.6	5
144	Associations of Face-to-Face and Instant Messaging Family Communication and Their Contents With Family Wellbeing and Personal Happiness Amidst the COVID-19 Pandemic. Frontiers in Psychiatry, 2022, 13, 780714.	2.6	5

#	Article	lF	Citations
145	Patterns of Perceived Harms and Benefits of the COVID-19 Outbreak in Hong Kong Adults: A Latent Profile Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 4352.	2.6	5
146	Cross-sectional study on parental pro-drinking practices and adolescent alcohol drinking in Hong Kong. BMJ Open, 2016, 6, e009804.	1.9	4
147	Brief handgrip and isometric exercise intervention for smoking cessation: A pilot randomized trial. Addictive Behaviors, 2020, 100, 106119.	3.0	4
148	Late-onset or chronic overweight/obesity predicts low self-esteem in early adolescence: a longitudinal cohort study. BMC Public Health, 2022, 22, 31.	2.9	4
149	Changes in tobacco use in the early phase of COVID-19 pandemic in Hong Kong: a qualitative study. Nicotine and Tobacco Research, 0, , .	2.6	4
150	Underage alcohol drinking and medical services use in Hong Kong: a cross-sectional study. BMJ Open, 2013, 3, e002740.	1.9	3
151	Impact of Secondhand Smoke Exposure on Smoking Cessation inÂCardiac Patients. Journal of the American College of Cardiology, 2015, 66, 592-593.	2.8	3
152	Development of a community-based network to promote smoking cessation among female smokers in Hong Kong. BMC Public Health, 2017, 17, 311.	2.9	3
153	Arabian nights in Hong Kong: Chinese young adults' experience of waterpipe smoking. Tobacco Control, 2021, 30, 587-590.	3.2	3
154	Effectiveness of nicotine replacement therapy sample at outdoor smoking hotspots for initiating quit attempts and use of smoking cessation services: a protocol for a cluster randomised controlled trial. BMJ Open, 2020, 10, e036339.	1.9	3
155	Effects of active referral combined with a small financial incentive on smoking cessation: study protocol for a cluster randomised controlled trial. BMJ Open, 2020, 10, e038351.	1.9	3
156	'Carcinogens in a puff': smoking in Hong Kong movies. Tobacco Control, 2010, 19, 518-519.	3.2	2
157	Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. International Journal of Environmental Research and Public Health, 2018, 15, 74.	2.6	2
158	Polytobacco product use among current cigarette smokers in Hong Kong, China: results from population surveys (2015–17). BMC Public Health, 2021, 21, 307.	2.9	2
159	Use patterns of cigarettes and alternative tobacco products and socioeconomic correlates in Hong Kong secondary school students. Scientific Reports, 2021, 11, 17253.	3.3	2
160	Exploring perspectives for developing an adaptive chat-based smoking cessation intervention among continuing smokers in Hong Kong: Community-based, qualitative study. Tobacco Induced Diseases, 2021, 19, .	0.6	2
161	Pro-smoking responses and attitudes due to point-of-sale tobacco displays in never smokers: A cross-sectional study in Hong Kong. Tobacco Induced Diseases, 2018, 16, 32.	0.6	2
162	Exclusive and concurrent use of cigarettes and alternative tobacco products among Hong Kong adolescents. Tobacco Prevention and Cessation, 2018, 4, 19.	0.4	2

#	Article	IF	Citations
163	Feasibility and Acceptability of an Online WhatsApp Support Group on Breastfeeding: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e32338.	1.0	2
164	Letter to the Editor. Clinical Nutrition, 2009, 28, 216.	5.0	1
165	Quitting trajectories of Chinese women smokers following telephone smoking cessation counselling: A longitudinal study. Journal of Clinical Nursing, 2020, 29, 556-566.	3.0	1
166	Brief cessation advice, nicotine replacement therapy sampling and active referral (BANSAR) for smoking expectant fathers: Study protocol for a multicentre, pragmatic randomised controlled trial. Contemporary Clinical Trials, 2020, 93, 106006.	1.8	1
167	POSITIVE EXPERIENCE AND CHALLENGES IN LEARNING AND DELIVERING COGNITIVE BEHAVIORAL THERAPY AMONG PSYCHIATRIC NURSES OF HONG KONG. Psychologia, 2021, 63, 57-72.	0.3	1
168	Psychological Impact of the COVID-19 Pandemic on Licensed Full-Time Practicing Nurses Undertaking Part-Time Studies in Higher Education: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 8569.	2.6	1
169	Exposure to secondhand smoke infiltration at home amongst Hong Kong residents: a population-based study. Tobacco Induced Diseases, 2018, 16, .	0.6	1
170	The Association Between Electronic Device Use During Family Time and Family Well-Being: Population-Based Cross-Sectional Study. Journal of Medical Internet Research, 2020, 22, e20529.	4.3	1
171	Circumventing tobacco control and safety policies to promote waterpipe use in smoking venues: the perspective of staff in waterpipe smoking venues. Tobacco Control, 2023, 32, 509-512.	3.2	1
172	Adolescent alcohol drinking in Hong Kong: a school-based survey. Hong Kong Medical Journal, 2019, 25 Suppl 3, 13-15.	0.1	1
173	Development and Evaluation of an Innovative Web-Based Training, Learning, and Sharing Platform for Social Workers (Hong Kong Jockey Club SMART Family-Link Project): Mixed Methods Evaluation Study. JMIR Formative Research, 2022, 6, e32894.	1.4	1
174	$1399 \mbox{Associations}$ of family wellbeing with face-to-face and instant messaging family communication amidst the COVID-19 pandemic. International Journal of Epidemiology, 2021, 50, .	1.9	0
175	Community based interventions to increase use of Quitline services. The Lancet Regional Health - Western Pacific, 2021, 14, 100238.	2.9	0
176	E-cigarette perceptions, use frequency and susceptibility among young adults in Hong Kong. Tobacco Induced Diseases, 2018, 16, .	0.6	0
177	Comparing 2 different intensities of active referral to smoking cessation services: a cluster randomized controlled trial. Tobacco Induced Diseases, 2018, 16, .	0.6	0
178	Exposures and responses to point-of-sale tobacco displays and support for banning displays in Hong Kong: a population-based cross-sectional survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0
179	Effectiveness of a brief, self-determination intervention for smoking cessation (immediate or) Tj ETQq $1\ 1\ 0.7843$ Induced Diseases, 2018, 16, .	14 rgBT /(0.6	Overlock 10 T 0
180	Physical activity was associated with unassisted quitting: cross-sectional and prospective findings from the Hong Kong Population Health Survey. Tobacco Induced Diseases, 2018, 16, .	0.6	0

#	Article	IF	Citations
181	Prevalence and correlates of smoking at home in adolescent smokers - a cross-sectional study. Tobacco Induced Diseases, 2018, 16, .	0.6	o
182	Exposure to electronic cigarette advertising and intention to use electronic cigarettes in Hong Kong adolescents. Tobacco Induced Diseases, $2018,16,16$	0.6	0
183	Knowledge on harms of thirdhand smoking is associated with greater support on smokefree policies. Tobacco Induced Diseases, 2018, 16, .	0.6	O
184	Cigarette and e-cigarette use in parents and their adolescents. Tobacco Prevention and Cessation, $2019, 5, .$	0.4	0
185	A brief, tailored smoking cessation intervention for smokers with diabetes mellitus in Hong Kong. Hong Kong Medical Journal, 2017, 23 Suppl 2, 10-11.	0.1	O
186	Worsening trends in self-rated health and correlates in Chinese adolescents in Hong Kong: a population-based panel study from 1999/2000 to 2014/15. BMJ Open, 2022, 12, e055842.	1.9	0