

Boris B Dzantiev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9100204/publications.pdf>

Version: 2024-02-01

203
papers

4,882
citations

101543

36
h-index

144013

57
g-index

206
all docs

206
docs citations

206
times ranked

4467
citing authors

#	ARTICLE	IF	CITATIONS
1	Immunochromatographic methods in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 55, 81-93.	11.4	287
2	“Traffic light” immunochromatographic test based on multicolor quantum dots for the simultaneous detection of several antibiotics in milk. <i>Biosensors and Bioelectronics</i> , 2015, 63, 255-261.	10.1	255
3	Quantum dot-based lateral flow immunoassay for detection of chloramphenicol in milk. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 4997-5000.	3.7	167
4	Towards Lateral Flow Quantitative Assays: Detection Approaches. <i>Biosensors</i> , 2019, 9, 89.	4.7	133
5	SERS-based lateral flow immunoassay of troponin I by using gap-enhanced Raman tags. <i>Nano Research</i> , 2019, 12, 413-420.	10.4	105
6	Less is More: A Comparison of Antibody-Gold Nanoparticle Conjugates of Different Ratios. <i>Bioconjugate Chemistry</i> , 2017, 28, 2737-2746.	3.6	96
7	Factors influencing the detection limit of the lateral-flow sandwich immunoassay: a case study with potato virus X. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1595-1605.	3.7	88
8	Nonlinear responses to waterborne cadmium exposure in zebrafish. An in vivo study. <i>Environmental Research</i> , 2017, 157, 173-181.	7.5	84
9	Double-enhanced lateral flow immunoassay for potato virus X based on a combination of magnetic and gold nanoparticles. <i>Analytica Chimica Acta</i> , 2018, 1007, 50-60.	5.4	77
10	Methods and Applications of In Silico Aptamer Design and Modeling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8420.	4.1	72
11	Cadmium, lead and mercury in muscle tissue of gilthead seabream and seabass: Risk evaluation for consumers. <i>Food and Chemical Toxicology</i> , 2019, 124, 439-449.	3.6	70
12	A chitosan gold nanoparticles molecularly imprinted polymer based ciprofloxacin sensor. <i>RSC Advances</i> , 2020, 10, 12823-12832.	3.6	70
13	Integration of lateral flow and microarray technologies for multiplex immunoassay: application to the determination of drugs of abuse. <i>Mikrochimica Acta</i> , 2013, 180, 1165-1172.	5.0	68
14	Rapid immunochromatographic assay for ofloxacin in animal original foodstuffs using native antisera labeled by colloidal gold. <i>Talanta</i> , 2014, 119, 125-132.	5.5	67
15	Adsorption of proteins on gold nanoparticles: One or more layers?. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 173, 557-563.	5.0	67
16	Correlation between the composition of multivalent antibody conjugates with colloidal gold nanoparticles and their affinity. <i>Journal of Immunological Methods</i> , 2010, 357, 17-25.	1.4	62
17	Use of gold nanoparticle-labeled secondary antibodies to improve the sensitivity of an immunochromatographic assay for aflatoxin B1. <i>Mikrochimica Acta</i> , 2014, 181, 1939-1946.	5.0	62
18	Perspective and application of molecular imprinting approach for antibiotic detection in food and environmental samples: A critical review. <i>Food Control</i> , 2020, 118, 107381.	5.5	62

#	ARTICLE	IF	CITATIONS
19	Rapid Immunoenzyme Assay of Aflatoxin B1 Using Magnetic Nanoparticles. <i>Sensors</i> , 2014, 14, 21843-21857.	3.8	57
20	Development of the sensitive lateral flow immunoassay with silver enhancement for the detection of <i>Ralstonia solanacearum</i> in potato tubers. <i>Talanta</i> , 2016, 152, 521-530.	5.5	56
21	Rapid Multiple Immunoenzyme Assay of Mycotoxins. <i>Toxins</i> , 2015, 7, 238-254.	3.4	55
22	Progress in rapid optical assays for heavy metal ions based on the use of nanoparticles and receptor molecules. <i>Mikrochimica Acta</i> , 2019, 186, 172.	5.0	55
23	Enzyme immunoassay and proteomic characterization of troponin I as a marker of mammalian muscle compounds in raw meat and some meat products. <i>Meat Science</i> , 2015, 105, 46-52.	5.5	52
24	Ultrasensitive magnetic ELISA of zearalenone with pre-concentration and chemiluminescent detection. <i>Food Control</i> , 2018, 84, 330-338.	5.5	50
25	"Multistage in one touch" design with a universal labelling conjugate for high-sensitive lateral flow immunoassays. <i>Biosensors and Bioelectronics</i> , 2016, 86, 575-579.	10.1	49
26	Bifunctional gold nanoparticles as an agglomeration-enhancing tool for highly sensitive lateral flow tests: a case study with procalcitonin. <i>Mikrochimica Acta</i> , 2017, 184, 4189-4195.	5.0	47
27	Silver-enhanced lateral flow immunoassay for highly-sensitive detection of potato leafroll virus. <i>Food and Agricultural Immunology</i> , 2018, 29, 445-457.	1.4	47
28	Nucleic acid lateral flow assay with recombinase polymerase amplification: Solutions for highly sensitive detection of RNA virus. <i>Talanta</i> , 2020, 210, 120616.	5.5	46
29	Fluorescence Polarization-Based Bioassays: New Horizons. <i>Sensors</i> , 2020, 20, 7132.	3.8	43
30	Setting up the cut-off level of a sensitive barcode lateral flow assay with magnetic nanoparticles. <i>Talanta</i> , 2017, 164, 69-76.	5.5	42
31	One-step simultaneous immunochromatographic strip test for multianalysis of ochratoxin a and zearalenone. <i>Journal of Microbiology and Biotechnology</i> , 2009, 19, 83-92.	2.1	41
32	Use of anchor protein modules in fluorescence polarisation aptamer assay for ochratoxin A determination. <i>Analytica Chimica Acta</i> , 2017, 962, 80-87.	5.4	39
33	Nano-(Q)SAR for Cytotoxicity Prediction of Engineered Nanomaterials. <i>Molecules</i> , 2019, 24, 4537.	3.8	39
34	Molecularly imprinted polymers as receptors for assays of antibiotics. <i>Critical Reviews in Analytical Chemistry</i> , 2020, 50, 291-310.	3.5	39
35	Toxicity of nanosilver in intragastric studies: Biodistribution and metabolic effects. <i>Toxicology Letters</i> , 2016, 241, 184-192.	0.8	38
36	Immunoassay Techniques for Detection of the Herbicide Simazine Based on Use of Oppositely Charged Water-Soluble Polyelectrolytes. <i>Analytical Chemistry</i> , 1999, 71, 3538-3543.	6.5	37

#	ARTICLE	IF	CITATIONS
37	Production of antibodies and development of enzyme-linked immunosorbent assays for the herbicide butachlor. <i>Analytica Chimica Acta</i> , 2003, 491, 1-13.	5.4	35
38	Enlargement of Gold Nanoparticles for Sensitive Immunochromatographic Diagnostics of Potato Brown Rot. <i>Sensors</i> , 2019, 19, 153.	3.8	35
39	Cut-off on demand: adjustment of the threshold level of an immunochromatographic assay for chloramphenicol. <i>Analytical Methods</i> , 2015, 7, 6378-6384.	2.7	33
40	Multiarray on a test strip (MATS): rapid multiplex immunodetection of priority potato pathogens. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 6009-6017.	3.7	33
41	A triple immunochromatographic test for simultaneous determination of cardiac troponin I, fatty acid binding protein, and C-reactive protein biomarkers. <i>Mikrochimica Acta</i> , 2017, 184, 463-471.	5.0	33
42	Gold nanoparticles of different shape for bicolour lateral flow test. <i>Analytical Biochemistry</i> , 2019, 568, 7-13.	2.4	33
43	Direct immunosensing by spectral correlation interferometry: assay characteristics versus antibody immobilization chemistry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3955-3964.	3.7	31
44	Enhancement of lateral flow immunoassay by alkaline phosphatase: a simple and highly sensitive test for potato virus X. <i>Mikrochimica Acta</i> , 2018, 185, 25.	5.0	30
45	Mathematical Model of Serodiagnostic Immunochromatographic Assay. <i>Analytical Chemistry</i> , 2017, 89, 4419-4427.	6.5	29
46	Fluorescence polarisation immunoassays for strobilurin fungicides kresoxim-methyl, trifloxystrobin and picoxystrobin. <i>Talanta</i> , 2017, 162, 495-504.	5.5	29
47	Advantages of Soybean Peroxidase over Horseradish Peroxidase as the Enzyme Label in Chemiluminescent Enzyme-Linked Immunosorbent Assay of Sulfamethoxy-pyridazine. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 3284-3289.	5.2	28
48	Quantum-Dot-Based Immunochromatographic Assay for Total IgE in Human Serum. <i>PLoS ONE</i> , 2013, 8, e77485.	2.5	28
49	Key significance of DNA-target size in lateral flow assay coupled with recombinase polymerase amplification. <i>Analytica Chimica Acta</i> , 2020, 1102, 109-118.	5.4	28
50	Application of gold nanoparticles produced by laser ablation for immunochromatographic assay labeling. <i>Analytical Biochemistry</i> , 2015, 491, 65-71.	2.4	27
51	The steadfast Au@Pt soldier: Peroxide-tolerant nanozyme for signal enhancement in lateral flow immunoassay of peroxidase-containing samples. <i>Talanta</i> , 2021, 225, 121961.	5.5	27
52	A new kind of highly sensitive competitive lateral flow immunoassay displaying direct analyte-signal dependence. Application to the determination of the mycotoxin deoxynivalenol. <i>Mikrochimica Acta</i> , 2018, 185, 29.	5.0	26
53	Lateral Flow Immunoassay for Rapid Detection of Grapevine Leafroll-Associated Virus. <i>Biosensors</i> , 2018, 8, 111.	4.7	26
54	Highly Sensitive Immunochromatographic Detection of Antibiotic Ciprofloxacin in Milk. <i>Applied Biochemistry and Microbiology</i> , 2018, 54, 670-676.	0.9	26

#	ARTICLE	IF	CITATIONS
55	Raman Scattering-Based Biosensing: New Prospects and Opportunities. <i>Biosensors</i> , 2021, 11, 512.	4.7	26
56	Homogeneous enzyme immunoassay for pyrethroid pesticides and their derivatives using bacillary alpha-amylase as label. <i>Analytica Chimica Acta</i> , 1997, 347, 131-138.	5.4	25
57	Post-assay growth of gold nanoparticles as a tool for highly sensitive lateral flow immunoassay. Application to the detection of potato virus X. <i>Mikrochimica Acta</i> , 2018, 185, 506.	5.0	25
58	ELISA and Lateral Flow Immunoassay for the Detection of Food Colorants: State of the Art. <i>Critical Reviews in Analytical Chemistry</i> , 2019, 49, 209-223.	3.5	25
59	Development of a multicomponent immunochromatographic test system for the detection of fluoroquinolone and amphenicol antibiotics in dairy products. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 3834-3842.	3.5	25
60	Immunochromatographic Assay with Photometric Detection for Rapid Determination of the Herbicide Atrazine and Other Triazines in Foodstuffs. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 36-43.	1.5	24
61	Urchin peroxidase-mimicking Au@Pt nanoparticles as a label in lateral flow immunoassay: impact of nanoparticle composition on detection limit of <i>Clavibacter michiganensis</i> . <i>Mikrochimica Acta</i> , 2020, 187, 268.	5.0	24
62	Lateral flow immunoassay for sensitive detection of undeclared chicken meat in meat products. <i>Food Chemistry</i> , 2021, 344, 128598.	8.2	24
63	Polyvalent interaction of antibodies with bacterial cells. <i>Molecular Immunology</i> , 1990, 27, 965-971.	2.2	23
64	Production of monoclonal antibodies against fullerene C ₆₀ and development of a fullerene enzyme immunoassay. <i>Analyst</i> , The, 2012, 137, 98-105.	3.5	23
65	Development and Application of a Label-Free Fluorescence Method for Determining the Composition of Gold Nanoparticle-Protein Conjugates. <i>International Journal of Molecular Sciences</i> , 2015, 16, 907-923.	4.1	23
66	Application of Magnetic Nanoparticles in Immunoassay. <i>Nanotechnologies in Russia</i> , 2017, 12, 471-479.	0.7	23
67	Highly sensitive immunochromatographic assay for qualitative and quantitative control of beta-agonist salbutamol and its structural analogs in foods. <i>Food Control</i> , 2018, 86, 50-58.	5.5	23
68	Development of a double immunochromatographic test system for simultaneous determination of lincomycin and tylosin antibiotics in foodstuffs. <i>Food Chemistry</i> , 2020, 318, 126510.	8.2	23
69	Sensitive lateral flow immunoassay of an antibiotic neomycin in foodstuffs. <i>Journal of Food Science and Technology</i> , 2021, 58, 292-301.	2.8	23
70	A family of DNA aptamers with varied duplex region length that forms complexes with thrombin and prothrombin. <i>FEBS Letters</i> , 2015, 589, 2043-2049.	2.8	22
71	Development of lateral flow immunoassay for rapid control and quantification of the presence of the colorant Sudan I in spices and seafood. <i>Food Control</i> , 2017, 73, 247-253.	5.5	22
72	How to Improve Sensitivity of Sandwich Lateral Flow Immunoassay for Corpuscular Antigens on the Example of Potato Virus Y?. <i>Sensors</i> , 2018, 18, 3975.	3.8	22

#	ARTICLE	IF	CITATIONS
73	Lateral Flow Immunoassay of SARS-CoV-2 Antigen with SERS-Based Registration: Development and Comparison with Traditional Immunoassays. <i>Biosensors</i> , 2021, 11, 510.	4.7	22
74	Express detection of nonylphenol in water samples by fluorescence polarization immunoassay. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 378, 634-641.	3.7	21
75	Immunoenzyme assay of nonylphenol: study of selectivity and detection of alkylphenolic non-ionic surfactants in water samples. <i>Talanta</i> , 2005, 65, 367-374.	5.5	21
76	High-sensitivity immunochromatographic assay for fumonisin B1 based on indirect antibody labeling. <i>Biotechnology Letters</i> , 2017, 39, 751-758.	2.2	21
77	“External” antibodies as the simplest tool for sensitive immunochromatographic tests. <i>Talanta</i> , 2017, 175, 77-81.	5.5	21
78	Alarm lateral flow immunoassay for detection of the total infection caused by the five viruses. <i>Talanta</i> , 2019, 195, 739-744.	5.5	21
79	The Potential Use of Isothermal Amplification Assays for In-Field Diagnostics of Plant Pathogens. <i>Plants</i> , 2021, 10, 2424.	3.5	20
80	Rapid polyelectrolyte-based immunofiltration technique for testosterone detection in serum samples. <i>Analyst</i> , 2003, 128, 1275.	3.5	19
81	Antibodies as specific chaperones. <i>Biochemistry (Moscow)</i> , 2004, 69, 1233-1238.	1.5	19
82	Study of Distribution and Biological Effects of Fullerene C ₆₀ after Single and Multiple Intra-gastrical Administrations to Rats. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2015, 23, 658-668.	2.1	19
83	Complex analysis of concentrated antibody-gold nanoparticle conjugates™ mixtures using asymmetric flow field-flow fractionation. <i>Journal of Chromatography A</i> , 2016, 1477, 56-63.	3.7	19
84	Measurement of (Aptamer “Small Target”) <i>K_D</i> Using the Competition between Fluorescently Labeled and Unlabeled Targets and the Detection of Fluorescence Anisotropy. <i>Analytical Chemistry</i> , 2018, 90, 9189-9198.	6.5	19
85	Lectin-based detection of <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> by flow cytometry. <i>Archives of Microbiology</i> , 2019, 201, 313-324.	2.2	19
86	Advantages of Highly Spherical Gold Nanoparticles as Labels for Lateral Flow Immunoassay. <i>Sensors</i> , 2020, 20, 3608.	3.8	19
87	Multiplex Assay of Viruses Integrating Recombinase Polymerase Amplification, Barcode “Anti-Barcode Pairs, Blocking Anti-Primers, and Lateral Flow Assay. <i>Analytical Chemistry</i> , 2021, 93, 13641-13650.	6.5	19
88	Sensitive lateral flow immunoassay for the detection of pork additives in raw and cooked meat products. <i>Food Chemistry</i> , 2021, 359, 129927.	8.2	19
89	Wheat germ agglutinin and <i>Lens culinaris</i> agglutinin sensitized anisotropic silver nanoparticles in detection of bacteria: A simple photometric assay. <i>Analytica Chimica Acta</i> , 2017, 981, 80-85.	5.4	19
90	Colorimetric Determination of Lead Using Gold Nanoparticles. <i>Analytical Letters</i> , 2015, 48, 766-782.	1.8	18

#	ARTICLE	IF	CITATIONS
91	Methods for the Diagnosis of Grapevine Viral Infections: A Review. <i>Agriculture (Switzerland)</i> , 2018, 8, 195.	3.1	18
92	Fluorescence Polarization Immunoassay for Determination of Enrofloxacin in Pork Liver and Chicken. <i>Molecules</i> , 2019, 24, 4462.	3.8	18
93	Design of Multiplex Lateral Flow Tests: A Case Study for Simultaneous Detection of Three Antibiotics. <i>Biosensors</i> , 2020, 10, 17.	4.7	18
94	Immunochromatographic Detection of Myoglobin as a Specific Biomarker of Porcine Muscle Tissues in Meat Products. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7437.	2.5	17
95	Peroxidase-mimicking nanozyme with surface-dispersed Pt atoms for the colorimetric lateral flow immunoassay of C-reactive protein. <i>Mikrochimica Acta</i> , 2021, 188, 309.	5.0	17
96	Ways to Reach Lower Detection Limits of Lateral Flow Immunoassays. , 0, , .		16
97	An immunochromatographic test system for the determination of lincomycin in foodstuffs of animal origin. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1141, 122014.	2.3	16
98	Microplate immunoassay technique using polyelectrolyte carriers: kinetic studies and application to detection of the herbicide atrazine. <i>Analytica Chimica Acta</i> , 1999, 399, 151-160.	5.4	15
99	Preparation of antibodies and development of enzyme-linked immunosorbent assay for nonylphenol. <i>International Journal of Environmental Analytical Chemistry</i> , 2004, 84, 965-978.	3.3	15
100	Development of a lateral flow immunoassay for rapid diagnosis of potato blackleg caused by <i>Dickeya</i> species. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 1915-1927.	3.7	15
101	A new visual enzyme immunoassay of methamphetamine using linear water-soluble polyelectrolytes. <i>Immunology Letters</i> , 1994, 41, 205-211.	2.5	14
102	Stereospecific recognition and quantitative structure-activity relationship between antibodies and enantiomers: ofloxacin as a model hapten. <i>Analyst, The</i> , 2015, 140, 1037-1045.	3.5	14
103	Mathematical modeling of bioassays. <i>Biochemistry (Moscow)</i> , 2017, 82, 1744-1766.	1.5	14
104	Fluorescence polarization immunoassay of colchicine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 159, 326-330.	2.8	14
105	Development of lateral flow assay combined with recombinase polymerase amplification for highly sensitive detection of <i>Dickeya solani</i> . <i>Molecular and Cellular Probes</i> , 2020, 53, 101622.	2.1	14
106	Methods for Increasing Sensitivity of Immunochromatographic Test Systems with Colorimetric Detection (Review). <i>Applied Biochemistry and Microbiology</i> , 2021, 57, 143-151.	0.9	14
107	Comparative Study of In Situ Techniques to Enlarge Gold Nanoparticles for Highly Sensitive Lateral Flow Immunoassay of SARS-CoV-2. <i>Biosensors</i> , 2021, 11, 229.	4.7	14
108	Cascade-Enhanced Lateral Flow Immunoassay for Sensitive Detection of Okadaic Acid in Seawater, Fish, and Seafood. <i>Foods</i> , 2022, 11, 1691.	4.3	14

#	ARTICLE	IF	CITATIONS
109	Detection of Intermolecular Interactions Based on Surface Plasmon Resonance Registration. <i>Biochemistry (Moscow)</i> , 2015, 80, 1820-1832.	1.5	13
110	Application of magnetite nanoparticles for the development of highly sensitive immunochromatographic test systems for mycotoxin detection. <i>Applied Biochemistry and Microbiology</i> , 2017, 53, 470-475.	0.9	13
111	Recombinase polymerase amplification combined with a magnetic nanoparticle-based immunoassay for fluorometric determination of troponin T. <i>Mikrochimica Acta</i> , 2019, 186, 549.	5.0	13
112	Combination of phenylboronic acid and oligocytosine for selective and specific detection of lead(ii) by lateral flow test strip. <i>Analytica Chimica Acta</i> , 2021, 1155, 338318.	5.4	13
113	Comparison of two express immunotechniques with polyelectrolyte carriers, ELISA and FIAA, for the analysis of atrazine. <i>Talanta</i> , 2005, 65, 324-330.	5.5	12
114	Fluorescence polarization immunoassay of ractopamine. <i>Applied Biochemistry and Microbiology</i> , 2016, 52, 673-678.	0.9	12
115	Theoretical and Experimental Comparison of Different Formats of Immunochromatographic Serodiagnostics. <i>Sensors</i> , 2018, 18, 36.	3.8	12
116	Lateral Flow Immunoassay to Detect the Addition of Beef, Pork, Lamb, and Horse Muscles in Raw Meat Mixtures and Finished Meat Products. <i>Foods</i> , 2020, 9, 1662.	4.3	12
117	Changing Cross-Reactivity for Different Immunoassays Using the Same Antibodies: Theoretical Description and Experimental Confirmation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6581.	2.5	12
118	Tannic Acid-Capped Gold Nanoparticles as a Novel Nanozyme for Colorimetric Determination of Pb ²⁺ Ions. <i>Chemosensors</i> , 2021, 9, 332.	3.6	12
119	DIRECT2: A novel platform for a CRISPR-Cas12-based assay comprising universal DNA-IgG probe and a direct lateral flow test. <i>Biosensors and Bioelectronics</i> , 2022, 208, 114227.	10.1	12
120	Development of Immunochromatographic Assay for Determination of Tetracycline in Human Serum. <i>Antibiotics</i> , 2018, 7, 99.	3.7	11
121	Immunochromatographic tests for the detection of microcystin-LR toxin in water and fish samples. <i>Analytical Methods</i> , 2020, 12, 392-400.	2.7	11
122	Mathematical modeling of immunochromatographic test systems in a competitive format: Analytical and numerical approaches. <i>Biochemical Engineering Journal</i> , 2020, 164, 107763.	3.6	11
123	Size-Dependent Differences in Biodistribution of Titanium Dioxide Nanoparticles After Sub-Acute Intra-gastric Administrations to Rats. <i>Current Nanoscience</i> , 2016, 12, 228-236.	1.2	11
124	Retention of Activity by Antibodies Immobilized on Gold Nanoparticles of Different Sizes: Fluorometric Method of Determination and Comparative Evaluation. <i>Nanomaterials</i> , 2021, 11, 3117.	4.1	11
125	Laccase from <i>Coriolus hirsutus</i> as Alternate Label for Enzyme Immunoassay: Determination of Pesticide 2,4-Dichlorophenoxyacetic Acid. <i>Applied Biochemistry and Biotechnology</i> , 1999, 76, 203-216.	2.9	10
126	Lateral flow immunoassay for rapid detection of potato ring rot caused by <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> . <i>Applied Biochemistry and Microbiology</i> , 2014, 50, 675-682.	0.9	10

#	ARTICLE	IF	CITATIONS
127	Immunochromatographic assay for serodiagnosis of tuberculosis using an antigenâ€colloidal gold conjugate. <i>Applied Biochemistry and Microbiology</i> , 2015, 51, 834-839.	0.9	10
128	Express Immunochromatographic Detection of Antibodies against <i>Brucella Abortus</i> in Cattle Sera Based on Quantitative Photometric Registration and Modulated Cut-Off Level. <i>Journal of Immunoassay and Immunochemistry</i> , 2015, 36, 80-90.	1.1	10
129	Multiplex highly sensitive immunochromatographic assay based on the use of nonprocessed antisera. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 1903-1910.	3.7	10
130	Complexes of Gold Nanoparticles with Antibodies in Immunochromatography: Comparison of Direct and Indirect Immobilization of Antibodies for the Detection of Antibiotics. <i>Nanotechnologies in Russia</i> , 2018, 13, 430-438.	0.7	10
131	The Challenge for Rapid Detection of High-Structured Circular RNA: Assay of Potato Spindle Tuber Viroid Based on Recombinase Polymerase Amplification and Lateral Flow Tests. <i>Plants</i> , 2020, 9, 1369.	3.5	10
132	Network of gold conjugates for enhanced sensitive immunochromatographic assays of troponins. <i>RSC Advances</i> , 2021, 11, 16445-16452.	3.6	10
133	Ultrasensitive lateral flow immunoassay of phycotoxin microcystin-LR in seafood based on magnetic particles and peroxidase signal amplification. <i>Food Control</i> , 2022, 133, 108655.	5.5	10
134	Experimental study and mathematical modeling of the interaction between antibodies and antigens on the surface of liposomes. <i>Molecular Immunology</i> , 2002, 39, 413-422.	2.2	9
135	Chemiluminescence catalysed by gold nanoparticles for the analysis of arsenic (III) in real water. <i>Journal of Experimental Nanoscience</i> , 2016, 11, 1372-1383.	2.4	9
136	Development of a Lateral Flow Highway: Ultra-Rapid Multitracking Immunosensor for Cardiac Markers. <i>Sensors</i> , 2019, 19, 5494.	3.8	9
137	Ciprofloxacin and Clinafloxacin Antibodies for an Immunoassay of Quinolones: Quantitative Structureâ€Activity Analysis of Cross-Reactivities. <i>International Journal of Molecular Sciences</i> , 2019, 20, 265.	4.1	9
138	Highly sensitive lateral flow test with indirect labelling for zearalenone in baby food. <i>Food and Agricultural Immunology</i> , 2020, 31, 653-666.	1.4	9
139	Recombinase Polymerase Amplification Assay with and without Nuclease-Dependent-Labeled Oligonucleotide Probe. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11885.	4.1	9
140	Rapid Full-Cycle Technique to Control Adulteration of Meat Products: Integration of Accelerated Sample Preparation, Recombinase Polymerase Amplification, and Test-Strip Detection. <i>Molecules</i> , 2021, 26, 6804.	3.8	9
141	Interaction Between Antibodies and Hapten-Protein Conjugates of Different Composition: Theoretical Predictions and Experimental Data. <i>Journal of Immunoassay</i> , 1997, 18, 67-95.	0.3	8
142	Immunochromatographic test system for the detection of T-2 toxin. <i>Applied Biochemistry and Microbiology</i> , 2015, 51, 688-694.	0.9	8
143	Enzyme immunoassay for detection of Sudan I dye and its application to the control of foodstuffs. <i>Journal of Analytical Chemistry</i> , 2016, 71, 944-948.	0.9	8
144	QSAR analysis of immune recognition for triazine herbicides based on immunoassay data for polyclonal and monoclonal antibodies. <i>PLoS ONE</i> , 2019, 14, e0214879.	2.5	8

#	ARTICLE	IF	CITATIONS
145	Colorimetric Technique for Antimony Detection Based on the Use of Gold Nanoparticles Conjugated with Poly-A Oligonucleotide. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4782.	2.5	8
146	A Comparative Study of Approaches to Improve the Sensitivity of Lateral Flow Immunoassay of the Antibiotic Lincomycin. <i>Biosensors</i> , 2020, 10, 198.	4.7	8
147	Lateral flow immunoassay for rapid qualitative and quantitative control of the veterinary drug bacitracin in milk. <i>Microchemical Journal</i> , 2020, 156, 104884.	4.5	8
148	Comparative Study of Four Coloured Nanoparticle Labels in Lateral Flow Immunoassay. <i>Nanomaterials</i> , 2021, 11, 3277.	4.1	8
149	Probing the stereoselective interaction of ofloxacin enantiomers with corresponding monoclonal antibodies by multiple spectrometry. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 194, 83-91.	3.9	7
150	A Mechanism of Gold Nanoparticle Aggregation by Immunoglobulin G Preparation. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 475.	2.5	7
151	Lateral Flow Serodiagnosis in the Double-Antigen Sandwich Format: Theoretical Consideration and Confirmation of Advantages. <i>Sensors</i> , 2021, 21, 39.	3.8	7
152	Efficient chemiluminescence by aptamer reactant platform combination with activated Ag ⁺ Au alloy nanoparticles for cobalt detection. <i>International Journal of Environmental Analytical Chemistry</i> , 2018, 98, 570-581.	3.3	6
153	Highly Sensitive Immunochromatographic Assay for Qualitative and Quantitative Control of Beta-Agonist Ractopamine in Foods. <i>Applied Biochemistry and Microbiology</i> , 2018, 54, 436-441.	0.9	6
154	Immunochromatographic System for Serodiagnostics of Cattle Brucellosis Using Gold Nanoparticles and Signal Amplification with Quantum Dots. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 738.	2.5	6
155	Immunochromatographic assay of T-2 toxin using labeled anti-species antibodies. <i>Applied Biochemistry and Microbiology</i> , 2017, 53, 594-599.	0.9	5
156	Study of Growth of Bare and Protein-Modified Gold Nanoparticles in the Presence of Hydroxylamine and Tetrachloroaurate. <i>Nanotechnologies in Russia</i> , 2018, 13, 614-622.	0.7	5
157	Lateral flow immunoassay for bisphenol A: Development of test strips and their application for ecological monitoring. <i>Journal of Physics: Conference Series</i> , 2019, 1172, 012088.	0.4	5
158	Comparison of Three Schemes of Quantum Dots-Based Immunochromatography for Serodiagnosis of Brucellosis in Cattle. <i>Journal of Engineering and Applied Sciences</i> , 2019, 14, 3711-3718.	0.2	5
159	Mercaptosuccinic-Acid-Functionalized Gold Nanoparticles for Highly Sensitive Colorimetric Sensing of Fe(III) Ions. <i>Chemosensors</i> , 2021, 9, 290.	3.6	5
160	Detection Limits of Immunoanalytical Systems: Limiting Factors and Methods of Reduction. <i>Journal of Analytical Chemistry</i> , 2022, 77, 391-401.	0.9	5
161	The registration of aptamer ligand (ochratoxin A) interactions based on ligand fluorescence changes. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 536-541.	2.1	4
162	Immunochromatographic Test Systems using Anti-Species Antibodies Colloidal Gold Conjugate: Their Features and Benefits on the Example of Ochratoxin A Detection. <i>Moscow University Chemistry Bulletin</i> , 2018, 73, 63-68.	0.6	4

#	ARTICLE	IF	CITATIONS
163	Development of an Immunoenzyme Assay to Control the Total Content of Antibiotics of the Fluoroquinolone Group in Milk. <i>Applied Biochemistry and Microbiology</i> , 2019, 55, 563-569.	0.9	4
164	Triple Immunochromatographic System for Simultaneous Serodiagnosis of Bovine Brucellosis, Tuberculosis, and Leukemia. <i>Biosensors</i> , 2019, 9, 115.	4.7	4
165	Development of Rapid Immunochromatographic Assay for D-dimer Detection. <i>Applied Biochemistry and Microbiology</i> , 2019, 55, 305-312.	0.9	4
166	Modulation of Aptamer-Ligand-Binding by Complementary Oligonucleotides: A G-Quadruplex Anti-Ochratoxin A Aptamer Case Study. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4876.	4.1	4
167	Rapid detection of phycotoxin domoic acid in seawater and seafood based on the developed lateral flow immunoassay. <i>Analytical Methods</i> , 2022, 14, 2446-2452.	2.7	4
168	Novel Preparation of Gold Nanoparticles with Application for the Amperometric Determination of Arsenic. <i>Analytical Letters</i> , 2016, 49, 1388-1397.	1.8	3
169	Competitive photometric enzyme immunoassay for fullerene C60 and its derivatives using a fullerene conjugated to horseradish peroxidase. <i>Mikrochimica Acta</i> , 2016, 183, 211-217.	5.0	3
170	Comparative Characteristics of Nanodisperse Labels for Immunochromatographic Test Systems. <i>Nano Hybrids and Composites</i> , 2017, 13, 32-38.	0.8	3
171	Application of Gold Nanoparticles for High-Sensitivity Fluorescence Polarization Aptamer Assay for Ochratoxin A. <i>Nanotechnologies in Russia</i> , 2019, 14, 397-404.	0.7	3
172	Electron-Microscopic Investigation of the Distribution of Titanium Dioxide (rutile) Nanoparticles in the Rats' Small Intestine Mucosa, Liver, and Spleen. <i>Current Nanoscience</i> , 2020, 16, 268-279.	1.2	3
173	Simultaneous Immunochromatographic Assay of Several Antibiotics: Modulation of Detection Limits and Working Ranges. <i>Oriental Journal of Chemistry</i> , 2019, 35, 1634-1639.	0.3	3
174	Comparative Assessment of Different Gold Nanoflowers as Labels for Lateral Flow Immunosensors. <i>Sensors</i> , 2021, 21, 7098.	3.8	3
175	Double Competitive Immunodetection of Small Analyte: Realization for Highly Sensitive Lateral Flow Immunoassay of Chloramphenicol. <i>Biosensors</i> , 2022, 12, 343.	4.7	3
176	High-Sensitive Visually Controlled Membrane-Type Quantitation of NAD and Alkaline Phosphatase. <i>Analytical Letters</i> , 1994, 27, 2899-2916.	1.8	2
177	Development of microformat imaging microplate and membrane immunoenzyme assays of the herbicide atrazine. <i>International Journal of Environmental Analytical Chemistry</i> , 2005, 85, 905-915.	3.3	2
178	Magnetic Nanoparticles as Carriers for Immunoassays. <i>Nano Hybrids and Composites</i> , 2017, 13, 54-62.	0.8	2
179	Enzyme-linked lectinosorbent assay of <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> . <i>Applied Biochemistry and Microbiology</i> , 2017, 53, 107-113.	0.9	2
180	Development of Enzyme-Linked Immunosorbent Assay with Tiramine Amplification for the Detection of Potato Virus X. <i>Applied Biochemistry and Microbiology</i> , 2019, 55, 434-440.	0.9	2

#	ARTICLE	IF	CITATIONS
181	Development of Immunoenzyme Assay for Detection of Soybean Raw Material in Food Products. Applied Biochemistry and Microbiology, 2020, 56, 483-487.	0.9	2
182	Management of Factors for Improving Antigen-Antibody Interaction in Lateral flow Immunoassay of Tetracycline in Human Serum Samples. Biomedical and Pharmacology Journal, 2019, 12, 17-24.	0.5	2
183	Double qualitative immunochromatographic test for simultaneous control of chicken muscles and eggs in food. Journal of Food Composition and Analysis, 2022, 106, 104324.	3.9	2
184	Comparative study of magnetic beads and microplates as supports in heterogeneous amplified assay of miRNA-141 by using mismatched catalytic hairpin assembly reaction. Talanta, 2022, 247, 123535.	5.5	2
185	Silent Antibodies Start Talking: Enhanced Lateral Flow Serodiagnosis with Two-Stage Incorporation of Labels into Immune Complexes. Biosensors, 2022, 12, 434.	4.7	2
186	Detection of Gold Nanoparticles in Rat Organs by Transmission Electron Microscopy. Bulletin of Experimental Biology and Medicine, 2016, 160, 817-822.	0.8	1
187	Comparative study of strategies for antibody immobilization onto the surface of magnetic particles in pseudo-homogeneous enzyme immunoassay of aflatoxin B1. Moscow University Chemistry Bulletin, 2016, 71, 48-53.	0.6	1
188	Quantitative regularities of protein immobilization on the surfaces of gold nanoparticles. AIP Conference Proceedings, 2020, , .	0.4	1
189	Development of mathematical models of lateral flow membrane bioanalytical systems and characterization of the regularities of their functioning. AIP Conference Proceedings, 2020, , .	0.4	1
190	Limitations for colorimetric aggregation assay of metal ions and ways of their overcoming. Analytical Methods, 2021, 13, 250-257.	2.7	1
191	Silver-enhanced lateral flow immunoassay for detection of microcystin-LR in drinking water. International Journal of Environmental Analytical Chemistry, 0, , 1-10.	3.3	1
192	Unexpected Electrophoretic Behavior of Complexes between Rod-like Virions and Bivalent Antibodies. Analytical Chemistry, 2016, 88, 11908-11912.	6.5	0
193	Comparison of nanosized markers in lateral flow immunoassay of antibiotic lincomycin. , 2020, , .		0
194	Theoretical limitations for aggregation methods of analysis based on affine interactions. AIP Conference Proceedings, 2021, , .	0.4	0
195	Immunochromatographic Tests for Mycotoxins Detection with the Use of Ultrasmall Magnetite Nanoparticles. Engineering Proceedings, 2021, 2, .	0.4	0
196	Development of new immunoanalytical test systems for diagnostics of potato blackleg caused by Dickeya spp. bacteria. RUDN Journal of Agronomy and Animal Industries, 2021, 16, 198-214.	0.1	0
197	Impact of Immunogen Structure to Specificity of Fluoroquinolones Detection by Microplate and Lateral Flow Immunoassay Techniques. Biomedical and Pharmacology Journal, 2015, 8, 1389-1398.	0.5	0
198	Application of aminophenylboronic acid conjugated with protein carrier for aptachromatographic detection of lead ions. AIP Conference Proceedings, 2020, , .	0.4	0

#	ARTICLE	IF	CITATIONS
199	Development of Immunochromatographic Test System for Detection of Antibiotic Clinafloxacin and Its Application for Honey Control. Applied Biochemistry and Microbiology, 2021, 57, 778-785.	0.9	0
200	Lateral flow test strips for mercury ions detection based on combination of oligonucleotide-modified gold nanoparticles and chelation by glutathione. AIP Conference Proceedings, 2021, , .	0.4	0
201	Highly sensitive multiplex lateral flow immunoassay of phytopathogens using Au@Pt nanoparticles as the colorimetric and catalytic label. AIP Conference Proceedings, 2021, , .	0.4	0
202	Gold Nanoparticles Functionalized with Mercaptosuccinic Acid as a Means for Detecting Fe(III) Ions. , 2021, 5, .		0
203	Conjugates of Immunoglobulin-Binding Protein and Gold Nanoparticle: Determination of Composition and Application in Immunochromatographic Analysis of Sulfonamide. Applied Biochemistry and Microbiology, 2022, 58, 77-82.	0.9	0