## Alex S Cohen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9103147/publications.pdf

Version: 2024-02-01

101543 98798 5,928 165 36 67 citations h-index g-index papers 167 167 167 4449 docs citations times ranked citing authors all docs

| #  | Article  | IF          | CITATIONS |
|----|--|-------------|-----------|
| 1  | The Structure of Negative Symptoms Within Schizophrenia: Implications for Assessment. Schizophrenia Bulletin, 2006, 32, 238-245.   | 4.3         | 532       |
| 2  | Emotional Experience in Patients With Schizophrenia Revisited: Meta-analysis of Laboratory Studies. Schizophrenia Bulletin, 2010, 36, 143-150.   | 4.3         | 445       |
| 3  | Cognition and Brain Function in Schizotypy: A Selective Review. Schizophrenia Bulletin, 2015, 41, S417-S426.   | <b>4.</b> 3 | 198       |
| 4  | Toward a More Psychometrically Sound Brief Measure of Schizotypal Traits: Introducing the SPQ-Brief Revised. Journal of Personality Disorders, 2010, 24, 516-537.                              | 1.4         | 174       |
| 5  | A Transdiagnostic Review of Negative Symptom Phenomenology and Etiology. Schizophrenia Bulletin, 2017, 43, 712-719.  | 4.3         | 146       |
| 6  | Neuropsychology of the Deficit Syndrome: New Data and Meta-analysis of Findings To Date. Schizophrenia Bulletin, 2007, 33, 1201-1212.  | 4.3         | 142       |
| 7  | Social Anhedonia and Schizotypy in a Community Sample: The Maryland Longitudinal Study of Schizotypy. Schizophrenia Bulletin, 2011, 37, 587-602.   | 4.3         | 141       |
| 8  | The state-trait disjunction of anhedonia in schizophrenia: Potential affective, cognitive and social-based mechanisms. Clinical Psychology Review, 2011, 31, 440-448.                          | 11.4        | 140       |
| 9  | Mental health problems and interest in marijuana treatment among marijuana-using college students.<br>Addictive Behaviors, 2010, 35, 826-833.  | 3.0         | 120       |
| 10 | The structure of schizotypal personality traits: a cross-national study. Psychological Medicine, 2018, 48, 451-462.  | 4.5         | 111       |
| 11 | Schizotypy as An Organizing Framework for Social and Affective Sciences. Schizophrenia Bulletin, 2015, 41, S427-S435.  | 4.3         | 105       |
| 12 | Looking at the other side of the coin: A meta-analysis of self-reported emotional arousal in people with schizophrenia. Schizophrenia Research, 2012, 142, 65-70.                              | 2.0         | 104       |
| 13 | Stability of formal thought disorder and referential communication disturbances in schizophrenia Journal of Abnormal Psychology, 2003, 112, 469-475.   | 1.9         | 85        |
| 14 | Quality of life across the schizotypy spectrum: findings from a large nonclinical adult sample. Comprehensive Psychiatry, 2009, 50, 408-414.   | 3.1         | 80        |
| 15 | Computerized measurement of negative symptoms in schizophrenia. Journal of Psychiatric Research, 2008, 42, 827-836.  | 3.1         | 77        |
| 16 | Automated computerized analysis of speech in psychiatric disorders. Current Opinion in Psychiatry, 2014, 27, 203-209.  | 6.3         | 76        |
| 17 | Speech deficits in serious mental illness: A cognitive resource issue?. Schizophrenia Research, 2014, 160, 173-179.  | 2.0         | 74        |
| 18 | Life Satisfaction as a Distinguishing Indicator of College Student Functioning: Further Validation of the Two-Continua Model of Mental Health. Social Indicators Research, 2014, 117, 319-334. | 2.7         | 70        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Specific cognitive deficits and differential domains of social functioning impairment in schizophrenia. Schizophrenia Research, 2006, 81, 227-238.  | 2.0 | 67        |
| 20 | The neurocognitive underpinnings of diminished expressivity in schizotypy: What the voice reveals. Schizophrenia Research, 2009, 109, 38-45.  | 2.0 | 67        |
| 21 | On "risk―and reward: Investigating state anhedonia in psychometrically defined schizotypy and schizophrenia Journal of Abnormal Psychology, 2012, 121, 407-415.                           | 1.9 | 65        |
| 22 | Neurocognition in Psychometrically Defined College Schizotypy Samples: We Are NOT Measuring the "Right Stuff― Journal of the International Neuropsychological Society, 2013, 19, 324-337. | 1.8 | 64        |
| 23 | What do we really know about blunted vocal affect and alogia? A meta-analysis of objective assessments. Schizophrenia Research, 2014, 159, 533-538.                                       | 2.0 | 62        |
| 24 | Facial emotion recognition in schizotypy: The role of accuracy and social cognitive bias. Journal of the International Neuropsychological Society, 2010, 16, 474-483.                     | 1.8 | 60        |
| 25 | Affective reactivity of speech and emotional experience in patients with schizophrenia. Schizophrenia Research, 2004, 69, 7-14.   | 2.0 | 56        |
| 26 | Schizotypal Personality Questionnaireâ€"Brief Revised: Psychometric replication and extension Personality Disorders: Theory, Research, and Treatment, 2014, 5, 32-38.                     | 1.3 | 54        |
| 27 | Bracing for the worst, but behaving the best: Social anxiety, hostility, and behavioral aggression. Journal of Anxiety Disorders, 2010, 24, 260-268.                                      | 3.2 | 52        |
| 28 | The Network Structure of Schizotypal Personality Traits. Schizophrenia Bulletin, 2018, 44, S468-S479.   | 4.3 | 52        |
| 29 | Brief assessment of schizotypal traits: A multinational study. Schizophrenia Research, 2018, 197, 182-191.  | 2.0 | 52        |
| 30 | Neuropsychological functioning and social anhedonia: Results from a community high-risk study. Schizophrenia Research, 2006, 85, 132-141.   | 2.0 | 49        |
| 31 | The psychiatric symptomatology of deficit schizophrenia: A meta-analysis. Schizophrenia Research, 2010, 118, 122-127.   | 2.0 | 48        |
| 32 | Towards a cognitive resource limitations model of diminished expression in schizotypy Journal of Abnormal Psychology, 2012, 121, 109-118.   | 1.9 | 46        |
| 33 | Geolocation as a Digital Phenotyping Measure of Negative Symptoms and Functional Outcome.<br>Schizophrenia Bulletin, 2020, 46, 1596-1607.   | 4.3 | 46        |
| 34 | Diminished Emotionality and Social Functioning in Schizophrenia. Journal of Nervous and Mental Disease, 2005, 193, 796-802.   | 1.0 | 45        |
| 35 | A multidimensional assessment of social cognition in psychometrically defined schizotypy. Psychiatry Research, 2013, 210, 1014-1019.  | 3.3 | 44        |
| 36 | Vocal expression in schizophrenia: Less than meets the ear Journal of Abnormal Psychology, 2016, 125, 299-309.  | 1.9 | 44        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | On the boundaries of blunt affect/alogia across severe mental illness: Implications for Research Domain Criteria. Schizophrenia Research, 2012, 140, 41-45.                         | 2.0  | 42        |
| 38 | Investigation of the Montreal Cognitive Assessment (MoCA) as a cognitive screener in severe mental illness. Psychiatry Research, 2014, 220, 664-668.                                | 3.3  | 42        |
| 39 | Digital phenotyping of negative symptoms: the relationship to clinician ratings. Schizophrenia Bulletin, 2021, 47, 44-53.   | 4.3  | 42        |
| 40 | Psychiatric symptom versus neurocognitive correlates of diminished expressivity in schizophrenia and mood disorders. Schizophrenia Research, 2013, 146, 249-253.                    | 2.0  | 41        |
| 41 | Olfaction, "olfiction,―and the schizophrenia-spectrum: An updated meta-analysis on identification and acuity. Schizophrenia Research, 2012, 135, 152-157.                           | 2.0  | 40        |
| 42 | Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. Schizophrenia Research, 2018, 199, 128-134.               | 2.0  | 40        |
| 43 | Validating digital phenotyping technologies for clinical use: the critical importance of "resolution―<br>World Psychiatry, 2020, 19, 114-115.                                       | 10.4 | 40        |
| 44 | Digital phenotyping adherence, feasibility, and tolerability in outpatients with schizophrenia. Journal of Psychiatric Research, 2021, 138, 436-443.                                | 3.1  | 39        |
| 45 | Affective reactivity of speech disturbances in schizotypy. Journal of Psychiatric Research, 2010, 44, 99-105.   | 3.1  | 36        |
| 46 | Computerized facial analysis for understanding constricted/blunted affect: Initial feasibility, reliability, and validity data. Schizophrenia Research, 2013, 148, 111-116.         | 2.0  | 35        |
| 47 | Attentional dysfunction, social perception, and social competence: What is the nature of the relationship?. Journal of Abnormal Psychology, 2006, 115, 408-417.                     | 1.9  | 34        |
| 48 | Ambulatory digital phenotyping of blunted affect and alogia using objective facial and vocal analysis: Proof of concept. Schizophrenia Research, 2020, 220, 141-146.                | 2.0  | 34        |
| 49 | Deficit Versus Negative Syndrome in Schizophrenia: Prediction of Attentional Impairment.<br>Schizophrenia Bulletin, 2004, 30, 827-835.  | 4.3  | 33        |
| 50 | Stress and arousability in schizophrenia. Schizophrenia Research, 2004, 71, 127-135.  | 2.0  | 33        |
| 51 | Emotion word use in the conversational speech of schizophrenia patients. Cognitive Neuropsychiatry, 2008, 13, 343-356.  | 1.3  | 33        |
| 52 | A laboratory-based procedure for measuring emotional expression from natural speech. Behavior Research Methods, 2009, 41, 204-212.  | 4.0  | 33        |
| 53 | Understanding emotional expression using prosodic analysis of natural speech: Refining the methodology. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 150-157. | 1.2  | 31        |
| 54 | Applying speech technologies to assess verbal memory in patients with serious mental illness. Npj Digital Medicine, 2020, 3, 33.  | 10.9 | 31        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Understanding anhedonia in schizophrenia through lexical analysis of natural speech. Cognition and Emotion, 2009, 23, 569-586.  | 2.0  | 30        |
| 56 | Cannabis and psychometrically-defined schizotypy: Use, problems and treatment considerations. Journal of Psychiatric Research, 2011, 45, 548-554.   | 3.1  | 30        |
| 57 | Ambulatory vocal acoustics, temporal dynamics, and serious mental illness Journal of Abnormal Psychology, 2019, 128, 97-105.  | 1.9  | 30        |
| 58 | Moving psychological assessment out of the controlled laboratory setting: Practical challenges Psychological Assessment, 2019, 31, 292-303.   | 1.5  | 30        |
| 59 | Using biobehavioral technologies to effectively advance research on negative symptoms. World Psychiatry, 2019, 18, 103-104.   | 10.4 | 29        |
| 60 | Effort–cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. PsyCh Journal, 2020, 9, 210-222.       | 1.1  | 29        |
| 61 | The relationship between atypical semantic activation and odd speech in schizotypy across emotionally evocative conditions. Schizophrenia Research, 2011, 126, 144-149.                                 | 2.0  | 28        |
| 62 | Understanding Constricted Affect in Schizotypy Through Computerized Prosodic Analysis. Journal of Personality Disorders, 2011, 25, 478-491.   | 1.4  | 28        |
| 63 | Updating verbal fluency analysis for the 21st century: Applications for psychiatry. Psychiatry Research, 2019, 273, 767-769.  | 3.3  | 28        |
| 64 | Exploring the racial diagnostic bias of schizophrenia using behavioral and clinical-based measures Journal of Abnormal Psychology, 2019, 128, 263-271.  | 1.9  | 28        |
| 65 | Affective reactivity of language symptoms, startle responding, and inhibition in schizophrenia<br>Journal of Abnormal Psychology, 2001, 110, 194-198.   | 1.9  | 27        |
| 66 | Affecting coping: Does neurocognition predict approach and avoidant coping strategies within schizophrenia spectrum disorders?. Psychiatry Research, 2013, 209, 136-141.                                | 3.3  | 27        |
| 67 | Clarifying the Linguistic Signature: Measuring Personality From Natural Speech. Journal of Personality Assessment, 2008, 90, 559-563.   | 2.1  | 26        |
| 68 | Cannabis use and schizotypy: The role of social anxiety and other negative affective states. Psychiatry Research, 2012, 200, 660-668.   | 3.3  | 26        |
| 69 | Birth characteristics and schizotypy: Evidence of a potential "second hit― Journal of Psychiatric Research, 2011, 45, 955-961.  | 3.1  | 25        |
| 70 | Neuropsychological functioning and social anhedonia: Three-year follow-up data from a longitudinal community high risk study. Journal of Psychiatric Research, 2012, 46, 898-904.                       | 3.1  | 25        |
| 71 | An examination of the language construct in NIMH's research domain criteria: Time for reconceptualization!. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 904-919. | 1.7  | 25        |
| 72 | A psychometric investigation of "macroscopic―speech measures for clinical and psychological science. Behavior Research Methods, 2016, 48, 475-486.  | 4.0  | 25        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Self-Reported Stress and the Deficit Syndrome of Schizophrenia. Psychiatry (New York), 2003, 66, 308-316.   | 0.7  | 24        |
| 74 | Thoughts About Disordered Thinking: Measuring and Quantifying the Laws of Order and Disorder. Schizophrenia Bulletin, 2017, 43, 509-513.  | 4.3  | 24        |
| 75 | The schizophrenia spectrum anhedonia paradox. World Psychiatry, 2018, 17, 221-222.  | 10.4 | 24        |
| 76 | Schizotypal, schizoid and paranoid characteristics in the biological parents of social anhedonics. Psychiatry Research, 2010, 178, 79-83.   | 3.3  | 23        |
| 77 | The role of atypical semantic activation and stress in odd speech: Implications for individuals with psychometrically defined schizotypy. Journal of Psychiatric Research, 2012, 46, 1231-1236. | 3.1  | 23        |
| 78 | Hedonic capacity and schizotypy: Evidence for the criterion validity of the ACIPS. Comprehensive Psychiatry, 2014, 55, 1455-1461.   | 3.1  | 23        |
| 79 | The paradox of schizotypy: Resemblance to prolonged severe mental illness in subjective but not objective quality of life. Psychiatry Research, 2014, 217, 185-190.                             | 3.3  | 23        |
| 80 | Loneliness and Schizotypy Are Distinct Constructs, Separate from General Psychopathology. Frontiers in Psychology, 2016, 7, 1018.   | 2.1  | 23        |
| 81 | Alterations in facial expressivity in youth at clinical high-risk for psychosis Journal of Abnormal Psychology, 2019, 128, 341-351.   | 1.9  | 23        |
| 82 | Vocal acoustic analysis as a biometric indicator of information processing: Implications for neurological and psychiatric disorders. Psychiatry Research, 2015, 226, 235-241.                   | 3.3  | 21        |
| 83 | A latent profile analysis of schizotypal dimensions: Associations with psychopathology and personality. Psychiatry Research, 2017, 253, 110-115.  | 3.3  | 21        |
| 84 | Can RDoC Help Find Order in Thought Disorder?. Schizophrenia Bulletin, 2017, 43, 503-508.   | 4.3  | 21        |
| 85 | Attribution Biases in Schizophrenia: Relationship to Clinical and Functional Impairments.<br>Psychopathology, 2009, 42, 40-46.  | 1.5  | 20        |
| 86 | Primary and secondary negative schizotypal traits in a large non-clinical sample. Personality and Individual Differences, 2010, 49, 419-424.  | 2.9  | 20        |
| 87 | A framework for understanding experiential deficits in schizophrenia. Psychiatry Research, 2010, 178, 10-16.  | 3.3  | 20        |
| 88 | Using machine learning of computerized vocal expression to measure blunted vocal affect and alogia. NPJ Schizophrenia, 2020, 6, 26.   | 3.6  | 19        |
| 89 | Speech Prosody Abnormalities and Specific Dimensional Schizotypy Features. Journal of Nervous and Mental Disease, 2014, 202, 745-751.   | 1.0  | 18        |
| 90 | The importance of loneliness in psychotic-like symptoms: Data from three studies. Psychiatry Research, 2019, 282, 112625.   | 3.3  | 18        |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 91  | Machine learning for suicidology: A practical review of exploratory and hypothesis-driven approaches. Clinical Psychology Review, 2020, 82, 101940.   | 11.4 | 18        |
| 92  | Affective disturbances in psychometrically defined schizotypy across direct, but not indirect assessment modes. Schizophrenia Research, 2011, 128, 136-142.   | 2.0  | 16        |
| 93  | Digital Phenotyping Using Multimodal Data. Current Behavioral Neuroscience Reports, 2020, 7, 212-220.   | 1.3  | 16        |
| 94  | Advancing ambulatory biobehavioral technologies beyond "proof of concept― Introduction to the special section Psychological Assessment, 2019, 31, 277-284.  | 1.5  | 16        |
| 95  | Symptom-Oriented Versus Syndrome Approaches to Resolving Heterogeneity of Neuropsychological Functioning in Schizophrenia. Journal of Neuropsychiatry and Clinical Neurosciences, 2005, 17, 384-390.                          | 1.8  | 15        |
| 96  | A laboratory study of affectivity in schizotypy: Subjective and lexical analysis. Psychiatry Research, 2011, 189, 233-238.  | 3.3  | 15        |
| 97  | Objective and Subjective Olfaction Across the Schizophrenia Spectrum. Psychiatry (New York), 2014, 77, 57-66.   | 0.7  | 15        |
| 98  | The moderating effects of perceived intentionality: exploring the relationships between ideas of reference, paranoia and social anxiety in schizotypy. Cognitive Neuropsychiatry, 2014, 19, 527-539.                          | 1.3  | 15        |
| 99  | Dimensional Structure and Measurement Invariance of the Schizotypal Personality Questionnaire –<br>Brief Revised (SPQ-BR) Scores Across American and Spanish Samples. Journal of Personality Disorders,<br>2017, 31, 522-541. | 1.4  | 15        |
| 100 | Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative.<br>Schizophrenia Bulletin, 2018, 44, S460-S467.   | 4.3  | 15        |
| 101 | Alterations in facial expressions of emotion: Determining the promise of ultrathin slicing approaches and comparing human and automated coding methods in psychosis risk Emotion, 2022, 22, 714-724.                          | 1.8  | 15        |
| 102 | Validation of accelerometry as a digital phenotyping measure of negative symptoms in schizophrenia. NPJ Schizophrenia, 2022, 8, .   | 3.6  | 15        |
| 103 | Natural Language Processing and Psychosis: On the Need for Comprehensive Psychometric Evaluation. Schizophrenia Bulletin, 2022, 48, 939-948.  | 4.3  | 15        |
| 104 | Machine Learning Identifies Digital Phenotyping Measures Most Relevant to Negative Symptoms in Psychotic Disorders: Implications for Clinical Trials. Schizophrenia Bulletin, 2022, 48, 425-436.                              | 4.3  | 14        |
| 105 | Effects of Positive Affect on Speech Disorder in Schizophrenia. Journal of Nervous and Mental Disease, 2005, 193, 839-842.  | 1.0  | 13        |
| 106 | The normalities and abnormalities associated with speech in psychometrically-defined schizotypy. Schizophrenia Research, 2014, 160, 169-172.  | 2.0  | 13        |
| 107 | The Subjective-Objective Disjunction in Psychometrically-Defined Schizotypy: What it is and Why it is Important?. Journal of Experimental Psychopathology, 2017, 8, 347-363.  | 0.8  | 13        |
| 108 | Predictors of Heterogeneity in Cognitive Function: APOE-e4, Sex, Education, Depression, and Vascular Risk. Archives of Clinical Neuropsychology, 2020, 35, 660-670.   | 0.5  | 13        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | The Comorbidity of Psychotic Symptoms and Posttraumatic Stress Disorder: Evidence for a Specifier inDSM-5. Clinical Schizophrenia and Related Psychoses, 2011, 5, 147-154.                          | 1.4 | 13        |
| 110 | Cigarette smoking across the schizotypy spectrum. Psychiatry Research, 2010, 179, 113-115.  | 3.3 | 12        |
| 111 | Deinstitutionalization of American Public Hospitals for the Mentally III Before and After the Introduction of Antipsychotic Medications. Harvard Review of Psychiatry, 2015, 23, 176-187.           | 2.1 | 12        |
| 112 | Semantic coherence in psychometric schizotypy: An investigation using Latent Semantic Analysis. Psychiatry Research, 2018, 259, 63-67.  | 3.3 | 12        |
| 113 | Understanding heterogeneity in older adults: Latent growth curve modeling of cognitive functioning. Journal of Clinical and Experimental Neuropsychology, 2018, 40, 292-302.                        | 1.3 | 11        |
| 114 | The effects of oxytocin and galantamine on objectively-defined vocal and facial expression: Data from the CIDAR study. Schizophrenia Research, 2017, 188, 141-143.                                  | 2.0 | 10        |
| 115 | Towards a Schizotypy Core: Convergence and Divergence of Two Empirically-Derived Self-Report Measures from a Nonclinical Sample. Journal of Experimental Psychopathology, 2017, 8, 265-287.         | 0.8 | 10        |
| 116 | Social anhedonia and clinical outcomes in early adulthood: A three-year follow-up study within a community sample. Schizophrenia Research, 2020, 223, 213-219.                                      | 2.0 | 10        |
| 117 | Strengthening spatial reasoning: elucidating the attentional and neural mechanisms associated with mental rotation skill development. Cognitive Research: Principles and Implications, 2020, 5, 20. | 2.0 | 10        |
| 118 | Smoking topography and outcome expectancies among individuals with schizotypy. Psychiatry Research, 2013, 205, 205-212.   | 3.3 | 9         |
| 119 | Predicting creativity: The role of psychometric schizotypy and cannabis use in divergent thinking. Psychiatry Research, 2014, 220, 205-210.   | 3.3 | 9         |
| 120 | Category fluency in psychometric schizotypy: how altering emotional valence and cognitive load affects performance. Cognitive Neuropsychiatry, 2015, 20, 542-550.                                   | 1.3 | 9         |
| 121 | Overestimation of close friend drinking problems in the prediction of one's own drinking problems. Addictive Behaviors, 2017, 64, 107-110.  | 3.0 | 9         |
| 122 | Machine learning for ambulatory applications of neuropsychological testing. Intelligence-based Medicine, 2020, 1-2, 100006.   | 2.4 | 9         |
| 123 | Illusory superiority and schizotypal personality: Explaining the discrepancy between subjective/objective psychopathology Personality Disorders: Theory, Research, and Treatment, 2014, 5, 413-418. | 1.3 | 8         |
| 124 | The effect of limited cognitive resources on communication disturbances in serious mental illness. Psychiatry Research, 2017, 248, 98-104.  | 3.3 | 8         |
| 125 | Frontal alpha asymmetry in schizotypy: electrophysiological evidence for motivational dysfunction. Cognitive Neuropsychiatry, 2020, 25, 371-386.  | 1.3 | 8         |
| 126 | Computerized analysis of facial expressions in serious mental illness. Schizophrenia Research, 2022, 241, 44-51.  | 2.0 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | A temporal examination of co-activated emotion valence networks in schizophrenia and schizotypy. Schizophrenia Research, 2016, 170, 322-329.  | 2.0 | 7         |
| 128 | Stress and cognitive biases in schizotypy: A two-site study of bias against disconfirmatory evidence and jumping to conclusions. European Psychiatry, 2019, 62, 20-27.                      | 0.2 | 7         |
| 129 | Psychiatric Risk Assessment from the Clinician's Perspective: Lessons for the Future. Community Mental Health Journal, 2019, 55, 1165-1172.   | 2.0 | 7         |
| 130 | Prevalence and Incidence of Severe Mental Illness in the United States: An Historical Overview. Harvard Review of Psychiatry, 2012, 20, 247-258.  | 2.1 | 6         |
| 131 | Conceptualizing Schizotypal Ambivalence. Journal of Nervous and Mental Disease, 2014, 202, 793-801.   | 1.0 | 6         |
| 132 | Cognitive functioning in schizotypy through the lens of the accessibility model. Cognitive Neuropsychiatry, 2017, 22, 422-435.  | 1.3 | 6         |
| 133 | Blunted vocal affect and expression is not associated with schizophrenia: A computerized acoustic analysis of speech under ambiguous conditions. Comprehensive Psychiatry, 2018, 83, 84-88. | 3.1 | 6         |
| 134 | Comparing static and dynamic predictors of risk for hostility in serious mental illness: Preliminary findings. Schizophrenia Research, 2019, 204, 432-433.                                  | 2.0 | 6         |
| 135 | The (b)link between amotivation and psychosis: Insights through phasic eye blink rate. Psychiatry Research, 2020, 294, 113490.  | 3.3 | 6         |
| 136 | Understanding Anhedonia: The Role of Perceived Control. , 2014, , 23-49.  |     | 6         |
| 137 | How do social factors relate to blunted facial affect in schizophrenia? A digital phenotyping study using ambulatory video recordings. Journal of Psychiatric Research, 2022, 150, 96-104.  | 3.1 | 6         |
| 138 | Self-conscious emotions $\times^3$ role in functional outcomes within clinical populations. Psychiatry Research, 2014, 216, 17-23.  | 3.3 | 5         |
| 139 | Crossing Boundaries in Schizotypy Research: An Introduction to the Special Supplement.<br>Schizophrenia Bulletin, 2018, 44, S457-S459.  | 4.3 | 5         |
| 140 | Aggressive urges in schizotypy: Preliminary data from an ambulatory study. Schizophrenia Research, 2018, 201, 424-425.  | 2.0 | 5         |
| 141 | Emotion Experience and Expressive Suppression Scale: Psychometric properties and relationships with depression and schizotypy. Personality and Individual Differences, 2019, 142, 145-152.  | 2.9 | 5         |
| 142 | Tracking Language in Real Time in Psychosis. , 2020, , 663-685.   |     | 5         |
| 143 | Extending the usefulness of the verbal memory test: The promise of machine learning. Psychiatry Research, 2021, 297, 113743.  | 3.3 | 5         |
| 144 | Ambulatory audio and video recording for digital phenotyping in schizophrenia: Adherence & amp; data usability. Psychiatry Research, 2022, 311, 114485.                                     | 3.3 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Response to Gooding and Plfum, "The nature of diminished pleasure in individuals at risk for or affected by schizophrenia― Psychiatry Research, 2012, 198, 174-175.                                 | 3.3 | 4         |
| 146 | Predicting self-injurious thoughts in daily life using ambulatory assessment of state cognition. Journal of Psychiatric Research, 2021, 138, 335-341.   | 3.1 | 4         |
| 147 | Validating Biobehavioral Technologies for Use in Clinical Psychiatry. Frontiers in Psychiatry, 2021, 12, 503323.  | 2.6 | 4         |
| 148 | Modeling Self-Reported and Observed Affect from Speech. , 0, , .  |     | 4         |
| 149 | Neurocognitive underpinnings of language disorder: Contrasting schizophrenia and mood disorders.<br>Journal of Experimental Psychopathology, 2014, 5, 492-502.                                      | 0.8 | 3         |
| 150 | Social cognition and schizotypy. , 2019, , 71-88.   |     | 3         |
| 151 | High Predictive Accuracy of Negative Schizotypy With Acoustic Measures. Clinical Psychological Science, 2022, 10, 310-323.  | 4.0 | 3         |
| 152 | Primary Negative Symptoms: Refining the Research Target. Schizophrenia Bulletin, 2021, 47, 1207-1210.   | 4.3 | 3         |
| 153 | Negative schizotypy attenuates the effect of momentary stress on social dysfunction related to COVID-19 social distancing. Schizophrenia Research, 2022, 243, 24-31.                                | 2.0 | 3         |
| 154 | A three-dimensional typology of delusions. Schizophrenia Research, 2006, 83, 293-295.   | 2.0 | 2         |
| 155 | Decoupling implicit measures of pleasant and unpleasant social attitudes. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 24-30.   | 1.2 | 2         |
| 156 | Clarifying the nature of olfaction deficits in the schizophrenia-prone: "Clinical high-risk state― versus "vulnerability― Schizophrenia Research, 2012, 139, 262-263.                               | 2.0 | 2         |
| 157 | The impact of leaving a voicemail, environment familiarity, and pedestrian predictability on driving behavior. Transportation Research Part F: Traffic Psychology and Behaviour, 2020, 74, 487-506. | 3.7 | 2         |
| 158 | Both harmful and (some) helpful behaviours from others are associated with increased expression of schizotypal traits. Psychiatry Research, 2016, 239, 308-314.                                     | 3.3 | 1         |
| 159 | Social Closeness and Cognitive Functioning Increase Feelings of Hope For Individuals in Inpatient Treatment. Psychiatry Research Communications, 2021, 1, 100011.                                   | 1.0 | 1         |
| 160 | Sharing positive events: Ecological momentary assessment of emotion regulation via social capitalization in schizotypy. Psychiatry Research, 2022, 308, 114377.                                     | 3.3 | 1         |
| 161 | Alogia and pressured speech do not fall on a continuum of speech production using objective speech technologies. Schizophrenia Research, 2022, , .  | 2.0 | 1         |
| 162 | A Dynamic Method, Analysis, and Model of Short-Term Memory for Serial Order with Clinical Applications. Psychiatry Research, 2020, 294, 113494.   | 3.3 | 0         |

## ALEX S COHEN

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Improved Operationalization and Measurement Are Central to the Future of Cluster A Personality Disorders: Commentary on Cluster A Personality Disorders. , 2020, , 217-220. |     | 0         |
| 164 | Severe Psychopathology. Autism and Child Psychopathology Series, 2016, , 301-314.   | 0.2 | 0         |
| 165 | Effects of Talking and Visual Attention Load on Driving Behavior. Journal of Vision, 2017, 17, 971.   | 0.3 | 0         |