

# En-Hua Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9103752/publications.pdf>

Version: 2024-02-01

79  
papers

1,966  
citations

257450

24  
h-index

289244

40  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Undifferentiated Large Cell Carcinoma of the Thymus Associated with Plasma-Cell Type Castleman Disease-Like Reaction: A Case Series. <i>OncoTargets and Therapy</i> , 2022, Volume 15, 237-242.	2.0	0
2	Rab22a promotes the proliferation, migration, and invasion of lung adenocarcinoma via up-regulating PI3K/Akt/mTOR signaling pathway. <i>Experimental Cell Research</i> , 2022, 416, 113179.	2.6	4
3	Rab22a Promotes Epithelial-Mesenchymal Transition in Papillary Thyroid Carcinoma by Activating PI3K/AKT/mTOR Signaling Pathway. <i>BioMed Research International</i> , 2022, 2022, 1-17.	1.9	4
4	Supratentorial ependymoma with YAP1:FAM118B fusion: A case report. <i>Neuropathology</i> , 2021, 41, 133-138.	1.2	5
5	The deacetylation-phosphorylation regulation of SIRT2-SMC1A axis as a mechanism of antimitotic catastrophe in early tumorigenesis. <i>Science Advances</i> , 2021, 7, .	10.3	17
6	Bronchiolar Adenoma Transforming to Invasive Mucinous Adenocarcinoma: A Case Report. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 2241-2246.	2.0	12
7	Diagnosis of NUT Carcinoma Despite False-Negative Next-Generation Sequencing Results: A Case Report and Literature Review. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 4621-4633.	2.0	4
8	The first case of a collision tumor of gastrointestinal stromal tumor and intravascular large B cell lymphoma. <i>Annals of Hematology</i> , 2021, , 1.	1.8	2
9	Knockdown of PAK1 Inhibits the Proliferation and Invasion of Nonâ€“Small Cell Lung Cancer Cells Through the ERK Pathway. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 602-610.	1.2	13
10	First case of bronchiolar adenoma lined purely by mucinous luminal cells with molecular analysis. <i>Medicine (United States)</i> , 2020, 99, e22322.	1.0	8
11	Are there preinvasive lesions of pulmonary large cell carcinoma?. <i>Lung Cancer</i> , 2020, 148, 166-169.	2.0	0
12	&lt;p&gt;Coexistence of Low-Grade Fetal Adenocarcinoma and Adenocarcinoma in situ of the Lung Harboring Different Genetic Mutations: A Case Report and Review of Literature&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 6675-6680.	2.0	6
13	<p>FAM163A, a positive regulator of ERK signaling pathway, interacts with 14-3-3 <sup>Î²</sup> and promotes cell proliferation in squamous cell lung carcinoma</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 6393-6406.	2.0	6
14	Fbxo6 confers drugâ€“sensitization to cisplatin <i>via</i> inhibiting the activation of Chk1 in nonâ€“small cell lung cancer. <i>FEBS Letters</i> , 2019, 593, 1827-1836.	2.8	17
15	Autophagy-related 7 modulates tumor progression in triple-negative breast cancer. <i>Laboratory Investigation</i> , 2019, 99, 1266-1274.	3.7	28
16	Research Advances in CKLF-like MARVEL Transmembrane Domain-containing Family in Non-small Cell Lung Cancer. <i>International Journal of Biological Sciences</i> , 2019, 15, 2576-2583.	6.4	22
17	A rare case of pituicytoma presenting with severe Cushing disease. <i>Medicine (United States)</i> , 2019, 98, e17772.	1.0	8
18	TIMM50 promotes tumor progression via ERK signaling and predicts poor prognosis of nonâ€“small cell lung cancer patients. <i>Molecular Carcinogenesis</i> , 2019, 58, 767-776.	2.7	15

#	ARTICLE	IF	CITATIONS
19	Granular cell tumors overexpress TFE3 without gene rearrangement: Evaluation of immunohistochemistry and break-apart FISH in 45 cases. <i>Oncology Letters</i> , 2019, 18, 6355-6360.	1.8	11
20	Interaction with SP1, but not binding to the E-box motifs, is responsible for BHLHE40/DEC1-induced transcriptional suppression of <i>CLDN1</i> and cell invasion in MCF7 cells. <i>Molecular Carcinogenesis</i> , 2018, 57, 1116-1129.	2.7	11
21	The Expression Pattern of p120-Catenin is Associated With Acquired Resistance to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Non-Small Cell Lung Cancer. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 64-70.	1.2	6
22	Phosphorylation of SMC1A promotes hepatocellular carcinoma cell proliferation and migration. <i>International Journal of Biological Sciences</i> , 2018, 14, 1081-1089.	6.4	16
23	TMEM17 promotes malignant progression of breast cancer via AKT/GSK3&beta; signaling. <i>Cancer Management and Research</i> , 2018, Volume 10, 2419-2428.	1.9	19
24	Kctd20 promotes the development of non-small cell lung cancer through activating Fak/AKT pathway and predicts poor overall survival of patients. <i>Molecular Carcinogenesis</i> , 2017, 56, 2058-2065.	2.7	7
25	Noxin promotes proliferation of breast cancer cells via P38-ATF2 signaling pathway. <i>Tumor Biology</i> , 2017, 39, 101042831770551.	1.8	8
26	Lasp2 enhances tumor invasion via facilitating phosphorylation of FAK and predicts poor overall survival of non-small cell lung cancer patients. <i>Molecular Carcinogenesis</i> , 2017, 56, 2558-2565.	2.7	11
27	Cerebellar ependymoma with overlapping features of clear-cell and tanycytic variants mimicking hemangioblastoma: a case report and literature review. <i>Diagnostic Pathology</i> , 2017, 12, 28.	2.0	5
28	Primary thyroid-like low-grade nasopharyngeal papillary adenocarcinoma. <i>Medicine (United States)</i> , 2017, 96, e8851.	1.0	16
29	Radiological presentation of chondromyxoid fibroma in the sellar region. <i>Medicine (United States)</i> , 2017, 96, e9049.	1.0	2
30	Lasp1 promotes malignant phenotype of non-small-cell lung cancer via inducing phosphorylation of FAK-AKT pathway. <i>Oncotarget</i> , 2017, 8, 75102-75113.	1.8	31
31	Angiomatous pleomorphic xanthoastrocytoma: a case report and literature review. <i>Diagnostic Pathology</i> , 2016, 11, 73.	2.0	9
32	PI3K/Akt/mTOR signaling pathway and targeted therapy for glioblastoma. <i>Oncotarget</i> , 2016, 7, 33440-33450.	1.8	400
33	FBXO25 promotes cell proliferation, invasion, and migration of NSCLC. <i>Tumor Biology</i> , 2016, 37, 14311-14319.	1.8	10
34	Coiled-coil domain-containing protein 8 inhibits the invasiveness and migration of non-small cell lung cancer cells. <i>Human Pathology</i> , 2016, 56, 64-73.	2.0	19
35	Ectopic adrenocortical adenoma in the renal hilum: a case report and literature review. <i>Diagnostic Pathology</i> , 2016, 11, 40.	2.0	19
36	The P21-activated kinase expression pattern is different in non-small cell lung cancer and affects lung cancer cell sensitivity to epidermal growth factor receptor tyrosine kinase inhibitors. <i>Medical Oncology</i> , 2016, 33, 22.	2.5	6

#	ARTICLE	IF	CITATIONS
37	Pulmonary papillary adenoma presenting in central portion: a case report. <i>Diagnostic Pathology</i> , 2015, 10, 190.	2.0	9
38	A novel biomarker C6orf106 promotes the malignant progression of breast cancer. <i>Tumor Biology</i> , 2015, 36, 7881-7889.	1.8	13
39	ARMC8 indicates aggressive colon cancers and promotes invasiveness and migration of colon cancer cells. <i>Tumor Biology</i> , 2015, 36, 9005-9013.	1.8	14
40	A novel biomarker ARMC8 promotes the malignant progression of ovarian cancer. <i>Human Pathology</i> , 2015, 46, 1471-1479.	2.0	18
41	Cytosolic TMEM88 Promotes Invasion and Metastasis in Lung Cancer Cells by Binding DVLS. <i>Cancer Research</i> , 2015, 75, 4527-4537.	0.9	53
42	Glomus tumor of uncertain malignant potential of the lung: a case report and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 15402-6.	0.5	7
43	Kaiso Interacts with p120-Catenin to Regulate $\beta$ -Catenin Expression at the Transcriptional Level. <i>PLoS ONE</i> , 2014, 9, e87537.	2.5	20
44	ARMC8 promotes proliferation and invasion of non-small cell lung cancer cells by activating the canonical Wnt signaling pathway. <i>Tumor Biology</i> , 2014, 35, 8903-8911.	1.8	30
45	Promoter Methylation-Mediated Silencing of $\beta$ -Catenin Enhances Invasiveness of Non-Small Cell Lung Cancer and Predicts Adverse Prognosis. <i>PLoS ONE</i> , 2014, 9, e112258.	2.5	20
46	A case of "fat-free" pleomorphic lipoma occurring in the upper back and axilla simultaneously. <i>World Journal of Surgical Oncology</i> , 2013, 11, 145.	1.9	10
47	Endobronchial endometriosis presenting as central-type lung cancer: a case report. <i>Diagnostic Pathology</i> , 2013, 8, 53.	2.0	13
48	Variable Ki67 proliferative index in 65 cases of nodular fasciitis, compared with fibrosarcoma and fibromatosis. <i>Diagnostic Pathology</i> , 2013, 8, 50.	2.0	24
49	Low-grade cribriform cystadenocarcinoma of salivary glands: report of two cases and review of the literature. <i>Diagnostic Pathology</i> , 2013, 8, 28.	2.0	26
50	Sclerosing rhabdomyosarcoma presenting in the masseter muscle: a case report. <i>Diagnostic Pathology</i> , 2013, 8, 18.	2.0	11
51	The transcription factor DEC1 (BHLHE40/STRA13/SHARP-2) is negatively associated with TNM stage in non-small-cell lung cancer and inhibits the proliferation through cyclin D1 in A549 and BE1 cells. <i>Tumor Biology</i> , 2013, 34, 1641-1650.	1.8	48
52	Abnormal expression of Pygopus 2 correlates with a malignant phenotype in human lung cancer. <i>BMC Cancer</i> , 2013, 13, 346.	2.6	27
53	Overexpression of NEDD9 is Associated with Altered Expression of E-Cadherin, $\beta$ -Catenin and N-Cadherin and Predictive of Poor Prognosis in non-Small Cell Lung Cancer. <i>Pathology and Oncology Research</i> , 2013, 19, 281-286.	1.9	38
54	Derlin-1 Is Overexpressed in Non-Small Cell Lung Cancer and Promotes Cancer Cell Invasion via EGFR-ERK Mediated Up-Regulation of MMP-2 and MMP-9. <i>American Journal of Pathology</i> , 2013, 182, 954-964.	3.8	112

#	ARTICLE	IF	CITATIONS
55	A case of adenocarcinoma of the rete testis accompanied by focal adenomatous hyperplasia. <i>Diagnostic Pathology</i> , 2013, 8, 105.	2.0	8
56	Overexpression and cytoplasmic accumulation of Hep1 is associated with clinicopathological parameters and poor prognosis in non-small cell lung cancer. <i>Tumor Biology</i> , 2013, 34, 107-114.	1.8	6
57	DEC1 is positively associated with the malignant phenotype of invasive breast cancers and negatively correlated with the expression of claudin-1. <i>International Journal of Molecular Medicine</i> , 2013, 31, 855-860.	4.0	30
58	Ascertaining an Appropriate Diagnostic Algorithm Using EGFR Mutation-Specific Antibodies to Detect EGFR Status in Non-Small-Cell Lung Cancer. <i>PLoS ONE</i> , 2013, 8, e59183.	2.5	30
59	Anti-apoptotic effect of claudin-1 on TNF- $\alpha$ -induced apoptosis in human breast cancer MCF-7 cells. <i>Tumor Biology</i> , 2012, 33, 2307-2315.	1.8	35
60	Expression of Frat1 correlates with expression of $\beta$ -catenin and is associated with a poor clinical outcome in human SCC and AC. <i>Tumor Biology</i> , 2012, 33, 1437-1444.	1.8	27
61	The co-expression of cytokeratin and p63 in epithelioid angiosarcoma of the parotid gland: a diagnostic pitfall. <i>Diagnostic Pathology</i> , 2012, 7, 118.	2.0	14
62	The alveolar epithelial differentiation of glandular inner lining cells in a mucoepidermoid carcinoma of the lung: a case report. <i>Diagnostic Pathology</i> , 2012, 7, 137.	2.0	11
63	A case of enteropathy-associated T-cell lymphoma (Type I) arising in stomach without refractory celiac disease. <i>Diagnostic Pathology</i> , 2012, 7, 172.	2.0	10
64	Pulmonary sclerosing hemangioma presenting with dense spindle stroma cells: a potential diagnostic pitfall. <i>Diagnostic Pathology</i> , 2012, 7, 174.	2.0	11
65	In pulmonary sclerosing hemangioma expression of $\beta$ -catenin, Axin, and C-myc differs between the two cell types. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 59-65.	2.8	8
66	Expression and significance of stem cell markers in pulmonary sclerosing haemangioma. <i>Histopathology</i> , 2012, 61, 178-185.	2.9	11
67	Expression of p130cas, E-cadherin and $\beta$ -catenin and their correlation with clinicopathological parameters in non-small cell lung cancer: p130cas over-expression predicts poor prognosis. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 392-397.	1.5	14
68	Expression of p130cas, E-cadherin and $\beta$ -catenin and their correlation with clinicopathological parameters in non-small cell lung cancer: p130cas over-expression predicts poor prognosis. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 392-397.	1.5	13
69	p120-catenin isoform 3 regulates subcellular localization of Kaiso and promotes invasion in lung cancer cells via a phosphorylation-dependent mechanism. <i>International Journal of Oncology</i> , 2011, 38, 1625-35.	3.3	20
70	Overexpression of Frat1 correlates with malignant phenotype and advanced stage in human non-small cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 255-263.	2.8	21
71	Rab22 controls NGF signaling and neurite outgrowth in PC12 cells. <i>Molecular Biology of the Cell</i> , 2011, 22, 3853-3860.	2.1	34
72	p120ctn isoform 1 expression significantly correlates with abnormal expression of E-cadherin and poor survival of lung cancer patients. <i>Medical Oncology</i> , 2010, 27, 880-886.	2.5	29

#	ARTICLE	IF	CITATIONS
73	Structure of human lanthionine synthetase C-like protein 1 and its interaction with Eps8 and glutathione. <i>Genes and Development</i> , 2009, 23, 1387-1392.	5.9	56
74	P120-catenin isoforms 1A and 3A differently affect invasion and proliferation of lung cancer cells. <i>Experimental Cell Research</i> , 2009, 315, 890-898.	2.6	30
75	Ablation of p120 $\beta$ -catenin enhances invasion and metastasis of human lung cancer cells. <i>Cancer Science</i> , 2009, 100, 441-448.	3.9	51
76	Abnormal expression of p120-catenin, E-cadherin, and small GTPases is significantly associated with malignant phenotype of human lung cancer. <i>Lung Cancer</i> , 2009, 63, 375-382.	2.0	91
77	Dishevelled family proteins are expressed in non-small cell lung cancer and function differentially on tumor progression. <i>Lung Cancer</i> , 2008, 62, 181-192.	2.0	59
78	Gene expression and clonality analysis of the androgen receptor and phosphoglycerate kinase genes in polygonal cells and cuboidal cells in so-called pulmonary sclerosing hemangioma. <i>Modern Pathology</i> , 2007, 20, 1208-1215.	5.5	28
79	Reduction of p120 <sup>ctn</sup> isoforms 1 and 3 is significantly associated with metastatic progression of human lung cancer. <i>Apmis</i> , 2007, 115, 848-856.	2.0	27