

Reynald Pain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9104077/publications.pdf>

Version: 2024-02-01

32
papers

23,697
citations

279487

23
h-index

454577

30
g-index

32
all docs

32
docs citations

32
times ranked

9915
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurements of Ω_M and Ω_Λ from 42 High-Redshift Supernovae. <i>Astrophysical Journal</i> , 1999, 517, 565-586.	1.6	14,066
2	The Supernova Legacy Survey: measurement of Ω_M , Ω_Λ and w from the first year data set. <i>Astronomy and Astrophysics</i> , 2006, 447, 31-48.	2.1	2,091
3	Improved cosmological constraints from a joint analysis of the SDSS-II and SNLS supernova samples. <i>Astronomy and Astrophysics</i> , 2014, 568, A22.	2.1	1,422
4	New Constraints on Ω_M , Ω_Λ , and w from an Independent Set of 11 High-Redshift Supernovae Observed with the Hubble Space Telescope. <i>Astrophysical Journal</i> , 2003, 598, 102-137.	1.6	1,406
5	Improved Cosmological Constraints from New, Old, and Combined Supernova Data Sets. <i>Astrophysical Journal</i> , 2008, 686, 749-778.	1.6	1,217
6	SALT2: using distant supernovae to improve the use of type Ia supernovae as distance indicators. <i>Astronomy and Astrophysics</i> , 2007, 466, 11-21.	2.1	648
7	The Supernova Legacy Survey 3-year sample: Type Ia supernovae photometric distances and cosmological constraints. <i>Astronomy and Astrophysics</i> , 2010, 523, A7.	2.1	412
8	NEARBY SUPERNOVA FACTORY OBSERVATIONS OF SN 2007if: FIRST TOTAL MASS MEASUREMENT OF A SUPER-CHANDRASEKHAR-MASS PROGENITOR. <i>Astrophysical Journal</i> , 2010, 713, 1073-1094.	1.6	292
9	The dependence of Type Ia Supernovae luminosities on their host galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	1.6	229
10	Nearby Supernova Factory Observations of SN 2005gj: Another Type Ia Supernova in a Massive Circumstellar Envelope. <i>Astrophysical Journal</i> , 2006, 650, 510-527.	1.6	222
11	Overview of the Nearby Supernova Factory. , 2002, , .		203
12	Spectrophotometric time series of SN 2011fe from the Nearby Supernova Factory. <i>Astronomy and Astrophysics</i> , 2013, 554, A27.	2.1	178
13	CONFIRMATION OF A STAR FORMATION BIAS IN TYPE Ia SUPERNOVA DISTANCES AND ITS EFFECT ON THE MEASUREMENT OF THE HUBBLE CONSTANT. <i>Astrophysical Journal</i> , 2015, 802, 20.	1.6	171
14	Evidence of environmental dependencies of Type Ia supernovae from the Nearby Supernova Factory indicated by local H_0 . <i>Astronomy and Astrophysics</i> , 2013, 560, A66.	2.1	151
15	SNIFS: a wideband integral field spectrograph with microlens arrays. , 2004, , .		129
16	HOST GALAXY PROPERTIES AND HUBBLE RESIDUALS OF TYPE Ia SUPERNOVAE FROM THE NEARBY SUPERNOVA FACTORY. <i>Astrophysical Journal</i> , 2013, 770, 108.	1.6	123
17	The reddening law of type Ia supernovae: separating intrinsic variability from dust using equivalent widths. <i>Astronomy and Astrophysics</i> , 2011, 529, L4.	2.1	110
18	Type Ia supernova bolometric light curves and ejected mass estimates from the Nearby Supernova Factory. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 1498-1518.	1.6	105

#	ARTICLE	IF	CITATIONS
19	Strong dependence of Type Ia supernova standardization on the local specific star formation rate. <i>Astronomy and Astrophysics</i> , 2020, 644, A176.	2.1	96
20	Using spectral flux ratios to standardize SN Ia luminosities. <i>Astronomy and Astrophysics</i> , 2009, 500, L17-L20.	2.1	85
21	Atmospheric extinction properties above Mauna Kea from the Nearby SuperNova Factory spectro-photometric data set. <i>Astronomy and Astrophysics</i> , 2013, 549, A8.	2.1	85
22	TYPE Ia SUPERNOVA CARBON FOOTPRINTS. <i>Astrophysical Journal</i> , 2011, 743, 27.	1.6	78
23	IMPROVING COSMOLOGICAL DISTANCE MEASUREMENTS USING TWIN TYPE IA SUPERNOVAE. <i>Astrophysical Journal</i> , 2015, 815, 58.	1.6	47
24	SNEMO: Improved Empirical Models for Type Ia Supernovae. <i>Astrophysical Journal</i> , 2018, 869, 167.	1.6	37
25	SUGAR: An improved empirical model of Type Ia supernovae based on spectral features. <i>Astronomy and Astrophysics</i> , 2020, 636, A46.	2.1	26
26	The Extinction Properties of and Distance to the Highly Reddened Type IA Supernova 2012cu. <i>Astrophysical Journal</i> , 2017, 836, 157.	1.6	18
27	The Twins Embedding of Type Ia Supernovae. II. Improving Cosmological Distance Estimates. <i>Astrophysical Journal</i> , 2021, 912, 71.	1.6	12
28	Understanding type Ia supernovae through their U -band spectra. <i>Astronomy and Astrophysics</i> , 2018, 614, A71.	2.1	11
29	The Twins Embedding of Type Ia Supernovae. I. The Diversity of Spectra at Maximum Light. <i>Astrophysical Journal</i> , 2021, 912, 70.	1.6	11
30	Correcting for peculiar velocities of Type Ia supernovae in clusters of galaxies. <i>Astronomy and Astrophysics</i> , 2018, 615, A162.	2.1	8
31	The SNEMO and SUGAR Companion Data Sets. <i>Research Notes of the AAS</i> , 2020, 4, 63.	0.3	5
32	Evidence of environmental dependencies of Type Ia supernovae from the Nearby Supernova Factory indicated by local $H\alpha$ (Corrigendum). <i>Astronomy and Astrophysics</i> , 2018, 612, C1.	2.1	3