## Sung Mok Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/91048/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Semi-Quantitative Scoring of Late Gadolinium Enhancement of the Left Ventricle in Patients with<br>Ischemic Cardiomyopathy: Improving Interobserver Reliability and Agreement Using Consensus<br>Guidance from the Asian Society of Cardiovascular Imaging-Practical Tutorial (ASCI-PT) 2020. Korean<br>Iournal of Radiology, 2022, 23, 298. | 3.4 | 2         |
| 2  | Determinants of Exercise Capacity in Patients With Hypertrophic Cardiomyopathy. Journal of Korean<br>Medical Science, 2022, 37, e62.   | 2.5 | 2         |
| 3  | Anatomic and Hemodynamic Plaque Characteristics for Subsequent Coronary Events. Frontiers in Cardiovascular Medicine, 2022, 9, .   | 2.4 | 5         |
| 4  | A New Method for Aortic Valve Planimetry with High-Resolution 3-Dimensional MRI and Its Comparison<br>with Conventional Cine MRI and Echocardiography for Assessing the Severity of Aortic Valvular<br>Stenosis. Korean Journal of Radiology, 2021, 22, 1266.  | 3.4 | 1         |
| 5  | Free-Breathing Motion-Corrected Single-Shot Phase-Sensitive Inversion Recovery<br>Late-Gadolinium-Enhancement Imaging: A Prospective Study of Image Quality in Patients with<br>Hypertrophic Cardiomyopathy. Korean Journal of Radiology, 2021, 22, 1044.  | 3.4 | 1         |
| 6  | The Extent of Late Gadolinium Enhancement Can Predict Adverse Cardiac Outcomes in Patients with<br>Non-Ischemic Cardiomyopathy with Reduced Left Ventricular Ejection Fraction: A Prospective<br>Observational Study. Korean Journal of Radiology, 2021, 22, 324.  | 3.4 | 4         |
| 7  | Semi-Quantitative Scoring of Late Gadolinium Enhancement of the Left Ventricle in Patients with<br>Ischemic Cardiomyopathy: Consensus Statement from the Asian Society of Cardiovascular<br>Imaging-Practical Tutorial (ASCI-PT) 2020. Cardiovascular Imaging Asia, 2021, 5, 26.   | 0.1 | 1         |
| 8  | Comparison of tissue tracking assessment by cardiovascular magnetic resonance for cardiac amyloidosis and hypertrophic cardiomyopathy. Acta Radiologica, 2020, 61, 885-893.  | 1.1 | 6         |
| 9  | Comparison of fractional myocardial mass, a vessel-specific myocardial mass-at-risk, with coronary angiographic scoring systems for predicting myocardial ischemia. Journal of Cardiovascular Computed Tomography, 2020, 14, 322-329.  | 1.3 | 0         |
| 10 | Comparing feasibility of low-tube-voltage protocol with low-iodine-concentration contrast and high-tube-voltage protocol with high-iodine-concentration contrast in coronary computed tomography angiography. PLoS ONE, 2020, 15, e0236108.  | 2.5 | 4         |
| 11 | Allometric scaling patterns among the human coronary artery tree, myocardial mass, and coronary artery flow. Physiological Reports, 2020, 8, e14514.   | 1.7 | 4         |
| 12 | Prevalence and clinical significance of cardiovascular magnetic resonance adenosine stress-induced<br>myocardial perfusion defect in hypertrophic cardiomyopathy. Journal of Cardiovascular Magnetic<br>Resonance, 2020, 22, 30.   | 3.3 | 17        |
| 13 | Genotype-Related Clinical Characteristics and Myocardial Fibrosis and Their Association with Prognosis in Hypertrophic Cardiomyopathy. Journal of Clinical Medicine, 2020, 9, 1671.  | 2.4 | 11        |
| 14 | Diffuse Myocardial Fibrosis and DiastolicÂFunction in Aortic Stenosis. JACC: Cardiovascular Imaging, 2020, 13, 2561-2572.  | 5.3 | 19        |
| 15 | Three-Dimensional Printed Model of Partial Anomalous Pulmonary Venous Return with Biatrial<br>Connection. Journal of the Korean Society of Radiology, 2020, 81, 1523.  | 0.2 | 0         |
| 16 | Reply: Refining the prediction of side branch occlusion following percutaneous coronary intervention in bifurcation lesions. EuroIntervention, 2020, 16, e527-e528.  | 3.2 | 0         |
| 17 | Computed tomography and magnetic resonance imaging assessment of aortic valve stenosis: an update.<br>Precision and Future Medicine, 2020, 4, 119-132.   | 1.6 | 2         |
| 18 | Cardiac magnetic resonance-tissue tracking for the early prediction of adverse left ventricular remodeling after ST-segment elevation myocardial infarction. International Journal of Cardiovascular Imaging, 2019, 35, 2095-2102.   | 1.5 | 21        |

SUNG MOK KIM

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prognostic implications of post-percutaneous coronary intervention neutrophil-to-lymphocyte ratio on infarct size and clinical outcomes in patients with acute myocardial infarction. Scientific Reports, 2019, 9, 9646.   | 3.3 | 25        |
| 20 | Protocol using wide-detector CT with single contrast injection for the aorta and coronary artery:<br>variable helical pitch versus volume scan following helical scan. International Journal of<br>Cardiovascular Imaging, 2019, 35, 1935-1942.  | 1.5 | 6         |
| 21 | Transluminal Attenuation Gradient and Other CT Techniques for Gauging Lesion Significance.<br>Contemporary Medical Imaging, 2019, , 749-766.   | 0.4 | 0         |
| 22 | Assessment of Myocardial Fibrosis UsingÂMultimodality Imaging in SevereÂAorticÂStenosis. JACC:<br>Cardiovascular Imaging, 2019, 12, 109-119.   | 5.3 | 62        |
| 23 | Prediction of side branch occlusions in percutaneous coronary interventions by coronary computed tomography: the CT bifurcation score as a novel tool for predicting intraprocedural side branch occlusion. EuroIntervention, 2019, 15, e788-e795.   | 3.2 | 19        |
| 24 | Cardiac computed tomography reveals aortic valve perforation in a patient with severe aortic regurgitation. Korean Journal of Internal Medicine, 2019, 34, 233-234.  | 1.7 | 1         |
| 25 | Association of cardiovascular risk factors on myocardial perfusion and fibrosis in asymptomatic individuals: cardiac magnetic resonance study. Acta Radiologica, 2018, 59, 1300-1308.  | 1.1 | 5         |
| 26 | Comparación del efecto del aliskireno frente a controles negativos en la rigidez aórtica de los<br>pacientes con sÃndrome de Marfan tratados con atenolol. Revista Espanola De Cardiologia, 2018, 71,<br>743-749.  | 1.2 | 2         |
| 27 | Non-invasive coronary physiology based on computational analysis of intracoronary transluminal attenuation gradient. Scientific Reports, 2018, 8, 4692.  | 3.3 | 7         |
| 28 | Natural history of spontaneous isolated celiac artery dissection after conservative treatment.<br>Journal of Vascular Surgery, 2018, 68, 55-63.  | 1.1 | 21        |
| 29 | Nonsyndromic Peripheral Pulmonary Artery Stenosis Is Associated With Homozygosity of RNF213<br>p.Arg4810Lys Regardless of Co-occurrence of Moyamoya Disease. Chest, 2018, 153, 404-413.  | 0.8 | 43        |
| 30 | Comparison of the Effect of Aliskiren Versus Negative Controls on Aortic Stiffness in Patients With<br>Marfan Syndrome Under Treatment With Atenolol. Revista Espanola De Cardiologia (English Ed ), 2018,<br>71, 743-749.   | 0.6 | 2         |
| 31 | Mechanical Surface Area of Prosthetic Heart Valve: Adverse Clinical Impact of Large Mechanical Valve<br>in Mitral Position. ASAIO Journal, 2018, 64, 779-784.  | 1.6 | 0         |
| 32 | Unrecognized myocardial infarction detected on cardiac magnetic resonance imaging: Association with coronary artery calcium score and cardiovascular risk prediction scores in asymptomatic Asian cohort. PLoS ONE, 2018, 13, e0204040.  | 2.5 | 3         |
| 33 | Comparison of quantitative imaging parameters using cardiovascular magnetic resonance between cardiac amyloidosis and hypertrophic cardiomyopathy: inversion time scout versus T1 mapping.<br>International Journal of Cardiovascular Imaging, 2018, 34, 1769-1777.                          | 1.5 | 21        |
| 34 | Prognostic value of myocardial strain and late gadolinium enhancement on cardiovascular magnetic<br>resonance imaging in patients with idiopathic dilated cardiomyopathy with moderate to severely<br>reduced ejection fraction. Journal of Cardiovascular Magnetic Resonance, 2018, 20, 36. | 3.3 | 41        |
| 35 | Impact of Balloon Pulmonary Angioplasty on Hemodynamics and Clinical Outcomes in Patients with Chronic Thromboembolic Pulmonary Hypertension: the Initial Korean Experience. Journal of Korean Medical Science, 2018, 33, e24.   | 2.5 | 19        |
| 36 | Relationship between cardiovascular risk factors and myocardial strain values of both ventricles in asymptomatic Asian subjects: measurement using cardiovascular magnetic resonance tissue tracking.<br>International Journal of Cardiovascular Imaging, 2018, 34, 1949-1957.               | 1.5 | 7         |

**SUNG МОК КІМ** 

| #  | Article   | IF                   | CITATIONS    |
|----|---|----------------------|--------------|
| 37 | Influence of scan technique on intracoronary transluminal attenuation gradient in coronary CT<br>angiography using 128-slice dual source CT: multi-beat versus one-beat scan. International Journal of<br>Cardiovascular Imaging, 2017, 33, 937-946.                                  | 1.5                  | 6            |
| 38 | Identification of Coronary Artery Side Branch Supplying Myocardial Mass That May Benefit From Revascularization. JACC: Cardiovascular Interventions, 2017, 10, 571-581.   | 2.9                  | 58           |
| 39 | Coronary Computed Tomography Angiography Predicts Guidewire Crossing and Success of<br>Percutaneous Intervention for Chronic Total Occlusion. Circulation: Cardiovascular Imaging, 2017,<br>10, .   | 2.6                  | 53           |
| 40 | Triple rule-out CT angiography protocol with restricting field of view for detection of pulmonary thromboembolism and aortic dissection in emergency department patients: simulation of modified CT protocol for reducing radiation dose. Acta Radiologica, 2017, 58, 521-527.        | 1,1                  | 3            |
| 41 | 2017 Multimodality Appropriate Use Criteria for Noninvasive Cardiac Imaging: Expert Consensus of the<br>Asian Society of Cardiovascular Imaging. Korean Journal of Radiology, 2017, 18, 871.  | 3.4                  | 28           |
| 42 | Semiautomated Analysis of Aortic Stenosis Parameters on Velocity-Encoded Phase-Contrast MR Images<br>in Patients with Severe Aortic Stenosis: A Comparison with Echocardiography. Cardiovascular<br>Imaging Asia, 2017, 1, 78.  | 0.1                  | 2            |
| 43 | Concordant and Discordant Cardiac Magnetic Resonance Imaging Delayed Hyperenhancement Patterns<br>in Patients with Ischemic and Non-Ischemic Cardiomyopathy. Korean Circulation Journal, 2016, 46, 41.  | 1.9                  | 5            |
| 44 | Virtual Non-Contrast CT Using Dual-Energy Spectral CT: Feasibility of Coronary Artery Calcium<br>Scoring. Korean Journal of Radiology, 2016, 17, 321.   | 3.4                  | 35           |
| 45 | Cervical Lymph Node Imaging Reporting and Data System for Ultrasound of Cervical Lymphadenopathy:<br>A Pilot Study. American Journal of Roentgenology, 2016, 206, 1286-1291.  | 2.2                  | 31           |
| 46 | Coronary artery calcium scores and cardiovascular risk factors in 31,545 asymptomatic Korean adults.<br>International Journal of Cardiovascular Imaging, 2016, 32, 139-145.   | 1.5                  | 10           |
| 47 | Triple rule-out computed tomography for risk stratification of patients with acute chest pain. Journal of Cardiovascular Computed Tomography, 2016, 10, 291-300.  | 1.3                  | 12           |
| 48 | Physiological Severity of Coronary ArteryÂStenosis Depends on the AmountÂofÂMyocardial Mass<br>Subtended byÂthe Coronary Artery. JACC: Cardiovascular Interventions, 2016, 9, 1548-1560.  | 2.9                  | 77           |
| 49 | Quantification of Aortic Valve Calcifications Detected During Lung Cancer-Screening CT Helps<br>Stratify Subjects Necessitating Echocardiography for Aortic Stenosis Diagnosis. Medicine (United) Tj ETQq1 1  | 0.78 <b>4.3</b> 14 r | gBT1/Øverloc |
| 50 | Quantification of left ventricular trabeculae using cardiovascular magnetic resonance for the diagnosis of left ventricular non-compaction: evaluation of trabecular volume and refined semi-quantitative criteria. Journal of Cardiovascular Magnetic Resonance, 2016, 18, 24.       | 3.3                  | 41           |
| 51 | Association of cardiovascular disease risk factors with left ventricular mass, biventricular function, and the presence of silent myocardial infarction on cardiac MRI in an asymptomatic population.<br>International Journal of Cardiovascular Imaging, 2016, 32, 173-181.          | 1.5                  | 10           |
| 52 | Coronary Microvascular Dysfunction asÂa Mechanism of Angina in Severe AS. Journal of the American<br>College of Cardiology, 2016, 67, 1412-1422.  | 2.8                  | 52           |
| 53 | Detecting cardiac involvement with magnetic resonance in patients with active eosinophilic<br>granulomatosis with polyangiitis. International Journal of Cardiovascular Imaging, 2016, 32, 155-162.   | 1.5                  | 23           |
| 54 | A Preoperative Assessment of Significant Coronary Stenosis Based on a Semiquantitative Analysis of<br>Coronary Artery Calcification on Noncontrast Computed Tomography in Aortic Stenosis Patients<br>Undergoing Aortic Valve Replacement. Medicine (United States), 2016, 95, e2906. | 1.0                  | 1            |

SUNG MOK KIM

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Robust semi-automated quantification of cardiac MR perfusion using level set: Application to hypertrophic cardiomyopathy patient data. Computers in Biology and Medicine, 2016, 71, 162-173.   | 7.0 | 4         |
| 56 | Coronary Artery Total Occlusion: MR Angiographic Imaging Findings and Success Rates of<br>Percutaneous Coronary Intervention according to Intraluminal Signal Intensity Patterns. Radiology,<br>2016, 279, 84-92.  | 7.3 | 5         |
| 57 | Comparison of clinical characteristics in patients with Takayasu arteritis with and without concomitant tuberculosis. Heart and Vessels, 2016, 31, 1277-1284.  | 1.2 | 28        |
| 58 | Assessment of reverse remodeling predicted by myocardial deformation on tissue tracking in patients<br>with severe aortic stenosis: a cardiovascular magnetic resonance imaging study. Journal of<br>Cardiovascular Magnetic Resonance, 2016, 19, 80.  | 3.3 | 35        |
| 59 | Coronary-subclavian Steal Syndrome in a Patient with Takayasu Arteritis. Korean Journal of Medicine,<br>2016, 91, 37-41.   | 0.3 | 2         |
| 60 | Analysis of Protrusio Acetabuli Using a CT-based Diagnostic Method in Korean Patients with Marfan<br>Syndrome: Prevalence and Association with Other Manifestations. Journal of Korean Medical Science,<br>2015, 30, 1260.   | 2.5 | 5         |
| 61 | Brachial-Ankle Pulse Wave Velocity as a Screen for Arterial Stiffness: A Comparison with Cardiac<br>Magnetic Resonance. Yonsei Medical Journal, 2015, 56, 617.   | 2.2 | 7         |
| 62 | Korean Guidelines for the Appropriate Use of Cardiac CT. Korean Journal of Radiology, 2015, 16, 251.   | 3.4 | 59        |
| 63 | A Rare Case of latrogenic Deep Neck Infection Secondary to Hypopharyngeal Injury Caused by the<br>Transesophageal Echocardiography. Journal of Cardiovascular Imaging, 2015, 23, 181.  | 0.8 | 5         |
| 64 | Multi-modality imaging for the assessment of myocardial perfusion with emphasis on stress perfusion CT and MR imaging. International Journal of Cardiovascular Imaging, 2015, 31, 1-21.  | 1.5 | 9         |
| 65 | Integrated cardiac magnetic resonance imaging with coronary magnetic resonance angiography,<br>stress-perfusion, and delayed-enhancement imaging for the detection of occult coronary artery<br>disease in asymptomatic individuals. International Journal of Cardiovascular Imaging, 2015, 31, 77-89. | 1.5 | 6         |
| 66 | Noninvasive Discrimination of Coronary Chronic Total Occlusion and Subtotal Occlusion by<br>Coronary Computed Tomography Angiography. JACC: Cardiovascular Interventions, 2015, 8, 1143-1153.  | 2.9 | 25        |
| 67 | Quantitative Analysis of 3-Dimensional Volumetry and Histogram of Thyroid Gland on Neck Computed<br>Tomography for Patients with Hashimoto's Thyroiditis. Journal of the Korean Society of Radiology,<br>2015, 73, 367.  | 0.2 | Ο         |
| 68 | Clinical Utility of Coronary CT Angiography with Stress Perfusion CT in Preoperative Cardiac Risk<br>Evaluation. Korean Circulation Journal, 2014, 44, 170.  | 1.9 | 2         |
| 69 | Noninvasive Evaluation of Coronary Collateral Arterial Flow by Coronary Computed Tomographic Angiography. Circulation: Cardiovascular Imaging, 2014, 7, 482-490.   | 2.6 | 27        |
| 70 | Adenosine-stress dynamic myocardial perfusion imaging using 128-slice dual-source CT in patients with normal body mass indices: effect of tube voltage, tube current, and iodine concentration on image quality and radiation dose. International Journal of Cardiovascular Imaging, 2014, 30, 95-103. | 1.5 | 22        |
| 71 | Detection of cardiac myxomas with non-contrast chest CT. Acta Radiologica, 2014, 55, 273-278.  | 1.1 | 15        |
| 72 | Takayasu Arteritis: Assessment of Coronary Arterial Abnormalities with 128-Section Dual-Source CT<br>Angiography of the Coronary Arteries and Aorta. Radiology, 2014, 270, 74-81.  | 7.3 | 87        |

**Sung Mok Kim** 

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Diagnostic Performance of Algorithm for Computer-Assisted Detection of Significant Coronary<br>Artery Disease in Patients With Acute Chest Pain: Comparison With Invasive Coronary Angiography.<br>American Journal of Roentgenology, 2014, 202, 730-737.                                  | 2.2 | 6         |
| 74 | Dual-Energy CT Perfusion During Pharmacologic Stress for the Assessment of Myocardial Perfusion<br>Defects Using a Second-Generation Dual-Source CT. Journal of Computer Assisted Tomography, 2014,<br>38, 44-52.  | 0.9 | 49        |
| 75 | Assessment of regional aortic stiffness with cardiac magnetic resonance imaging in a healthy Asian population. International Journal of Cardiovascular Imaging, 2013, 29, 57-64.   | 1.5 | 18        |
| 76 | Adenosine-stress dynamic myocardial perfusion imaging using 128-slice dual-source CT: optimization of the CT protocol to reduce the radiation dose. International Journal of Cardiovascular Imaging, 2013, 29, 875-884.  | 1.5 | 41        |
| 77 | Digital tomosynthesis of the thorax: the influence of respiratory motion artifacts on lung nodule detection. Acta Radiologica, 2013, 54, 634-639.  | 1.1 | 17        |
| 78 | Assessment of left and right ventricular parameters in healthy Korean volunteers using cardiac<br>magnetic resonance imaging: change in ventricular volume and function based on age, gender and<br>body surface area. International Journal of Cardiovascular Imaging, 2012, 28, 141-147. | 1.5 | 25        |
| 79 | Non-mass-forming Lymphoma of the Left Ventricle Mimicking Non-ischemic Cardiomyopathy on MR<br>Imaging: A Case Report. Journal of the Korean Society of Magnetic Resonance in Medicine, 2012, 16, 189.   | 0.1 | 0         |
| 80 | High-resolution MR Imaging of Carotid Atherosclerotic Plaques. Journal of the Korean Society of<br>Magnetic Resonance in Medicine, 2012, 16, 97.   | 0.1 | 0         |
| 81 | Coronary Calcium Screening Using Low-Dose Lung Cancer Screening: Effectiveness of MDCT with Retrospective Reconstruction. American Journal of Roentgenology, 2008, 190, 917-922.   | 2.2 | 77        |
| 82 | Metastatic Thymoma of the Breast. Korean Journal of Radiology, 2008, 9, 80.  | 3.4 | 8         |
| 83 | Congenital Cerebellar Mixed Germ Cell Tumor Presenting with Hemorrhage in a Newborn. Korean<br>Journal of Radiology, 2008, 9, S26.   | 3.4 | 3         |
| 84 | Right Ventricular Fat Infiltration in Asymptomatic Subjects. Journal of Computer Assisted Tomography, 2007, 31, 22-28.   | 0.9 | 31        |
| 85 | Efficacy of Femoral Vascular Closure Devices in Patients Treated with Anticoagulant, Abciximab or<br>Thrombolytics during Percutaneous Endovascular Procedures. Korean Journal of Radiology, 2006, 7,<br>35.   | 3.4 | 24        |
| 86 | Drug-sensitive tuberculosis, multidrug-resistant tuberculosis, and nontuberculous mycobacterial<br>pulmonary disease in nonAIDS adults: comparisons of thin-section CT findings. European Radiology,<br>2006, 16, 1934-1941.   | 4.5 | 59        |
| 87 | A Primary Neuroendocrine Tumor Mimicking a Thrombus in the Left Atrial Appendage. Journal of the<br>Korean Society of Radiology, 0, 82, .  | 0.2 | 1         |
| 88 | Takayasu Arteritis: Assessment of Coronary Arterial Abnormalities with 128-Section Dual-Source CT Angiography of the Coronary Arteries and Aorta. Radiology, 0, , 122195.  | 7.3 | 0         |
| 89 | A Case of Incomplete Kawasaki Disease Complicated by Acute Coronary Syndrome Initially Diagnosed on Coronary CT Angiography. Korean Circulation Journal, 0, 52, .  | 1.9 | 0         |