Eren Erken

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/910497/publications.pdf

Version: 2024-02-01

58 1,060 19
papers citations h-index

31 g-index

58 all docs

58 docs citations 58 times ranked 1840 citing authors

#	Article	IF	Citations
1	Behçet Disease With Vascular Involvement. Medicine (United States), 2015, 94, e494.	1.0	114
2	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. Rheumatology, 2014, 53, 741-745.	1.9	96
3	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> /i>/ <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genomeâ€Wide Association Study. Arthritis and Rheumatology, 2015, 67, 1361-1368.	5.6	79
4	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. Journal of Autoimmunity, 2016, 69, 59-63.	6.5	62
5	FMF50: a score for assessing outcome in familial Mediterranean fever. Annals of the Rheumatic Diseases, 2014, 73, 897-901.	0.9	57
6	Impaired quality of life, disability and mental health in Takayasu's arteritis. Rheumatology, 2013, 52, 1898-1904.	1.9	53
7	Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. Journal of Rheumatology, 2015, 42, 1661-1666.	2.0	43
8	The Turkish version of the Bath Ankylosing Spondylitis Functional Index: reliability and validity. Clinical Rheumatology, 2005, 24, 123-128.	2.2	40
9	The association between HLA B5 and ocular involvement in Behçet's disease in southern Turkey. Acta Ophthalmologica, 1992, 70, 786-789.	1.1	37
10	Homozygosity for the met30 transthyretin gene in a Turkish kindred with familial amyloidotic polyneuropathy. Human Genetics, 1990, 86, 89-90.	3.8	36
11	Early suppression of familial Mediterranean fever attacks by single medium dose methyl-prednisolone infusion. Joint Bone Spine, 2008, 75, 370-372.	1.6	29
12	The significance of E266K polymorphism in the NOD1 gene on Helicobacter Pylori infection: an effective force on pathogenesis?. Clinical and Experimental Medicine, 2010, 10, 107-112.	3.6	29
13	Evaluating hand in systemic sclerosis. Rheumatology International, 2012, 32, 3581-3586.	3.0	27
14	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. American Journal of Human Genetics, 2021, 108, 84-99.	6.2	26
15	Comparison of early versus late onset familial Mediterranean fever. International Journal of Rheumatic Diseases, 2018, 21, 880-884.	1.9	25
16	Plasma interleukin-10 and interleukin-12 levels in patients with familial Mediterranean fever. Rheumatology International, 2006, 26, 862-864.	3.0	23
17	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. Turkish Journal of Medical Sciences, 2019, 49, 472-477.	0.9	23
18	A novel recessive 15-hydroxyprostaglandin dehydrogenase mutation in a family with primary hypertrophic osteoarthropathy. Modern Rheumatology, 2015, 25, 315-321.	1.8	21

#	Article	IF	CITATIONS
19	VEGF 936 C/T gene polymorphism in renal transplant recipients: Association of the T allele with good graft outcome. Human Immunology, 2007, 68, 599-602.	2.4	20
20	Cardiac disease in familial Mediterranean fever. Rheumatology International, 2018, 38, 51-58.	3.0	20
21	Role of KIR genes and genotypes in susceptibility to or protection against hepatitis B virus infection in a Turkish cohort. Medical Science Monitor, 2014, 20, 28-34.	1.1	15
22	Serum RANTES, MIP-1α, and MCP-1 levels in Behçet's disease. Rheumatology International, 2005, 25, 487-488.	3.0	14
23	Comparison of Amplification Refractory Mutation System and Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Techniques Used for the Investigation of MEFV Gene Exon 10 Point Mutations in Familial Mediterranean Fever Patients Living in A‡ukurova Region (Turkey). Genetic Testing and Molecular Biomarkers. 2005. 9. 220-225.	1.7	14
24	Different clinical presentation of the hyperimmunoglobulin D syndrome (HIDS) (four cases from) Tj ETQq0 0 0 rg	gBT/Qverlo	ock ₁₃ 0 Tf 50 5
25	Periodic Fever and Hyperimmunoglobulin D Syndrome in a Boy with Pediatric Autoimmune Neuropsychiatric Disorders Associated with Group A \hat{l}^2 -Hemolytic Streptococcus. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 302-304.	1.3	10
26	Exon 2: Is it the good police in familial mediterranean fever?. European Journal of Rheumatology, 2019, 6, 33-36.	0.6	10
27	Sacroiliac joint involvement in systemic sclerosis. International Journal of Rheumatic Diseases, 2015, 18, 84-90.	1.9	9
28	Importance of 14-3-3eta, anti-CarP, and anti-Sa in the diagnosis of seronegative rheumatoid arthritis. Turkish Journal of Medical Sciences, 2019, 49, 1498-1502.	0.9	9
29	Sequence analysis of amyloid protein AA from a Turkish patient with familial Mediterranean fever: Documentation of its SAA1αderivation. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 1996, 3, 173-176.	3.0	8
30	A novel recessive 15-hydroxyprostaglandin dehydrogenase mutation in a family with primary hypertrophic osteoarthropathy. Modern Rheumatology, 2013, , 1.	1.8	8
31	Criteria sets for primary Sjogren's syndrome are not adequate for those presenting with extraglandular organ involvements as their dominant clinical features. Rheumatology International, 2017, 37, 675-684.	3.0	8
32	Investigation of C5a receptor gene 450 C/T polymorphism in Turkish patients with familial Mediterranean fever. Molecular Biology Reports, 2010, 37, 273-276.	2.3	7
33	Mevalonate kinase gene mutations and their clinical correlations in <scp>B</scp> ehçet's disease. International Journal of Rheumatic Diseases, 2014, 17, 435-443.	1.9	7
34	Predictive factors for workâ€day loss in Behçet's syndrome: A multiâ€center study. International Journal of Rheumatic Diseases, 2020, 23, 240-246.	1.9	7
35	Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 77-82.	0.8	7
36	CT-based Morphometric Data of L3-L5 Vertebrae: Anatomic and Surgical Approach. Neurosurgery Quarterly, 2007, 17, 92-97.	0.1	6

#	Article	IF	CITATIONS
37	Evaluation of the turkish version of the bath ankylosing Spondylitis Patient Global Score (BAS-G). Clinical Rheumatology, 2006, 25, 136-139.	2.2	5
38	Neuropathic pain: is it an underestimated symptom in systemic sclerosis?. Clinical Rheumatology, 2018, 37, 1845-1851.	2.2	5
39	Killer Cell Immunoglobulin-Like Receptor (KIR) Genotype Distribution in Familial Mediterranean Fever (FMF) Patients. Medical Science Monitor, 2015, 21, 3547-3554.	1.1	5
40	Current antiviral practice and course of Hepatitis B virus infection in inflammatory arthritis: a multicentric observational study (A + HBV study). European Journal of Rheumatology, 2015, 2, 149-154.	0.6	5
41	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. Journal of Dermatology, 2020, 47, 1403-1410.	1.2	4
42	Pigmented Purpuric Dermatosis Associated with Primary Antiphospholipid Syndrome. Internal Medicine, 2013, 52, 1255-1257.	0.7	3
43	Is cystatin C an evaluative marker for right heart functions in systemic sclerosis?. International Journal of Cardiology, 2016, 221, 478-483.	1.7	3
44	Mannose-Binding Lectin2 gene polymorphism in PANDAS patients. Noropsikiyatri Arsivi, 2018, 56, 99-105.	0.3	3
45	MANNOSE BINDING LECTIN (MBL) GENE POLYMORPHISMS AND THEIR RELATIONS WITH CLINICAL FEATURES IN PATIENTS WITH FAMILIAL MEDITERRANEAN FEVER (FMF). İstanbul Tıp Fakýltesi Dergisi, 0, , 125-130.	0.0	3
46	Oral ulcer activity assessment with the composite index according to different treatment modalities in BehÃSet's syndrome: a multicentre study. Clinical and Experimental Rheumatology, 2019, 37 Suppl 121, 98-104.	0.8	3
47	Evaluation of the Turkish version of the Dougados functional index in ankylosing spondylitis. Rheumatology International, 2005, 25, 368-372.	3.0	2
48	Erythema elevatum diutinum coexisting with ankylosing spondylitis. European Journal of Rheumatology, 2015, 2, 73-75.	0.6	2
49	Reply: Sacralization is not associated with elongated cervical costal process and cervical rib. Clinical Anatomy, 2011, 24, 918-919.	2.7	1
50	Analysis of Cytotoxic T Lymphocyte Antigen-4 (CTLA-4) Promoter â^318C/T and +49A/G Gene Polymorphisms in Turkish Patients with Familial Mediterranean Fever. Cell Biochemistry and Biophysics, 2013, 65, 181-186.	1.8	1
51	Killer cell immunoglobulinâ€like receptor (KIR) gene distribution and allograft kidney function. International Journal of Clinical Practice, 2021, 75, e14790.	1.7	1
52	The frequency of etarnecept related sarcoidosis. , 2017, , .		1
53	A Rare Side Effect of Intravesical Bacillus Calmette-Guérin Therapy: Reactive Arthritis. Üroonkoloji Býlteni, 2018, 17, 33-35.	0.1	1
54	Successful Medical Management of Intracardiac Thrombus in a Young Man with BehçetÊ⅓s Disease. Journal of Clinical Rheumatology, 2000, 6, 303-304.	0.9	0

#	Article	IF	CITATIONS
55	SP027KILLER CELL IMMUNOGLOBULIN LIKE RECEPTOR GENOTYPE DISTRIBUTION IN FAMILIAL MEDITERRANEAN FEVER: NO ASSOCIATION WITH DISEASE PHENOTYPE AND RENAL AMYLOIDOSIS. Nephrology Dialysis Transplantation, 2015, 30, iii389-iii389.	0.7	0
56	MO947KILLER CELL IMMUNOGLOBULIN LIKE RECEPTOR (KIR) GENE DISTRIBUTION AND ALLOGRAFT KIDNEY FUNCTION. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0
57	First Turkish Family with FAP has Homozygous Met 30 TTR. , 1991, , 595-598.		0
58	INVESTIGATION OF THE FREQUENCY OF FC GAMMA RECEPTOR IIIA $V/158/F$ GENE POLYMORPHISM AND COMPARISON OF CLINICAL AND LABORATORY FINDINGS IN RHEUMATOID ARTHRITIS (RA). European Oral Research, 2019, 81, 139-144.	0.9	0