
## Birgit C Schlick-Steiner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9108877/publications.pdf Version: 2024-02-01



2.1

16

#	Article	IF	CITATIONS
1	Congruent evolutionary responses of European steppe biota to late Quaternary climate change. Nature Communications, 2022, 13, 1921.	12.8	11
2	Persistent, bioaccumulative, and toxic chemicals in insects: Current state of research and where to from here?. Science of the Total Environment, 2022, 825, 153830.	8.0	8
3	Analyses of locomotion, wing morphology, and microbiome in <i>Drosophila nigrosparsa</i> after recovery from antibiotics. MicrobiologyOpen, 2022, 11, .	3.0	4
4	A reference allelic ladder for Western Capercaillie (Tetrao urogallus) and Black Grouse (Tetrao) Tj ETQqO 0 0 rgBT 97-105.	/Overlock 0.8	10 Tf 50 62 4
5	Performance comparison of two reduced-representation based genome-wide marker-discovery strategies in a multi-taxon phylogeographic framework. Scientific Reports, 2021, 11, 3978.	3.3	7
6	Differential gene expression in Drosophila melanogaster and D. nigrosparsa infected with the same Wolbachia strain. Scientific Reports, 2021, 11, 11336.	3.3	7
7	Effect of social structure and introduction history on genetic diversity and differentiation. Molecular Ecology, 2021, 30, 2511-2527.	3.9	10
8	Mixed-colony records together with nest densities and gyne morphology suggest temporary social parasitism in Tetramorium (Hymenoptera: Formicidae). Zoologischer Anzeiger, 2021, 293, 190-201.	0.9	1
9	Connectivity within isolation: dispersal, population genetics, and conservation of the rarest European damselfly. Insect Conservation and Diversity, 2021, 14, 800.	3.0	0
10	Impact of Processed Food (Canteen and Oil Wastes) on the Development of Black Soldier Fly (Hermetia) Tj ETQq(	0 0 0 rgBT	/9yerlock 1
11	Hybridization Dynamics and Extensive Introgression in the <i>Daphnia longispina</i> Species Complex: New Insights from a High-Quality <i>Daphnia galeata</i> Reference Genome. Genome Biology and Evolution, 2021, 13, .	2.5	11
12	Long-term isolation of European steppe outposts boosts the biome's conservation value. Nature Communications, 2020, 11, 1968.	12.8	34
13	The Core Gut Microbiome of Black Soldier Fly (Hermetia illucens) Larvae Raised on Low-Bioburden Diets. Frontiers in Microbiology, 2020, 11, 993.	3.5	91
14	Genomic Signature of Shifts in Selection in a Subalpine Ant and Its Physiological Adaptations. Molecular Biology and Evolution, 2020, 37, 2211-2227.	8.9	14
15	<i>Wolbachia</i> affect behavior and possibly reproductive compatibility but not thermoresistance, fecundity, and morphology in a novel transinfected host, <i>Drosophila nigrosparsa</i> . Ecology and Evolution, 2020, 10, 4457-4470.	1.9	9
16	Towards an evolutionary history of European-Alpine Trechus ground beetles: Species groups and wing reduction. Molecular Phylogenetics and Evolution, 2020, 149, 106822.	2.7	3
17	Major range loss predicted from lack of heat adaptability in an alpine Drosophila species. Science of the Total Environment, 2019, 695, 133753.	8.0	26
			_

18 Is temperature preference in the laboratory ecologically relevant for the field? The case of Drosophila nigrosparsa. Global Ecology and Conservation, 2019, 18, e00638.

#	Article	IF	CITATIONS
19	Wolbachia megadiversity: 99% of these microorganismic manipulators unknown. FEMS Microbiology Ecology, 2019, 95, .	2.7	12
20	Low-quality dwarf-shrub litter negatively affects the fitness of Alpine earthworms (Lumbricus) Tj ETQq0 0 0 rgB	T /Oyerlock	10 <sub>5</sub> Tf 50 702
21	Comparing ant behaviour indices for fine-scale analyses. Scientific Reports, 2019, 9, 6856.	3.3	5
22	One plus one is greater than two: mixing litter types accelerates decomposition of low-quality alpine dwarf shrub litter. Plant and Soil, 2019, 438, 405-419.	3.7	26
23	Patterns of host use by brood parasitic <i>Maculinea</i> butterflies across Europe. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180202.	4.0	40
24	Lifeâ€history traits and physiological limits of the alpine fly <i>Drosophila nigrosparsa</i> (Diptera:) Tj ETQq0 0	0 rgBT /0\	verlock 10 Tf :
25	Turning one into five: Integrative taxonomy uncovers complex evolution of cryptic species in the harvester ant Messor "structor― Molecular Phylogenetics and Evolution, 2018, 127, 387-404.	2.7	25
26	Identifying the minimum number of microsatellite loci needed to assess population genetic structure: A case study in fly culturing. Fly, 2018, 12, 13-22.	1.7	21
27	An Alpine ant's behavioural polymorphism: monogyny with and without internest aggression in <i>Tetramorium alpestre</i> . Ethology Ecology and Evolution, 2018, 30, 220-234.	1.4	9
28	Evolution of morphological crypsis in the Tetramorium caespitum ant species complex (Hymenoptera:) Tj ETQq	OOQ:gBT	/Overlock 10 14
29	Anticipating data-induced bias. Science, 2018, 361, 762-762.	12.6	0
30	Influence of three artificial light sources on oviposition and half-life of the Black Soldier Fly, Hermetia illucens (Diptera: Stratiomyidae): Improving small-scale indoor rearing. PLoS ONE, 2018, 13, e0197896.	2.5	51
31	Chemosensory adaptations of the mountain fly Drosophila nigrosparsa (Insecta: Diptera) through genomics' and structural biology's lenses. Scientific Reports, 2017, 7, 43770.	3.3	21
32	Are we ready to detect nematode diversity by next generation sequencing?. Ecology and Evolution, 2017, 7, 4147-4151.	1.9	27
33	Positive diversifying selection is a pervasive adaptive force throughout the Drosophila radiation. Molecular Phylogenetics and Evolution, 2017, 112, 230-243.	2.7	26
34	Effects of Alpine landâ€use changes: Soil macrofauna community revisited. Ecology and Evolution, 2017, 7, 5389-5399.	1.9	23
35	Do genome size differences within Brachionus asplanchnoidis (Rotifera, Monogononta) cause reproductive barriers among geographic populations?. Hydrobiologia, 2017, 796, 59-75.	2.0	14

36Glacial refugia, recolonization patterns and diversification forces in Alpineâ€endemic <i>Megabunus</i>3.93436arvestmen. Molecular Ecology, 2016, 25, 2904-2919.3.934

#	Article	IF	CITATIONS
37	Timeless standards for species delimitation. Zootaxa, 2016, 4137, 121-8.	0.5	32
38	Ultra-low activities of a common radioisotope for permission-free tracking of a drosophilid fly in its natural habitat. Scientific Reports, 2016, 6, 36506.	3.3	4
39	The hitchhiker's guide to Europe: the infection dynamics of an ongoing <i>Wolbachia</i> invasion and mitochondrial selective sweep in <i>Rhagoletis cerasi</i> . Molecular Ecology, 2016, 25, 1595-1609.	3.9	68
40	Taxonomist's Nightmare … Evolutionist's Delight : An Integrative Approach Resolves Species Limits in Jumping Bristletails Despite Widespread Hybridization and Parthenogenesis. Systematic Biology, 2016, 65, 947-974.	5.6	39
41	Oviposition Substrate of the Mountain Fly Drosophila nigrosparsa (Diptera: Drosophilidae). PLoS ONE, 2016, 11, e0165743.	2.5	14
42	Genomic Resources Notes Accepted 1 June 2015 - 31 July 2015. Molecular Ecology Resources, 2015, 15, 1510-1512.	4.8	6
43	Genomic Resources Notes accepted 1 February 2015 - 31 March 2015. Molecular Ecology Resources, 2015, 15, 1014-1015.	4.8	10
44	A near-infrared spectroscopy routine for unambiguous identification of cryptic ant species. PeerJ, 2015, 3, e991.	2.0	29
45	Taking the discovery approach in integrative taxonomy: decrypting a complex of narrowâ€endemic Alpine harvestmen (Opiliones: Phalangiidae: <i>Megabunus</i> ). Molecular Ecology, 2015, 24, 863-889.	3.9	19
46	Recent insertion/deletion (re <scp>INDEL</scp> ) mutations: increasing awareness to boost molecularâ€based research in ecology and evolution. Ecology and Evolution, 2015, 5, 24-35.	1.9	3
47	A Falsification of the Citation Impediment in the Taxonomic Literature. Systematic Biology, 2015, 64, 860-868.	5.6	14
48	Genomic Resources Notes Accepted 1 August 2014-30 September 2014. Molecular Ecology Resources, 2015, 15, 228-229.	4.8	31
49	Genomic Resources Notes accepted 1 December 2013 - 31 January 2014. Molecular Ecology Resources, 2014, 14, 664-665.	4.8	5
50	Take up the challenge! Opportunities for evolution research from resolving conflict in integrative taxonomy. Molecular Ecology, 2014, 23, 4192-4194.	3.9	22
51	Tetramorium indocile Santschi, 1927 stat. rev. is the proposed scientific name for Tetramorium sp. C sensu Schlick-Steiner et al. (2006) based on combined molecular and morphological evidence (Hymenoptera: Formicidae). Zoologischer Anzeiger, 2014, 253, 469-481.	0.9	10
52	Extensive variation in chromosome number and genome size in sexual and parthenogenetic species of the jumpingâ€bristletail genus <i>Machilis</i> (Archaeognatha). Ecology and Evolution, 2014, 4, 4093-4105.	1.9	13
53	How diverse is <i><scp>M</scp>itopus morio</i> ? Integrative taxonomy detects cryptic species in a smallâ€scale sample of a widespread harvestman. Molecular Ecology, 2013, 22, 3850-3863.	3.9	20
54	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 April 2013–31 May 2013. Molecular Ecology Resources, 2013, 13, 966-968.	4.8	19

## BIRGIT C SCHLICK-STEINER

#	Article	IF	CITATIONS
55	Evidence for a recent horizontal transmission and spatial spread of <i><scp>W</scp>olbachia</i> from endemic <i><scp>R</scp>hagoletis cerasi</i> ( <scp>D</scp> iptera: <scp>T</scp> ephritidae) to invasive <i><scp>R</scp>hagoletis cingulata</i> in <scp>E</scp> urope. Molecular Ecology, 2013, 22, 4101-4111.	3.9	70
56	Non-destructive species identification of <i>Drosophila obscura</i> and <i>D. subobscura</i> (Diptera) using near-infrared spectroscopy. Fly, 2012, 6, 284-289.	1.7	23
57	Pleistocene survival on central <scp>A</scp> lpine nunataks: genetic evidence from the jumping bristletail <i><scp>M</scp>achilis pallida</i> . Molecular Ecology, 2012, 21, 4983-4995.	3.9	20
58	Iterative species distribution modelling and ground validation in endemism research: an Alpine jumping bristletail example. Biodiversity and Conservation, 2012, 21, 2845-2863.	2.6	32
59	A toolbox for integrative species delimitation in Machilis jumping bristletails (Microcoryphia:) Tj ETQq1 1 0.7843	14 <sub>7g</sub> BT /0	Overlock 10 Th
60	Near-Infrared Imaging Spectroscopy as a Tool to Discriminate Two Cryptic Tetramorium Ant Species. Journal of Chemical Ecology, 2011, 37, 549-552.	1.8	20
61	Rapid and cost-effective screening of newly identified microsatellite loci by high-resolution melting analysis. Molecular Genetics and Genomics, 2011, 286, 225-35.	2.1	31
62	Mixed colonies and hybridisation of Messor harvester ant species (Hymenoptera: Formicidae). Organisms Diversity and Evolution, 2011, 11, 107-134.	1.6	20
63	Integrative Taxonomy: A Multisource Approach to Exploring Biodiversity. Annual Review of Entomology, 2010, 55, 421-438.	11.8	762
64	A multisource solution for a complex problem in biodiversity research: Description of the cryptic ant species Tetramorium alpestre sp.n. (Hymenoptera: Formicidae). Zoologischer Anzeiger, 2010, 249, 223-254.	0.9	36
65	Chloroplast DNAâ€based studies in molecular ecology may be compromised by nuclearâ€encoded plastid sequence. Molecular Ecology, 2010, 19, 3853-3856.	3.9	19
66	Characterization of expressed sequence tag (EST)-derived microsatellite loci in the fire ant Solenopsis invicta (Hymenoptera: Formicidae). Conservation Genetics, 2009, 10, 1373-1376.	1.5	2
67	Twenty four new microsatellite markers in two invasive pavement ants, Tetramorium sp.E and T. tsushimae (Hymenoptera: Formicidae). Conservation Genetics, 2008, 9, 757-759.	1.5	8
68	Combined modelling of distribution and niche in invasion biology: a case study of two invasive <i>Tetramorium</i> ant species. Diversity and Distributions, 2008, 14, 538-545.	4.1	96
69	Ants and people: a test of two mechanisms potentially responsible for the largeâ€scale human population–biodiversity correlation for Formicidae in Europe. Journal of Biogeography, 2008, 35, 2195-2206.	3.0	24
70	A DNA and morphology based phylogenetic framework of the ant genus Lasius with hypotheses for the evolution of social parasitism and fungiculture. BMC Evolutionary Biology, 2008, 8, 237.	3.2	30
71	Specificity and transmission mosaic of ant nest-wall fungi. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 940-943.	7.1	56
72	The Evolution of Invasiveness in Garden Ants. PLoS ONE, 2008, 3, e3838.	2.5	81

BIRGIT C SCHLICK-STEINER

#	Article	IF	CITATIONS
73	Without morphology, cryptic species stay in taxonomic crypsis following discovery. Trends in Ecology and Evolution, 2007, 22, 391-392.	8.7	102
74	Lessons from a Beetle and an Ant: Coping with Taxon-Dependent Differences in Microsatellite Development Success. Journal of Molecular Evolution, 2007, 65, 304.	1.8	0
75	Lineage specific evolution of an alternative social strategy in Tetramorium ants (Hymenoptera:) Tj ETQq1 1 0.784	314 rgBT / 1.6	Overlock 1
76	Abandoning Aggression but Maintaining Self-Nonself Discrimination as a First Stage in Ant Supercolony Formation. Current Biology, 2007, 17, 1903-1907.	3.9	38
77	Lessons from a Beetle and an Ant: Coping with Taxon-Dependent Differences in Microsatellite Development Success. Journal of Molecular Evolution, 2007, 65, 304-307.	1.8	17
78	A multidisciplinary approach reveals cryptic diversity in Western Palearctic Tetramorium ants (Hymenoptera: Formicidae). Molecular Phylogenetics and Evolution, 2006, 40, 259-273.	2.7	134
79	Tetramorium tsushimae, a New Invasive Ant in North America. Biological Invasions, 2006, 8, 117-123.	2.4	38
80	More than one species of Messor harvester ants (Hymenoptera: Formicidae) in Central Europe. European Journal of Entomology, 2006, 103, 469-476.	1.2	19
81	A butterfly?s chemical key to various ant forts: intersection-odour or aggregate-odour multi-host mimicry?. Die Naturwissenschaften, 2004, 91, 209-214.	1.6	40

A novel relationship between ants and a leafhopper (Hymenoptera: Formicidae; Hemiptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Tr

83	Title is missing!. Journal of Insect Conservation, 2003, 7, 1-6.	1.4	44
84	Cuticular hydrocarbons of Tetramorium ants from central Europe: analysis of GC-MS data with self-organizing maps (SOM) and implications for systematics. Journal of Chemical Ecology, 2002, 28, 2569-2584.	1.8	24