Lion Shahab

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9112271/publications.pdf

Version: 2024-02-01

164 papers 6,078 citations

94381 37 h-index 95218 68 g-index

209 all docs 209 docs citations

209 times ranked 7086 citing authors

#	Article	IF	CITATIONS
1	Nicotine, Carcinogen, and Toxin Exposure in Long-Term E-Cigarette and Nicotine Replacement Therapy Users. Annals of Internal Medicine, 2017, 166, 390.	2.0	401
2	The association of smoking status with SARSâ€CoVâ€2 infection, hospitalization and mortality from COVIDâ€19: a living rapid evidence review with Bayesian metaâ€analyses (version 7). Addiction, 2021, 116, 1319-1368.	1.7	266
3	Prevalence, diagnosis and relation to tobacco dependence of chronic obstructive pulmonary disease in a nationally representative population sample. Thorax, 2006, 61, 1043-1047.	2.7	264
4	Online support for smoking cessation: a systematic review of the literature. Addiction, 2009, 104, 1792-1804.	1.7	248
5	Heat-not-burn tobacco products: a systematic literature review. Tobacco Control, 2019, 28, 582-594.	1.8	235
6	'The smoking toolkit study': a national study of smoking and smoking cessation in England. BMC Public Health, $2011,11,479.$	1.2	213
7	Prevalence and characteristics of e-cigarette users in Great Britain: Findings from a general population survey of smokers. Addictive Behaviors, 2014, 39, 1120-1125.	1.7	203
8	Association of the COVIDâ€19 lockdown with smoking, drinking and attempts to quit in England: an analysis of 2019–20 data. Addiction, 2021, 116, 1233-1244.	1.7	201
9	Strength of urges to smoke as a measure of severity of cigarette dependence: comparison with the Fagerström Test for Nicotine Dependence and its components. Addiction, 2011, 106, 631-638.	1.7	187
10	Behavior change techniques used by the English Stop Smoking Services and their associations with short-term quit outcomes. Nicotine and Tobacco Research, 2010, 12, 742-747.	1.4	155
11	A mixed-method systematic review and meta-analysis of mental health professionals' attitudes toward smoking and smoking cessation among people with mental illnesses. Addiction, 2016, 111, 1536-1553.	1.7	129
12	Human-animal relationships and interactions during the Covid-19 lockdown phase in the UK: Investigating links with mental health and loneliness. PLoS ONE, 2020, 15, e0239397.	1.1	127
13	Internet-based intervention for smoking cessation (StopAdvisor) in people with low and high socioeconomic status: a randomised controlled trial. Lancet Respiratory Medicine, the, 2014, 2, 997-1006.	5.2	104
14	Bidirectional association between mental health and physical activity in older adults: Whitehall II prospective cohort study. Preventive Medicine, 2014, 66, 74-79.	1.6	87
15	COVID-19, smoking and inequalities: a study of 53 002 adults in the UK. Tobacco Control, 2021, 30, e111-e121.	1.8	78
16	Public support in England for a total ban on the sale of tobacco products. Tobacco Control, 2010, 19, 143-147.	1.8	68
17	Positive smoker identity as a barrier to quitting smoking: Findings from a national survey of smokers in England. Drug and Alcohol Dependence, 2013, 133, 740-745.	1.6	66
18	The Influence of Human–Animal Interactions on Mental and Physical Health during the First COVID-19 Lockdown Phase in the U.K.: A Qualitative Exploration. International Journal of Environmental Research and Public Health, 2021, 18, 976.	1.2	66

#	Article	IF	Citations
19	Smoker identity and its potential role in young adults' smoking behavior: A meta-ethnography Health Psychology, 2015, 34, 992-1003.	1.3	65
20	COVIDâ€19, smoking, vaping and quitting: a representative population survey in England. Addiction, 2021, 116, 1186-1195.	1.7	62
21	Medical students lack basic knowledge about smoking: Findings from two European medical schools. Nicotine and Tobacco Research, 2009, 11, 92-98.	1.4	57
22	Differences in happiness between smokers, ex-smokers and never smokers: cross-sectional findings from a national household survey. Drug and Alcohol Dependence, 2012, 121, 38-44.	1.6	56
23	Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. Health Technology Assessment, 2015, 19, 1-156.	1.3	56
24	The acute effects of yogic breathing exercises on craving and withdrawal symptoms in abstaining smokers. Psychopharmacology, 2013, 225, 875-882.	1.5	55
25	To what extent should waterpipe tobacco smoking become a public health priority?. Addiction, 2013, 108, 1873-1884.	1.7	51
26	Development of StopAdvisor. Translational Behavioral Medicine, 2012, 2, 263-275.	1.2	50
27	Prevalence of beliefs about actual and mythical causes of cancer and their association with socio-demographic and health-related characteristics: Findings from a cross-sectional survey in England. European Journal of Cancer, 2018, 103, 308-316.	1.3	50
28	Effect of Differing Levels of Tobacco-Specific Nitrosamines in Cigarette Smoke on the Levels of Biomarkers in Smokers. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1389-1398.	1.1	49
29	Associations between dual use of e-cigarettes and smoking cessation: A prospective study of smokers in England. Addictive Behaviors, 2020, 103, 106230.	1.7	48
30	Trends in Roll-Your-Own Smoking: Findings from the ITC Four-Country Survey (2002–2008). Journal of Environmental and Public Health, 2012, 2012, 1-7.	0.4	47
31	Development of SmokeFree Baby: a smoking cessation smartphone app for pregnant smokers. Translational Behavioral Medicine, 2016, 6, 533-545.	1.2	47
32	Association of the US Outbreak of Vaping-Associated Lung Injury With Perceived Harm of e-Cigarettes Compared With Cigarettes. JAMA Network Open, 2020, 3, e206981.	2.8	47
33	Modelling continuous abstinence rates over time from clinical trials of pharmacological interventions for smoking cessation. Addiction, 2019, 114, 787-797.	1.7	46
34	Showing smokers with vascular disease images of their arteries to motivate cessation: A pilot study. British Journal of Health Psychology, 2007, 12, 275-283.	1.9	45
35	Association of initial e-cigarette and other tobacco product use with subsequent cigarette smoking in adolescents: a cross-sectional, matched control study. Tobacco Control, 2021, 30, 212-220.	1.8	45
36	Estimating the population impact of e-cigarettes on smoking cessation in England. Addiction, 2016, 111, 1118-1119.	1.7	43

#	Article	IF	CITATIONS
37	Individual-level behavioural smoking cessation interventions tailored for disadvantaged socioeconomic position: a systematic review and meta-regression. Lancet Public Health, The, 2019, 4, e628-e644.	4.7	43
38	Effectiveness of a brief community outreach tobacco cessation intervention in India: a cluster-randomised controlled trial (the BABEX Trial). Thorax, 2017, 72, 167-173.	2.7	42
39	Comparison of Trends in Self-reported Cigarette Consumption and Sales in England, 2011 to 2018. JAMA Network Open, 2019, 2, e1910161.	2.8	42
40	Do ex-smokers report feeling happier following cessation? Evidence from a cross-sectional survey. Nicotine and Tobacco Research, 2009, 11, 553-557.	1.4	41
41	CLINICAL STUDY: A comparison of exposure to carcinogens among rollâ€yourâ€own and factoryâ€made cigarette smokers. Addiction Biology, 2009, 14, 315-320.	1.4	38
42	Characterising the patterns of and factors associated with increased alcohol consumption since <scp>COVID</scp> â€19 in a <scp>UK</scp> sample. Drug and Alcohol Review, 2021, 40, 890-899.	1.1	38
43	Study protocol of the German Study on Tobacco Use (DEBRA): a national household survey of smoking behaviour and cessation. BMC Public Health, 2017, 17, 378.	1.2	37
44	Dynamic range of GSK3α not GSK3β is essential for bidirectional synaptic plasticity at hippocampal CA3 A1 synapses. Hippocampus, 2014, 24, 1413-1416.	0.9	36
45	Does non-smoker identity following quitting predict long-term abstinence? Evidence from a population survey in England. Addictive Behaviors, 2015, 45, 99-103.	1.7	36
46	Associations between vaping and Covid-19: Cross-sectional findings from the HEBECO study. Drug and Alcohol Dependence, 2021, 221, 108590.	1.6	35
47	A randomized, controlled trial of adding expired carbon monoxide feedback to brief stop smoking advice: Evaluation of cognitive and behavioral effects Health Psychology, 2011, 30, 49-57.	1.3	34
48	Neuronal and Peripheral Pentraxins Modify Glutamate Release and may Interact in Blood–Brain Barrier Failure. Cerebral Cortex, 2017, 27, 3437-3448.	1.6	34
49	Eâ€eigarette use in England 2014–17 as a function of socioâ€economic profile. Addiction, 2019, 114, 294-303.	1.7	34
50	Heated tobacco products for smoking cessation and reducing smoking prevalence. The Cochrane Library, 2022, 2022, CD013790.	1.5	34
51	First cigarette on waking and time of day as predictors of puffing behaviour in UK adult smokers. Drug and Alcohol Dependence, 2009, 101, 191-195.	1.6	33
52	New Pharmacological Agents to Aid Smoking Cessation and Tobacco Harm Reduction: What Has Been Investigated, and What Is in the Pipeline?. CNS Drugs, 2016, 30, 951-983.	2.7	33
53	A pilot study of StopAdvisor: A theory-based interactive internet-based smoking cessation intervention aimed across the social spectrum. Addictive Behaviors, 2012, 37, 1365-1370.	1.7	32
54	Seeking Health Information and Support Online: Does It Differ as a Function of Engagement in Risky Health Behaviors? Evidence From the Health Information National Trends Survey. Journal of Medical Internet Research, 2014, 16, e253.	2.1	32

#	Article	IF	CITATIONS
55	Novel Delivery Systems for Nicotine Replacement Therapy as an Aid to Smoking Cessation and for Harm Reduction: Rationale, and Evidence for Advantages over Existing Systems. CNS Drugs, 2013, 27, 1007-1019.	2.7	31
56	Changes in prevalence of depression and anxiety following smoking cessation: results from an international cohort study (ATTEMPT). Psychological Medicine, 2014, 44, 127-141.	2.7	30
57	Sexual orientation identity and tobacco and hazardous alcohol use: findings from a cross-sectional English population survey. BMJ Open, 2017, 7, e015058.	0.8	30
58	The forgotten smoker: a qualitative study of attitudes towards smoking, quitting, and tobacco control policies among continuing smokers. BMC Public Health, 2013, 13, 432.	1.2	28
59	Stop smoking clinics in Malaysia: characteristics of attendees and predictors of success. Addictive Behaviors, 2011, 36, 400-403.	1.7	26
60	Randomized factorial experiment of components of the SmokeFree Baby smartphone application to aid smoking cessation in pregnancy. Translational Behavioral Medicine, 2019, 9, 583-593.	1.2	26
61	Trends in use of e-cigarette device types and heated tobacco products from 2016 to 2020 in England. Scientific Reports, 2021, 11, 13203.	1.6	26
62	The reliability and validity of self-reported puffing behavior: Evidence from a cross-national study. Nicotine and Tobacco Research, 2008, 10, 867-874.	1.4	25
63	The effect of reducing the threshold for carbon monoxide validation of smoking abstinence - Evidence from the English Stop Smoking Services. Addictive Behaviors, 2013, 38, 2529-2531.	1.7	25
64	Comparison of the characteristics of long-term users of electronic cigarettes versus nicotine replacement therapy: A cross-sectional survey of English ex-smokers and current smokers. Drug and Alcohol Dependence, 2015, 153, 300-305.	1.6	25
65	Waterpipe Tobacco Use in the United Kingdom: A Cross-Sectional Study among University Students and Stop Smoking Practitioners. PLoS ONE, 2016, 11, e0146799.	1.1	25
66	Lessons learned from unsuccessful use of personal carbon monoxide monitors to remotely assess abstinence in a pragmatic trial of a smartphone stop smoking app – A secondary analysis. Addictive Behaviors Reports, 2019, 9, 100122.	1.0	24
67	Implementing a hospital-based smoking cessation programme: Evidence for a learning effect. Patient Education and Counseling, 2008, 70, 199-204.	1.0	23
68	Predictors of 3-Month Abstinence in Smokers Attending Stop-Smoking Clinics in Malaysia. Nicotine and Tobacco Research, 2011, 13, 151-156.	1.4	23
69	Impact of COVID-19 Pandemic on Weight and BMI among UK Adults: A Longitudinal Analysis of Data from the HEBECO Study. Nutrients, 2021, 13, 2911.	1.7	22
70	Individual and interpersonal triggers to quit smoking in China: a cross-sectional analysis. Tobacco Control, 2015, 24, iv40-iv47.	1.8	21
71	Reciprocal associations between smoking cessation and depression in older smokers: Findings from the English Longitudinal Study of Ageing. British Journal of Psychiatry, 2015, 207, 243-249.	1.7	21
72	Usability testing of a smoking cessation smartphone application (â€~SmokeFree Baby'): A think-aloud study with pregnant smokers. Digital Health, 2017, 3, 205520761770427.	0.9	21

#	Article	IF	CITATIONS
73	Protocol for expansion of an existing national monthly survey of smoking behaviour and alcohol use in England to Scotland and Wales: The Smoking and Alcohol Toolkit Study. Wellcome Open Research, 2021, 6, 67.	0.9	21
74	What do cost-effective health behaviour-change interventions contain? A comparison of six domains. PLoS ONE, 2019, 14, e0213983.	1.1	20
75	Exploring mental health professionals' practice in relation to smoke-free policy within a mental health trust: a qualitative study using the COM-B model of behaviour. BMC Psychiatry, 2019, 19, 54.	1.1	20
76	Development of a tool to assess beliefs about mythical causes of cancer: the Cancer Awareness Measure Mythical Causes Scale. BMJ Open, 2018, 8, e022825.	0.8	19
77	Understanding the Association Between Spontaneous Quit Attempts and Improved Smoking Cessation Success Rates: A Population Survey in England With 6-Month Follow-up. Nicotine and Tobacco Research, 2020, 22, 1460-1467.	1.4	19
78	The Perceived Impact of The First UK COVID-19 Lockdown on Companion Animal Welfare and Behaviour: A Mixed-Method Study of Associations with Owner Mental Health. International Journal of Environmental Research and Public Health, 2021, 18, 6171.	1,2	18
79	The feasibility of measuring puffing behaviour in roll-your-own cigarette smokers. Tobacco Control, 2008, 17, i17-i23.	1.8	17
80	The impact of changing nicotine replacement therapy licensing laws in the United Kingdom: findings from the International Tobacco Control Four Country Survey. Addiction, 2009, 104, 1420-1427.	1.7	17
81	Pragmatic randomised trial of a smartphone app (NRT2Quit) to improve effectiveness of nicotine replacement therapy in a quit attempt by improving medication adherence: results of a prematurely terminated study. Trials, 2019, 20, 547.	0.7	17
82	Supporting smoking cessation and preventing relapse following a stay in a smokeâ€free setting: a metaâ€analysis and investigation of effective behaviour change techniques. Addiction, 2021, 116, 2978-2994.	1.7	17
83	Independent Associations Between Different Measures of Socioeconomic Position and Smoking Status: A Cross-Sectional Study of Adults in England. Nicotine and Tobacco Research, 2021, 23, 107-114.	1.4	17
84	Are smokers who are regularly exposed to e-cigarette use by others more or less motivated to stop or to make a quit attempt? A cross-sectional and longitudinal survey. BMC Medicine, 2018, 16, 206.	2.3	16
85	German Public Support for Tobacco Control Policy Measures: Results from the German Study on Tobacco Use (DEBRA), a Representative National Survey. International Journal of Environmental Research and Public Health, 2018, 15, 696.	1.2	16
86	Differences in Exposure to Nicotine, Tobacco-Specific Nitrosamines, and Volatile Organic Compounds among Electronic Cigarette Users, Tobacco Smokers, and Dual Users from Three Countries. Toxics, 2020, 8, 88.	1.6	16
87	Characterising the nicotine metabolite ratio and its association with treatment choice: A cross sectional analysis of Stop Smoking Services in England. Scientific Reports, 2017, 7, 17613.	1.6	15
88	Roll-your-own cigarette use and smoking cessation behaviour: a cross-sectional population study in England. BMJ Open, 2018, 8, e025370.	0.8	15
89	Changes in Cigarette Smoking and Vaping in Response to the COVID-19 Pandemic in the UK: Findings from Baseline and 12-Month Follow up of HEBECO Study. International Journal of Environmental Research and Public Health, 2022, 19, 630.	1.2	15
90	A cluster randomized controlled trial of a brief tobacco cessation intervention for low-income communities in India: study protocol. Addiction, 2014, 109, 371-378.	1.7	14

#	Article	IF	Citations
91	Prevalence and correlates of long-term e-cigarette and nicotine replacement therapy use: a prospective study in England. BMJ Open, 2019, 9, e029252.	0.8	14
92	Acceptability and effectiveness for withdrawal symptom relief of a novel oral nicotine delivery device: a randomised crossover trial. Psychopharmacology, 2011, 216, 187-196.	1.5	13
93	Are parents more willing to vaccinate their children than themselves?. Journal of Health Psychology, 2016, 21, 781-787.	1.3	13
94	Progression towards smoking cessation: Qualitative analysis of successful, unsuccessful, and never quitters. Journal of Substance Use, 2018, 23, 214-222.	0.3	13
95	Smokers' Views on Personal Carbon Monoxide Monitors, Associated Apps, and Their Use: An Interview and Think-Aloud Study. International Journal of Environmental Research and Public Health, 2018, 15, 288.	1.2	13
96	Combined health risks of cigarette smoking and low levels of physical activity: a prospective cohort study in England with 12-year follow-up. BMJ Open, 2019, 9, e032852.	0.8	13
97	Interventions to increase personal protective behaviours to limit the spread of respiratory viruses: A rapid evidence review and metaâ€analysis. British Journal of Health Psychology, 2022, 27, 215-264.	1.9	13
98	Perceived risk factors for severe Covid-19 symptoms and their association with health behaviours: Findings from the HEBECO study. Acta Psychologica, 2022, 222, 103458.	0.7	13
99	Association of quarterly prevalence of eâ€eigarette use with ever regular smoking among young adults in England: a time–series analysis between 2007 and 2018. Addiction, 2022, 117, 2283-2293.	1.7	13
100	Expenditure on smoking and alternative nicotine delivery products: a population survey in England. Addiction, 2019, 114, 2026-2036.	1.7	12
101	Does the nicotine metabolite ratio moderate smoking cessation treatment outcomes in realâ€world settings? A prospective study. Addiction, 2019, 114, 304-314.	1.7	12
102	Nicotine replacement therapy use among smokers and ex-smokers: associated attitudes and beliefs: a qualitative study. BMC Public Health, 2014, 14, 1311.	1.2	11
103	Prevalence and Impact of Long-term Use of Nicotine Replacement Therapy in UK Stop-Smoking Services: Findings From the ELONS Study. Nicotine and Tobacco Research, 2017, 20, ntw258.	1.4	11
104	Is dual use of nicotine products and cigarettes associated with smoking reduction and cessation behaviours? A prospective study in England. BMJ Open, 2020, 10, e036055.	0.8	11
105	Harm Perceptions of E-cigarettes Among Smokers With and Without Mental Health Conditions in England: A Cross-Sectional Population Survey. Nicotine and Tobacco Research, 2021, 23, 511-517.	1.4	11
106	Smoking, Nicotine, and COVID-19: Triangulation of Methods and Preregistration Are Required for Robust Causal Inference. Nicotine and Tobacco Research, 2023, 25, 356-359.	1.4	11
107	Impact of the COVID-19 Pandemic on Diet Behaviour Among UK Adults: A Longitudinal Analysis of the HEBECO Study. Frontiers in Nutrition, 2021, 8, 788043.	1.6	11
108	Unpacking the Gateway Hypothesis of E-Cigarette Use: The Need for Triangulation of Individual- and Population-Level Data. Nicotine and Tobacco Research, 2022, 24, 1315-1318.	1.4	11

#	Article	IF	CITATIONS
109	Characterization of Long-Term Users of Nicotine Replacement Therapy: Evidence From a National Survey. Nicotine and Tobacco Research, 2014, 16, 1050-1055.	1.4	10
110	"lf l'd Known …â€ê€"a Theory-Informed Systematic Analysis of Missed Opportunities in Optimising Use of Nicotine Replacement Therapy and Accessing Relevant Support: a Qualitative Study. International Journal of Behavioral Medicine, 2018, 25, 579-591.	of 0.8	10
111	Prevalence of NRT Use and Associated Nicotine Intake in Smokers, Recent Ex-Smokers and Longer-Term Ex-Smokers. PLoS ONE, 2014, 9, e113045.	1.1	10
112	Influence of the SARS-CoV-2 Outbreak on the Uptake of a Popular Smoking Cessation App in UK Smokers: Interrupted Time Series Analysis. JMIR MHealth and UHealth, 2020, 8, e19494.	1.8	10
113	Evaluation of the Impact of a Regional Educational Advertising Campaign on Harm Perceptions of E-Cigarettes, Prevalence of E-Cigarette Use, and Quit Attempts Among Smokers. Nicotine and Tobacco Research, 2020, 22, 1148-1154.	1.4	9
114	Smoking and COVID-19: Rapid evidence review for the Royal College of Physicians, London (UK). Qeios, 0, , .	0.0	9
115	Characterising smoking and smoking cessation attempts by risk of alcohol dependence: A representative, cross-sectional study of adults in England between 2014-2021. Lancet Regional Health - Europe, The, 2022, 18, 100418.	3.0	9
116	Conflict About Quitting Predicts the Decision to Stop Smoking Gradually or Abruptly: Evidence From Stop Smoking Clinics in Malaysia. Journal of Smoking Cessation, 2011, 6, 37-44.	0.3	8
117	Healthcare Providers' Views on Digital Smoking Cessation Interventions for Pregnant Women. Journal of Smoking Cessation, 2015, 10, 116-123.	0.3	8
118	E-Cigarettes and Toxin Exposure. Annals of Internal Medicine, 2017, 167, 525.	2.0	8
119	Perceived non-smoking norms and motivation to stop smoking, quit attempts, and cessation: a cross-sectional study in England. Scientific Reports, 2020, 10, 10487.	1.6	8
120	Profile of menthol cigarette smokers in the months following the removal of these products from the market: a cross-sectional population survey in England. Tobacco Control, 2023, 32, e121-e124.	1.8	8
121	Prevalence of use and realâ€world effectiveness of smoking cessation aids during the COVIDâ€19 pandemic: a representative study of smokers in England. Addiction, 2022, 117, 2504-2514.	1.7	8
122	Associations between smoking to relieve stress, motivation to stop and quit attempts across the social spectrum: A population survey in England. PLoS ONE, 2022, 17, e0268447.	1.1	8
123	Mental health professionals' perceptions, judgements and decision-making practices regarding the use of electronic cigarettes as a tobacco harm reduction intervention in mental healthcare: A qualitative focus group study. Addictive Behaviors Reports, 2019, 10, 100184.	1.0	7
124	Trends in and Correlates of Use of Roll-Your-Own Cigarettes: A Population Study in England 2008–2017. Nicotine and Tobacco Research, 2020, 22, 942-949.	1.4	7
125	Association of Socioeconomic Position With e-Cigarette Use Among Individuals Who Quit Smoking in England, 2014 to 2019. JAMA Network Open, 2020, 3, e204207.	2.8	7
126	Long-term evaluation of the rise in legal age-of-sale of cigarettes from 16 to 18 in England: a trend analysis. BMC Medicine, 2020, 18, 85.	2.3	7

#	Article	IF	CITATIONS
127	Behavioral Intervention Components Associated With Cost-effectiveness: A Comparison of Six Domains. Annals of Behavioral Medicine, 2022, 56, 176-192.	1.7	7
128	Correlates of and changes in aerobic physical activity and strength training before and after the onset of COVID-19 pandemic in the UK: findings from the HEBECO study. BMJ Open, 2022, 12, e054029.	0.8	7
129	The importance of addressing waterpipe tobacco smoking: research and policy responses. Addiction, 2013, 108, 1887-1888.	1.7	6
130	The Social Gradient in Tobacco Use Does Not Generalize to Low-Income Urban Communities in India: Findings From a Census Survey. Nicotine and Tobacco Research, 2017, 19, ntw214.	1.4	6
131	Associations between smoking status and bodily pain in a cross-sectional survey of UK respondents. Addictive Behaviors, 2020, 102, 106229.	1.7	6
132	E-cigarettes to Augment Stop Smoking In-person Support and Treatment With Varenicline (E-ASSIST): A Pragmatic Randomized Controlled Trial. Nicotine and Tobacco Research, 2023, 25, 395-403.	1.4	6
133	Smoking cessation interventions. , 2009, , 215-232.		5
134	Increasing the Use of Nicotine Replacement Therapy by a Simple Intervention: An Exploratory Trial. Substance Use and Misuse, 2010, 45, 403-413.	0.7	5
135	Electronic cigarettes are at least as effective as nicotine patches for smoking cessation. Evidence-Based Medicine, 2014, 19, 133-133.	0.6	5
136	Smoking and Quitting Behavior by Sexual Orientation: A Cross-Sectional Survey of Adults in England. Nicotine and Tobacco Research, 2021, 23, 124-134.	1.4	5
137	Understanding smokers' beliefs and feelings about smoking and quitting during a quit attempt: a preliminary evaluation of the SNAP model. Journal of Smoking Cessation, 2013, 8, 17-23.	0.3	4
138	Association between smoking cessation and shortâ€term healthâ€care use: results from an international prospective cohort study (<scp>ATTEMPT</scp>). Addiction, 2013, 108, 1979-1988.	1.7	4
139	Heated tobacco products for smoking cessation and reducing smoking prevalence. The Cochrane Library, 0, , .	1.5	4
140	Who would be targeted by increasing the legal age of sale of cigarettes from 18 to 21? A crossâ€sectional study exploring the number and characteristics of smokers in England. Addiction, 2021, 116, 2187-2197.	1.7	4
141	Smoking prevalence following the announcement of tobacco tax increases in England between 2007 and 2019: an interrupted time–series analysis. Addiction, 2022, 117, 2481-2492.	1.7	4
142	Hypertension and its identification among current, past and never smokers in an English population sample. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 63-70.	3.1	3
143	Public attitudes towards healthcare policies promoting tobacco cessation in Germany: results from the representative German study on tobacco use (DEBRA study). BMJ Open, 2019, 9, e026245.	0.8	3
144	The need for an evidence-based and rational debate on e-cigarettes. Lancet, The, 2020, 395, 688.	6.3	3

#	Article	IF	Citations
145	Moderators of the association between regular smoking exposure and motivation and attempts to quit: a repeat crossâ€sectional study. Addiction, 2021, 116, 2837-2846.	1.7	3
146	Smoking, distress and COVID-19 in England: Cross-sectional population surveys from 2016 to 2020. Preventive Medicine Reports, 2021, 23, 101420.	0.8	3
147	Inequalities in Smoking and Quitting-Related Outcomes Among Adults With and Without Children in the Household 2013–2019: A Population Survey in England. Nicotine and Tobacco Research, 2022, 24, 690-698.	1.4	3
148	UK Adults' Exercise Locations, Use of Digital Programs, and Associations with Physical Activity During the COVID-19 Pandemic: Longitudinal Analysis of Data From the Health Behaviours During the COVID-19 Pandemic Study. JMIR Formative Research, 2022, 6, e35021.	0.7	3
149	A randomised controlled trial of a theory-based interactive internet-based smoking cessation intervention (â€~StopAdvisor'): Study protocol. Journal of Smoking Cessation, 2013, 8, 63-70.	0.3	2
150	Association between sitting time in midlife and common mental disorder symptoms: Whitehall II prospective cohort study. Journal of Psychiatric Research, 2014, 57, 182-184.	1.5	2
151	Does the offer of eâ€cigarettes benefit smoking cessation among unselected smokers?. Addiction, 2019, 114, 186-187.	1.7	2
152	Smoking cessation support for dual users of cigarettes and electronic cigarettes. Lancet Public Health, The, 2021, 6, e441-e442.	4.7	2
153	Potential explanations for conflicting findings on abrupt versus gradual smoking cessation: a population study in England. Nicotine and Tobacco Research, 2021, , .	1.4	2
154	Does addition of craving management tools in a stop smoking app improve quit rates among adult smokers? Results from BupaQuit pragmatic pilot randomised controlled trial. Digital Health, 2021, 7, 205520762110589.	0.9	2
155	Offer and Use of Smoking-Cessation Support by Depression/Anxiety Status: A Cross-Sectional Survey. Journal of Smoking Cessation, 2018, 13, 207-215.	0.3	1
156	Differences between ethnic groups in selfâ€reported use of eâ€cigarettes and nicotine replacement therapy for cutting down and temporary abstinence: a crossâ€sectional populationâ€level survey in England. Addiction, 2021, 116, 2476-2485.	1.7	1
157	Pilot randomised controlled trial of the Risk Acceptance Ladder (RAL) as a tool for targeting health communications. PLoS ONE, 2021, 16, e0259949.	1.1	1
158	Prevalence and characteristics of ever regular use of non-combustible nicotine for 1 year or more: a population survey in England. Harm Reduction Journal, 2021, 18, 114.	1.3	1
159	Association between cigarette smoking status and voting intentions: Cross sectional surveys in England 2015-2020. BMC Public Health, 2021, 21, 2254.	1.2	1
160	Socioeconomic status and health. , 2001, , 207-213.		0
161	Response to letter: Causes of cancer: Perceptions versus the scientific evidence by Bandara and Carpenter. European Journal of Cancer, 2020, 124, 217-218.	1.3	0
162	The impact of nicotine metabolite ratio on pharmacotherapy effectiveness in real-world settings: a longitudinal analysis. Tobacco Induced Diseases, 2018, 16, .	0.3	0

#	Article	IF	CITATIONS
163	Pilot randomised controlled trial of the Risk Acceptance Ladder (RAL) as a tool for targeting health communications. Qeios, 0, , .	0.0	O
164	Personality typologies of smokers and excessive drinkers: a cross-sectional survey of respondents in the BBC Lab UK Study. F1000Research, 0, 11, 94.	0.8	0