

Enrico Granieri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9114634/publications.pdf>

Version: 2024-02-01

175
papers

7,838
citations

50276

46
h-index

66911

78
g-index

177
all docs

177
docs citations

177
times ranked

8304
citing authors

#	ARTICLE	IF	CITATIONS
1	The diagnostic criteria for small fibre neuropathy: from symptoms to neuropathology. <i>Brain</i> , 2008, 131, 1912-1925.	7.6	707
2	Restless legs syndrome and pregnancy. <i>Neurology</i> , 2004, 63, 1065-1069.	1.1	359
3	Encoding of human action in Broca's area. <i>Brain</i> , 2009, 132, 1980-1988.	7.6	201
4	Case-control study of risk factors of Creutzfeldt-Jakob disease in Europe during 1993-95. <i>Lancet</i> , The, 1998, 351, 1081-1085.	13.7	191
5	Altered miRNA expression in T regulatory cells in course of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2010, 226, 165-171.	2.3	188
6	Multicenter Case-Control Study on Restless Legs Syndrome in Multiple Sclerosis: the REMS Study. <i>Sleep</i> , 2008, 31, 944-952.	1.1	175
7	Pregnancy as a risk factor for restless legs syndrome. <i>Sleep Medicine</i> , 2004, 5, 305-308.	1.6	168
8	A Descriptive Study of Epilepsy in the District of Copparo, Italy, 1964-1978. <i>Epilepsia</i> , 1983, 24, 502-514.	5.1	158
9	Towards a functional atlas of human white matter. <i>Human Brain Mapping</i> , 2015, 36, 3117-3136.	3.6	150
10	Cerebrospinal fluid and serum levels and intrathecal production of active matrix metalloproteinase-9 (MMP-9) as markers of disease activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 294-301.	3.0	127
11	Oxidative Stress, Antioxidants and Neurodegenerative Diseases. <i>Current Pharmaceutical Design</i> , 2005, 11, 2033-2052.	1.9	126
12	Effect of Active Music Therapy and Individualized Listening to Music on Dementia: A Multicenter Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1534-1539.	2.6	119
13	Epidemiology of the Guillain-Barré syndrome. <i>Current Opinion in Neurology</i> , 2001, 14, 605-613.	3.6	116
14	STUDIES ON EPIDEMIOLOGICAL, CLINICAL AND ETIOLOGICAL ASPECTS OF ALS DISEASE IN SARDINIA, SOUTHERN ITALY. <i>Acta Neurologica Scandinavica</i> , 1977, 55, 231-244.	2.1	107
15	A $2A_2$ adenosine receptor overexpression and functionality, as well as TNF α levels, correlate with motor symptoms in Parkinson's disease. <i>FASEB Journal</i> , 2010, 24, 587-598.	0.5	107
16	Motor neuron disease in the province of Ferrara, Italy, in 1964-1982. <i>Neurology</i> , 1988, 38, 1604-1604.	1.1	107
17	Anatomofunctional study of the temporo-parieto-occipital region: dissection, tractographic and brain mapping evidence from a neurosurgical perspective. <i>Journal of Anatomy</i> , 2014, 225, 132-151.	1.5	103
18	The increasing incidence and prevalence of MS in a Sardinian province. <i>Neurology</i> , 2000, 55, 842-848.	1.1	102

#	ARTICLE	IF	CITATIONS
19	European surveillance on Creutzfeldt-Jakob disease. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 747-754.	5.0	95
20	Transient RLS during pregnancy is a risk factor for the chronic idiopathic form. <i>Neurology</i> , 2010, 75, 2117-2120.	1.1	94
21	Body size and the risk of multiple sclerosis in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 388-395.	3.0	90
22	Focal Muscle Vibration in the Treatment of Upper Limb Spasticity: A Pilot Randomized Controlled Trial in Patients With Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1656-1661.	0.9	86
23	Explosive-aggressive behavior related to bilateral subthalamic stimulation. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 247-251.	2.2	83
24	Sun exposure and multiple sclerosis risk in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1042-1049.	3.0	80
25	Presence of detectable levels of soluble HLA-G molecules in CSF of relapsing/remitting multiple sclerosis: relationship with CSF soluble HLA-I and IL-10 concentrations and MRI findings. <i>Journal of Neuroimmunology</i> , 2003, 142, 149-158.	2.3	79
26	Myasthenia gravis: a changing pattern of incidence. <i>Journal of Neurology</i> , 2010, 257, 2015-2019.	3.6	70
27	Early predictors of intractability in childhood epilepsy: a community-based case-control study in Copparo, Italy. <i>Acta Neurologica Scandinavica</i> , 1999, 99, 329-333.	2.1	69
28	Human herpesvirus 6 infects the central nervous system of multiple sclerosis patients in the early stages of the disease. <i>Multiple Sclerosis Journal</i> , 2004, 10, 348-354.	3.0	68
29	A prospective study on the predictive value of CSF oligoclonal bands and MRI in acute isolated neurological syndromes for subsequent progression to multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 60, 572-575.	1.9	64
30	Monday preference in onset of ischemic stroke. <i>American Journal of Medicine</i> , 2001, 111, 401-403.	1.5	64
31	Detection of JC virus DNA in cerebrospinal fluid from multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 1998, 4, 49-54.	3.0	62
32	Systemic lupus erythematosus presenting with neurological disorders. <i>Journal of Neurology</i> , 1992, 239, 61-64.	3.6	61
33	Neurophysiological study of corticomotor pathways in restless legs syndrome. <i>Clinical Neurophysiology</i> , 2003, 114, 1638-1645.	1.5	61
34	Multiple Sclerosis in Italy. <i>Archives of Neurology</i> , 1996, 53, 793.	4.5	59
35	Gender differences in health-related quality of life in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 1339-1346.	3.0	59
36	Multicenter case-control study on restless legs syndrome in multiple sclerosis: the REMS study. <i>Sleep</i> , 2008, 31, 944-52.	1.1	56

#	ARTICLE	IF	CITATIONS
37	Inhibition of multiple sclerosis-associated retrovirus as biomarker of interferon therapy. <i>Journal of NeuroVirology</i> , 2008, 14, 73-77.	2.1	55
38	Amyotrophic lateral sclerosis, rural environment and agricultural work in the Local Health District of Ferrara, Italy, in the years 1964-1998. <i>Journal of Neurology</i> , 2005, 252, 1322-1327.	3.6	54
39	Incidence of Status Epilepticus in Southern Europe: A Population Study in the Health District of Ferrara, Italy. <i>European Neurology</i> , 2008, 59, 120-126.	1.4	54
40	Increased prevalence of varicella zoster virus DNA in cerebrospinal fluid from patients with multiple sclerosis. <i>Journal of Medical Virology</i> , 2007, 79, 192-199.	5.0	53
41	Autophagy and mitophagy elements are increased in body fluids of multiple sclerosis-affected individuals. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 439-441.	1.9	53
42	Intrathecal synthesis of soluble HLA-G and HLA-I molecules are reciprocally associated to clinical and MRI activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 2-12.	3.0	51
43	Multiple sclerosis in the province of Ferrara. <i>Journal of Neurology</i> , 2007, 254, 1642-1648.	3.6	51
44	Role of HLA-G 14bp deletion/insertion and +3142C>G polymorphisms in the production of sHLA-G molecules in relapsing-remitting multiple sclerosis. <i>Human Immunology</i> , 2012, 73, 1140-1146.	2.4	51
45	Ganglioside Therapy and Guillain-Barré Syndrome. <i>Neuroepidemiology</i> , 1991, 10, 161-169.	2.3	50
46	<i>Chlamydia pneumoniae</i> Infection and Its Role in Neurological Disorders. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2010, 2010, 1-18.	1.4	48
47	Cerebrospinal fluid molecular demonstration of <i>Chlamydia pneumoniae</i> DNA is associated to clinical and brain magnetic resonance imaging activity in a subset of patients with relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2004, 10, 360-369.	3.0	47
48	The course and the anatomofunctional relationships of the optic radiation: a combined study with post mortem dissections and in vivo direct electrical mapping. <i>Journal of Anatomy</i> , 2015, 226, 47-59.	6.5	47
49	Epidemiology of amyotrophic lateral sclerosis in Emilia Romagna Region (Italy): A population based study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 262-268.	1.7	46
50	Altered natural killer cells' response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression. <i>Journal of Neuroimmunology</i> , 2012, 251, 55-64.	2.3	45
51	Multiple sclerosis lymphocytes upregulate α_2A adenosine receptors that are antiinflammatory when stimulated. <i>European Journal of Immunology</i> , 2013, 43, 2206-2216.	2.9	45
52	Multiple sclerosis: infectious hypothesis. <i>Neurological Sciences</i> , 2001, 22, 179-185.	1.9	44
53	Is there a decrease in Guillain-Barré syndrome incidence after bovine ganglioside withdrawal in Italy? A population-based study in the Local Health District of Ferrara, Italy. <i>Journal of the Neurological Sciences</i> , 2003, 216, 99-103.	0.6	44
54	A questionnaire for multinational case-control studies of environmental risk factors in multiple sclerosis (EnvIMS-Q). <i>Acta Neurologica Scandinavica</i> , 2012, 126, 43-50.	2.1	43

#	ARTICLE	IF	CITATIONS
55	The frequency of multiple sclerosis in Mediterranean Europe. <i>Acta Neurologica Scandinavica</i> , 1983, 68, 84-89.	2.1	42
56	Heterogeneity in ALSFRS-R decline and survival: a population-based study in Italy. <i>Neurological Sciences</i> , 2015, 36, 2243-2252.	1.9	41
57	The frequency of multiple sclerosis in Italy: A descriptive study in Ferrara. <i>Annals of Neurology</i> , 1985, 17, 80-84.	5.3	40
58	Common childhood and adolescent infections and multiple sclerosis. <i>Neurology</i> , 1997, 49, S42-54.	1.1	40
59	A possible paraneoplastic neuromyelitis optica associated with lung cancer. <i>Neurological Sciences</i> , 2009, 30, 397-400.	1.9	40
60	Italy. <i>Neurology</i> , 1982, 32, 466-466.	1.1	40
61	CSF levels of soluble HLA-G and Fas molecules are inversely associated to MRI evidence of disease activity in patients with relapsing/remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2008, 14, 446-454.	3.0	38
62	Gait measures with a triaxial accelerometer among patients with neurological impairment. <i>Neurological Sciences</i> , 2013, 34, 435-440.	1.9	38
63	T-cell phenotypic profiles in the cerebrospinal fluid and peripheral blood of multiple sclerosis patients. <i>Journal of the Neurological Sciences</i> , 1992, 108, 93-98.	0.6	37
64	Risk Factors for Idiopathic Generalized Seizures: A Population-Based Case Control Study in Copparo, Italy. <i>Epilepsia</i> , 1995, 36, 224-229.	5.1	37
65	Spontaneous and idiopathic chronic spinal epidural hematoma: two case reports and review of the literature. <i>European Spine Journal</i> , 2009, 18, 1555-1561.	2.2	37
66	Comparison of Antibodies Hydrolyzing Myelin Basic Protein from the Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e107807.	2.5	37
67	Soluble HLA-G molecules are released as HLA-G5 and not as soluble HLA-G1 isoforms in CSF of patients with relapsing/remitting Multiple Sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 192, 219-225.	2.3	35
68	Is the resection of gliomas in Wernicke's area reliable?. <i>Acta Neurochirurgica</i> , 2012, 154, 1653-1662.	1.7	35
69	Under the Microscope: Focus on Chlamydia pneumoniae Infection and Multiple Sclerosis. <i>Current Neurovascular Research</i> , 2008, 5, 60-70.	1.1	34
70	Awake surgery in low-grade gliomas harboring eloquent areas: 3-year mean follow-up. <i>Neurological Sciences</i> , 2011, 32, 801-810.	1.9	34
71	Adenosine receptors are up-regulated in lymphocytes from amyotrophic lateral sclerosis patients. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 406-413.	1.7	34
72	Advanced laboratory techniques for diagnosing Toxoplasma gondii encephalitis in AIDS patients: significance of intrathecal production and comparison with PCR and ECL-western blotting. <i>Journal of Neuroimmunology</i> , 1998, 92, 29-37.	2.3	33

#	ARTICLE	IF	CITATIONS
73	Epstein-Barr virus-specific antibody response in cerebrospinal fluid and serum of patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 883-887.	3.0	33
74	Epstein-Barr virus-specific intrathecal oligoclonal IgG production in relapsing-remitting multiple sclerosis is limited to a subset of patients and is composed of low-affinity antibodies. <i>Journal of Neuroinflammation</i> , 2014, 11, 188.	7.2	33
75	Multiple Sclerosis and Dental Amalgam: Case-Control Study in Ferrara, Italy. <i>Neuroepidemiology</i> , 2001, 20, 134-137.	2.3	32
76	Incidence of the Guillain-Barré Syndrome in Ferrara, Northern Italy, 1981-1987. <i>Neuroepidemiology</i> , 1991, 10, 105-111.	2.3	31
77	Potential relevance of cerebrospinal fluid and serum levels and intrathecal synthesis of active matrix metalloproteinase-2 (MMP-2) as markers of disease remission in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 547-554.	3.0	31
78	Interplay between Matrix Metalloproteinase-9, Matrix Metalloproteinase-2, and Interleukins in Multiple Sclerosis Patients. <i>Disease Markers</i> , 2016, 2016, 1-9.	1.3	31
79	Temporal Trend and Factors Associated with Delayed Hospital Admission of Stroke Patients. <i>Neuroepidemiology</i> , 1999, 18, 255-264.	2.3	30
80	Comparison of DNA-Hydrolyzing Antibodies from the Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e93001.	2.5	30
81	Season of infectious mononucleosis and risk of multiple sclerosis at different latitudes; the EnvIMS Study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 669-674.	3.0	30
82	Epidemiology of multiple sclerosis in Italy and in southern Europe. <i>Acta Neurologica Scandinavica</i> , 1995, 91, 60-70.	2.1	29
83	An epidemiological study of multiple sclerosis in central Sardinia, Italy. <i>Acta Neurologica Scandinavica</i> , 1998, 98, 391-394.	2.1	29
84	Multiple sclerosis in the Republic of San Marino: a prevalence and incidence study. <i>Multiple Sclerosis Journal</i> , 2008, 14, 325-329.	3.0	29
85	Intrathecal Soluble HLA-E Correlates with Disease Activity in Patients with Multiple Sclerosis and may Cooperate with Soluble HLA-G in the Resolution of Neuroinflammation. <i>Journal of Neuroimmune Pharmacology</i> , 2013, 8, 944-955.	4.1	29
86	Riluzole and other prognostic factors in ALS: a population-based registry study in Italy. <i>Journal of Neurology</i> , 2018, 265, 817-827.	3.6	29
87	Predisposing factors in Bell's palsy: a case-control study. <i>Journal of Neurology</i> , 1985, 232, 363-365.	3.6	28
88	Immunogenetic heterogeneity and associated autoimmune disorders in myasthenia gravis: a population-based survey in the province of Ferrara, northern Italy. <i>Acta Neurologica Scandinavica</i> , 2009, 90, 318-323.	2.1	28
89	Incidence of childhood and adolescence epilepsy: a community-based prospective study in the province of Ferrara and in Copparo, Italy, 1996-2005. <i>European Journal of Neurology</i> , 2012, 19, 312-316.	3.3	28
90	Incidence of Amyotrophic Lateral Sclerosis in the Local Health District of Ferrara, Italy, 1964-1998. <i>Neuroepidemiology</i> , 2003, 22, 229-234.	2.3	27

#	ARTICLE	IF	CITATIONS
91	The Italian Multiple Sclerosis Database Network (MSDN): the risk of worsening according to IFN β exposure in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 578-585.	3.0	27
92	Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 529-531.	1.9	26
93	The frequency of clinical variants of Guillain-Barré syndrome in Ferrara, Italy. <i>Journal of Neurology</i> , 1999, 246, 1010-1014.	3.6	26
94	Effects of anticoagulants on the activity of gelatinases. <i>Clinical Biochemistry</i> , 2007, 40, 1272-1276.	1.9	26
95	The incidence of Guillain-Barré syndrome in Ferrara, Italy: Is the disease really increasing?. <i>Journal of the Neurological Sciences</i> , 1996, 137, 62-68.	0.6	25
96	<i>Chlamydia pneumoniae</i> DNA and mRNA transcript levels in peripheral blood mononuclear cells and cerebrospinal fluid of patients with multiple sclerosis. <i>Neuroscience Research</i> , 2008, 62, 58-61.	1.9	25
97	Incidence and prognosis of stroke in young adults: a population-based study in Ferrara, Italy. <i>Neurological Sciences</i> , 2012, 33, 53-58.	1.9	25
98	Listening to Music and Active Music Therapy in Behavioral Disturbances in Dementia: A Crossover Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 645-647.	2.6	25
99	Bovine spongiform encephalopathy and Creutzfeldt-Jakob disease: facts and uncertainties underlying the causal link between animal and human diseases. <i>Neurological Sciences</i> , 2004, 25, 122-9.	1.9	24
100	Intrathecal production of <i>Chlamydia pneumoniae</i> -specific high-affinity antibodies is significantly associated to a subset of multiple sclerosis patients with progressive forms. <i>Journal of the Neurological Sciences</i> , 2004, 217, 181-188.	0.6	24
101	Comparison of Antibodies with Amylase Activity from Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2016, 11, e0154688.	2.5	24
102	Incidence of Myasthenia gravis in the Province of Ferrara. <i>Neuroepidemiology</i> , 2004, 23, 281-284.	2.3	23
103	Beneficial effect of interferon- β 1b treatment in patients with relapsing-remitting multiple sclerosis is associated with an increase in serum levels of soluble HLA-I molecules during the first 3 months of therapy. <i>Journal of Neuroimmunology</i> , 2004, 148, 206-211.	2.3	23
104	A2A adenosine receptors and Parkinson's disease severity. <i>Acta Neurologica Scandinavica</i> , 2014, 129, 276-281.	2.1	23
105	TIMP-1 resistant matrix metalloproteinase-9 is the predominant serum active isoform associated with MRI activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1121-1130.	3.0	23
106	Multiple sclerosis in southern Europe A PREVALENCE STUDY IN THE SOCIOSANITARY DISTRICT OF COPPARO, NORTHERN ITALY. <i>Acta Neurologica Scandinavica</i> , 1980, 62, 244-249.	2.1	22
107	Investigation of the prevalence of antibodies against neurotropic polyomaviruses BK, JC and SV40 in sera from patients affected by multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 517-521.	1.9	21
108	Effects of unilateral pedunculopontine stimulation on electromyographic activation patterns during gait in individual patients with Parkinson's disease. <i>Journal of Neural Transmission</i> , 2011, 118, 1477-1486.	2.8	21

#	ARTICLE	IF	CITATIONS
109	Evidence of cerebrospinal fluid free kappa light chains in AIDS patients with <i>Toxoplasma gondii</i> encephalitis. <i>Journal of Neuroimmunology</i> , 2000, 108, 221-226.	2.3	20
110	Cochlear Implant Outcomes and Genetic Mutations in Children with Ear and Brain Anomalies. <i>BioMed Research International</i> , 2015, 2015, 1-19.	1.9	20
111	Acute cerebrovascular insults in homozygous beta-thalassaemia: a case report. <i>Journal of Neurology</i> , 1983, 230, 37-41.	3.6	19
112	Exogenous gangliosides and Guillain-Barre syndrome. An observational study in the local health district of Ferrara, Italy. <i>Brain</i> , 1997, 120, 1123-1130.	7.6	19
113	Clinical and MRI disease activity in multiple sclerosis are associated with reciprocal fluctuations in serum and cerebrospinal fluid levels of soluble HLA class I molecules. <i>Journal of Neuroimmunology</i> , 2002, 133, 151-159.	2.3	19
114	<i>Chlamydia pneumoniae</i> specific intrathecal oligoclonal antibody response is predominantly detected in a subset of multiple sclerosis patients with progressive forms. <i>Journal of NeuroVirology</i> , 2009, 15, 425-433.	2.1	19
115	The first case history of multiple sclerosis: Augustus d'EstÃ© (1794-1848). <i>Neurological Sciences</i> , 2010, 31, 29-33.	1.9	19
116	Epidemiological study of myasthenia gravis in the province of ferrara, Italy. <i>Journal of Neurology</i> , 1989, 236, 388-390.	3.6	18
117	Multiple sclerosis: Does epidemiology contribute to providing etiological clues?. <i>Journal of the Neurological Sciences</i> , 1993, 115, S16-S23.	0.6	18
118	Five-Year Follow-Up of 10 Patients Treated with Globus Pallidus Internus Deep Brain Stimulation for Segmental or Multisegmental Dystonia. <i>Stereotactic and Functional Neurosurgery</i> , 2012, 90, 84-91.	1.5	18
119	Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1018-1024.	3.0	18
120	Comparative study on the prevalence of myasthenia gravis in the provinces of Bologna and Ferrara, Italy. <i>Acta Neurologica Scandinavica</i> , 1991, 83, 83-88.	2.1	17
121	Molecular identification and antibody testing of <i>Chlamydia pneumoniae</i> in a subgroup of patients with HIV-associated dementia complex. Preliminary results. <i>Journal of Neuroimmunology</i> , 2003, 136, 172-177.	2.3	17
122	Potential role of soluble human leukocyte antigen-G molecules in multiple sclerosis. <i>Human Immunology</i> , 2009, 70, 981-987.	2.4	17
123	The Lombrosian prejudice in medicine. The case of Epilepsy. Epileptic psychosis. Epilepsy and aggressiveness. <i>Neurological Sciences</i> , 2012, 33, 173-192.	1.9	17
124	Active music therapy approach in disorders of consciousness: a controlled observational case series. <i>Journal of Neurology</i> , 2014, 261, 2460-2462.	3.6	17
125	Multiplex Matrix Metalloproteinases Analysis in the Cerebrospinal Fluid Reveals Potential Specific Patterns in Multiple Sclerosis Patients. <i>Frontiers in Neurology</i> , 2018, 9, 1080.	2.4	17
126	A case of asymptomatic pontine myelinolysis. <i>Neurological Sciences</i> , 2010, 31, 361-364.	1.9	16

#	ARTICLE	IF	CITATIONS
127	Temporal trend of amyotrophic lateral sclerosis incidence in southern Europe: a population study in the health district of Ferrara, Italy. <i>Journal of Neurology</i> , 2012, 259, 1623-1631.	3.6	16
128	KIR2DL2 inhibitory pathway enhances Th17 cytokine secretion by NK cells in response to herpesvirus infection in multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2016, 294, 1-5.	2.3	16
129	High dose intravenous immune globulins and plasma exchange in Guillain-Barré Syndrome. <i>Italian Journal of Neurological Sciences</i> , 1995, 16, 487-492.	0.1	15
130	Pramipexole in restless legs syndrome. <i>Journal of Neurology</i> , 2003, 250, 1494-1495.	3.6	15
131	Recurrent nephrotic syndrome in patient with multiple sclerosis treated with interferon beta-1a. <i>Journal of Neurology</i> , 2003, 250, 768-769.	3.6	14
132	Effect of slow rTMS of motor cortex on the excitability of the Blink Reflex: A study in healthy humans. <i>Clinical Neurophysiology</i> , 2009, 120, 174-180.	1.5	14
133	Voluntary lid closing inability. <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , 1978, 226, 11-17.	0.6	13
134	Multiple sclerosis in northern Italy. Prevalence in the province of Ferrara in 1978. <i>Italian Journal of Neurological Sciences</i> , 1981, 2, 17-23.	0.1	13
135	Epstein-Barr Virus Specific Antibody Response in Multiple Sclerosis Patients during 21 Months of Natalizumab Treatment. <i>Disease Markers</i> , 2015, 2015, 1-5.	1.3	13
136	The EnvIMS Study: Design and Methodology of an International Case-Control Study of Environmental Risk Factors in Multiple Sclerosis. <i>Neuroepidemiology</i> , 2015, 44, 173-181.	2.3	13
137	The geographical distribution of multiple sclerosis, rheumatoid arthritis, rheumatic heart disease and poststreptococcal nephritis in Sardinia: Climatic and socioeconomic factors. <i>Journal of Neurology</i> , 1978, 219, 27-35.	3.6	12
138	Risk Factors for Cryptogenic and Idiopathic Partial Epilepsy: A Community-Based Case-Control Study in Copparo, Italy. <i>Neuroepidemiology</i> , 2002, 21, 251-254.	2.3	12
139	Molecular detection of <i>Parachlamydia</i> -like organisms in cerebrospinal fluid of patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2008, 14, 564-566.	3.0	12
140	Incidence study of Guillain-Barré syndrome in the province of Ferrara, Northern Italy, between 2003 and 2017. A 40-year follow-up. <i>Neurological Sciences</i> , 2019, 40, 603-609.	1.9	12
141	A Case of Hyperekplexia That Started From Childhood: Clinical Diagnosis With Negative Genetic Investigations. <i>Frontiers in Neurology</i> , 2020, 11, 10.	2.4	12
142	Assessment of HIV-intrathecal humoral immune response in AIDS-related neurological disorders. <i>Journal of Neuroimmunology</i> , 2001, 119, 278-286.	2.3	11
143	Music Therapy in Frontal Temporal Dementia: A Case Report. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1578-1579.	2.6	11
144	Cerebrospinal fluid amounts of HLA-G in dimeric form are strongly associated to patients with MRI inactive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 245-249.	3.0	11

#	ARTICLE	IF	CITATIONS
145	Significant Low Prevalence of Antibodies Reacting with Simian Virus 40 Mimotopes in Serum Samples from Patients Affected by Inflammatory Neurologic Diseases, Including Multiple Sclerosis. PLoS ONE, 2014, 9, e110923.	2.5	11
146	Multiple Sclerosis in Italy: A 40-Year Follow-Up of the Prevalence in Ferrara. Neuroepidemiology, 2018, 51, 158-165.	2.3	10
147	Spinal Anesthesia and Minimal Invasive Laminotomy for Paddle Electrode Placement in Spinal Cord Stimulation: Technical Report and Clinical Results at Long-Term Followup. Scientific World Journal, The, 2012, 2012, 1-6.	2.1	9
148	Cerebral blepharoptosis: two new cases, literature review and proposal for diagnostic criteria. Neurological Sciences, 2006, 27, 161-165.	1.9	8
149	Serum IgG against Simian Virus 40 antigens are hampered by high levels of sHLA-G in patients affected by inflammatory neurological diseases, as multiple sclerosis. Journal of Translational Medicine, 2016, 14, 216.	4.4	8
150	Evaluation of total, ceruloplasmin-associated and type II ferroxidase activities in serum and cerebrospinal fluid of multiple sclerosis patients. Journal of the Neurological Sciences, 2017, 377, 133-136.	0.6	8
151	Biological markers in cerebrospinal fluid for axonal impairment in multiple sclerosis: acetylcholinesterase activity cannot be considered a useful biomarker. Neurological Sciences, 2013, 34, 769-771.	1.9	7
152	Multiple sclerosis in the Republic of San Marino, Italian peninsula: an incidence and prevalence study from a high-risk area. Neurological Sciences, 2018, 39, 1231-1236.	1.9	7
153	The distribution of multiple sclerosis in Sardinia. Rivista Di Patologia Nervosa E Mentale, 1977, 98, 46-64.	0.2	7
154	Simultaneous Guillain-Barré syndrome and active human herpesvirus 6 infection in the central nervous system. Journal of Clinical Virology, 2007, 38, 271-272.	3.1	6
155	Incidence of epilepsy in Ferrara, Italy. Neurological Sciences, 2013, 34, 2167-2172.	1.9	6
156	Technical, Anatomical, and Functional Study after Removal of a Symptomatic Cavernous Angioma Located in Deep Wernicke's Territories with Cortico-Subcortical Awake Mapping. Case Reports in Neurological Medicine, 2013, 2013, 1-7.	0.4	6
157	Serum Gelatinases Levels in Multiple Sclerosis Patients during 21 Months of Natalizumab Therapy. Disease Markers, 2016, 2016, 1-7.	1.3	6
158	Recovery cycle of the masseter inhibitory reflex after magnetic stimulation in normal subjects. Clinical Neurophysiology, 2003, 114, 1253-1258.	1.5	5
159	Can the age at onset give a clue to the pathogenesis of ALS?. Acta Neurologica Belgica, 2017, 117, 221-227.	1.1	5
160	Specific antibodies reacting to JC polyomavirus capsid protein mimotopes in sera from multiple sclerosis and other neurological diseases-affected patients. Journal of Cellular Physiology, 2020, 235, 5847-5855.	4.1	4
161	Hirayama Disease: A Case of an Albanian Woman Clinically Stabilized Without Surgery. Frontiers in Neurology, 2020, 11, 183.	2.4	4
162	An acutely confused young woman. Lancet, The, 2011, 378, 456.	13.7	3

#	ARTICLE	IF	CITATIONS
163	Extreme Diversity of IgGs Against Histones, DNA, and Myelin Basic Protein in the Cerebrospinal Fluid and Blood of Patients with Multiple Sclerosis. <i>Biomolecules</i> , 2020, 10, 630.	4.0	3
164	Mortality study on multiple sclerosis in the province of Ferrara, northern Italy, 1968 through 1989. <i>Acta Neurologica</i> , 1993, 15, 161-76.	0.1	3
165	Clinical infections and multiple sclerosis: contribution from analytical epidemiology. <i>Journal of NeuroVirology</i> , 2000, 6 Suppl 2, S147-51.	2.1	3
166	The history of the tic douloureux: Autopathograph of an Italian lawyer who suffered from trigeminal neuralgia from 1803 to 1824*. <i>Journal of the History of the Neurosciences</i> , 1996, 5, 169-189.	0.9	2
167	Subarachnoid hemorrhage presenting as chest pain. <i>American Journal of Emergency Medicine</i> , 2004, 22, 227-228.	1.6	2
168	Acute Painful Neuropathy in a Heroin Body Packer. <i>Pain Medicine</i> , 2014, 15, 1236-1237.	1.9	2
169	Space-time distribution of the ALS incident cases by onset type in the Health District of Ferrara, Italy.. <i>Acta Neurologica Scandinavica</i> , 2015, 131, 246-252.	2.1	2
170	Exogeneous factors in the aetiology of multiple sclerosis. <i>Journal of NeuroVirology</i> , 2000, 6 Suppl 2, S141-6.	2.1	1
171	264 NEUROPATHIC ITCHING SYNDROME: A PRELIMINARY STUDY. <i>European Journal of Pain</i> , 2007, 11, S116-S116.	2.8	0
172	199 PERSISTENT IDIOPATHIC FACIAL PAIN (PIFP): THE ROLE OF NEUROPHYSIOLOGICAL (NFS) EVALUATION. <i>European Journal of Pain</i> , 2007, 11, S86-S87.	2.8	0
173	An autopathography of tic douloureux at the beginning of the nineteenth century. <i>Neurological Sciences</i> , 2010, 31, 849-858.	1.9	0
174	Corrigendum to "Altered natural killer cells response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression" [J. Neuroimmunol. 251 (2012) 55-64]. <i>Journal of Neuroimmunology</i> , 2013, 254, 187.	2.3	0
175	A case of multiple sclerosis associated with early onset parkinsonism. <i>Basal Ganglia</i> , 2014, 4, 39-41.	0.3	0