

Enrico Granieri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9114634/publications.pdf>

Version: 2024-02-01

175
papers

7,838
citations

50276

46
h-index

66911

78
g-index

177
all docs

177
docs citations

177
times ranked

8304
citing authors

#	ARTICLE	IF	CITATIONS
1	A Case of Hyperekplexia That Started From Childhood: Clinical Diagnosis With Negative Genetic Investigations. <i>Frontiers in Neurology</i> , 2020, 11, 10.	2.4	12
2	Specific antibodies reacting to JC polyomavirus capsid protein mimotopes in sera from multiple sclerosis and other neurological diseases-affected patients. <i>Journal of Cellular Physiology</i> , 2020, 235, 5847-5855.	4.1	4
3	Hirayama Disease: A Case of an Albanian Woman Clinically Stabilized Without Surgery. <i>Frontiers in Neurology</i> , 2020, 11, 183.	2.4	4
4	Extreme Diversity of IgGs Against Histones, DNA, and Myelin Basic Protein in the Cerebrospinal Fluid and Blood of Patients with Multiple Sclerosis. <i>Biomolecules</i> , 2020, 10, 630.	4.0	3
5	Incidence study of Guillain-Barré syndrome in the province of Ferrara, Northern Italy, between 2003 and 2017. A 40-year follow-up. <i>Neurological Sciences</i> , 2019, 40, 603-609.	1.9	12
6	Riluzole and other prognostic factors in ALS: a population-based registry study in Italy. <i>Journal of Neurology</i> , 2018, 265, 817-827.	3.6	29
7	Multiple sclerosis in the Republic of San Marino, Italian peninsula: an incidence and prevalence study from a high-risk area. <i>Neurological Sciences</i> , 2018, 39, 1231-1236.	1.9	7
8	Multiplex Matrix Metalloproteinases Analysis in the Cerebrospinal Fluid Reveals Potential Specific Patterns in Multiple Sclerosis Patients. <i>Frontiers in Neurology</i> , 2018, 9, 1080.	2.4	17
9	Multiple Sclerosis in Italy: A 40-Year Follow-Up of the Prevalence in Ferrara. <i>Neuroepidemiology</i> , 2018, 51, 158-165.	2.3	10
10	Autophagy and mitophagy elements are increased in body fluids of multiple sclerosis-affected individuals. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 439-441.	1.9	53
11	Evaluation of total, ceruloplasmin-associated and type II ferroxidase activities in serum and cerebrospinal fluid of multiple sclerosis patients. <i>Journal of the Neurological Sciences</i> , 2017, 377, 133-136.	0.6	8
12	Can the age at onset give a clue to the pathogenesis of ALS?. <i>Acta Neurologica Belgica</i> , 2017, 117, 221-227.	1.1	5
13	Negative interaction between smoking and EBV in the risk of multiple sclerosis: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1018-1024.	3.0	18
14	Serum Gelatinases Levels in Multiple Sclerosis Patients during 21 Months of Natalizumab Therapy. <i>Disease Markers</i> , 2016, 2016, 1-7.	1.3	6
15	Interplay between Matrix Metalloproteinase-9, Matrix Metalloproteinase-2, and Interleukins in Multiple Sclerosis Patients. <i>Disease Markers</i> , 2016, 2016, 1-9.	1.3	31
16	Comparison of Antibodies with Amylase Activity from Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2016, 11, e0154688.	2.5	24
17	Serum IgG against Simian Virus 40 antigens are hampered by high levels of sHLA-G in patients affected by inflammatory neurological diseases, as multiple sclerosis. <i>Journal of Translational Medicine</i> , 2016, 14, 216.	4.4	8
18	Cerebrospinal fluid amounts of HLA-G in dimeric form are strongly associated to patients with MRI inactive multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 245-249.	3.0	11

#	ARTICLE	IF	CITATIONS
19	KIR2DL2 inhibitory pathway enhances Th17 cytokine secretion by NK cells in response to herpesvirus infection in multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2016, 294, 1-5.	2.3	16
20	Towards a functional atlas of human white matter. <i>Human Brain Mapping</i> , 2015, 36, 3117-3136.	3.6	150
21	Effect of Active Music Therapy and Individualized Listening to Music on Dementia: A Multicenter Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1534-1539.	2.6	119
22	Epstein-Barr Virus Specific Antibody Response in Multiple Sclerosis Patients during 21 Months of Natalizumab Treatment. <i>Disease Markers</i> , 2015, 2015, 1-5.	1.3	13
23	Cochlear Implant Outcomes and Genetic Mutations in Children with Ear and Brain Anomalies. <i>BioMed Research International</i> , 2015, 2015, 1-19.	1.9	20
24	The EnvIMS Study: Design and Methodology of an International Case-Control Study of Environmental Risk Factors in Multiple Sclerosis. <i>Neuroepidemiology</i> , 2015, 44, 173-181.	2.3	13
25	TIMP-1 resistant matrix metalloproteinase-9 is the predominant serum active isoform associated with MRI activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1121-1130.	3.0	23
26	Space-time distribution of the ALS incident cases by onset type in the Health District of Ferrara, Italy.. <i>Acta Neurologica Scandinavica</i> , 2015, 131, 246-252.	2.1	2
27	The course and the anatomofunctional relationships of the optic radiation: a combined study with "post mortem" dissections and "in vivo" direct electrical mapping. <i>Journal of Anatomy</i> , 2015, 226, 47-59.	2.6	47
28	Heterogeneity in ALSFRS-R decline and survival: a population-based study in Italy. <i>Neurological Sciences</i> , 2015, 36, 2243-2252.	1.9	41
29	Body size and the risk of multiple sclerosis in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2015, 21, 388-395.	3.0	90
30	Comparison of DNA-Hydrolyzing Antibodies from the Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e93001.	2.5	30
31	Comparison of Antibodies Hydrolyzing Myelin Basic Protein from the Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e107807.	2.5	37
32	Epstein-Barr virus-specific intrathecal oligoclonal IgG production in relapsing-remitting multiple sclerosis is limited to a subset of patients and is composed of low-affinity antibodies. <i>Journal of Neuroinflammation</i> , 2014, 11, 188.	7.2	33
33	Acute Painful Neuropathy in a Heroin Body Packer. <i>Pain Medicine</i> , 2014, 15, 1236-1237.	1.9	2
34	Season of infectious mononucleosis and risk of multiple sclerosis at different latitudes; the EnvIMS Study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 669-674.	3.0	30
35	A case of multiple sclerosis associated with early onset parkinsonism. <i>Basal Ganglia</i> , 2014, 4, 39-41.	0.3	0
36	Sun exposure and multiple sclerosis risk in Norway and Italy: The EnvIMS study. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1042-1049.	3.0	80

#	ARTICLE	IF	CITATIONS
37	A2Adenosine receptors and Parkinson's disease severity. <i>Acta Neurologica Scandinavica</i> , 2014, 129, 276-281.	2.1	23
38	Epidemiology of amyotrophic lateral sclerosis in Emilia Romagna Region (Italy): A population based study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2014, 15, 262-268.	1.7	46
39	Active music therapy approach in disorders of consciousness: a controlled observational case series. <i>Journal of Neurology</i> , 2014, 261, 2460-2462.	3.6	17
40	Anatomo-functional study of the temporo-parieto-occipital region: dissection, tractographic and brain mapping evidence from a neurosurgical perspective. <i>Journal of Anatomy</i> , 2014, 225, 132-151.	1.5	103
41	Significant Low Prevalence of Antibodies Reacting with Simian Virus 40 Mimotopes in Serum Samples from Patients Affected by Inflammatory Neurologic Diseases, Including Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e110923.	2.5	11
42	Intrathecal Soluble HLA-E Correlates with Disease Activity in Patients with Multiple Sclerosis and may Cooperate with Soluble HLA-G in the Resolution of Neuroinflammation. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 944-955.	4.1	29
43	Gait measures with a triaxial accelerometer among patients with neurological impairment. <i>Neurological Sciences</i> , 2013, 34, 435-440.	1.9	38
44	Biological markers in cerebrospinal fluid for axonal impairment in multiple sclerosis: acetylcholinesterase activity cannot be considered a useful biomarker. <i>Neurological Sciences</i> , 2013, 34, 769-771.	1.9	7
45	Incidence of epilepsy in Ferrara, Italy. <i>Neurological Sciences</i> , 2013, 34, 2167-2172.	1.9	6
46	Corrigendum to "Altered natural killer cells response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression" [J. Neuroimmunol. 251 (2012) 55-64]. <i>Journal of Neuroimmunology</i> , 2013, 254, 187.	2.3	0
47	Multiple sclerosis lymphocytes upregulate $\alpha 2A$ adenosine receptors that are anti-inflammatory when stimulated. <i>European Journal of Immunology</i> , 2013, 43, 2206-2216.	2.9	45
48	$\alpha 2A$ adenosine receptors are up-regulated in lymphocytes from amyotrophic lateral sclerosis patients. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 406-413.	1.7	34
49	Listening to Music and Active Music Therapy in Behavioral Disturbances in Dementia: A Crossover Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 645-647.	2.6	25
50	Technical, Anatomical, and Functional Study after Removal of a Symptomatic Cavernous Angioma Located in Deep Wernicke's Territories with Cortico-Subcortical Awake Mapping. <i>Case Reports in Neurological Medicine</i> , 2013, 2013, 1-7.	0.4	6
51	Five-Year Follow-Up of 10 Patients Treated with Globus Pallidus Internus Deep Brain Stimulation for Segmental or Multisegmental Dystonia. <i>Stereotactic and Functional Neurosurgery</i> , 2012, 90, 84-91.	1.5	18
52	Role of HLA-G 14bp deletion/insertion and +3142C>G polymorphisms in the production of sHLA-G molecules in relapsing-remitting multiple sclerosis. <i>Human Immunology</i> , 2012, 73, 1140-1146.	2.4	51
53	Music Therapy in Frontal Temporal Dementia: A Case Report. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1578-1579.	2.6	11
54	Temporal trend of amyotrophic lateral sclerosis incidence in southern Europe: a population study in the health district of Ferrara, Italy. <i>Journal of Neurology</i> , 2012, 259, 1623-1631.	3.6	16

#	ARTICLE	IF	CITATIONS
55	Is the resection of gliomas in Wernicke's area reliable?. <i>Acta Neurochirurgica</i> , 2012, 154, 1653-1662.	1.7	35
56	A questionnaire for multinational case-control studies of environmental risk factors in multiple sclerosis (EnvIMS-Q). <i>Acta Neurologica Scandinavica</i> , 2012, 126, 43-50.	2.1	43
57	Focal Muscle Vibration in the Treatment of Upper Limb Spasticity: A Pilot Randomized Controlled Trial in Patients With Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1656-1661.	0.9	86
58	Altered natural killer cells' response to herpes virus infection in multiple sclerosis involves KIR2DL2 expression. <i>Journal of Neuroimmunology</i> , 2012, 251, 55-64.	2.3	45
59	Spinal Anesthesia and Minimal Invasive Laminotomy for Paddle Electrode Placement in Spinal Cord Stimulation: Technical Report and Clinical Results at Long-Term Followup. <i>Scientific World Journal</i> , The, 2012, 2012, 1-6.	2.1	9
60	Incidence of childhood and adolescence epilepsy: a community-based prospective study in the province of Ferrara and in Copparo, Italy, 1996-2005. <i>European Journal of Neurology</i> , 2012, 19, 312-316.	3.3	28
61	The Lombrosian prejudice in medicine. The case of Epilepsy. Epileptic psychosis. Epilepsy and aggressiveness. <i>Neurological Sciences</i> , 2012, 33, 173-192.	1.9	17
62	Incidence and prognosis of stroke in young adults: a population-based study in Ferrara, Italy. <i>Neurological Sciences</i> , 2012, 33, 53-58.	1.9	25
63	An acutely confused young woman. <i>Lancet</i> , The, 2011, 378, 456.	13.7	3
64	Awake surgery in low-grade gliomas harboring eloquent areas: 3-year mean follow-up. <i>Neurological Sciences</i> , 2011, 32, 801-810.	1.9	34
65	Effects of unilateral pedunculo-pontine stimulation on electromyographic activation patterns during gait in individual patients with Parkinson's disease. <i>Journal of Neural Transmission</i> , 2011, 118, 1477-1486.	2.8	21
66	Myasthenia gravis: a changing pattern of incidence. <i>Journal of Neurology</i> , 2010, 257, 2015-2019.	3.6	70
67	The first case history of multiple sclerosis: Augustus d'EstÃ© (1794-1848). <i>Neurological Sciences</i> , 2010, 31, 29-33.	1.9	19
68	A case of asymptomatic pontine myelinolysis. <i>Neurological Sciences</i> , 2010, 31, 361-364.	1.9	16
69	Investigation of the prevalence of antibodies against neurotropic polyomaviruses BK, JC and SV40 in sera from patients affected by multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 517-521.	1.9	21
70	An autopathography of tic douloureux at the beginning of the nineteenth century. <i>Neurological Sciences</i> , 2010, 31, 849-858.	1.9	0
71	Altered miRNA expression in T regulatory cells in course of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2010, 226, 165-171.	2.3	188
72	Transient RLS during pregnancy is a risk factor for the chronic idiopathic form. <i>Neurology</i> , 2010, 75, 2117-2120.	1.1	94

#	ARTICLE	IF	CITATIONS
73	<i>Chlamydomonas reinhardtii</i> Infection and Its Role in Neurological Disorders. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2010, 2010, 1-18.	1.4	48
74	Epstein-Barr virus-specific antibody response in cerebrospinal fluid and serum of patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010, 16, 883-887.	3.0	33
75	A β 2 adenosine receptor overexpression and functionality, as well as TNF α levels, correlate with motor symptoms in Parkinson's disease. <i>FASEB Journal</i> , 2010, 24, 587-598.	0.5	107
76	Gender differences in health-related quality of life in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 1339-1346.	3.0	59
77	Encoding of human action in Broca's area. <i>Brain</i> , 2009, 132, 1980-1988.	7.6	201
78	Potential relevance of cerebrospinal fluid and serum levels and intrathecal synthesis of active matrix metalloproteinase-2 (MMP-2) as markers of disease remission in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 547-554.	3.0	31
79	Immunogenetic heterogeneity and associated autoimmune disorders in myasthenia gravis: a population-based survey in the province of Ferrara, northern Italy. <i>Acta Neurologica Scandinavica</i> , 2009, 90, 318-323.	2.1	28
80	A possible paraneoplastic neuromyelitis optica associated with lung cancer. <i>Neurological Sciences</i> , 2009, 30, 397-400.	1.9	40
81	Spontaneous and idiopathic chronic spinal epidural hematoma: two case reports and review of the literature. <i>European Spine Journal</i> , 2009, 18, 1555-1561.	2.2	37
82	<i>Chlamydia pneumoniae</i> -specific intrathecal oligoclonal antibody response is predominantly detected in a subset of multiple sclerosis patients with progressive forms. <i>Journal of NeuroVirology</i> , 2009, 15, 425-433.	2.1	19
83	Potential role of soluble human leukocyte antigen-G molecules in multiple sclerosis. <i>Human Immunology</i> , 2009, 70, 981-987.	2.4	17
84	Effect of slow rTMS of motor cortex on the excitability of the Blink Reflex: A study in healthy humans. <i>Clinical Neurophysiology</i> , 2009, 120, 174-180.	1.5	14
85	Inhibition of multiple sclerosis-associated retrovirus as biomarker of interferon therapy. <i>Journal of NeuroVirology</i> , 2008, 14, 73-77.	2.1	55
86	The diagnostic criteria for small fibre neuropathy: from symptoms to neuropathology. <i>Brain</i> , 2008, 131, 1912-1925.	7.6	707
87	<i>Chlamydomonas reinhardtii</i> DNA and mRNA transcript levels in peripheral blood mononuclear cells and cerebrospinal fluid of patients with multiple sclerosis. <i>Neuroscience Research</i> , 2008, 62, 58-61.	1.9	25
88	CSF levels of soluble HLA-G and Fas molecules are inversely associated to MRI evidence of disease activity in patients with relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2008, 14, 446-454.	3.0	38
89	Molecular detection of <i>Parachlamydia</i> -like organisms in cerebrospinal fluid of patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2008, 14, 564-566.	3.0	12
90	Multiple sclerosis in the Republic of San Marino: a prevalence and incidence study. <i>Multiple Sclerosis Journal</i> , 2008, 14, 325-329.	3.0	29

#	ARTICLE	IF	CITATIONS
91	Incidence of Status Epilepticus in Southern Europe: A Population Study in the Health District of Ferrara, Italy. <i>European Neurology</i> , 2008, 59, 120-126.	1.4	54
92	Under the Microscope: Focus on Chlamydia pneumoniae Infection and Multiple Sclerosis. <i>Current Neurovascular Research</i> , 2008, 5, 60-70.	1.1	34
93	Multicenter Case-Control Study on Restless Legs Syndrome in Multiple Sclerosis: the REMS Study. <i>Sleep</i> , 2008, 31, 944-952.	1.1	175
94	Multicenter case-control study on restless legs syndrome in multiple sclerosis: the REMS study. <i>Sleep</i> , 2008, 31, 944-52.	1.1	56
95	Simultaneous Guillain-Barré syndrome and active human herpesvirus 6 infection in the central nervous system. <i>Journal of Clinical Virology</i> , 2007, 38, 271-272.	3.1	6
96	Increased prevalence of varicella zoster virus DNA in cerebrospinal fluid from patients with multiple sclerosis. <i>Journal of Medical Virology</i> , 2007, 79, 192-199.	5.0	53
97	264 NEUROPATHIC ITCHING SYNDROME: A PRELIMINARY STUDY. <i>European Journal of Pain</i> , 2007, 11, S116-S116.	2.8	0
98	Effects of anticoagulants on the activity of gelatinases. <i>Clinical Biochemistry</i> , 2007, 40, 1272-1276.	1.9	26
99	199 PERSISTENT IDIOPATHIC FACIAL PAIN (PIFP): THE ROLE OF NEUROPHYSIOLOGICAL (NFS) EVALUATION. <i>European Journal of Pain</i> , 2007, 11, S86-S87.	2.8	0
100	Soluble HLA-G molecules are released as HLA-G5 and not as soluble HLA-G1 isoforms in CSF of patients with relapsing-remitting Multiple Sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 192, 219-225.	2.3	35
101	Multiple sclerosis in the province of Ferrara. <i>Journal of Neurology</i> , 2007, 254, 1642-1648.	3.6	51
102	Cerebrospinal fluid and serum levels and intrathecal production of active matrix metalloproteinase-9 (MMP-9) as markers of disease activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 294-301.	3.0	127
103	Intrathecal synthesis of soluble HLA-G and HLA-I molecules are reciprocally associated to clinical and MRI activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 2-12.	3.0	51
104	Cerebral blepharoptosis: two new cases, literature review and proposal for diagnostic criteria. <i>Neurological Sciences</i> , 2006, 27, 161-165.	1.9	8
105	The Italian Multiple Sclerosis Database Network (MSDN): the risk of worsening according to IFN β exposure in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006, 12, 578-585.	3.0	27
106	Amyotrophic lateral sclerosis, rural environment and agricultural work in the Local Health District of Ferrara, Italy, in the years 1964-1998. <i>Journal of Neurology</i> , 2005, 252, 1322-1327.	3.6	54
107	Oxidative Stress, Antioxidants and Neurodegenerative Diseases. <i>Current Pharmaceutical Design</i> , 2005, 11, 2033-2052.	1.9	126
108	Incidence of Myasthenia gravis in the Province of Ferrara. <i>Neuroepidemiology</i> , 2004, 23, 281-284.	2.3	23

#	ARTICLE	IF	CITATIONS
109	Human herpesvirus 6 infects the central nervous system of multiple sclerosis patients in the early stages of the disease. <i>Multiple Sclerosis Journal</i> , 2004, 10, 348-354.	3.0	68
110	Cerebrospinal fluid molecular demonstration of <i>Chlamydia pneumoniae</i> DNA is associated to clinical and brain magnetic resonance imaging activity in a subset of patients with relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2004, 10, 360-369.	3.0	47
111	Beneficial effect of interferon- β 1b treatment in patients with relapsing-remitting multiple sclerosis is associated with an increase in serum levels of soluble HLA-I molecules during the first 3 months of therapy. <i>Journal of Neuroimmunology</i> , 2004, 148, 206-211.	2.3	23
112	Bovine spongiform encephalopathy and Creutzfeldt-Jakob disease: facts and uncertainties underlying the causal link between animal and human diseases. <i>Neurological Sciences</i> , 2004, 25, 122-9.	1.9	24
113	Restless legs syndrome and pregnancy. <i>Neurology</i> , 2004, 63, 1065-1069.	1.1	359
114	Intrathecal production of <i>Chlamydia pneumoniae</i> -specific high-affinity antibodies is significantly associated to a subset of multiple sclerosis patients with progressive forms. <i>Journal of the Neurological Sciences</i> , 2004, 217, 181-188.	0.6	24
115	Explosive-aggressive behavior related to bilateral subthalamic stimulation. <i>Parkinsonism and Related Disorders</i> , 2004, 10, 247-251.	2.2	83
116	Pregnancy as a risk factor for restless legs syndrome. <i>Sleep Medicine</i> , 2004, 5, 305-308.	1.6	168
117	Subarachnoid hemorrhage presenting as chest pain. <i>American Journal of Emergency Medicine</i> , 2004, 22, 227-228.	1.6	2
118	Pramipexole in restless legs syndrome. <i>Journal of Neurology</i> , 2003, 250, 1494-1495.	3.6	15
119	Recurrent nephrotic syndrome in patient with multiple sclerosis treated with interferon beta-1a. <i>Journal of Neurology</i> , 2003, 250, 768-769.	3.6	14
120	Molecular identification and antibody testing of <i>Chlamydia pneumoniae</i> in a subgroup of patients with HIV-associated dementia complex. Preliminary results. <i>Journal of Neuroimmunology</i> , 2003, 136, 172-177.	2.3	17
121	Presence of detectable levels of soluble HLA-G molecules in CSF of relapsing-remitting multiple sclerosis: relationship with CSF soluble HLA-I and IL-10 concentrations and MRI findings. <i>Journal of Neuroimmunology</i> , 2003, 142, 149-158.	2.3	79
122	Is there a decrease in Guillain-Barré syndrome incidence after bovine ganglioside withdrawal in Italy? A population-based study in the Local Health District of Ferrara, Italy. <i>Journal of the Neurological Sciences</i> , 2003, 216, 99-103.	0.6	44
123	Recovery cycle of the masseter inhibitory reflex after magnetic stimulation in normal subjects. <i>Clinical Neurophysiology</i> , 2003, 114, 1253-1258.	1.5	5
124	Neurophysiological study of corticomotor pathways in restless legs syndrome. <i>Clinical Neurophysiology</i> , 2003, 114, 1638-1645.	1.5	61
125	Incidence of Amyotrophic Lateral Sclerosis in the Local Health District of Ferrara, Italy, 1964-1998. <i>Neuroepidemiology</i> , 2003, 22, 229-234.	2.3	27
126	Risk Factors for Cryptogenic and Idiopathic Partial Epilepsy: A Community-Based Case-Control Study in Copparo, Italy. <i>Neuroepidemiology</i> , 2002, 21, 251-254.	2.3	12

#	ARTICLE	IF	CITATIONS
127	Clinical and MRI disease activity in multiple sclerosis are associated with reciprocal fluctuations in serum and cerebrospinal fluid levels of soluble HLA class I molecules. <i>Journal of Neuroimmunology</i> , 2002, 133, 151-159.	2.3	19
128	Monday preference in onset of ischemic stroke. <i>American Journal of Medicine</i> , 2001, 111, 401-403.	1.5	64
129	Epidemiology of the Guillain-Barré syndrome. <i>Current Opinion in Neurology</i> , 2001, 14, 605-613.	3.6	116
130	Multiple Sclerosis and Dental Amalgam: Case-Control Study in Ferrara, Italy. <i>Neuroepidemiology</i> , 2001, 20, 134-137.	2.3	32
131	Multiple sclerosis: infectious hypothesis. <i>Neurological Sciences</i> , 2001, 22, 179-185.	1.9	44
132	Assessment of HIV-intrathecal humoral immune response in AIDS-related neurological disorders. <i>Journal of Neuroimmunology</i> , 2001, 119, 278-286.	2.3	11
133	Evidence of cerebrospinal fluid free kappa light chains in AIDS patients with <i>Toxoplasma gondii</i> encephalitis. <i>Journal of Neuroimmunology</i> , 2000, 108, 221-226.	2.3	20
134	The increasing incidence and prevalence of MS in a Sardinian province. <i>Neurology</i> , 2000, 55, 842-848.	1.1	102
135	European surveillance on Creutzfeldt-Jakob disease. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 747-754.	5.0	95
136	Exogenous factors in the aetiology of multiple sclerosis. <i>Journal of NeuroVirology</i> , 2000, 6 Suppl 2, S141-6.	2.1	1
137	Clinical infections and multiple sclerosis: contribution from analytical epidemiology. <i>Journal of NeuroVirology</i> , 2000, 6 Suppl 2, S147-51.	2.1	3
138	Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 529-531.	1.9	26
139	Early predictors of intractability in childhood epilepsy: a community-based case-control study in Copparo, Italy. <i>Acta Neurologica Scandinavica</i> , 1999, 99, 329-333.	2.1	69
140	The frequency of clinical variants of Guillain-Barré syndrome in Ferrara, Italy. <i>Journal of Neurology</i> , 1999, 246, 1010-1014.	3.6	26
141	Temporal Trend and Factors Associated with Delayed Hospital Admission of Stroke Patients. <i>Neuroepidemiology</i> , 1999, 18, 255-264.	2.3	30
142	An epidemiological study of multiple sclerosis in central Sardinia, Italy. <i>Acta Neurologica Scandinavica</i> , 1998, 98, 391-394.	2.1	29
143	Advanced laboratory techniques for diagnosing <i>Toxoplasma gondii</i> encephalitis in AIDS patients: significance of intrathecal production and comparison with PCR and ECL-western blotting. <i>Journal of Neuroimmunology</i> , 1998, 92, 29-37.	2.3	33
144	Case-control study of risk factors of Creutzfeldt-Jakob disease in Europe during 1993-95. <i>Lancet</i> , The, 1998, 351, 1081-1085.	13.7	191

#	ARTICLE	IF	CITATIONS
145	Detection of JC virus DNA in cerebrospinal fluid from multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 1998, 4, 49-54.	3.0	62
146	Exogenous gangliosides and Guillain-Barre syndrome. An observational study in the local health district of Ferrara, Italy. <i>Brain</i> , 1997, 120, 1123-1130.	7.6	19
147	Common childhood and adolescent infections and multiple sclerosis. <i>Neurology</i> , 1997, 49, S42-54.	1.1	40
148	The incidence of Guillain-Barré syndrome in Ferrara, Italy: Is the disease really increasing?. <i>Journal of the Neurological Sciences</i> , 1996, 137, 62-68.	0.6	25
149	A prospective study on the predictive value of CSF oligoclonal bands and MRI in acute isolated neurological syndromes for subsequent progression to multiple sclerosis.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 60, 572-575.	1.9	64
150	The history of the tic douloureux: Autopathograph of an Italian lawyer who suffered from trigeminal neuralgia from 1803 to 1824*. <i>Journal of the History of the Neurosciences</i> , 1996, 5, 169-189.	0.9	2
151	Multiple Sclerosis in Italy. <i>Archives of Neurology</i> , 1996, 53, 793.	4.5	59
152	Epidemiology of multiple sclerosis in Italy and in southern Europe. <i>Acta Neurologica Scandinavica</i> , 1995, 91, 60-70.	2.1	29
153	Risk Factors for Idiopathic Generalized Seizures: A Population-Based Case Control Study in Copparo, Italy. <i>Epilepsia</i> , 1995, 36, 224-229.	5.1	37
154	High dose intravenous immune globulins and plasma exchange in Guillain-Barré Syndrome. <i>Italian Journal of Neurological Sciences</i> , 1995, 16, 487-492.	0.1	15
155	Multiple sclerosis: Does epidemiology contribute to providing etiological clues?. <i>Journal of the Neurological Sciences</i> , 1993, 115, S16-S23.	0.6	18
156	Mortality study on multiple sclerosis in the province of Ferrara, northern Italy, 1968 through 1989. <i>Acta Neurologica</i> , 1993, 15, 161-76.	0.1	3
157	T-cell phenotypic profiles in the cerebrospinal fluid and peripheral blood of multiple sclerosis patients. <i>Journal of the Neurological Sciences</i> , 1992, 108, 93-98.	0.6	37
158	Systemic lupus erythematosus presenting with neurological disorders. <i>Journal of Neurology</i> , 1992, 239, 61-64.	3.6	61
159	Incidence of the Guillain-Barré Syndrome in Ferrara, Northern Italy, 1981-1987. <i>Neuroepidemiology</i> , 1991, 10, 105-111.	2.3	31
160	Ganglioside Therapy and Guillain-Barré Syndrome. <i>Neuroepidemiology</i> , 1991, 10, 161-169.	2.3	50
161	Comparative study on the prevalence of myasthenia gravis in the provinces of Bologna and Ferrara, Italy. <i>Acta Neurologica Scandinavica</i> , 1991, 83, 83-88.	2.1	17
162	Epidemiological study of myasthenia gravis in the province of ferrara, Italy. <i>Journal of Neurology</i> , 1989, 236, 388-390.	3.6	18

#	ARTICLE	IF	CITATIONS
163	Motor neuron disease in the province of Ferrara, Italy, in 1964-1982. <i>Neurology</i> , 1988, 38, 1604-1604.	1.1	107
164	Predisposing factors in Bell's palsy: a case-control study. <i>Journal of Neurology</i> , 1985, 232, 363-365.	3.6	28
165	The frequency of multiple sclerosis in Italy: A descriptive study in Ferrara. <i>Annals of Neurology</i> , 1985, 17, 80-84.	5.3	40
166	The frequency of multiple sclerosis in Mediterranean Europe. <i>Acta Neurologica Scandinavica</i> , 1983, 68, 84-89.	2.1	42
167	Acute cerebrovascular insults in homozygous beta-thalassaemia: a case report. <i>Journal of Neurology</i> , 1983, 230, 37-41.	3.6	19
168	A Descriptive Study of Epilepsy in the District of Copparo, Italy, 1964-1978. <i>Epilepsia</i> , 1983, 24, 502-514.	5.1	158
169	Italy. <i>Neurology</i> , 1982, 32, 466-466.	1.1	40
170	Multiple sclerosis in northern Italy. Prevalence in the province of Ferrara in 1978. <i>Italian Journal of Neurological Sciences</i> , 1981, 2, 17-23.	0.1	13
171	Multiple sclerosis in southern Europe A PREVALENCE STUDY IN THE SOCIOSANITARY DISTRICT OF COPPARO, NORTHERN ITALY. <i>Acta Neurologica Scandinavica</i> , 1980, 62, 244-249.	2.1	22
172	Voluntary lid closing inability. <i>Archiv Fur Psychiatrie Und Nervenkrankheiten</i> , 1978, 226, 11-17.	0.6	13
173	The geographical distribution of multiple sclerosis, rheumatoid arthritis, rheumatic heart disease and poststreptococcal nephritis in Sardinia: Climatic and socioeconomic factors. <i>Journal of Neurology</i> , 1978, 219, 27-35.	3.6	12
174	STUDIES ON EPIDEMIOLOGICAL, CLINICAL AND ETIOLOGICAL ASPECTS OF ALS DISEASE IN SARDINIA, SOUTHERN ITALY. <i>Acta Neurologica Scandinavica</i> , 1977, 55, 231-244.	2.1	107
175	The distribution of multiple sclerosis in Sardinia. <i>Rivista Di Patologia Nervosa E Mentale</i> , 1977, 98, 46-64.	0.2	7