

Elizabeth J Williamson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/912093/publications.pdf>

Version: 2024-02-01

127
papers

13,474
citations

66343

42
h-index

27406

106
g-index

156
all docs

156
docs citations

156
times ranked

26020
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , 2020, 584, 430-436.	27.8	4,674
2	Annual High-Dose Oral Vitamin D and Falls and Fractures in Older Women. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1815.	7.4	1,159
3	Living risk prediction algorithm (QCOVID) for risk of hospital admission and mortality from coronavirus 19 in adults: national derivation and validation cohort study. <i>BMJ, The</i> , 2020, 371, m3731.	6.0	471
4	Comparison of Propensity Score Methods and Covariate Adjustment. <i>Journal of the American College of Cardiology</i> , 2017, 69, 345-357.	2.8	468
5	Anaphylaxis fatalities and admissions in Australia. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 434-442.	2.9	392
6	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV,the</i> , 2021, 8, e24-e32.	4.7	340
7	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , 2021, 397, 1711-1724.	13.7	332
8	Infection, Inflammation, and Lung Function Decline in Infants with Cystic Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 75-81.	5.6	256
9	Acupuncture for Chronic Knee Pain. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 1313.	7.4	213
10	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine,the</i> , 2020, 8, 1106-1120.	10.7	211
11	Risks of Primary Extracolonic Cancers Following Colorectal Cancer in Lynch Syndrome. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1363-1372.	6.3	193
12	Propensity scores: From naïve enthusiasm to intuitive understanding. <i>Statistical Methods in Medical Research</i> , 2012, 21, 273-293.	1.5	177
13	Lateral wedge insoles for medial knee osteoarthritis: 12 month randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2011, 342, d2912-d2912.	2.3	168
14	Propensity score analysis with partially observed covariates: How should multiple imputation be used?. <i>Statistical Methods in Medical Research</i> , 2019, 28, 3-19.	1.5	159
15	Case fatality risk of the SARS-CoV-2 variant of concern B.1.1.7 in England, 16 November to 5 February. <i>Eurosurveillance</i> , 2021, 26, .	7.0	156
16	Annual high-dose vitamin D ₃ and mental well-being: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 198, 357-364.	2.8	139
17	Expression of MUC2, MUC5AC, MUC5B, and MUC6 mucins in colorectal cancers and their association with the CpG island methylator phenotype. <i>Modern Pathology</i> , 2013, 26, 1642-1656.	5.5	127
18	Colorectal carcinomas with KRAS mutation are associated with distinctive morphological and molecular features. <i>Modern Pathology</i> , 2013, 26, 825-834.	5.5	126

#	ARTICLE	IF	CITATIONS
19	Propensity Score Methods in Health Technology Assessment: Principles, Extended Applications, and Recent Advances. <i>Frontiers in Pharmacology</i> , 2019, 10, 973.	3.5	124
20	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe, The</i> , 2021, 6, 100109.	5.6	121
21	Tuberculosis in migrants moving from high-incidence to low-incidence countries: a population-based cohort study of 519 955 migrants screened before entry to England, Wales, and Northern Ireland. <i>Lancet, The</i> , 2016, 388, 2510-2518.	13.7	118
22	PIK3CA Activating Mutation in Colorectal Carcinoma: Associations with Molecular Features and Survival. <i>PLoS ONE</i> , 2013, 8, e65479.	2.5	117
23	Introduction to propensity scores. <i>Respirology</i> , 2014, 19, 625-635.	2.3	117
24	Variance reduction in randomised trials by inverse probability weighting using the propensity score. <i>Statistics in Medicine</i> , 2014, 33, 721-737.	1.6	113
25	Introduction to causal diagrams for confounder selection. <i>Respirology</i> , 2014, 19, 303-311.	2.3	112
26	Nitrous Oxide and Long-Term Morbidity and Mortality in the ENIGMA Trial. <i>Anesthesia and Analgesia</i> , 2011, 112, 387-393.	2.2	111
27	Incidence and predictors of silent myocardial infarction in type 2 diabetes and the effect of fenofibrate: an analysis from the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>European Heart Journal</i> , 2010, 31, 92-99.	2.2	105
28	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ, The</i> , 2021, 372, n135.	6.0	102
29	Associations of alcohol intake, smoking, physical activity and obesity with survival following colorectal cancer diagnosis by stage, anatomic site and tumor molecular subtype. <i>International Journal of Cancer</i> , 2018, 142, 238-250.	5.1	83
30	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62.	1.4	75
31	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2021, 71, e806-e814.	1.4	74
32	Severity of Severe Acute Respiratory System Coronavirus 2 (SARS-CoV-2) Alpha Variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , 2022, 75, e1120-e1127.	5.8	71
33	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ, The</i> , 2021, 374, n1592.	6.0	70
34	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951.	0.9	66
35	Body size and risk for colorectal cancers showing BRAF mutations or microsatellite instability: a pooled analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1060-1072.	1.9	65
36	Human herpesvirus infections and dementia or mild cognitive impairment: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2019, 9, 4743.	3.3	65

#	ARTICLE	IF	CITATIONS
37	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune-modifying therapies: a nationwide cohort study in the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2022, 4, e490-e506.	3.9	61
38	20/20--Alcohol and Age-related Macular Degeneration: The Melbourne Collaborative Cohort Study. <i>American Journal of Epidemiology</i> , 2012, 176, 289-298.	3.4	59
39	Measurements of 25-Hydroxyvitamin D Concentrations in Archived Dried Blood Spots Are Reliable and Accurately Reflect Those in Plasma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3319-3324.	3.6	59
40	Trends for prevalence and incidence of resistant hypertension: population based cohort study in the UK 1995-2015. <i>BMJ: British Medical Journal</i> , 2017, 358, j3984.	2.3	57
41	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ, The</i> , 2021, 372, n628.	6.0	56
42	Appropriate inclusion of interactions was needed to avoid bias in multiple imputation. <i>Journal of Clinical Epidemiology</i> , 2016, 80, 107-115.	5.0	55
43	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , 2021, 3, e19-e27.	3.9	49
44	Trimethoprim use for urinary tract infection and risk of adverse outcomes in older patients: cohort study. <i>BMJ: British Medical Journal</i> , 2018, 360, k341.	2.3	47
45	Should the grading of colorectal adenocarcinoma include microsatellite instability status?. <i>Human Pathology</i> , 2014, 45, 2077-2084.	2.0	44
46	Association between hypermethylation of DNA repetitive elements in white blood cell DNA and early-onset colorectal cancer. <i>Epigenetics</i> , 2013, 8, 748-755.	2.7	41
47	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871.	8.4	39
48	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe, The</i> , 2022, 14, 100295.	5.6	38
49	Association of herpesviruses and stroke: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0206163.	2.5	37
50	Nitrous Oxide and Serious Morbidity and Mortality in the POISE Trial. <i>Anesthesia and Analgesia</i> , 2013, 116, 1034-1040.	2.2	36
51	The effect of font and line width on reading speed in people with mild to moderate vision loss. <i>Ophthalmic and Physiological Optics</i> , 2006, 26, 545-554.	2.0	35
52	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , 2016, 6, e010069.	1.9	34
53	Eligibility and subsequent burden of cardiovascular disease of four strategies for blood pressure-lowering treatment: a retrospective cohort study. <i>Lancet, The</i> , 2019, 394, 663-671.	13.7	34
54	An evaluation of inverse probability weighting using the propensity score for baseline covariate adjustment in smaller population randomised controlled trials with a continuous outcome. <i>BMC Medical Research Methodology</i> , 2020, 20, 70.	3.1	32

#	ARTICLE	IF	CITATIONS
55	Effect of a conditional cash transfer programme on leprosy treatment adherence and cure in patients from the nationwide 100 Million Brazilian Cohort: a quasi-experimental study. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 618-627.	9.1	30
56	Gene-environment interaction in problematic substance use: interaction between <i>DRD4</i> and insecure attachments. <i>Addiction Biology</i> , 2013, 18, 717-726.	2.6	27
57	Lifetime alcohol intake is associated with an increased risk of <i>KRAS</i> and <i>BRAF</i> <i>KRAS</i> but not <i>BRAF</i> + <i>KRAS</i> colorectal cancer. <i>International Journal of Cancer</i> , 2017, 140, 1485-1493.	5.1	27
58	Design choices for observational studies of the effect of exposure on disease incidence. <i>BMJ Open</i> , 2019, 9, e031031.	1.9	25
59	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.9	25
60	Randomized Controlled Trial of a Telephone-Based Peer-Support Program for Women Carrying a <i>BRCA1</i> or <i>BRCA2</i> Mutation: Impact on Psychological Distress. <i>Journal of Clinical Oncology</i> , 2014, 32, 4073-4080.	1.6	24
61	Propensity scores using missingness pattern information: a practical guide. <i>Statistics in Medicine</i> , 2020, 39, 1641-1657.	1.6	24
62	Circulating 25-Hydroxyvitamin D Concentration and Risk of Breast, Prostate, and Colorectal Cancers: The Melbourne Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 900-908.	2.5	22
63	Access to routinely collected health data for clinical trials – review of successful data requests to UK registries. <i>Trials</i> , 2020, 21, 398.	1.6	22
64	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74.	1.4	22
65	Vitamin D status and the risk of type 2 diabetes: The Melbourne Collaborative Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2019, 149, 179-187.	2.8	21
66	Evaluating a digital sepsis alert in a London multisite hospital network: a natural experiment using electronic health record data. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 274-283.	4.4	21
67	Planning a method for covariate adjustment in individually randomised trials: a practical guide. <i>Trials</i> , 2022, 23, 328.	1.6	21
68	Can genetic associations change with age? CFH and age-related macular degeneration. <i>Human Molecular Genetics</i> , 2012, 21, 5229-5236.	2.9	20
69	Confounder-adjusted estimates of the risk difference using propensity score-based weighting. <i>Statistics in Medicine</i> , 2010, 29, 3126-3136.	1.6	19
70	Engagement With a Behavior Change App for Alcohol Reduction: Data Visualization for Longitudinal Observational Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e23369.	4.3	19
71	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. <i>Wellcome Open Research</i> , 2021, 6, 90.	1.8	18
72	Estimating treatment effects with partially observed covariates using outcome regression with missing indicators. <i>Biometrical Journal</i> , 2020, 62, 428-443.	1.0	18

#	ARTICLE	IF	CITATIONS
73	Million Migrants study of healthcare and mortality outcomes in non-EU migrants and refugees to England: Analysis protocol for a linked population-based cohort study of 1.5 million migrants. Wellcome Open Research, 2019, 4, 4.	1.8	18
74	Conditional Cash Transfer Program and Leprosy Incidence: Analysis of 12.9 Million Families From the 100 Million Brazilian Cohort. American Journal of Epidemiology, 2020, 189, 1547-1558.	3.4	17
75	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.	2.3	17
76	Notifications to Improve Engagement With an Alcohol Reduction App: Protocol for a Micro-Randomized Trial. JMIR Research Protocols, 2020, 9, e18690.	1.0	15
77	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. BMJ Open, 2017, 7, e016604.	1.9	14
78	Associations Between 30-Day Mortality, Specialist Nursing, and Daily Physician Ward Rounds in a National Stroke Registry. Stroke, 2018, 49, 2155-2162.	2.0	14
79	First line drug treatment for hypertension and reductions in blood pressure according to age and ethnicity: cohort study in UK primary care. BMJ, The, 2020, 371, m4080.	6.0	14
80	Proton pump inhibitors and risk of all-cause and cause-specific mortality: A cohort study. British Journal of Clinical Pharmacology, 2021, 87, 3150-3161.	2.4	14
81	APOE Genotype and Cardio-Respiratory Fitness Interact to Determine Adiposity in 8-Year-Old Children from the Tasmanian Infant Health Survey. PLoS ONE, 2011, 6, e26679.	2.5	13
82	Poor Stereoacuity Among Children With Poor Literacy. Optometry and Vision Science, 2013, 90, 75-83.	1.2	12
83	A framework for handling missing accelerometer outcome data in trials. Trials, 2021, 22, 379.	1.6	12
84	Common Methods for Handling Missing Data in Marginal Structural Models: What Works and Why. American Journal of Epidemiology, 2021, 190, 663-672.	3.4	12
85	Factors associated with choice of intensification treatment for type 2 diabetes after metformin monotherapy: a cohort study in UK primary care. Clinical Epidemiology, 2018, Volume 10, 1639-1648.	3.0	11
86	Determinants of Transmission Risk During the Late Stage of the West African Ebola Epidemic. American Journal of Epidemiology, 2019, 188, 1319-1327.	3.4	11
87	Real world effects of COPD medications: a cohort study with validation against results from randomised controlled trials. European Respiratory Journal, 2021, 57, 2001586.	6.7	11
88	Concussion and long-term cognitive function among rugby players – The BRAIN Study. Alzheimer's and Dementia, 2022, 18, 1164-1176.	0.8	11
89	Modeling gene-environment interaction in longitudinal data: Risk for neuroticism due to interaction between maternal care and the Dopamine 4 Receptor gene (DRD4). Australian Journal of Psychology, 2011, 63, 18-25.	2.8	10
90	Effect of including environmental data in investigations of gene-disease associations in the presence of qualitative interactions. Genetic Epidemiology, 2010, 34, 552-560.	1.3	9

#	ARTICLE	IF	CITATIONS
91	Sustained adherence to a Mediterranean diet and physical activity on all-cause mortality in the Melbourne Collaborative Cohort Study: application of the g-formula. <i>BMC Public Health</i> , 2019, 19, 1733.	2.9	9
92	No evidence that herpes zoster is associated with increased risk of dementia diagnosis. <i>Annals of Clinical and Translational Neurology</i> , 2022, 9, 363-374.	3.7	9
93	Relationship between the Bolsa Família national cash transfer programme and suicide incidence in Brazil: A quasi-experimental study. <i>PLoS Medicine</i> , 2022, 19, e1004000.	8.4	9
94	The comparative effectiveness of fourth-line drugs in resistant hypertension: An application in electronic health record data. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1267-1277.	1.9	8
95	Socioeconomic position and cardiovascular mortality in 63 million adults from Brazil. <i>Heart</i> , 2021, 107, 822-827.	2.9	8
96	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. <i>Journal of Hematology and Oncology</i> , 2021, 14, 172.	17.0	8
97	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. <i>Wellcome Open Research</i> , 0, 6, 360.	1.8	8
98	Children with Low Literacy and Poor Stereoacuity: An Evaluation of Complex Interventions in a Community-Based Randomized Trial. <i>Ophthalmic Epidemiology</i> , 2009, 16, 311-321.	1.7	7
99	25-Hydroxyvitamin D concentration and all-cause mortality: the Melbourne Collaborative Cohort Study. <i>Public Health Nutrition</i> , 2017, 20, 1775-1784.	2.2	7
100	Circulating 25-hydroxyvitamin D concentration and cause-specific mortality in the Melbourne Collaborative Cohort Study. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 198, 105612.	2.5	7
101	Feasibility study of assessing the Preclinical Alzheimer Cognitive Composite (PACC) score via videoconferencing. <i>Journal of Neurology</i> , 2021, 268, 2228-2237.	3.6	7
102	Transparency of high-dimensional propensity score analyses: Guidance for diagnostics and reporting. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 411-423.	1.9	7
103	Re: Microsatellite Instability and BRAF Mutation Testing in Colorectal Cancer Prognostication. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju180-dju180.	6.3	6
104	Real-world effects of medications for chronic obstructive pulmonary disease: protocol for a UK population-based non-interventional cohort study with validation against randomised trial results. <i>BMJ Open</i> , 2018, 8, e019475.	1.9	6
105	Comparative effects of sulphonylureas, dipeptidyl peptidase-4 inhibitors and sodium-glucose co-transporter-2 inhibitors added to metformin monotherapy: a propensity score matched cohort study in UK primary care. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 847-856.	4.4	6
106	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , 2021, 25, 1-62.	2.8	6
107	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. <i>Thrombosis Research</i> , 2022, 211, 150-153.	1.7	6
108	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. <i>Wellcome Open Research</i> , 0, 7, 142.	1.8	6

#	ARTICLE	IF	CITATIONS
109	Acupuncture for Chronic Knee Pain: A Randomised Clinical Trial. Authors' Reply. <i>Acupuncture in Medicine</i> , 2015, 33, 86-88.	1.0	5
110	Bias and precision of measures of survival gain from right-censored data. <i>Pharmaceutical Statistics</i> , 2015, 14, 409-417.	1.3	4
111	Implementing high-dimensional propensity score principles to improve confounder adjustment in UK electronic health records. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1373-1381.	1.9	4
112	Peer advocacy and access to healthcare for people who are homeless in London, UK: a mixed method impact, economic and process evaluation protocol. <i>BMJ Open</i> , 2021, 11, e050717.	1.9	4
113	The BRAIN-Q, a tool for assessing self-reported sport-related concussions for epidemiological studies. <i>Epidemiology and Health</i> , 2021, 43, e2021086.	1.9	4
114	Children with Low Literacy and Poor Stereoacuity: An Evaluation of Complex Interventions in a Community-Based Randomized Trial. <i>Ophthalmic Epidemiology</i> , 2009, 16, 311-321.	1.7	3
115	The mediating effect of microbial colonization on the effect of cesarean section delivery. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 584-585.	2.9	3
116	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. <i>Wellcome Open Research</i> , 0, 5, 243.	1.8	3
117	The importance of blood pressure thresholds versus predicted cardiovascular risk on subsequent rates of cardiovascular disease: a cohort study in English primary care. <i>The Lancet Healthy Longevity</i> , 2022, 3, e22-e30.	4.6	3
118	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. <i>British Journal of General Practice</i> , 2022, 72, e456-e463.	1.4	3
119	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. <i>Diagnostic and Prognostic Research</i> , 2022, 6, 6.	1.8	2
120	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? Authors' reply. <i>Lancet Rheumatology</i> , The, 2021, 3, e172-e173.	3.9	1
121	Association between circulating 25-hydroxyvitamin D concentrations and hip replacement for osteoarthritis: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 887.	1.9	1
122	The Authors Respond. <i>Epidemiology</i> , 2021, 32, e2-e3.	2.7	1
123	Health on the Move (HOME) Study: Using a smartphone app to explore the health and wellbeing of migrants in the United Kingdom. <i>Wellcome Open Research</i> , 2020, 5, 268.	1.8	1
124	Observational retrospective study calculating health service costs of patients receiving surgery for chronic rhinosinusitis in England, using linked patient-level primary and secondary care electronic data. <i>BMJ Open</i> , 2022, 12, e055603.	1.9	1
125	What online searches tell us about public interest and potential impact on behaviour in response to minimum unit pricing of alcohol in Scotland. <i>Addiction</i> , 2021, 116, 2008-2015.	3.3	0
126	Medications for chronic obstructive pulmonary disease: a historical non-interventional cohort study with validation against RCT results. <i>Health Technology Assessment</i> , 2021, 25, 1-70.	2.8	0

#	ARTICLE	IF	CITATIONS
127	Comparing prevalence of chronic kidney disease and its risk factors between population-based surveys in Russia and Norway. <i>BMC Nephrology</i> , 2022, 23, 145.	1.8	0