Joe Brice Weinberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9121472/publications.pdf

Version: 2024-02-01

76326 91884 5,081 102 40 69 citations h-index g-index papers 106 106 106 6390 docs citations citing authors all docs times ranked

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Polygenic risk score and risk of monoclonal B-cell lymphocytosis in caucasians and risk of chronic lymphocytic leukemia (CLL) in African Americans. Leukemia, 2022, 36, 119-125. | 7.2 | 10 |
| 2 | Optimization of Meniscus Cell Transduction Using Lentivirus and Adeno-Associated Virus for Gene Editing and Tissue Engineering Applications. Cartilage, 2021, 13, 1602S-1607S. | 2.7 | 1 |
| 3 | Natural history of monoclonal B-cell lymphocytosis among relatives in CLL families. Blood, 2021, 137, 2046-2056. | 1.4 | 16 |
| 4 | Physiological Fitness and the Pathophysiology of Chronic Lymphocytic Leukemia (CLL). Cells, 2021, 10, 1165. | 4.1 | 7 |
| 5 | Endothelial glycocalyx degradation and disease severity in Plasmodium vivax and Plasmodium knowlesi malaria. Scientific Reports, 2021, 11, 9741. | 3.3 | 6 |
| 6 | Degradation of endothelial glycocalyx in Tanzanian children with falciparum malaria. FASEB Journal, 2021, 35, e21805. | 0.5 | 5 |
| 7 | Vascular Dysfunction in Malaria: Understanding the Role of the Endothelial Glycocalyx. Frontiers in Cell and Developmental Biology, 2021, 9, 751251. | 3.7 | 11 |
| 8 | A pilot study of high-intensity interval training in older adults with treatment naÃ-ve chronic lymphocytic leukemia. Scientific Reports, 2021, 11, 23137. | 3.3 | 9 |
| 9 | Novel Prognostic Markers in Previously Treated Chronic Lymphocytic Leukemia. Blood, 2021, 138, 4688-4688. | 1.4 | 1 |
| 10 | Evaluation of culture conditions for <i>in vitro</i> meniscus repair model systems using bone marrow-derived mesenchymal stem cells. Connective Tissue Research, 2020, 61, 322-337. | 2.3 | 11 |
| 11 | Meniscus-Derived Matrix Bioscaffolds: Effects of Concentration and Cross-Linking on Meniscus Cellular Responses and Tissue Repair. International Journal of Molecular Sciences, 2020, 21, 44. | 4.1 | 15 |
| 12 | Early Endothelial Activation Precedes Glycocalyx Degradation and Microvascular Dysfunction in Experimentally Induced Plasmodium falciparum and Plasmodium vivax Infection. Infection and Immunity, 2020, 88, . | 2.2 | 12 |
| 13 | Polygenic Risk Score and Risk of Chronic Lymphocytic Leukemia, Monoclonal B-Cell Lymphocytosis (MBL), and MBL Subtypes. Blood, 2020, 136, 35-36. | 1.4 | 0 |
| 14 | Glycocalyx breakdown is increased in African children with cerebral and uncomplicated falciparum malaria. FASEB Journal, 2019, 33, 14185-14193. | 0.5 | 18 |
| 15 | Meniscus-Derived Matrix Scaffolds Promote the Integrative Repair of Meniscal Defects. Scientific Reports, 2019, 9, 8719. | 3.3 | 29 |
| 16 | Postâ€translational regulation could be determine functional differences between <scp>SET</scp> alpha and beta isoform – Response to Cristóbal <i>etÂal</i> . British Journal of Haematology, 2019, 186, 637-637. | 2.5 | 0 |
| 17 | Kinetic and Cross-Sectional Studies on the Genesis of Hypoargininemia in Severe Pediatric <i>Plasmodium falciparum</i> Malaria. Infection and Immunity, 2019, 87, . | 2.2 | 17 |
| 18 | Glycocalyx Breakdown Is Associated With Severe Disease and Fatal Outcome in Plasmodium falciparum Malaria. Clinical Infectious Diseases, 2019, 69, 1712-1720. | 5.8 | 31 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | <scp>SET</scp> alpha and <scp>SET</scp> beta <scp>mRNA</scp> isoforms in chronic lymphocytic leukaemia. British Journal of Haematology, 2019, 184, 605-615. | 2.5 | 24 |
| 20 | Expression and prognostic relevance of calcium calmodulin-dependent protein kinase kinase 2 (CaMKK2) in chronic lymphocytic leukemia (CLL) Journal of Clinical Oncology, 2019, 37, e19002-e19002. | 1.6 | 3 |
| 21 | Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. Blood, 2018, 131, 2541-2551. | 1.4 | 21 |
| 22 | Clinical outcomes in chronic lymphocytic leukaemia associated with expression of CD5, a negative regulator of Bâ€eell receptor signalling. British Journal of Haematology, 2018, 183, 747-754. | 2.5 | 5 |
| 23 | Exercise and Chronic Lymphocytic Leukemia (CLL) - Relationships Among Physical Activity, Fitness, & Inflammation, and Their Impacts on CLL Patients. Blood, 2018, 132, 5540-5540. | 1.4 | 1 |
| 24 | Decreased Microvascular Function in Tanzanian Children With Severe and Uncomplicated Falciparum Malaria. Open Forum Infectious Diseases, 2017, 4, ofx079. | 0.9 | 4 |
| 25 | Enhanced CDC of B cell chronic lymphocytic leukemia cells mediated by rituximab combined with a novel anti-complement factor H antibody. PLoS ONE, 2017, 12, e0179841. | 2.5 | 11 |
| 26 | Relationship of blood monocytes with chronic lymphocytic leukemia aggressiveness and outcomes: a multiâ€nstitutional study. American Journal of Hematology, 2016, 91, 687-691. | 4.1 | 20 |
| 27 | Nitric Oxide–Dependent Endothelial Dysfunction and Reduced Arginine Bioavailability in Plasmodium vivax Malaria but No Greater Increase in Intravascular Hemolysis in Severe Disease. Journal of Infectious Diseases, 2016, 214, 1557-1564. | 4.0 | 19 |
| 28 | Suppression of Glut1 and Glucose Metabolism by Decreased Akt/mTORC1 Signaling Drives T Cell Impairment in B Cell Leukemia. Journal of Immunology, 2016, 197, 2532-2540. | 0.8 | 110 |
| 29 | Monocyte polarization in children with falciparum malaria: relationship to nitric oxide insufficiency and disease severity. Scientific Reports, 2016, 6, 29151. | 3.3 | 38 |
| 30 | Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. Nature Communications, 2016, 7, 10933. | 12.8 | 94 |
| 31 | An investigation of vago-regulatory and health-behavior accounts for increased inflammation in posttraumatic stress disorder. Journal of Psychosomatic Research, 2016, 83, 33-39. | 2.6 | 18 |
| 32 | Fingolimod Is Cytotoxic in Acute Myeloid Leukemia Independent of Additional Chemotherapeutic Agents. Blood, 2016, 128, 5126-5126. | 1.4 | 1 |
| 33 | Impaired Systemic Tetrahydrobiopterin Bioavailability and Increased Oxidized Biopterins in Pediatric Falciparum Malaria: Association with Disease Severity. PLoS Pathogens, 2015, 11, e1004655. | 4.7 | 29 |
| 34 | Impaired Systemic Tetrahydrobiopterin Bioavailability and Increased Dihydrobiopterin in Adult Falciparum Malaria: Association with Disease Severity, Impaired Microvascular Function and Increased Endothelial Activation. PLoS Pathogens, 2015, 11, e1004667. | 4.7 | 33 |
| 35 | Decreased Endothelial Nitric Oxide Bioavailability, Impaired Microvascular Function, and Increased Tissue Oxygen Consumption in Children with Falciparum Malaria. Journal of Infectious Diseases, 2014, 210, 1627-1632. | 4.0 | 38 |
| 36 | Perifosine treatment in chronic lymphocytic leukemia: results of a phase II clinical trial and <i>in vitro </i> i>studies. Leukemia and Lymphoma, 2014, 55, 1067-1075. | 1.3 | 28 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Dimethylarginines: Endogenous Inhibitors of Nitric Oxide Synthesis in Children With Falciparum Malaria. Journal of Infectious Diseases, 2014, 210, 913-922. | 4.0 | 35 |
| 38 | CD38 variation as a prognostic factor in chronic lymphocytic leukemia. Leukemia and Lymphoma, 2014, 55, 191-194. | 1.3 | 11 |
| 39 | Acute and Chronic Lymphocytic Leukemia Induces Exhaustion and Suppresses Metabolic Reprogramming in T Cell Activation. Blood, 2014, 124, 4121-4121. | 1.4 | 0 |
| 40 | Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. Nature Genetics, 2013, 45, 868-876. | 21.4 | 179 |
| 41 | Autoimmune disorders in patients with B-cell chronic lymphocytic leukemia Journal of Clinical Oncology, 2013, 31, 7103-7103. | 1.6 | 0 |
| 42 | Laboratory Correlates and a Phase I Clinical Trial Of Lenalidomide In Combination With Plerixafor In Patients With Previously Treated Chronic Lymphocytic Leukemia. Blood, 2013, 122, 5301-5301. | 1.4 | 0 |
| 43 | Molecular and Clinical Associations Between Vitamin D and Chronic Lymphocytic Leukemia. Blood, 2013, 122, 5282-5282. | 1.4 | 1 |
| 44 | Single nucleotide polymorphisms and inherited risk of chronic lymphocytic leukemia among African Americans. Blood, 2012, 120, 1687-1690. | 1.4 | 16 |
| 45 | Common variation at 6p21.31 (BAK1) influences the risk of chronic lymphocytic leukemia. Blood, 2012, 120, 843-846. | 1.4 | 76 |
| 46 | Plasma Plasmodium falciparum Histidine-Rich Protein-2 Concentrations Are Associated with Malaria Severity and Mortality in Tanzanian Children. PLoS ONE, 2012, 7, e35985. | 2.5 | 48 |
| 47 | Genome-wide association study identifies a novel susceptibility locus at 6p21.3 among familial CLL. Blood, 2011, 117, 1911-1916. | 1.4 | 118 |
| 48 | SET oncoprotein overexpression in B-cell chronic lymphocytic leukemia and non-Hodgkin lymphoma: a predictor of aggressive disease and a new treatment target. Blood, 2011, 118, 4150-4158. | 1.4 | 108 |
| 49 | Malaria severity and human nitric oxide synthase type 2 (NOS2) promoter haplotypes. Human Genetics, 2010, 127, 163-182. | 3.8 | 23 |
| 50 | Common occurrence of monoclonal Bâ€cell lymphocytosis among members of highâ€risk CLL families. British Journal of Haematology, 2010, 151, 152-158. | 2.5 | 61 |
| 51 | A Single Tube, Four-Color Flow Cytometry Assay for Evaluation of ZAP-70 and CD38 Expression in Chronic Lymphocytic Leukemia. American Journal of Clinical Pathology, 2010, 133, 708-717. | 0.7 | 8 |
| 52 | Genetic Susceptibility Variants for Chronic Lymphocytic Leukemia. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1098-1102. | 2.5 | 31 |
| 53 | Increased Asymmetric Dimethylarginine in Severe Falciparum Malaria: Association with Impaired Nitric Oxide Bioavailability and Fatal Outcome. PLoS Pathogens, 2010, 6, e1000868. | 4.7 | 70 |
| 54 | Statin use and need for therapy in chronic lymphocytic leukemia. Leukemia and Lymphoma, 2010, 51, 2295-2298. | 1.3 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Relationship of Cellâ€Free Hemoglobin to Impaired Endothelial Nitric Oxide Bioavailability and Perfusion in Severe Falciparum Malaria. Journal of Infectious Diseases, 2009, 200, 1522-1529. | 4.0 | 124 |
| 56 | A Genomic Approach to Improve Prognosis and Predict Therapeutic Response in Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2009, 15, 6947-6955. | 7.0 | 37 |
| 57 | Inhibition of nitric oxide synthase by cobalamins and cobinamides. Free Radical Biology and Medicine, 2009, 46, 1626-1632. | 2.9 | 58 |
| 58 | Inhibition of Matrix Metalloproteinases Enhances In Vitro Repair of the Meniscus. Clinical Orthopaedics and Related Research, 2009, 467, 1557-1567. | 1.5 | 66 |
| 59 | Oligoclonal <i>TRBV</i> gene usage among CD8 ⁺ T cells in monoclonal B lymphocytosis and CLL. British Journal of Haematology, 2009, 145, 535-537. | 2.5 | 4 |
| 60 | Inhibition of integrative repair of the meniscus following acute exposure to interleukinâ€1 in vitro. Journal of Orthopaedic Research, 2008, 26, 504-512. | 2.3 | 75 |
| 61 | CLL cell apoptosis induced by nitric oxide synthase inhibitors: Correlation with lipid solubility and NOS1 dissociation constant. Leukemia Research, 2008, 32, 1061-1070. | 0.8 | 11 |
| 62 | Recovery of Endothelial Function in Severe Falciparum Malaria: Relationship with Improvement in Plasma <scp>I</scp> â€Arginine and Blood Lactate Concentrations. Journal of Infectious Diseases, 2008, 198, 602-608. | 4.0 | 73 |
| 63 | Arginine, nitric oxide, carbon monoxide, and endothelial function in severe malaria. Current Opinion in Infectious Diseases, 2008, 21, 468-475. | 3.1 | 84 |
| 64 | Family-Associated Monoclonal B Lymphocytosis Is Commonly Oligoclonal and Expresses Markers Associated with Adverse Risk in CLL. Blood, 2008, 112, 3144-3144. | 1.4 | 2 |
| 65 | Safety Profile of L-Arginine Infusion in Moderately Severe Falciparum Malaria. PLoS ONE, 2008, 3, e2347. | 2.5 | 28 |
| 66 | Nitric Oxide Synthase and Cyclooxygenase Interactions in Cartilage and Meniscus., 2007, 42, 31-62. | | 35 |
| 67 | Repair Response of the Inner and Outer Regions of the Porcine Meniscus in Vitro. American Journal of Sports Medicine, 2007, 35, 754-762. | 4.2 | 71 |
| 68 | Impaired nitric oxide bioavailability and <scp>l</scp> -arginine–reversible endothelial dysfunction in adults with falciparum malaria. Journal of Experimental Medicine, 2007, 204, 2693-2704. | 8.5 | 270 |
| 69 | Progressive immunoglobulin gene mutations in chronic lymphocytic leukemia: evidence for antigen-driven intraclonal diversification. Blood, 2007, 109, 1559-1567. | 1.4 | 32 |
| 70 | Enhanced integrative repair of the porcine meniscus in vitro by inhibition of interleukin†or tumor necrosis factor α. Arthritis and Rheumatism, 2007, 56, 3033-3043. | 6.7 | 80 |
| 71 | Clinical and molecular predictors of disease severity and survival in chronic lymphocytic leukemia. American Journal of Hematology, 2007, 82, 1063-1070. | 4.1 | 47 |
| 72 | Serum, urinary, and salivary nitric oxide in rheumatoid arthritis: complexities of interpreting nitric oxide measures. Arthritis Research and Therapy, 2006, 8, R140. | 3.5 | 18 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 73 | Biaxial Strain Effects on Cells from the Inner and Outer Regions of the Meniscus. Connective Tissue Research, 2006, 47, 207-214. | 2.3 | 36 |
| 74 | Differential Activation of Nitric-oxide Synthase Isozymes by Calmodulin-Troponin C Chimeras. Journal of Biological Chemistry, 2004, 279, 33547-33557. | 3.4 | 44 |
| 75 | Thermodynamics of Oxidation-Reduction Reactions in Mammalian Nitric-oxide Synthase Isoforms. Journal of Biological Chemistry, 2004, 279, 18759-18766. | 3.4 | 45 |
| 76 | The effects of cyclic mechanical strain and tumor necrosis factor alpha on the response of cells of the meniscus. Osteoarthritis and Cartilage, 2004, 12, 956-962. | 1.3 | 51 |
| 77 | The Role of Biomechanics and Inflammation in Cartilage Injury and Repair. Clinical Orthopaedics and Related Research, 2004, 423, 17-26. | 1.5 | 272 |
| 78 | Low plasma arginine concentrations in children with cerebral malaria and decreased nitric oxide production. Lancet, The, 2003, 361, 676-678. | 13.7 | 154 |
| 79 | Regulation of matrix turnover in meniscal explants: role of mechanical stress, interleukin-1, and nitric oxide. Journal of Applied Physiology, 2003, 95, 308-313. | 2.5 | 77 |
| 80 | A new NOS2 promoter polymorphism associated with increased nitric oxide production and protection from severe malaria in Tanzanian and Kenyan children. Lancet, The, 2002, 360, 1468-1475. | 13.7 | 176 |
| 81 | Influence of hypoxia and reoxygenation on cytokine-induced production of proinflammatory mediators in articular cartilage. Arthritis and Rheumatism, 2002, 46, 968-975. | 6.7 | 58 |
| 82 | Mechanical Stress and Nitric Oxide Influence Leukotriene Production in Cartilage. Biochemical and Biophysical Research Communications, 2001, 285, 806-810. | 2.1 | 20 |
| 83 | The effects of static and intermittent compression on nitric oxide production in articular cartilage explants. Journal of Orthopaedic Research, 2001, 19, 729-737. | 2.3 | 138 |
| 84 | Interleukin-1, tumor necrosis factor ?, and interleukin-17 synergistically up-regulate nitric oxide and prostaglandin E2 production in explants of human osteoarthritic knee menisci. Arthritis and Rheumatism, 2001, 44, 2078-2083. | 6.7 | 197 |
| 85 | Host Response to Infection: the Role of CpG DNA in Induction of Cyclooxygenase 2 and Nitric Oxide Synthase 2 in Murine Macrophages. Infection and Immunity, 2001, 69, 7703-7710. | 2.2 | 32 |
| 86 | Nitric Oxide Synthase 2Lambaréné(Gâ€954C), Increased Nitric Oxide Production, and Protection against Malaria. Journal of Infectious Diseases, 2001, 184, 330-336. | 4.0 | 152 |
| 87 | Nitric Oxide Synthase 2 and Cyclooxygenase 2 Interactions in Inflammation. Immunologic Research, 2000, 22, 319-342. | 2.9 | 95 |
| 88 | Peroxynitrite Formation and Decreased Catalase Activity in Autoimmune MRL-lpr/lpr Mice. Molecular Medicine, 2000, 6, 779-792. | 4.4 | 53 |
| 89 | Interferon-?1A-induced polyarthritis in a patient with the HLA-DRB1*0404 allele. Arthritis and Rheumatism, 1999, 42, 569-573. | 6.7 | 40 |
| 90 | Blood Mononuclear Cell Nitric Oxide Production and Plasma Cytokine Levels in Healthy Gabonese Children with Prior Mild or Severe Malaria. Infection and Immunity, 1999, 67, 4977-4981. | 2.2 | 55 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Reduction of NOS2 overexpression in rheumatoid arthritis patients treated with anti-tumor necrosis factor? monoclonal antibody (cA2). Arthritis and Rheumatism, 1998, 41, 2205-2210. | 6.7 | 66 |
| 92 | Nitric Oxide as an Inflammatory Mediator in Autoimmune MRL-lpr/Ipr Mice. Environmental Health Perspectives, 1998, 106, 1131. | 6.0 | 12 |
| 93 | Nitric Oxide Production and Nitric Oxide Synthase Type 2 Expression by Human Mononuclear Phagocytes: A Review. Molecular Medicine, 1998, 4, 557-591. | 4.4 | 188 |
| 94 | Interferon (IFN)-α Activation of Human Blood Mononuclear Cells In Vitro and In Vivo for Nitric Oxide Synthase (NOS) Type 2 mRNA and Protein Expression: Possible Relationship of Induced NOS2 to the Anti–Hepatitis C Effects of IFN-α In Vivo. Journal of Experimental Medicine, 1997, 186, 1495-1502. | 8.5 | 116 |
| 95 | PIG-A, DAF and proto-oncogene expression in paroxysmal nocturnal haemoglobinuria-associated acute myelogenous leukaemia blasts. British Journal of Haematology, 1995, 89, 72-78. | 2.5 | 24 |
| 96 | Neopterin production by HIV-1–infected mononuclear phagocytes. Journal of Leukocyte Biology, 1994, 56, 650-653. | 3.3 | 4 |
| 97 | Serum and ascitic fluid levels of interleukin-1, interleukin-6, and tumor necrosis factor-alpha in patients with ovarian epithelial cancer. Cancer, 1993, 72, 2433-2440. | 4.1 | 150 |
| 98 | Disease severity in rheumatoid arthritis: Relationships of plasma tumor necrosis factor-?, soluble interleukin 2-receptor, soluble CD4/CD8 ratio, neopterin, and fibrin D-dimer to traditional severity and functional measures. Journal of Clinical Immunology, 1992, 12, 353-361. | 3.8 | 91 |
| 99 | Chemotactic peptide receptor-cytoskeletal interactions and functional correlations in differentiated HL-60 cells and human polymorphonuclear leukocytes. Journal of Cellular Physiology, 1989, 141, 119-125. | 4.1 | 7 |
| 100 | Sperm-Macrophage Interaction in the Mouse: A Quantitative Assay in Vitro using 111Indium Oxine-Labeled Sperm. Biology of Reproduction, 1987, 37, 1170-1178. | 2.7 | 2 |
| 101 | Metastatic hemangiopericytoma with prolonged survival. Cancer, 1987, 60, 916-920. | 4.1 | 24 |
| 102 | Endocytosis of red blood cells or haemoglobin by activated macrophages inhibits their tumoricidal effect. Nature, 1977, 269, 245-247. | 27.8 | 86 |