

John W Blunt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9121885/publications.pdf>

Version: 2024-02-01

157
papers

12,888
citations

34105

52
h-index

23533

111
g-index

171
all docs

171
docs citations

171
times ranked

9914
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Fifty years of capacity building in the search for new marine natural products. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 24165-24172. | 7.1 | 8 |
| 2 | Marine natural products. Natural Product Reports, 2018, 35, 8-53. | 10.3 | 626 |
| 3 | Marine natural products. Natural Product Reports, 2017, 34, 235-294. | 10.3 | 405 |
| 4 | Marine natural products. Natural Product Reports, 2016, 33, 382-431. | 10.3 | 416 |
| 5 | Natural products discovery needs improved taxonomic and geographic information. Natural Product Reports, 2016, 33, 747-750. | 10.3 | 33 |
| 6 | Marine natural products. Natural Product Reports, 2015, 32, 116-211. | 10.3 | 531 |
| 7 | Evolving trends in the dereplication of natural product extracts. 3: further lasiodiplodins from Lasiodiplodia theobromae, an endophyte from Mapania kurzii. Tetrahedron Letters, 2014, 55, 453-455. | 1.4 | 20 |
| 8 | Marine natural products. Natural Product Reports, 2014, 31, 160. | 10.3 | 446 |
| 9 | Data, 1H-NMR databases, data manipulation, –. Phytochemistry Reviews, 2013, 12, 435-447. | 6.5 | 7 |
| 10 | Biogeography and biodiscovery hotspots of macroalgal marine natural products. Natural Product Reports, 2013, 30, 1380. | 10.3 | 87 |
| 11 | Marine natural products. Natural Product Reports, 2013, 30, 237-323. | 10.3 | 506 |
| 12 | The Isolation of a New S-Methyl Benzothioate Compound from a Marine-Derived Streptomyces sp.. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-4. | 3.0 | 11 |
| 13 | Taxonomy and Marine Natural Products Research. , 2012, , 3-54. | | 5 |
| 14 | The Role of Databases in Marine Natural Products Research. , 2012, , 389-421. | | 18 |
| 15 | Marine natural products. Natural Product Reports, 2012, 29, 144-222. | 10.3 | 448 |
| 16 | Marine natural products. Natural Product Reports, 2011, 28, 196-268. | 10.3 | 444 |
| 17 | Marine natural products. Natural Product Reports, 2010, 27, 165. | 10.3 | 346 |
| 18 | Molecules under the microscope. Nature Chemistry, 2010, 2, 799-800. | 13.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Isolation and Characterization of Diastereomers of Discorhabdins H and K and Assignment of Absolute Configuration to Discorhabdins D, N, Q, S, T, and U. <i>Journal of Natural Products</i> , 2010, 73, 1686-1693. | 3.0 | 35 |
| 20 | NMR Studies Uncover Alternate Substrates for Dihydrodipicolinate Synthase and Suggest That Dihydrodipicolinate Reductase Is Also a Dehydratase. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 4808-4812. | 6.4 | 27 |
| 21 | Vanchrobactin and Anguibactin Siderophores Produced by <i>Vibrio</i> sp. DS40M4. <i>Journal of Natural Products</i> , 2010, 73, 1038-1043. | 3.0 | 45 |
| 22 | Antitumour polyether macrolides: Four new halichondrins from the New Zealand deep-water marine sponge <i>Lissodendoryx</i> sp.. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 2199-2203. | 3.0 | 45 |
| 23 | Pederin-Type Pathways of Uncultivated Bacterial Symbionts: Analysis of <i>O</i> -Methyltransferases and Generation of a Biosynthetic Hybrid. <i>Journal of the American Chemical Society</i> , 2009, 131, 2780-2781. | 13.7 | 63 |
| 24 | Isolation of 2-Pyridone Alkaloids from a New Zealand Marine-Derived <i>Penicillium</i> species. <i>Journal of Natural Products</i> , 2009, 72, 477-479. | 3.0 | 39 |
| 25 | Marine natural products. <i>Natural Product Reports</i> , 2009, 26, 170. | 10.3 | 530 |
| 26 | Marine natural products. <i>Natural Product Reports</i> , 2008, 25, 35. | 10.3 | 353 |
| 27 | Evolving Trends in the Dereplication of Natural Product Extracts: New Methodology for Rapid, Small-Scale Investigation of Natural Product Extracts. <i>Journal of Natural Products</i> , 2008, 71, 1595-1599. | 3.0 | 161 |
| 28 | Evolving Trends in the Dereplication of Natural Product Extracts. 2. The Isolation of Chrysaibol, an Antibiotic Peptaibol from a New Zealand Sample of the Mycoparasitic Fungus <i>Sepedonium chrysospermum</i> . <i>Journal of Natural Products</i> , 2008, 71, 1600-1603. | 3.0 | 40 |
| 29 | Synthetic and biological studies on the spiro-mamakone system. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3854. | 2.8 | 15 |
| 30 | Concise, Stereoselective Route to the Four Diastereoisomers of 4-Methylproline. <i>Journal of Natural Products</i> , 2008, 71, 806-809. | 3.0 | 24 |
| 31 | Biosynthesis of spiro-Mamakone A, a Structurally Unprecedented Fungal Metabolite. <i>Journal of Organic Chemistry</i> , 2008, 73, 8635-8638. | 3.2 | 11 |
| 32 | Marine natural products. <i>Natural Product Reports</i> , 2007, 24, 31. | 10.3 | 440 |
| 33 | Excelsione, a Depsidone from an Endophytic Fungus Isolated from the New Zealand Endemic Tree <i>Knightia excelsa</i> . <i>Journal of Natural Products</i> , 2007, 70, 310-311. | 3.0 | 39 |
| 34 | Chrysosporide, a Cyclic Pentapeptide from a New Zealand Sample of the Fungus <i>Sepedonium chrysospermum</i> . <i>Journal of Natural Products</i> , 2006, 69, 1481-1484. | 3.0 | 19 |
| 35 | Pteratides IV, New Cytotoxic Cyclodepsipeptides from the Malaysian Basidiomycete <i>Pterulasp.</i> . <i>Journal of Organic Chemistry</i> , 2006, 71, 7947-7951. | 3.2 | 16 |
| 36 | Cladobotric Acids F: New Cytotoxic Polyketides from a New Zealand <i>Cladobotryum</i> sp.. <i>Journal of Organic Chemistry</i> , 2006, 71, 492-497. | 3.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Lanostane Triterpenoids from the Sri Lankan Basidiomycete <i>Ganoderma applanatum</i> . <i>Journal of Natural Products</i> , 2006, 69, 1245-1248. | 3.0 | 24 |
| 38 | An Unusual Oxalylated Tetramic Acid from the New Zealand Basidiomycete <i>Chamonixiapachydermis</i> . <i>Journal of Natural Products</i> , 2006, 69, 151-153. | 3.0 | 21 |
| 39 | Pterulamides Iâˆ¶VI, Linear Peptides from a Malaysian <i>Pterulasp.</i> . <i>Journal of Natural Products</i> , 2006, 69, 1389-1393. | 3.0 | 13 |
| 40 | Bioactivity Profiling Using HPLC/Microtiter-Plate Analysis:â€” Application to a New Zealand Marine Alga-Derived Fungus, <i>Gliocladium sp.</i> . <i>Journal of Natural Products</i> , 2006, 69, 621-624. | 3.0 | 58 |
| 41 | Marine natural products. <i>Natural Product Reports</i> , 2006, 23, 26. | 10.3 | 424 |
| 42 | spiro-Mamakone A:â€” A Unique Relative of the Spirobisnaphthalene Class of Compounds. <i>Organic Letters</i> , 2006, 8, 2059-2061. | 4.6 | 75 |
| 43 | Validation of ¹ H NMR spectroscopy as an analytical tool for methylamine metabolites in urine. <i>Clinica Chimica Acta</i> , 2006, 365, 264-269. | 1.1 | 39 |
| 44 | Dual side-reactions limit the utility of a key polymer therapeutic precursor. <i>Tetrahedron Letters</i> , 2006, 47, 2875-2878. | 1.4 | 32 |
| 45 | Comparison of the Activities of the Truncated Halichondrin B Analog NSC 707389 (E7389) with Those of the Parent Compound and a Proposed Binding Site on Tubulin. <i>Molecular Pharmacology</i> , 2006, 70, 1866-1875. | 2.3 | 104 |
| 46 | Marine Natural Products. <i>ChemInform</i> , 2005, 36, no. | 0.0 | 0 |
| 47 | The structure of sulfated galactans from selected species of New Zealand <i>Champia</i> . <i>Botanica Marina</i> , 2005, 48, . | 1.2 | 3 |
| 48 | The structure of the galactan from <i>Aeodes nitidissima</i> (Halymeniales, Rhodophyta). <i>Botanica Marina</i> , 2005, 48, . | 1.2 | 8 |
| 49 | The application of ¹³ C NMR spectroscopy to the red algal polysaccharides of selected New Zealand species of <i>Lomentaria</i> . <i>Botanica Marina</i> , 2005, 48, . | 1.2 | 3 |
| 50 | Marine natural products. <i>Natural Product Reports</i> , 2005, 22, 15. | 10.3 | 349 |
| 51 | Hirsutide, a Cyclic Tetrapeptide from a Spider-Derived Entomopathogenic Fungus, <i>Hirsutella sp.</i> . <i>Journal of Natural Products</i> , 2005, 68, 1303-1305. | 3.0 | 45 |
| 52 | Communesins G and H, New Alkaloids from the Psychrotolerant Fungus <i>Penicillium rivulum</i> . <i>Journal of Natural Products</i> , 2005, 68, 258-261. | 3.0 | 115 |
| 53 | Discorhabdin W, the First Dimeric Discorhabdin. <i>Journal of Natural Products</i> , 2005, 68, 1796-1798. | 3.0 | 64 |
| 54 | Dichlorinated Pulvinic Acid Derivative from a Malaysian <i>Sclerodermasp.</i> . <i>Journal of Natural Products</i> , 2005, 68, 1799-1801. | 3.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Paecilosetin, a New Bioactive Fungal Metabolite from a New Zealand Isolate of <i>Paecilomyces farinosus</i> . <i>Journal of Natural Products</i> , 2005, 68, 810-811. | 3.0 | 56 |
| 56 | Marine natural products. <i>Natural Product Reports</i> , 2004, 21, 1. | 10.3 | 304 |
| 57 | A nuclear-magnetic-resonance-based assay for betaine S-methyltransferase activity. <i>Analytical Biochemistry</i> , 2004, 330, 199-205. | 2.4 | 17 |
| 58 | Marine Natural Products. <i>ChemInform</i> , 2004, 35, no. | 0.0 | 0 |
| 59 | Corymbiferan Lactones from <i>Penicillium hordei</i> : Stimulation of Novel Phenolic Metabolites Using Plant Tissue Media. <i>Journal of Natural Products</i> , 2004, 67, 1850-1853. | 3.0 | 23 |
| 60 | Petrobactin Sulfonate, a New Siderophore Produced by the Marine Bacterium <i>Marinobacter hydrocarbonoclasticus</i> . <i>Journal of Natural Products</i> , 2004, 67, 1897-1899. | 3.0 | 66 |
| 61 | Fumagiringillin, a New Fumagillin Derivative from a Strain of the Fungus <i>Aspergillus fumigatus</i> . <i>Journal of Natural Products</i> , 2004, 67, 1434-1437. | 3.0 | 16 |
| 62 | Psychrophilin B and C: Cyclic Nitropeptides from the Psychrotolerant Fungus <i>Penicillium rivulum</i> . <i>Journal of Natural Products</i> , 2004, 67, 1950-1952. | 3.0 | 34 |
| 63 | Novel Cytotoxic Thiodiketopiperazine Derivatives from a <i>Tilachlidium</i> sp.. <i>Journal of Natural Products</i> , 2004, 67, 2090-2092. | 3.0 | 54 |
| 64 | Chaetoglobosins Q, R, and T, Three Further New Metabolites from <i>Chaetomium globosum</i> . <i>Journal of Natural Products</i> , 2004, 67, 1722-1725. | 3.0 | 87 |
| 65 | Anthracycline derivatives from a marine-derived New Zealand Streptomyces. <i>Arkivoc</i> , 2004, 2004, 94-100. | 0.5 | 11 |
| 66 | Marine Natural Products. <i>ChemInform</i> , 2003, 34, no. | 0.0 | 0 |
| 67 | Marine natural products. <i>Natural Product Reports</i> , 2003, 20, 1-48. | 10.3 | 275 |
| 68 | Two Novel Cytotoxic Cyclodepsipeptides from a Mycoparasitic <i>Cladobotryum</i> sp.. <i>Journal of Organic Chemistry</i> , 2003, 68, 2002-2005. | 3.2 | 18 |
| 69 | Î²-Carboline Alkaloids from a New Zealand Marine Bryozoan, <i>Cribricellina Cribraria</i> . <i>Natural Product Research</i> , 2003, 17, 15-19. | 1.8 | 12 |
| 70 | A Novel Cyclodepsipeptide, HA23, from a <i>Fusarium</i> sp.. <i>Organic Letters</i> , 2002, 4, 2095-2096. | 4.6 | 11 |
| 71 | Coproverdine, a Novel, Cytotoxic Marine Alkaloid from a New Zealand Ascidian. <i>Journal of Natural Products</i> , 2002, 65, 1371-1373. | 3.0 | 37 |
| 72 | The Isolation of Two New Chromone Derivatives from the New Zealand Fungus <i>Tolyposcladium extinguens</i> . <i>Journal of Natural Products</i> , 2002, 65, 1681-1682. | 3.0 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Three Novel Cytochalasins X, Y, and Z from <i>Pseudeurotium zonatum</i> . <i>Journal of Natural Products</i> , 2002, 65, 1274-1277. | 3.0 | 34 |
| 74 | Cortamidine Oxide, a Novel Disulfide Metabolite from the New Zealand Basidiomycete (Mushroom) <i>Cortinarius</i> Species. <i>Journal of Natural Products</i> , 2001, 64, 341-344. | 3.0 | 63 |
| 75 | Mycalamides C and D, Cytotoxic Compounds from the Marine Sponge <i>Stylinos</i> n. Species. <i>Journal of Natural Products</i> , 2000, 63, 704-706. | 3.0 | 44 |
| 76 | The discovery and development of marine compounds with pharmaceutical potential. <i>Journal of Biotechnology</i> , 1999, 70, 15-25. | 3.8 | 314 |
| 77 | Biologically active compounds from <i>Ozothamnus leptophyllus</i> . <i>New Zealand Journal of Botany</i> , 1999, 37, 167-174. | 1.1 | 5 |
| 78 | Guttiferone F, the First Prenylated Benzophenone from <i>Allanblackia stuhlmannii</i> . <i>Journal of Natural Products</i> , 1999, 62, 130-132. | 3.0 | 93 |
| 79 | Alertenone, a Dimer of Suberosenone from <i>Alertigorgia</i> sp.. <i>Journal of Natural Products</i> , 1999, 62, 633-635. | 3.0 | 46 |
| 80 | The discovery and development of marine compounds with pharmaceutical potential. <i>Progress in Industrial Microbiology</i> , 1999, 35, 15-25. | 0.0 | 13 |
| 81 | Desulfation of algal galactans. <i>Carbohydrate Research</i> , 1998, 309, 39-43. | 2.3 | 78 |
| 82 | Theonellapeptolide IIIe, a New Cyclic Peptolide from the New Zealand Deep Water Sponge, <i>Lamellomorpha strongylata</i> . <i>Journal of Natural Products</i> , 1998, 61, 724-728. | 3.0 | 28 |
| 83 | Okadaic Acid in New Zealand Sponges: Detection by Cytotoxicity, Protein Phosphatase Inhibition and Immunoassay techniques. <i>Natural Product Research</i> , 1998, 11, 305-312. | 0.4 | 7 |
| 84 | Isolation of Calyculins, Calyculinamides, and Swinholide H from the New Zealand Deep-Water Marine Sponge <i>Lamellomorpha strongylata</i> . <i>Journal of Organic Chemistry</i> , 1997, 62, 2636-2639. | 3.2 | 70 |
| 85 | Antitumor Polyether Macrolides: A New and Hemisynthetic Halichondrins from the New Zealand Deep-Water Sponge <i>Lissodendoryx</i> sp.. <i>Journal of Organic Chemistry</i> , 1997, 62, 1868-1871. | 3.2 | 62 |
| 86 | Nuclear magnetic resonance characterization of 6 β -chloro-5 α -cholestane-3 β ,5-diol formed from the reaction of hypochlorous acid with cholesterol. <i>Lipids</i> , 1997, 32, 363-367. | 1.7 | 18 |
| 87 | The absolute stereochemistry of the New Zealand shellfish toxin gymnodimine. <i>Tetrahedron Letters</i> , 1997, 38, 4889-4890. | 1.4 | 103 |
| 88 | Investigation of the New Zealand basidiomycete <i>Favolaschia calocera</i> : Revision of the structures of 9-methoxystrobilurins K and L, strobilurin D, and hydroxystrobilurin D. <i>Tetrahedron Letters</i> , 1997, 38, 7465-7468. | 1.4 | 33 |
| 89 | Acid-Catalyzed Reactions of Homohalichondrin B, a Marine Sponge-Derived Antitumor Polyether Macrolide. <i>Journal of Organic Chemistry</i> , 1996, 61, 2888-2890. | 3.2 | 11 |
| 90 | NMR Study of Substituted Bicyclo[3.2.1]octanes. <i>Magnetic Resonance in Chemistry</i> , 1996, 34, 131-136. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Structural and synthetic studies of the pataamines: Synthesis and absolute configuration of the hydroxydienoate fragment. <i>Tetrahedron Letters</i> , 1995, 36, 5307-5310. | 1.4 | 8 |
| 92 | Alkaloids from the antarctic sponge <i>Kirkpatrickia varialosa</i> . <i>Tetrahedron</i> , 1994, 50, 3987-3992. | 1.9 | 173 |
| 93 | Alkaloids from the antarctic sponge <i>Kirkpatrickia varialosa</i> . Part 2: Variolin A and N(3- ϵ^2)-methyl tetrahydrovariolin B. <i>Tetrahedron</i> , 1994, 50, 3993-4000. | 1.9 | 127 |
| 94 | Isohomohalichondrin B, a new antitumour polyether macrolide from the New Zealand deep-water sponge <i>Lissodendoryx</i> sp.. <i>Tetrahedron Letters</i> , 1994, 35, 9435-9438. | 1.4 | 79 |
| 95 | A sesquiterpenoid ant repellent from <i>Dysoxylum spectabile</i> . <i>Phytochemistry</i> , 1994, 35, 1455-1456. | 2.9 | 21 |
| 96 | Natural and Synthetic Derivatives of Discorhabdin C, a Cytotoxic Pigment from the New Zealand Sponge <i>Latrunculia</i> cf. <i>bocagei</i> . <i>Journal of Organic Chemistry</i> , 1994, 59, 8233-8238. | 3.2 | 59 |
| 97 | Isolation of the Furan Fatty Acid, (8Z,11Z,14Z,17Z)-3,6-Epoxyeicos-3,5,8,11,14,17-hexenoic Acid from the New Zealand Sponge <i>Hymeniacidon hauraki</i> . <i>Journal of Natural Products</i> , 1994, 57, 1557-1559. | 3.0 | 14 |
| 98 | Luteolin and 6-hydroxyluteolin glycosides from <i>Hebe stricta</i> . <i>Phytochemistry</i> , 1993, 33, 867-869. | 2.9 | 24 |
| 99 | Phenylpropanoid Glycoside Esters: Leucine Aminopeptidase Inhibitors from <i>Hebe stricta</i> var. <i>atkinsonii</i> . <i>Natural Product Research</i> , 1993, 3, 87-94. | 0.4 | 4 |
| 100 | Chemistry of the mycalamides, antiviral and antitumour compounds from a marine sponge. Part 3. Acyl, alkyl and silyl derivatives. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1992, , 1335. | 0.9 | 23 |
| 101 | Forsythiaside and a mevalonolactone glucoside derivative from <i>Hebe stricta</i> var. <i>atkinsonii</i> (Scrophulariaceae). <i>New Zealand Journal of Botany</i> , 1992, 30, 435-436. | 1.1 | 0 |
| 102 | The guttiferones, HIV-inhibitory benzophenones from <i>Symphonia globulifera</i> , <i>Garcinia livingstonei</i> , <i>Garcinia ovalifolia</i> and <i>Clusia rosea</i> . <i>Tetrahedron</i> , 1992, 48, 10093-10102. | 1.9 | 264 |
| 103 | New Cytotoxic $\hat{1}^2$ -Carboline Alkaloids from the Marine Bryozoan, <i>Cribricellina cribraria</i> . <i>Journal of Natural Products</i> , 1991, 54, 1068-1076. | 3.0 | 84 |
| 104 | Cytotoxic and Antifungal C14 Amines From a New Zealand Ascidian: Major Lipid Components of <i>Pseudodistoma novaezelandiae</i> . <i>Australian Journal of Chemistry</i> , 1991, 44, 627. | 0.9 | 24 |
| 105 | Pataamine: a potent cytotoxin from the New Zealand Marine sponge, <i>mycale</i> sp.. <i>Tetrahedron Letters</i> , 1991, 32, 6411-6414. | 1.4 | 161 |
| 106 | HIV inhibitory natural products. 3. Diterpenes from and. <i>Tetrahedron</i> , 1991, 47, 4547-4554. | 1.9 | 64 |
| 107 | Antiviral and antitumor agents from a New Zealand sponge, <i>Mycale</i> sp. 2. Structures and solution conformations of mycalamides A and B. <i>Journal of Organic Chemistry</i> , 1990, 55, 223-227. | 3.2 | 150 |
| 108 | Biological activity in New Zealand marine organisms. <i>Pure and Applied Chemistry</i> , 1989, 61, 529-534. | 1.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Autooxidation Studies on the Marine Sesterterpene Tetroneic Acid, Variabilin. <i>Journal of Natural Products</i> , 1989, 52, 346-359. | 3.0 | 33 |
| 110 | Different solution and solid-state conformations of the antibiotic cycloheximide. <i>Magnetic Resonance in Chemistry</i> , 1989, 27, 624-627. | 1.9 | 9 |
| 111 | Complete assignment of the ^{13}C and ^1H NMR spectra of thyriferyl acetate. <i>Magnetic Resonance in Chemistry</i> , 1989, 27, 792-795. | 1.9 | 9 |
| 112 | A biologically active 1,2,3-trithiane derivative from the New Zealand ascidian <i>Aplidium</i> sp. D.. <i>Tetrahedron Letters</i> , 1989, 30, 3703-3706. | 1.4 | 53 |
| 113 | Eudistomins From the New Zealand Ascidian <i>Ritterella sigillinoides</i> . <i>Australian Journal of Chemistry</i> , 1989, 42, 1201. | 0.9 | 77 |
| 114 | Effects of pH and temperature on cardioactive polypeptides from sea anemones: ^1H -nmr study. <i>Biopolymers</i> , 1988, 27, 1143-1157. | 2.4 | 20 |
| 115 | Novel 2(5)-furanones from the red marine alga <i>Delisea elegans</i> (Lamouroux). <i>Tetrahedron</i> , 1988, 44, 1489-1502. | 1.9 | 22 |
| 116 | Cytotoxic pigments from new Zealand sponges of the genus <i>Latrunculia</i> : discorhabdins a, b and c. <i>Tetrahedron</i> , 1988, 44, 1727-1734. | 1.9 | 199 |
| 117 | Eudistomin K: crystal structure and absolute stereochemistry. <i>Tetrahedron Letters</i> , 1988, 29, 4971-4972. | 1.4 | 27 |
| 118 | Eudistomin K sulfoxide - an antiviral sulfoxide from the New Zealand ascidian <i>Ritterella sigillinoides</i> . <i>Tetrahedron Letters</i> , 1988, 29, 2255-2256. | 1.4 | 65 |
| 119 | Variabilin and Related Compounds from a Sponge of the Genus <i>Sarcotragus</i> . <i>Journal of Natural Products</i> , 1988, 51, 275-281. | 3.0 | 51 |
| 120 | Discorhabdin D, an antitumor alkaloid from the sponges <i>Latrunculia brevis</i> and <i>Prianos</i> sp. <i>Journal of Organic Chemistry</i> , 1988, 53, 4127-4128. | 3.2 | 143 |
| 121 | Isolation and structural characterisation of isopimarane in some New Zealand seep oils. <i>Organic Geochemistry</i> , 1988, 12, 479-486. | 1.8 | 14 |
| 122 | Mycalamide A, an antiviral compound from a New Zealand sponge of the genus <i>Mycale</i> . <i>Journal of the American Chemical Society</i> , 1988, 110, 4850-4851. | 13.7 | 229 |
| 123 | A 1,3-Nitro migration in the reaction of nitrogen dioxide with 2- <i>t</i> -butyl-4,6-dimethyl-4-nitrocyclohexa-2,5-dienone. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 62. | 2.0 | 3 |
| 124 | Sesquiterpenes From a New Zealand Sponge of the Genus <i>Eurypon</i> . <i>Australian Journal of Chemistry</i> , 1988, 41, 1755. | 0.9 | 40 |
| 125 | 1,3,7-Trimethylguanidine from the Sponge <i>Latrunculia brevis</i> . <i>Journal of Natural Products</i> , 1987, 50, 307-308. | 3.0 | 23 |
| 126 | Occurrence of variabilin in New Zealand sponges of the order Dictyoceratida. <i>Biochemical Systematics and Ecology</i> , 1987, 15, 373-376. | 1.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Reverse Phase Flash Chromatography: A Method for the Rapid Partitioning of Natural Product Extracts. <i>Journal of Natural Products</i> , 1987, 50, 290-292. | 3.0 | 62 |
| 128 | The stereochemistry of Eudistomins C,K,E,F AND L. <i>Tetrahedron Letters</i> , 1987, 28, 1825-1826. | 1.4 | 39 |
| 129 | The Search for Antiviral and Anticancer Compounds from Marine Organisms. <i>Bioorganic Marine Chemistry</i> , 1987, , 93-176. | 0.2 | 48 |
| 130 | Discorhabdin C, a highly cytotoxic pigment from a sponge of the genus <i>Latrunculia</i> . <i>Journal of Organic Chemistry</i> , 1986, 51, 5476-5478. | 3.2 | 194 |
| 131 | Synthesis of Acarnidines: Guanidinated Spermidine Homologs Through Imine Intermediates. <i>Australian Journal of Chemistry</i> , 1986, 39, 447. | 0.9 | 10 |
| 132 | Metabolites of the marine red alga <i>Laurencia thyrifera</i> . III. <i>Australian Journal of Chemistry</i> , 1984, 37, 1545. | 0.9 | 15 |
| 133 | Sesquiterpenes from the marine red alga <i>Laurencia distichophylla</i> . <i>Phytochemistry</i> , 1984, 23, 1951-1954. | 2.9 | 19 |
| 134 | Conformational heterogeneity in polypeptide cardiac stimulants from sea anemones. <i>FEBS Letters</i> , 1984, 174, 15-19. | 2.8 | 27 |
| 135 | Reactions of propargyl alcohols. VI. Lithium aluminium hydride reductions of 2,2-Dimethyl-3-phenylhex-4-yn-3-ol, its 1-methoxy derivative and 2,2-Di-(methoxymethyl)-3-phenylhex-4-yn-3-ol. <i>Australian Journal of Chemistry</i> , 1983, 36, 581. | 0.9 | 0 |
| 136 | Reactions of propargyl alcohols. VII. Lithium aluminium hydride reductions of 1-methoxy-2-phenylpent-3-yn-2-ol, 1-methoxy-3-phenylhex-4-yn-3-ol and 7-methoxy-4-phenylhept-2-yn-4-ol. <i>Australian Journal of Chemistry</i> , 1983, 36, 1387. | 0.9 | 2 |
| 137 | Reactions of propargyl alcohols. V. Lithium aluminium hydride reduction of some C 1-epimeric 4-t-butyl-1-prop-1'-ynylcyclohexanols. <i>Australian Journal of Chemistry</i> , 1982, 35, 2519. | 0.9 | 3 |
| 138 | A general synthesis of the acarnidines. <i>Tetrahedron Letters</i> , 1982, 23, 2793-2796. | 1.4 | 13 |
| 139 | The acid-catalysed rearrangement of (8R, 13R)-8,17-epoxylabd-14-en-13-ol; X-ray structure analysis of a tetracyclic ether product. <i>Australian Journal of Chemistry</i> , 1981, 34, 2475. | 0.9 | 0 |
| 140 | 2-deoxy-3-epiecdysone from the fern <i>Blechnum vulcanicum</i> . <i>Phytochemistry</i> , 1981, 20, 2407-2410. | 2.9 | 19 |
| 141 | studies of tetracyclic diterpenoid biosynthesis. <i>Tetrahedron Letters</i> , 1981, 22, 1923-1924. | 1.4 | 3 |
| 142 | Cyclopropane derivatives from the lithium aluminium hydride reduction of methoxyalkynols. <i>Tetrahedron Letters</i> , 1981, 22, 2143-2144. | 1.4 | 1 |
| 143 | A new vinyl acetylene from the red alga <i>Laurencia thyrifera</i> . <i>Australian Journal of Chemistry</i> , 1981, 34, 2393. | 0.9 | 22 |
| 144 | Saccharides of Developing Wheat Grain Determined by ¹³ C-NMR Spectroscopy. <i>Starch/Staerke</i> , 1980, 32, 198-205. | 2.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Carbon-13 NMR spectra of some tetra- and pentacyclic triterpene methyl ethers. <i>Magnetic Resonance in Chemistry</i> , 1980, 13, 26-27. | 0.7 | 23 |
| 146 | Syntheses of Haptens Related to the Benzenoid and Indole Portions of Sporidesmin A; ¹³ C N.M.R. Spectra of Indole Derivatives. <i>Australian Journal of Chemistry</i> , 1979, 32, 1045. | 0.9 | 15 |
| 147 | Anionopentaaminocobalt(III) complexes with polyamine ligands XVIII. The synthesis and characterisation of some isomers of chloro(diethylene-triamine)bis(monoamine)cobalt(III) complexes. <i>Inorganica Chimica Acta</i> , 1979, 33, 269-279. | 2.4 | 16 |
| 148 | A ¹³ C NMR study of some ammine complexes of diethylenetriaminocobalt(III). <i>Inorganica Chimica Acta</i> , 1979, 32, L5-L8. | 2.4 | 9 |
| 149 | Carbon-13 N.M.R. Analysis of Tutin and Related Substances: Application to the Identification of Minor Components of Toxic Honey.. <i>Australian Journal of Chemistry</i> , 1979, 32, 1339. | 0.9 | 19 |
| 150 | The Absolute Configuration at C24 of the Ecdysteroids Dacrysterone, Pterosterone and Ponasterone C. <i>Australian Journal of Chemistry</i> , 1979, 32, 779. | 0.9 | 15 |
| 151 | Thyrsiferol: a squalene-derived metabolite of. <i>Tetrahedron Letters</i> , 1978, 19, 69-72. | 1.4 | 82 |
| 152 | The acid-catalysed dehydration of 13 [±] -Substituted-13 [±] -methylpodocarpan-8 [±] -ols. <i>Australian Journal of Chemistry</i> , 1977, 30, 2015. | 0.9 | 3 |
| 153 | Acid-catalysed reactions of the 7,8-Epoxyisopimar-15-enes. <i>Australian Journal of Chemistry</i> , 1976, 29, 987. | 0.9 | 9 |
| 154 | An automated procedure for qualitative and quantitative analysis of mixtures by means of carbon magnetic resonance spectroscopy: Applications to carbohydrate analysis. <i>Australian Journal of Chemistry</i> , 1976, 29, 975. | 0.9 | 29 |
| 155 | ¹² -Methylation shifts from the ¹³ C N.M.R. spectrum of 1,4-O,O-Dimethyl-chiro-inositol. <i>Australian Journal of Chemistry</i> , 1976, 29, 1115. | 0.9 | 9 |
| 156 | [246] Vitamin D. <i>Methods in Enzymology</i> , 1971, 18, 709-733. | 1.0 | 5 |
| 157 | Isolation and identification of 25-hydroxyergocalciferol. <i>Biochemistry</i> , 1969, 8, 3515-3520. | 2.5 | 93 |