

Thierry Guerin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9125365/publications.pdf>

Version: 2024-02-01

86
papers

3,736
citations

101543

36
h-index

138484

58
g-index

86
all docs

86
docs citations

86
times ranked

3984
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Toward a routine methodology for speciation analysis of methylmercury in fishery products by HPLC coupled to ICP-MS following the validation based on the accuracy profile approach. <i>International Journal of Environmental Analytical Chemistry</i> , 2022, 102, 3343-3356. | 3.3 | 6 |
| 2 | Development and validation of a single run method based on species specific isotope dilution and HPLC-ICP-MS for simultaneous species interconversion correction and speciation analysis of Cr(III)/Cr(VI) in meat and dairy products. <i>Talanta</i> , 2021, 222, 121538. | 5.5 | 21 |
| 3 | Optimisation and application of an analytical approach for the characterisation of TiO ₂ nanoparticles in food additives and pharmaceuticals by single particle inductively coupled plasma-mass spectrometry. <i>Talanta</i> , 2021, 224, 121873. | 5.5 | 20 |
| 4 | Chromium speciation analysis in raw and cooked milk and meat samples by species-specific isotope dilution and HPLC-ICP-MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021, 38, 304-314. | 2.3 | 14 |
| 5 | Ultra-trace speciation analysis of Cr(III) and Cr(VI) in rice using species-specific isotope dilution and HPLC-ICP-MS. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2021, 38, 1735-1742. | 2.3 | 14 |
| 6 | Correlation between endemic chlordecone concentrations in three bovine tissues determined by isotopic dilution liquid chromatography-tandem mass spectrometry. <i>Science of the Total Environment</i> , 2021, 788, 147833. | 8.0 | 2 |
| 7 | Carry-over assessment of fumonisins and zearalenone to poultry tissues after exposure of chickens to a contaminated diet – A study implementing stable-isotope dilution assay and UHPLC-MS/MS. <i>Food Control</i> , 2020, 107, 106789. | 5.5 | 18 |
| 8 | First Detection of Tetrodotoxin in Bivalves and Gastropods from the French Mainland Coasts. <i>Toxins</i> , 2020, 12, 599. | 3.4 | 30 |
| 9 | Effect of home cooking processes on chlordecone content in beef and investigation of its by-products and metabolites by HPLC-HRMS/MS. <i>Environment International</i> , 2020, 144, 106077. | 10.0 | 9 |
| 10 | Assessment of trace element contamination and bioaccumulation in algae (<i>Ulva lactuca</i>), bivalves (<i>Spondylus spinosus</i>) and shrimps (<i>Marsupenaeus japonicus</i>) from the Lebanese coast. <i>Regional Studies in Marine Science</i> , 2020, 39, 101478. | 0.7 | 7 |
| 11 | Update of the risk assessment of nickel in food and drinking water. <i>EFSA Journal</i> , 2020, 18, e06268. | 1.8 | 67 |
| 12 | Seasonal and Spatial Variability of Trace Elements in Livers and Muscles of Three Fish Species from the Eastern Mediterranean. <i>Environmental Science and Pollution Research</i> , 2020, 27, 12428-12438. | 5.3 | 15 |
| 13 | Occurrence of 30 trace elements in foods from a multi-centre Sub-Saharan Africa Total Diet Study: Focus on Al, As, Cd, Hg, and Pb. <i>Environment International</i> , 2019, 133, 105197. | 10.0 | 19 |
| 14 | Characterization of TiO ₂ Nanoparticles in Food Additives by Asymmetric-Flow Field-Flow Fractionation Coupled to Inductively Coupled Plasma-Mass Spectrometry – a Pilot Study. <i>Food Analytical Methods</i> , 2019, 12, 1973-1987. | 2.6 | 8 |
| 15 | French infant total diet study: Dietary exposure to heat-induced compounds (acrylamide, furan and) Tj ETQq1 1 0.784314 rgBT /Overl 130, 308-316. | 3.6 | 34 |
| 16 | Cr(VI) and Cr(III) in milk, dairy and cereal products and dietary exposure assessment. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2019, 12, 209-215. | 2.8 | 12 |
| 17 | Trace element contents in foods from the first French total diet study on infants and toddlers. <i>Journal of Food Composition and Analysis</i> , 2019, 78, 108-120. | 3.9 | 25 |
| 18 | Non-Essential Trace Elements Dietary Exposure in French Polynesia: Intake Assessment, Nail Bio Monitoring and Thyroid Cancer Risk. <i>Asian Pacific Journal of Cancer Prevention</i> , 2019, 20, 355-367. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Classification of trace elements in tissues from organic and conventional French pig production. <i>Meat Science</i> , 2018, 141, 28-35. | 5.5 | 10 |
| 20 | Development and validation of an HPLC-MS/MS method with QuEChERS extraction using isotopic dilution to simultaneously analyze chlordecone and chlordecol in animal livers. <i>Food Chemistry</i> , 2018, 252, 147-153. | 8.2 | 25 |
| 21 | Dietary exposure to cadmium and health risk assessment in children – Results of the French infant total diet study. <i>Food and Chemical Toxicology</i> , 2018, 115, 358-364. | 3.6 | 57 |
| 22 | Development and application of a method for Cr(III) determination in dairy products by HPLC-ICP-MS. <i>Food Chemistry</i> , 2018, 240, 183-188. | 8.2 | 27 |
| 23 | Mercury in foods from the first French total diet study on infants and toddlers. <i>Food Chemistry</i> , 2018, 239, 920-925. | 8.2 | 18 |
| 24 | Levels of acrylamide in foods included in – the first French total diet study on infants and toddlers –™. <i>Food Chemistry</i> , 2018, 240, 997-1004. | 8.2 | 37 |
| 25 | Extended Targeted and Non-Targeted Strategies for the Analysis of Marine Toxins in Mussels and Oysters by (LC-HRMS). <i>Toxins</i> , 2018, 10, 375. | 3.4 | 26 |
| 26 | Levels of furan in foods from the first French Total Diet Study on infants and toddlers. <i>Food Chemistry</i> , 2018, 266, 381-388. | 8.2 | 12 |
| 27 | Validation of analytical methods for chlordecone and its metabolites in the urine and feces of ewes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1093-1094, 66-76. | 2.3 | 10 |
| 28 | French infant total diet study: Exposure to selected trace elements and associated health risks. <i>Food and Chemical Toxicology</i> , 2018, 120, 625-633. | 3.6 | 36 |
| 29 | Ochratoxin A determination in swine muscle and liver from French conventional or organic farming production systems. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 131-137. | 2.3 | 17 |
| 30 | Optimization and validation of the methods for the total mercury and methylmercury determination in breast milk. <i>Talanta</i> , 2017, 167, 404-410. | 5.5 | 26 |
| 31 | Human health risks related to the consumption of foodstuffs of plant and animal origin produced on a site polluted by chemical munitions of the First World War. <i>Science of the Total Environment</i> , 2017, 599-600, 314-323. | 8.0 | 23 |
| 32 | Levels of lead in foods from the first French total diet study on infants and toddlers. <i>Food Chemistry</i> , 2017, 237, 849-856. | 8.2 | 19 |
| 33 | Solid-phase microextraction set-up for the analysis of liver volatolome to detect livestock exposure to micropollutants. <i>Journal of Chromatography A</i> , 2017, 1497, 9-18. | 3.7 | 12 |
| 34 | Micropollutants and chemical residues in organic and conventional meat. <i>Food Chemistry</i> , 2017, 232, 218-228. | 8.2 | 40 |
| 35 | Effects of pan cooking on micropollutants in meat. <i>Food Chemistry</i> , 2017, 232, 395-404. | 8.2 | 20 |
| 36 | Simultaneous liquid chromatography-tandem mass spectrometry analysis of brominated flame retardants (tetrabromobisphenol A and hexabromocyclododecane diastereoisomers) in French breast milk. <i>Chemosphere</i> , 2017, 186, 762-769. | 8.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Optimisation of selective alkaline extraction for Cr(VI) determination in dairy and cereal products by HPLC-ICPMS using an experimental design. <i>Food Chemistry</i> , 2017, 214, 339-346. | 8.2 | 28 |
| 38 | Exposure assessment of arsenic speciation in different rice types depending on the cooking mode. <i>Journal of Food Composition and Analysis</i> , 2016, 54, 37-47. | 3.9 | 25 |
| 39 | FOXE1 Polymorphism Interacts with Dietary Iodine Intake in Differentiated Thyroid Cancer Risk in the Cuban Population. <i>Thyroid</i> , 2016, 26, 1752-1760. | 4.5 | 6 |
| 40 | Hunt for Palytoxins in a Wide Variety of Marine Organisms Harvested in 2010 on the French Mediterranean Coast. <i>Marine Drugs</i> , 2015, 13, 5425-5446. | 4.6 | 38 |
| 41 | Simultaneous determination of 31 elements in foodstuffs by ICP-MS after closed-vessel microwave digestion: Method validation based on the accuracy profile. <i>Journal of Food Composition and Analysis</i> , 2015, 41, 35-41. | 3.9 | 79 |
| 42 | Determination of total iodine in French Polynesian foods: Method validation and occurrence data. <i>Food Chemistry</i> , 2015, 169, 134-140. | 8.2 | 32 |
| 43 | Nutritional Risk Assessment of Eleven Minerals and Trace Elements: Prevalence of Inadequate and Excessive Intakes from the Second French Total Diet Study. <i>European Journal of Nutrition & Food Safety</i> , 2015, 5, 281-296. | 0.2 | 7 |
| 44 | Dietary exposure and health risk assessment for 14 toxic and essential trace elements in Yaoundé: the Cameroonian total diet study. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2014, 31, 1064-1080. | 2.3 | 39 |
| 45 | Method development and inter-laboratory comparison about the determination of titanium from titanium dioxide nanoparticles in tissues by inductively coupled plasma mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3853-61. | 3.7 | 38 |
| 46 | Concentration data for 25 elements in foodstuffs in Yaoundé: The Cameroonian Total Diet Study. <i>Journal of Food Composition and Analysis</i> , 2014, 34, 39-55. | 3.9 | 20 |
| 47 | Distribution and relationships of As, Cd, Pb and Hg in freshwater fish from five French fishing areas. <i>Chemosphere</i> , 2013, 90, 1900-1910. | 8.2 | 95 |
| 48 | Simultaneous determination of mercury and butyltin species using a multiple species-specific isotope dilution methodology on the European, <i>Anguilla anguilla</i> glass eel and yellow eel. <i>International Journal of Environmental Analytical Chemistry</i> , 2013, 93, 166-182. | 3.3 | 10 |
| 49 | Mercury speciation in seafood using isotope dilution analysis: A review. <i>Talanta</i> , 2012, 89, 12-20. | 5.5 | 51 |
| 50 | Dietary exposure to trace elements and health risk assessment in the 2nd French Total Diet Study. <i>Food and Chemical Toxicology</i> , 2012, 50, 2432-2449. | 3.6 | 252 |
| 51 | Use of a continuous leaching method to assess the oral bioaccessibility of trace elements in seafood. <i>Food Chemistry</i> , 2012, 135, 623-633. | 8.2 | 46 |
| 52 | Li, Cr, Mn, Co, Ni, Cu, Zn, Se and Mo levels in foodstuffs from the Second French TDS. <i>Food Chemistry</i> , 2012, 132, 1502-1513. | 8.2 | 100 |
| 53 | Strontium, silver, tin, iron, tellurium, gallium, germanium, barium and vanadium levels in foodstuffs from the Second French Total Diet Study. <i>Journal of Food Composition and Analysis</i> , 2012, 25, 108-129. | 3.9 | 70 |
| 54 | Calcium, magnesium, sodium and potassium levels in foodstuffs from the second French Total Diet Study. <i>Journal of Food Composition and Analysis</i> , 2012, 25, 97-107. | 3.9 | 48 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Bioaccessibility of total arsenic and arsenic species in seafood as determined by a continuous online leaching method. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2849-2859. | 3.7 | 47 |
| 56 | Contamination levels for lead, cadmium and mercury in marine gastropods, echinoderms and tunicates. <i>Food Control</i> , 2011, 22, 433-437. | 5.5 | 26 |
| 57 | Determination of seven arsenic species in seafood by ion exchange chromatography coupled to inductively coupled plasma-mass spectrometry following microwave assisted extraction: Method validation and occurrence data. <i>Talanta</i> , 2011, 83, 770-779. | 5.5 | 99 |
| 58 | Optimisation of ICP-MS collision/reaction cell conditions for the determination of elements likely to be interfered (V, Cr, Fe, Co, Ni, As and Se) in foodstuffs. <i>Talanta</i> , 2011, 85, 2605-2613. | 5.5 | 27 |
| 59 | Mercury speciation analysis in seafood by species-specific isotope dilution: method validation and occurrence data. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 2699-2711. | 3.7 | 50 |
| 60 | Determination of 20 trace elements in fish and other seafood from the French market. <i>Food Chemistry</i> , 2011, 127, 934-942. | 8.2 | 166 |
| 61 | Pb, Hg, Cd, As, Sb and Al levels in foodstuffs from the 2nd French total diet study. <i>Food Chemistry</i> , 2011, 126, 1787-1799. | 8.2 | 89 |
| 62 | Simultaneous analysis of 21 elements in foodstuffs by ICP-MS after closed-vessel microwave digestion: Method validation. <i>Journal of Food Composition and Analysis</i> , 2011, 24, 111-120. | 3.9 | 89 |
| 63 | Contamination levels of lead, cadmium and mercury in imported and domestic lobsters and large crab species consumed in France: Differences between white and brown meat. <i>Journal of Food Composition and Analysis</i> , 2011, 24, 368-375. | 3.9 | 37 |
| 64 | Shellfish and Residual Chemical Contaminants: Hazards, Monitoring, and Health Risk Assessment Along French Coasts. <i>Reviews of Environmental Contamination and Toxicology</i> , 2011, 213, 55-111. | 1.3 | 48 |
| 65 | Internal quality controls applied in inductively coupled plasma mass spectrometry multi-elemental analysis in the second French Total Diet Study. <i>Accreditation and Quality Assurance</i> , 2010, 15, 503-513. | 0.8 | 22 |
| 66 | Determination of Calcium, Magnesium, Sodium, and Potassium in Foodstuffs by Using a Microsampling Flame Atomic Absorption Spectrometric Method After Closed-Vessel Microwave Digestion: Method Validation. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1888-1896. | 1.5 | 7 |
| 67 | Dietary exposure and biomarkers of arsenic in consumers of fish and shellfish from France. <i>Science of the Total Environment</i> , 2009, 407, 1875-1885. | 8.0 | 125 |
| 68 | Evaluation of 10-years French NRL proficiency tests for lead, cadmium and mercury analysis in foodstuff of animal origin. <i>Microchemical Journal</i> , 2009, 92, 73-79. | 4.5 | 16 |
| 69 | Optimisation and critical evaluation of a collision cell technology ICP-MS system for the determination of arsenic in foodstuffs of animal origin. <i>Analytica Chimica Acta</i> , 2008, 611, 134-142. | 5.4 | 50 |
| 70 | Determination of sodium, potassium, calcium and magnesium content in milk products by flame atomic absorption spectrometry (FAAS): A joint ISO/IDF collaborative study. <i>International Dairy Journal</i> , 2008, 18, 899-904. | 3.0 | 41 |
| 71 | Methylmercury exposure assessment using dietary and biomarker data among frequent seafood consumers in France. <i>Environmental Research</i> , 2008, 107, 30-38. | 7.5 | 53 |
| 72 | A simple method for the speciation analysis of bio-accessible arsenic in seafood using on-line continuous leaching and ion exchange chromatography coupled to inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2008, 23, 1263. | 3.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Optimisation by experimental design of an IEC/ICP-MS speciation method for arsenic in seafood following microwave assisted extraction. <i>Journal of Analytical Atomic Spectrometry</i> , 2007, 22, 1168. | 3.0 | 30 |
| 74 | Organotin levels in seafood and its implications for health risk in high-seafood consumers. <i>Science of the Total Environment</i> , 2007, 388, 66-77. | 8.0 | 78 |
| 75 | Méthodologies analytiques pour la spéciation des métaux dans les produits de la mer dans le cadre d'une approche bénéfice/risque (Étude CALIPSO). <i>Toxicologie Analytique Et Clinique</i> , 2007, 19, 71-80. | 0.1 | 5 |
| 76 | Determination of chromium, iron and selenium in foodstuffs of animal origin by collision cell technology, inductively coupled plasma mass spectrometry (ICP-MS), after closed vessel microwave digestion. <i>Analytica Chimica Acta</i> , 2006, 565, 214-221. | 5.4 | 49 |
| 77 | Cadmium accumulation and interactions with zinc, copper, and manganese, analysed by ICP-MS in a long-term Caco-2 TC7 cell model. <i>BioMetals</i> , 2006, 19, 473-481. | 4.1 | 28 |
| 78 | Simultaneous Analysis of Cadmium, Lead, Mercury, and Arsenic Content in Foodstuffs of Animal Origin by Inductively Coupled Plasma/Mass Spectrometry after Closed Vessel Microwave Digestion: Method Validation. <i>Journal of AOAC INTERNATIONAL</i> , 2005, 88, 1811-1821. | 1.5 | 37 |
| 79 | Dietary exposure estimates of 18 elements from the 1st French Total Diet Study. <i>Food Additives and Contaminants</i> , 2005, 22, 624-641. | 2.0 | 267 |
| 80 | Subchronic dietary exposure of rats to cadmium alters the metabolism of metals essential to bone health. <i>Food and Chemical Toxicology</i> , 2004, 42, 1203-1210. | 3.6 | 64 |
| 81 | Determination of several elements in duplicate meals from catering establishments using closed vessel microwave digestion with inductively coupled plasma mass spectrometry detection: estimation of daily dietary intake. <i>Food Additives and Contaminants</i> , 2003, 20, 44-56. | 2.0 | 116 |
| 82 | Optimized Simultaneous Determination of Several Elements in Human Intestinal Caco-2 TC7 Cells by Inductively Coupled Plasma-Mass Spectrometry after Closed Vessel Microwave Digestion. <i>Journal of AOAC INTERNATIONAL</i> , 2003, 86, 1225-1231. | 1.5 | 12 |
| 83 | Estimation of the dietary intake of pesticide residues, lead, cadmium, arsenic and radionuclides in France. <i>Food Additives and Contaminants</i> , 2000, 17, 925-932. | 2.0 | 60 |
| 84 | Speciation of arsenic and selenium compounds by HPLC hyphenated to specific detectors: a review of the main separation techniques. <i>Talanta</i> , 1999, 50, 1-24. | 5.5 | 114 |
| 85 | Chromatographic Ion-Exchange Simultaneous Separation of Arsenic and Selenium Species with Inductively Coupled Plasma-Mass Spectrometry On-Line Detection. <i>Journal of Chromatographic Science</i> , 1997, 35, 213-220. | 1.4 | 29 |
| 86 | Multielemental speciation of As, Se, Sb and Te by HPLC-ICP-MS1. <i>Talanta</i> , 1997, 44, 2201-2208. | 5.5 | 57 |