

Federico Carosio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9128639/publications.pdf>

Version: 2024-02-01

103
papers

7,276
citations

53794

45
h-index

54911

84
g-index

105
all docs

105
docs citations

105
times ranked

4991
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Recyclable nanocomposites of well-dispersed 2D layered silicates in cellulose nanofibril (CNF) matrix. Carbohydrate Polymers, 2022, 279, 119004. | 10.2 | 17 |
| 2 | Charge Regulated Diffusion of Silica Nanoparticles into Wood for Flame Retardant Transparent Wood. Advanced Sustainable Systems, 2022, 6, . | 5.3 | 19 |
| 3 | Impact of polymeric stabilisers on the reaction kinetics of SrBr ₂ . Solar Energy Materials and Solar Cells, 2022, 238, 111648. | 6.2 | 9 |
| 4 | A statistical approach to the development of flame retardant and mechanically strong natural fibers biocomposites. Polymer Degradation and Stability, 2022, 201, 109991. | 5.8 | 3 |
| 5 | The use of model cellulose gel beads to clarify flame-retardant characteristics of layer-by-layer nanocoatings. Carbohydrate Polymers, 2021, 255, 117468. | 10.2 | 15 |
| 6 | Green and Fire Resistant Nanocellulose/Hemicellulose/Clay Foams. Advanced Materials Interfaces, 2021, 8, 2101111. | 3.7 | 13 |
| 7 | Silica-encapsulated red phosphorus for flame retardant treatment on textile. Surfaces and Interfaces, 2021, 25, 101252. | 3.0 | 13 |
| 8 | Polyelectrolyte-Assisted Dispersions of Reduced Graphite Oxide Nanoplates in Water and Their Gas-Barrier Application. ACS Applied Materials & Interfaces, 2021, 13, 43301-43313. | 8.0 | 7 |
| 9 | Bench-scale fire stability testing " Assessment of protective systems on carbon fibre reinforced polymer composites. Polymer Testing, 2021, 102, 107340. | 4.8 | 4 |
| 10 | A facile approach for the development of high mechanical strength 3D neuronal network scaffold based on chitosan and graphite nanoplatelets. Carbohydrate Polymers, 2021, 271, 118420. | 10.2 | 12 |
| 11 | Effects of Graphite Oxide Nanoparticle Size on the Functional Properties of Layer-by-Layer Coated Flexible Foams. Nanomaterials, 2021, 11, 266. | 4.1 | 23 |
| 12 | In Situ Assembly of DNA/Graphene Oxide Nanoplates to Reduce the Fire Threat of Flexible Foams. Advanced Materials Interfaces, 2021, 8, 2101083. | 3.7 | 14 |
| 13 | Polyamidoamines Derived from Natural α -Amino Acids as Effective Flame Retardants for Cotton. Polymers, 2021, 13, 3714. | 4.5 | 13 |
| 14 | Recent Advances in Multi-Functional Coatings for Soft Magnetic Composites. Materials, 2021, 14, 6844. | 2.9 | 22 |
| 15 | Polyelectrolyte-Coated Mesoporous Bioactive Glasses via Layer-by-Layer Deposition for Sustained Co-Delivery of Therapeutic Ions and Drugs. Pharmaceutics, 2021, 13, 1952. | 4.5 | 10 |
| 16 | The Thermo-Oxidative Behavior of Cotton Coated with an Intumescent Flame Retardant Glycine-Derived Polyamidoamine: A Multi-Technique Study. Polymers, 2021, 13, 4382. | 4.5 | 11 |
| 17 | Rapid Characterization Method for SMC Materials for a Preliminary Selection. Applied Sciences (Switzerland), 2021, 11, 12133. | 2.5 | 7 |
| 18 | Layer-by-layer modified low density cellulose fiber networks: A sustainable and fireproof alternative to petroleum based foams. Carbohydrate Polymers, 2020, 230, 115616. | 10.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Ice-templated nanocellulose porous structure enhances thermochemical storage kinetics in hydrated salt/graphite composites. <i>Renewable Energy</i> , 2020, 160, 698-706. | 8.9 | 32 |
| 20 | Strong reinforcement effects in 2D cellulose nanofibril-graphene oxide (CNF-GO) nanocomposites due to GO-induced CNF ordering. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17608-17620. | 10.3 | 31 |
| 21 | Assembly of chitosan-graphite oxide nanoplatelets core shell microparticles for advanced 3D scaffolds supporting neuronal networks growth. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 196, 111295. | 5.0 | 13 |
| 22 | Layer-by-Layer nanostructured interphase produces mechanically strong and flame retardant bio-composites. <i>Composites Part B: Engineering</i> , 2020, 200, 108310. | 12.0 | 38 |
| 23 | Graphite oxide nanocoatings as a sustainable route to extend the applicability of biopolymer-based film. <i>Applied Surface Science</i> , 2020, 522, 146471. | 6.1 | 11 |
| 24 | A Technology Platform For the Sustainable Recovery and Advanced Use of Nanostructured Cellulose from Agri-Food Residues (PANACEA Project)., 2020, 69, . | | 0 |
| 25 | Recyclable nanocomposite foams of Poly(vinyl alcohol), clay and cellulose nanofibrils Mechanical properties and flame retardancy. <i>Composites Science and Technology</i> , 2019, 182, 107762. | 7.8 | 19 |
| 26 | Improving Mechanical Properties and Reaction to Fire of EVA/LLDPE Blends for Cable Applications with Melamine Triazine and Bentonite Clay. <i>Materials</i> , 2019, 12, 2393. | 2.9 | 17 |
| 27 | Superior flame retardancy of cotton by synergetic effect of cellulose-derived nano-graphene oxide carbon dots and disulphide-containing polyamidoamines. <i>Polymer Degradation and Stability</i> , 2019, 169, 108993. | 5.8 | 27 |
| 28 | Nanocomposites from Clay, Cellulose Nanofibrils, and Epoxy with Improved Moisture Stability for Coatings and Semistructural Applications. <i>ACS Applied Nano Materials</i> , 2019, 2, 3117-3126. | 5.0 | 24 |
| 29 | New bio-based phosphorylated chitosan/alginate protective coatings on aluminum alloy obtained by the LbL technique. <i>Surfaces and Interfaces</i> , 2019, 16, 59-66. | 3.0 | 21 |
| 30 | Three Organic/Inorganic Nanolayers on Flexible Foam Allow Retaining Superior Flame Retardancy Performance Upon Mechanical Compression Cycles. <i>Frontiers in Materials</i> , 2019, 6, . | 2.4 | 25 |
| 31 | Hydrated Salt/Graphite/Polyelectrolyte Organic-Inorganic Hybrids for Efficient Thermochemical Storage. <i>Nanomaterials</i> , 2019, 9, 420. | 4.1 | 24 |
| 32 | Sulfur-Based Copolymeric Polyamidoamines as Efficient Flame-Retardants for Cotton. <i>Polymers</i> , 2019, 11, 1904. | 4.5 | 11 |
| 33 | Linear polyamidoamines as novel biocompatible phosphorus-free surface-confined intumescent flame retardants for cotton fabrics. <i>Polymer Degradation and Stability</i> , 2018, 151, 52-64. | 5.8 | 51 |
| 34 | All-natural and highly flame-resistant freeze-cast foams based on phosphorylated cellulose nanofibrils. <i>Nanoscale</i> , 2018, 10, 4085-4095. | 5.6 | 87 |
| 35 | Ring opening metathesis polymerization (ROMP) and thio-click-chemistry approach toward the preparation of flame-retardant polymers. <i>Journal of Polymer Science Part A</i> , 2018, 56, 645-652. | 2.3 | 10 |
| 36 | Tailoring flame-retardancy and strength of papers via layer-by-layer treatment of cellulose fibers. <i>Cellulose</i> , 2018, 25, 2691-2709. | 4.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Layer-by-layer assembly of efficient flame retardant coatings based on high aspect ratio graphene oxide and chitosan capable of preventing ignition of PU foam. <i>Polymer Degradation and Stability</i> , 2018, 152, 1-9. | 5.8 | 92 |
| 38 | Controlling the melt dripping of polyester fabrics by tuning the ionic strength of polyhedral oligomeric silsesquioxane and sodium montmorillonite coatings assembled through Layer by Layer. <i>Journal of Colloid and Interface Science</i> , 2018, 510, 142-151. | 9.4 | 65 |
| 39 | Graphene Oxide Exoskeleton to Produce Self-Extinguishing, Nonignitable, and Flame Resistant Flexible Foams: A Mechanically Tough Alternative to Inorganic Aerogels. <i>Advanced Materials Interfaces</i> , 2018, 5, 1801288. | 3.7 | 59 |
| 40 | Layer-by-layer-assembled chitosan/phosphorylated cellulose nanofibrils as a bio-based and flame protecting nano-exoskeleton on PU foams. <i>Carbohydrate Polymers</i> , 2018, 202, 479-487. | 10.2 | 64 |
| 41 | Extreme Heat Shielding of Clay/Chitosan Nanobrick Wall on Flexible Foam. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31686-31696. | 8.0 | 81 |
| 42 | Sustainable and High Performing Biocomposites with Chitosan/Sepiolite Layer-by-Layer Nanoengineered Interphases. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9601-9605. | 6.7 | 42 |
| 43 | Disulfide-containing polyamidoamines with remarkable flame retardant activity for cotton fabrics. <i>Polymer Degradation and Stability</i> , 2018, 156, 1-13. | 5.8 | 43 |
| 44 | Flame Retardant Multilayered Coatings on Acrylic Fabrics Prepared by One-Step Deposition of Chitosan/Montmorillonite Complexes. <i>Fibers</i> , 2018, 6, 36. | 4.0 | 37 |
| 45 | Tuning the Nanoscale Properties of Phosphorylated Cellulose Nanofibril-Based Thin Films To Achieve Highly Fire-Protecting Coatings for Flammable Solid Materials. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32543-32555. | 8.0 | 31 |
| 46 | Layer by Layer-functionalized rice husk particles: A novel and sustainable solution for particleboard production. <i>Materials Today Communications</i> , 2017, 13, 92-101. | 1.9 | 23 |
| 47 | Nanostructured Wood Hybrids for Fire-Retardancy Prepared by Clay Impregnation into the Cell Wall. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 36154-36163. | 8.0 | 175 |
| 48 | Ultrastrong and flame-resistant freestanding films from nanocelluloses, self-assembled using a layer-by-layer approach. <i>Applied Materials Today</i> , 2017, 9, 229-239. | 4.3 | 31 |
| 49 | Superior Flame-Resistant Cellulose Nanofibril Aerogels Modified with Hybrid Layer-by-Layer Coatings. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 29082-29092. | 8.0 | 99 |
| 50 | Improving the Flame Retardant Efficiency of Layer by Layer Coatings Containing Deoxyribonucleic Acid by Post-Diffusion of Hydrotalcite Nanoparticles. <i>Materials</i> , 2017, 10, 709. | 2.9 | 18 |
| 51 | Recent Advances in the Design of Water Based-Flame Retardant Coatings for Polyester and Polyester-Cotton Blends. <i>Polymers</i> , 2016, 8, 357. | 4.5 | 43 |
| 52 | All-Inorganic Intumescent Nanocoating Containing Montmorillonite Nanoplatelets in Ammonium Polyphosphate Matrix Capable of Preventing Cotton Ignition. <i>Polymers</i> , 2016, 8, 430. | 4.5 | 14 |
| 53 | DNA Coatings from Byproducts: A Panacea for the Flame Retardancy of EVA, PP, ABS, PET, and PA6?. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 3544-3551. | 6.7 | 48 |
| 54 | Extreme Thermal Shielding Effects in Nanopaper Based on Multilayers of Aligned Clay Nanoplatelets in Cellulose Nanofiber Matrix. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600551. | 3.7 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Influence of layer by layer coatings containing octapropylammonium polyhedral oligomeric silsesquioxane and ammonium polyphosphate on the thermal stability and flammability of acrylic fabrics. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 119, 114-123. | 5.5 | 34 |
| 56 | Tuning the Nanocelluloseâ€“Borate Interaction To Achieve Highly Flame Retardant Hybrid Materials. <i>Chemistry of Materials</i> , 2016, 28, 1985-1989. | 6.7 | 103 |
| 57 | Ultra-Fast Layer-by-Layer Approach for Depositing Flame Retardant Coatings on Flexible PU Foams within Seconds. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6315-6319. | 8.0 | 97 |
| 58 | Clay nanopaper as multifunctional brick and mortar fire protection coatingâ€”Wood case study. <i>Materials and Design</i> , 2016, 93, 357-363. | 7.0 | 80 |
| 59 | Starch-Based Layer by Layer Assembly: Efficient and Sustainable Approach to Cotton Fire Protection. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 12158-12167. | 8.0 | 170 |
| 60 | Layer by layer assembly of flame retardant thin films on closed cell PET foams: Efficiency of ammonium polyphosphate versus DNA. <i>Polymer Degradation and Stability</i> , 2015, 113, 189-196. | 5.8 | 45 |
| 61 | Oriented Clay Nanopaper from Biobased Componentsâ€”Mechanisms for Superior Fire Protection Properties. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 5847-5856. | 8.0 | 108 |
| 62 | All-polymer Layer by Layer coating as efficient solution to polyurethane foam flame retardancy. <i>European Polymer Journal</i> , 2015, 70, 94-103. | 5.4 | 38 |
| 63 | A Comparative Analysis of Nanoparticle Adsorption as Fire-Protection Approach for Fabrics. <i>Polymers</i> , 2015, 7, 47-68. | 4.5 | 42 |
| 64 | Phosphorylated Cellulose Nanofibrils: A Renewable Nanomaterial for the Preparation of Intrinsically Flame-Retardant Materials. <i>Biomacromolecules</i> , 2015, 16, 3399-3410. | 5.4 | 267 |
| 65 | How much the fabric grammage may affect cotton combustion?. <i>Cellulose</i> , 2015, 22, 3477-3489. | 4.9 | 25 |
| 66 | Flame-Retardant Paper from Wood Fibers Functionalized via Layer-by-Layer Assembly. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23750-23759. | 8.0 | 92 |
| 67 | Few durable layers suppress cotton combustion due to the joint combination of layer by layer assembly and UV-curing. <i>RSC Advances</i> , 2015, 5, 71482-71490. | 3.6 | 52 |
| 68 | Tunable thermal and flame response of phosphonated oligoallylamines layer by layer assemblies on cotton. <i>Carbohydrate Polymers</i> , 2015, 115, 752-759. | 10.2 | 42 |
| 69 | Thermally insulating and fire-retardant lightweight anisotropic foams based on nanocellulose and graphene oxide. <i>Nature Nanotechnology</i> , 2015, 10, 277-283. | 31.5 | 1,103 |
| 70 | Caseins and hydrophobins as novel green flame retardants for cotton fabrics. <i>Polymer Degradation and Stability</i> , 2014, 99, 111-117. | 5.8 | 218 |
| 71 | Current emerging techniques to impart flame retardancy to fabrics: AnÂ“overview. <i>Polymer Degradation and Stability</i> , 2014, 106, 138-149. | 5.8 | 240 |
| 72 | Self-assembled hybrid nanoarchitectures deposited on poly(urethane) foams capable of chemically adapting to extreme heat. <i>RSC Advances</i> , 2014, 4, 16674-16680. | 3.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Biomacromolecules as novel green flame retardant systems for textiles: an overview. RSC Advances, 2014, 4, 46024-46039. | 3.6 | 142 |
| 74 | Materials engineering for surface-confined flame retardancy. Materials Science and Engineering Reports, 2014, 84, 1-20. | 31.8 | 139 |
| 75 | Intumescent features of nucleic acids and proteins. Thermochemica Acta, 2014, 591, 31-39. | 2.7 | 63 |
| 76 | Efficient Gas and Water Vapor Barrier Properties of Thin Poly(lactic acid) Packaging Films: Functionalization with Moisture Resistant Nafion and Clay Multilayers. Chemistry of Materials, 2014, 26, 5459-5466. | 6.7 | 94 |
| 77 | Bulk or surface treatments of ethylene vinyl acetate copolymers with DNA: Investigation on the flame retardant properties. European Polymer Journal, 2014, 51, 112-119. | 5.4 | 60 |
| 78 | Flame Retardancy of Polyester and Polyester/Cotton Blends Treated with Caseins. Industrial & Engineering Chemistry Research, 2014, 53, 3917-3923. | 3.7 | 122 |
| 79 | UV-cured hybrid organic/inorganic Layer by Layer assemblies: Effect on the flame retardancy of polycarbonate films. Polymer Degradation and Stability, 2014, 107, 74-81. | 5.8 | 47 |
| 80 | Flame Retardant Properties of Ethylene Vinyl Acetate Copolymers Melt-Compounded with Deoxyribonucleic Acid in the Presence of β -cellulose or β -cyclodextrins. Current Organic Chemistry, 2014, 18, 1651-1660. | 1.6 | 13 |
| 81 | Thermal stability and flame retardancy of polyester fabrics sol-gel treated in the presence of boehmite nanoparticles. Polymer Degradation and Stability, 2013, 98, 1609-1616. | 5.8 | 51 |
| 82 | Green DNA-based flame retardant coatings assembled through Layer by Layer. Polymer, 2013, 54, 5148-5153. | 3.8 | 183 |
| 83 | Layer by Layer coatings assembled through dipping, vertical or horizontal spray for cotton flame retardancy. Carbohydrate Polymers, 2013, 92, 114-119. | 10.2 | 83 |
| 84 | A dielectric study on colloidal silica nanoparticle Layer-by-Layer assemblies on polycarbonate. Journal of Colloid and Interface Science, 2013, 408, 252-255. | 9.4 | 2 |
| 85 | Layer by layer nanoarchitectures for the surface protection of polycarbonate. European Polymer Journal, 2013, 49, 397-404. | 5.4 | 45 |
| 86 | Flame Retardancy of Polyester Fabrics Treated by Spray-Assisted Layer-by-Layer Silica Architectures. Industrial & Engineering Chemistry Research, 2013, 52, 9544-9550. | 3.7 | 71 |
| 87 | Phosphonated oligoallylamine: Synthesis, characterization in water, and development of layer by layer assembly. Journal of Polymer Science, Part B: Polymer Physics, 2013, 51, 1244-1251. | 2.1 | 15 |
| 88 | Flammability and combustion properties of ammonium polyphosphate-/poly(acrylic acid)- based layer by layer architectures deposited on cotton, polyester and their blends. Polymer Degradation and Stability, 2013, 98, 1626-1637. | 5.8 | 71 |
| 89 | DNA: a novel, green, natural flame retardant and suppressant for cotton. Journal of Materials Chemistry A, 2013, 1, 4779. | 10.3 | 259 |
| 90 | Intrinsic intumescent-like flame retardant properties of DNA-treated cotton fabrics. Carbohydrate Polymers, 2013, 96, 296-304. | 10.2 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Permeation Behavior of Polysulfone Membranes Modified by Fully Organic Layer-by-Layer Assemblies. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 16406-16413. | 3.7 | 16 |
| 92 | Influence of ammonium polyphosphate-/poly(acrylic acid)-based layer by layer architectures on the char formation in cotton, polyester and their blends. <i>Polymer Degradation and Stability</i> , 2012, 97, 1644-1653. | 5.8 | 84 |
| 93 | Textile Flame Retardancy Through Surface-Assembled Nanoarchitectures. <i>ACS Symposium Series</i> , 2012, , 327-341. | 0.5 | 1 |
| 94 | Layer by layer complex architectures based on ammonium polyphosphate, chitosan and silica on polyester-cotton blends: flammability and combustion behaviour. <i>Cellulose</i> , 2012, 19, 1041-1050. | 4.9 | 129 |
| 95 | Layer by Layer ammonium polyphosphate-based coatings for flame retardancy of polyester-cotton blends. <i>Carbohydrate Polymers</i> , 2012, 88, 1460-1469. | 10.2 | 196 |
| 96 | Î±-Zirconium phosphate-based nanoarchitectures on polyester fabrics through layer-by-layer assembly. <i>Journal of Materials Chemistry</i> , 2011, 21, 10370. | 6.7 | 113 |
| 97 | Layer-by-layer assembly of silica-based flame retardant thin film on PET fabric. <i>Polymer Degradation and Stability</i> , 2011, 96, 745-750. | 5.8 | 215 |
| 98 | Optimization of the procedure to burn textile fabrics by cone calorimeter: Part I. Combustion behavior of polyester. <i>Fire and Materials</i> , 2011, 35, 397-409. | 2.0 | 97 |
| 99 | Thermal stability and flame retardancy of polyester, cotton, and relative blend textile fabrics subjected to sol-gel treatments. <i>Journal of Applied Polymer Science</i> , 2011, 119, 1961-1969. | 2.6 | 118 |
| 100 | Influence of surface activation by plasma and nanoparticle adsorption on the morphology, thermal stability and combustion behavior of PET fabrics. <i>European Polymer Journal</i> , 2011, 47, 893-902. | 5.4 | 73 |
| 101 | Growth and fire resistance of colloidal silica-polyelectrolyte thin film assemblies. <i>Journal of Colloid and Interface Science</i> , 2011, 356, 69-77. | 9.4 | 109 |
| 102 | Polypropylene-based ferromagnetic composites. <i>Polymer Bulletin</i> , 2010, 65, 681-689. | 3.3 | 5 |
| 103 | Rapidly Prepared Nanocellulose Hybrids as Gas Barrier, Flame Retardant, and Energy Storage Materials. <i>ACS Applied Nano Materials</i> , 0, , . | 5.0 | 2 |