Sébastien Vergez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9135237/publications.pdf

Version: 2024-02-01

236925 214800 2,531 77 25 47 citations h-index g-index papers 81 81 81 4228 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical and epidemiological characteristics of 1420 European patients with mildâ€toâ€moderate coronavirus disease 2019. Journal of Internal Medicine, 2020, 288, 335-344.	6.0	627
2	Tracheostomy in the COVID-19 era: global and multidisciplinary guidance. Lancet Respiratory Medicine, the, 2020, 8, 717-725.	10.7	312
3	Postoperative Radiotherapy in Head and Neck Mucosal Melanoma. JAMA Otolaryngology, 2010, 136, 1219.	1.2	111
4	Equivalence Randomized Trial to Compare Treatment on the Basis of Sentinel Node Biopsy Versus Neck Node Dissection in Operable T1-T2N0 Oral and Oropharyngeal Cancer. Journal of Clinical Oncology, 2020, 38, 4010-4018.	1.6	101
5	Features of Mild-to-Moderate COVID-19 Patients With Dysphonia. Journal of Voice, 2022, 36, 249-255.	1.5	83
6	Initial Multiâ€institutional Experience with Transoral Robotic Surgery. Otolaryngology - Head and Neck Surgery, 2012, 147, 475-481.	1.9	64
7	PD-1 blockade restores helper activity of tumor-infiltrating, exhausted PD-1hiCD39+ CD4 T cells. JCI Insight, 2021, 6, .	5.0	64
8	Tracheotomy in the intensive care unit: guidelines from a French expert panel. Annals of Intensive Care, 2018, 8, 37.	4.6	63
9	Multicenter Study to Assess Endoscopic Resection of 159 Sinonasal Adenocarcinomas. Annals of Surgical Oncology, 2014, 21, 1384-1390.	1.5	60
10	Tracheostomy During the COVIDâ€19ÂPandemic: Comparison of International Perioperative Care Protocols and Practices in 26 Countries. Otolaryngology - Head and Neck Surgery, 2021, 164, 1136-1147.	1.9	57
11	Lymph node management in clinically node-negative patients with papillary thyroid carcinoma. European Journal of Surgical Oncology, 2010, 36, 777-782.	1.0	47
12	Clinical outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Experience of a French evaluation cooperative subgroup of GETTEC. Head and Neck, 2016, 38, E1097-101.	2.0	47
13	Comparison of Single and Double Venous Anastomoses in Head and Neck Oncologic Reconstruction Using Free Flaps: A Meta-Analysis. Plastic and Reconstructive Surgery, 2016, 137, 1583-1594.	1.4	43
14	Initial staging of squamous cell carcinoma of the oral cavity, larynx and pharynx (excluding) Tj ETQq0 0 0 rgBT /C Otorhinolaryngology, Head and Neck Diseases, 2013, 130, 39-45.	Overlock 10 0.7) Tf 50 227 To 42
15	Quality of life in patients treated for advanced hypopharyngeal or laryngeal cancer. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2011, 128, 218-223.	0.7	38
16	Brachytherapy in Lip Carcinoma: Long-Term Results. International Journal of Radiation Oncology Biology Physics, 2011, 81, e839-e843.	0.8	37
17	The Role of Radiation Therapy in Pediatric Mucoepidermoid Carcinomas of the Salivary Glands. Journal of Pediatrics, 2013, 162, 839-843.	1.8	37
18	Tracheotomy in the intensive care unit: Guidelines from a French expert panel: The French Intensive Care Society and the French Society of Anaesthesia and Intensive Care Medicine. Anaesthesia, Critical Care & Delicine, 2018, 37, 281-294.	1.4	37

#	Article	IF	Citations
19	Oncological and functional outcomes of trans-oral robotic surgery for pyriform sinus carcinoma: A French GETTEC group study. Oral Oncology, 2018, 86, 165-170.	1.5	32
20	Langerhans Cell Histiocytosis of the Thyroid is a Rare Entity, but an Association with a Papillary Thyroid Carcinoma is Often Described. Endocrine Pathology, 2010, 21, 274-276.	9.0	30
21	A comparative immunohistochemistry study of diagnostic tools in salivary gland tumors: usefulness of mammaglobin, gross cystic disease fluid protein 15, and p63 cytoplasmic staining for the diagnosis of mammary analog secretory carcinoma?. Journal of Oral Pathology and Medicine, 2015, 44, 244-251.	2.7	30
22	Clinical characteristics and prognostic factors of sinonasal undifferentiated carcinoma: a multicenter study. International Forum of Allergy and Rhinology, 2018, 8, 1065-1072.	2.8	30
23	Oncologic outcomes with transoral robotic surgery for supraglottic squamous cell carcinoma: Results of the French Robotic Surgery Group of GETTEC. Head and Neck, 2018, 40, 2050-2059.	2.0	28
24	Preclinical and Clinical Evidence that Deoxy-2-[18F]fluoro- <scp>D</scp> -glucose Positron Emission Tomography with Computed Tomography Is a Reliable Tool for the Detection of Early Molecular Responses to Erlotinib in Head and Neck Cancer. Clinical Cancer Research, 2010, 16, 4434-4445.	7.0	27
25	<i>RREB1–MKL2</i> fusion in biphenotypic "oropharyngeal―sarcoma: New entity or part of the spectrum of biphenotypic sinonasal sarcomas?. Genes Chromosomes and Cancer, 2018, 57, 203-210.	2.8	26
26	Endoscopic vs Transfacial Resection of Sinonasal Adenocarcinomas. Otolaryngology - Head and Neck Surgery, 2012, 146, 848-853.	1.9	25
27	Multicenter assessment of exclusive endoscopic endonasal approach for the treatment of 53 olfactory neuroblastomas. Head and Neck, 2018, 40, 1000-1007.	2.0	19
28	Salivary duct carcinoma: Prospective multicenter study of 61 cases of the Réseau d'Expertise Français des Cancers ORL Rares. Head and Neck, 2019, 41, 584-591.	2.0	19
29	Should a neck dissection be performed on patients with cNO adenoid cystic carcinoma? A REFCOR propensity score matching study. European Journal of Cancer, 2020, 130, 250-258.	2.8	19
30	Oral and oropharyngeal cancer surgery with free-flap reconstruction in the elderly: Factors associated with long-term quality of life, patient needs and concerns. A GETTEC cross-sectional study. Surgical Oncology, 2020, 35, 81-88.	1.6	18
31	Intensity-modulated radiotherapy for laryngeal and hypopharyngeal cancer. Strahlentherapie Und Onkologie, 2015, 191, 225-233.	2.0	17
32	Adipose stromal cells improve healing of vocal fold scar: Morphological and functional evidences. Laryngoscope, 2016, 126, E278-85.	2.0	17
33	Closure of radial forearm free flap donor site: A comparative study between keystone flap and skin graft. Head and Neck, 2020, 42, 217-223.	2.0	17
34	Mucoepidermoid carcinoma of salivary glands: A French Network of Rare Head and Neck Tumors (REFCOR) prospective study of 292 cases. European Journal of Surgical Oncology, 2021, 47, 1376-1383.	1.0	17
35	Long-term oncological outcome after endoscopic surgery for olfactory esthesioneuroblastoma. Acta Oto-Laryngologica, 2014, 134, 1259-1264.	0.9	16
36	Dual Relief of T-lymphocyte Proliferation and Effector Function Underlies Response to PD-1 Blockade in Epithelial Malignancies. Cancer Immunology Research, 2020, 8, 869-882.	3.4	16

#	Article	IF	CITATIONS
37	Respiratory complications after supracricoid partial laryngectomy. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1415-1421.	1.6	15
38	Impact of HPV-associated p16-expression and other clinical factors on therapeutic decision-making in patients with oropharyngeal cancer: A GETTEC multicentric study. European Journal of Surgical Oncology, 2018, 44, 1908-1913.	1.0	14
39	Guidelines of the French Society of Otorhinolaryngology–Head and Neck Surgery (SFORL), part I: Primary treatment of pleomorphic adenoma. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2020, 138, 269-274.	0.7	13
40	Oropharyngeal cancer: First relapse description and prognostic factor of salvage treatment according to p16 status, a GETTEC multicentric study. European Journal of Cancer, 2021, 143, 168-177.	2.8	13
41	Transoral minimally invasive robotic surgery for carcinoma of the pharynx and the larynx. Anti-Cancer Drugs, 2011, 22, 591-595.	1.4	12
42	Management of laryngoceles by transoral robotic surgery. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3813-3817.	1.6	12
43	Definitive radiochemotherapy or initial surgery for oropharyngeal cancer. Strahlentherapie Und Onkologie, 2019, 195, 496-503.	2.0	12
44	Management of surgical margins after endoscopic laser surgery for early glottic cancers: a multicentric evaluation in French-speaking European countries. European Archives of Oto-Rhino-Laryngology, 2015, 272, 1465-1469.	1.6	11
45	Our experience with respiratory epithelial adenomatoid hamartomas of the olfactory cleft. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2867-2870.	1.6	11
46	Synchronous primary neoplasia in patients with oropharyngeal cancer: Impact of tumor HPV status. A GETTEC multicentric study. Oral Oncology, 2021, 112, 105041.	1.5	11
47	Upfront surgery or definitive radiotherapy for patients with p16-negative oropharyngeal squamous cell carcinoma. A GETTEC multicentric study. European Journal of Surgical Oncology, 2021, 47, 367-374.	1.0	9
48	Upfront surgery or definitive radiotherapy for p16+ oropharyngeal cancer. A GETTEC multicentric study. European Journal of Surgical Oncology, 2021, 47, 1389-1397.	1.0	9
49	Multicentric evaluation of strategies for treatment of T1a glottic carcinomas. European Archives of Oto-Rhino-Laryngology, 2015, 272, 143-148.	1.6	8
50	Transoral robotic resection of benign tumors of the upper aerodigestive tract: Experience of the French group of GETTEC. Head and Neck, 2018, 40, 2043-2049.	2.0	8
51	Head and neck cancer during pregnancy. Head and Neck, 2019, 41, 3719-3732.	2.0	7
52	Risk Factors for Pharyngocutaneous Fistula After Total Pharyngolaryngectomy. Ear, Nose and Throat Journal, 2021, 100, 746S-752S.	0.8	7
53	Cutaneous Squamous Cell Carcinoma Tumour Size is Associated with Sentinel Lymph Node Metastasis in a Cohort of 69 Patients. Acta Dermato-Venereologica, 2019, 99, 1241-1245.	1.3	7
54	Management of cN0 lowâ€grade mucoepidermoid carcinomas of salivary glands: Prospective multicentre study of 152 cases of the French Network of Rare Head and Neck Tumors (REFCOR). Clinical Otolaryngology, 2020, 45, 926-931.	1.2	6

#	Article	IF	CITATIONS
55	Locoregional control, progressionâ€free survival and morbidity rates in N3 head and neck cancer patients with low primary tumour burden: A 301â€patient study. Clinical Otolaryngology, 2020, 45, 877-884.	1.2	6
56	Distinct Outcomes of Oropharyngeal Squamous Cell Carcinoma Patients after Distant Failure According to p16 Status: Implication in Therapeutic Options. Current Oncology, 2021, 28, 1673-1680.	2.2	6
57	Gene expression profiling on pre―and postâ€erlotinib tumors from patients with head and neck squamous cell carcinoma. Head and Neck, 2013, 35, 809-818.	2.0	5
58	Airway management during transoral robotic surgery for head and neck cancers: a French GETTEC group survey. European Archives of Oto-Rhino-Laryngology, 2022, 279, 3619-3627.	1.6	5
59	Is neuroendocrine differentiation useful to discriminate primary sinonasal intestinal-type adenocarcinomas from metastatic colorectal adenocarcinomas?. Journal of Clinical Pathology, 2015, 68, 79-82.	2.0	4
60	The super thin external pudendal artery (STEPA) free flap for oropharyngeal reconstruction – A case report. Microsurgery, 2019, 39, 758-762.	1.3	4
61	Consensus on resectability in N3 head and neck squamous cell carcinomas: GETTEC recommendations. Oral Oncology, 2020, 106, 104733.	1.5	4
62	Do practitioners assess sinonasal adenocarcinoma extension similarly? Interdisciplinary concordance in 21 cases. Clinical Otolaryngology, 2021, 46, 665-669.	1.2	4
63	Functional and oncological outcomes of salvage transoral robotic surgery: a comparative study. European Archives of Oto-Rhino-Laryngology, 2022, 279, 457-466.	1.6	4
64	Fatal Neck Necrotizing Cellulitis in a Patient with Riedel's Thyroiditis. Thyroid, 2013, 23, 904-905.	4.5	3
65	Contribution of narrow band imaging in delineation of laryngopharyngeal superficial cancer spread: a prospective study. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1491-1497.	1.6	3
66	Is Transoral Robotic Surgery the Best Surgical Treatment for Lingual Thyroid?: A Case-Report and Literature Review. Annals of Otology, Rhinology and Laryngology, 2022, 131, 000348942110072.	1.1	3
67	History of tonsillectomy and risk of oropharyngeal cancer. Oral Oncology, 2021, 117, 105302.	1.5	3
68	Nasal fibroscopy as a routine screening procedure of sinonasal adenocarcinoma of woodworkers: French longitudinal case study. Head and Neck, 2018, 40, 2193-2198.	2.0	2
69	Surgery or Radiotherapy of the Primary Tumor in T1–2 Head and Neck Squamous Cell Carcinoma with Resectable N3 Nodes: A Multicenter GETTEC Study. Annals of Surgical Oncology, 2019, 26, 3673-3680.	1.5	2
70	Multicentre evaluation of the interest in planned surgery for mandibular reconstruction with fibula free flap: a retrospective cohort study. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3451-3457.	1.6	2
71	Acute febrile torticollis. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2019, 136, 515-516.	0.7	1
72	Management of the irradiated N0-neck during salvage pharyngo-laryngeal surgery. European Journal of Surgical Oncology, 2020, 46, 1059-1065.	1.0	1

SéBASTIEN VERGEZ

#	Article	IF	CITATIONS
73	The external pudendal artery free flap in women: Anatomical study of a novel flap for buccopharyngeal reconstruction. Annals of Anatomy, 2022, 239, 151828.	1.9	1
74	Qualité de vie de patients traités de cancers pharyngolaryngés avancés. Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale, 2011, 128, 259-265.	0.0	0
75	Torticolis aig $\tilde{A}\frac{1}{4}$ subf \tilde{A} ©brile. Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale, 2019, 136, 499-500.	0.0	O
76	Circumferential pharyngectomy in laryngectomised patient and pharyngeal reconstruction by tubed free flap. European Archives of Oto-Rhino-Laryngology, 2020, 277, 2641-2645.	1.6	0
77	Protocoles thérapeutiques des cancers parotidiens, submandibulaires. , 2020, , 59-70.		0