

Graciela S AlarcÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/91357/publications.pdf>

Version: 2024-02-01

180
papers

13,307
citations

53939

47
h-index

26792

111
g-index

185
all docs

185
docs citations

185
times ranked

11142
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association of Systemic Lupus International Collaborating Clinics Frailty Index With Damage in Systemic Lupus Erythematosus Patients: Results From a Multiethnic, Multicenter Cohort of Patients With Lupus. <i>Arthritis Care and Research</i> , 2023, 75, 585-589. | 1.5 | 5 |
| 2 | Correspondence on "2022 American College of Rheumatology/European Alliance of Associations for Rheumatology classification criteria for granulomatosis with polyangiitis" by Joanna C Robson et al and "2022 American College of Rheumatology/European Alliance of Associations for Rheumatology classification criteria for microscopic polyangiitis". <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e197-e197. | 0.5 | 1 |
| 3 | Evaluating the Construct of Damage in Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , 2023, 75, 998-1006. | 1.5 | 7 |
| 4 | Global Rheumatology Research: Frontiers, Challenges, and Opportunities. <i>Arthritis and Rheumatology</i> , 2022, 74, 1-4. | 2.9 | 10 |
| 5 | Metabolic syndrome predicts new damage in systemic lupus erythematosus patients: Data from the Almenara Lupus Cohort. <i>Lupus</i> , 2022, 31, 105-109. | 0.8 | 5 |
| 6 | ANCA-Associated Vasculitis in Latin America. <i>Journal of Clinical Rheumatology</i> , 2022, 28, 44-51. | 0.5 | 11 |
| 7 | Flares after hydroxychloroquine reduction or discontinuation: results from the Systemic Lupus International Collaborating Clinics (SLICC) inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 370-378. | 0.5 | 42 |
| 8 | Characteristics associated with poor COVID-19 outcomes in individuals with systemic lupus erythematosus: data from the COVID-19 Global Rheumatology Alliance. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 970-978. | 0.5 | 49 |
| 9 | LLDAS (lupus low disease activity state) and/or remission are associated with less damage accrual in patients with systemic lupus erythematosus from a primarily Mestizo population: data from the Almenara Lupus Cohort. <i>Lupus Science and Medicine</i> , 2022, 9, e000616. | 1.1 | 12 |
| 10 | Longitudinal analysis of ANA in the Systemic Lupus International Collaborating Clinics (SLICC) Inception Cohort. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1143-1150. | 0.5 | 9 |
| 11 | Severe flares are associated with a poorer health-related quality of life (HRQoL) in patients with SLE: data from the Almenara Lupus Cohort. <i>Lupus Science and Medicine</i> , 2022, 9, e000641. | 1.1 | 7 |
| 12 | Relationship between care model and disease activity states and health-related quality of life in systemic lupus erythematosus patients. <i>Lupus</i> , 2022, 31, 110-115. | 0.8 | 2 |
| 13 | B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110. | 1.1 | 4 |
| 14 | Rising incidence and prevalence of systemic lupus erythematosus: a population-based study over four decades. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1260-1266. | 0.5 | 23 |
| 15 | Cancer Risk in a Large Inception Systemic Lupus Erythematosus Cohort: Effects of Demographic Characteristics, Smoking, and Medications. <i>Arthritis Care and Research</i> , 2021, 73, 1789-1795. | 1.5 | 13 |
| 16 | Comparison of the 2019 European Alliance of Associations for Rheumatology/American College of Rheumatology Systemic Lupus Erythematosus Classification Criteria With Two Sets of Earlier Systemic Lupus Erythematosus Classification Criteria. <i>Arthritis Care and Research</i> , 2021, 73, 1231-1235. | 1.5 | 22 |
| 17 | Applying the 2019 European Alliance of Associations for Rheumatology/American College of Rheumatology Lupus Criteria to Patients From the LUMINA Cohort: Results From the Multiethnic, Multicenter US Cohort. <i>Arthritis Care and Research</i> , 2021, 73, 1451-1455. | 1.5 | 13 |
| 18 | How well do the new classification criteria for SLE perform?. <i>Nature Reviews Rheumatology</i> , 2021, 17, 7-8. | 3.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Systemic lupus erythematosus: The search for the ideal biomarker. <i>Lupus</i> , 2021, 30, 181-203. | 0.8 | 24 |
| 20 | Understanding Risk Factors for Poor Outcomes in a Multiethnic Longitudinal Cohort. <i>Rheumatic Disease Clinics of North America</i> , 2021, 47, 55-64. | 0.8 | 5 |
| 21 | Community-Engaged Research to Address Health Disparities in Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , 2021, 73, 305-307. | 1.5 | 3 |
| 22 | A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. <i>Lupus</i> , 2021, 30, 630-640. | 0.8 | 2 |
| 23 | Interest on the internet for systemic lupus erythematosus: Analysis of Google Trends in Latin American countries. <i>Lupus</i> , 2021, 30, 1342-1346. | 0.8 | 2 |
| 24 | Performance of the 2017 American College of Rheumatology/European League Against Rheumatism Provisional Classification Criteria for Antineutrophil Cytoplasmic Antibody-Associated Vasculitis in a Peruvian Tertiary Care Center. <i>Journal of Clinical Rheumatology</i> , 2021, Publish Ahead of Print, . | 0.5 | 2 |
| 25 | Anti-beta 2 glycoprotein I IgA in the SLICC classification criteria dataset. <i>Lupus</i> , 2021, 30, 096120332110142. | 0.8 | 3 |
| 26 | Neuropsychiatric Events in Systemic Lupus Erythematosus: Predictors of Occurrence and Resolution in a Longitudinal Analysis of an International Inception Cohort. <i>Arthritis and Rheumatology</i> , 2021, 73, 2293-2302. | 2.9 | 7 |
| 27 | Organ damage in systemic lupus erythematosus. <i>Revista Colombiana De Reumatología</i> , 2021, 28, 66-81. | 0.0 | 2 |
| 28 | Factors associated with neuropsychiatric involvement in Latin American patients with systemic lupus erythematosus. <i>Lupus</i> , 2021, 30, 096120332110203. | 0.8 | 0 |
| 29 | Predictors of hospitalization for COVID-19 in patients with autoimmune rheumatic diseases: results from a community cohort follow-up. <i>Clinical Rheumatology</i> , 2021, 40, 4725-4734. | 1.0 | 8 |
| 30 | Preconception, pregnancy, and lactation in systemic lupus erythematosus patients. <i>Revista Colombiana De Reumatología</i> , 2021, 28, 156-156. | 0.0 | 0 |
| 31 | Correspondence on "New EULAR/ACR 2019 SLE classification criteria: defining ominousity in SLE" by Whittall Garcia et al. <i>Annals of the Rheumatic Diseases</i> , 2021, , annrheumdis-2021-220994. | 0.5 | 1 |
| 32 | Achieving remission or low disease activity is associated with better outcomes in patients with systemic lupus erythematosus: a systematic literature review. <i>Lupus Science and Medicine</i> , 2021, 8, e000542. | 1.1 | 24 |
| 33 | 1704...Identifying clusters of longitudinal autoantibody profiles associated with systemic lupus erythematosus disease outcomes. , 2021, , . | | 0 |
| 34 | Health-Related Quality of Life and fatigue are associated with a higher work productivity impairment in systemic lupus erythematosus patients: Data from the Almenara Lupus Cohort. <i>Lupus</i> , 2021, 30, 2157-2161. | 0.8 | 3 |
| 35 | Impact of glucocorticoids on the incidence of lupus-related major organ damage: a systematic literature review and meta-regression analysis of longitudinal observational studies. <i>Lupus Science and Medicine</i> , 2021, 8, e000590. | 1.1 | 31 |
| 36 | Better Health-Related Quality of Life in Systemic Lupus Erythematosus Predicted by Low Disease Activity State/Remission: Data From the Peruvian Almenara Lupus Cohort. <i>Arthritis Care and Research</i> , 2020, 72, 1159-1162. | 1.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Construction of a Frailty Index as a Novel Health Measure in Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2020, 47, 72-81. | 1.0 | 34 |
| 38 | Peripheral Nervous System Disease in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2020, 72, 67-77. | 2.9 | 39 |
| 39 | Economic Evaluation of Damage Accrual in an International Systemic Lupus Erythematosus Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2020, 72, 1800-1808. | 1.5 | 23 |
| 40 | Prediction of Damage Accrual in Systemic Lupus Erythematosus Using the Systemic Lupus International Collaborating Clinics Frailty Index. <i>Arthritis and Rheumatology</i> , 2020, 72, 658-666. | 2.9 | 26 |
| 41 | Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2020, 106, 102340. | 3.0 | 27 |
| 42 | Neuropsychiatric events in systemic lupus erythematosus: a longitudinal analysis of outcomes in an international inception cohort using a multistate model approach. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 356-362. | 0.5 | 40 |
| 43 | Clinical practice guidelines and recommendations for the management of patients with systemic lupus erythematosus: a critical comparison. <i>Rheumatology</i> , 2020, 59, e165-e168. | 0.9 | 0 |
| 44 | Age at diagnosis and health-related quality of life are associated with fatigue in systemic lupus erythematosus patients: Data from the Almenara Lupus Cohort. <i>Lupus</i> , 2020, 29, 1644-1649. | 0.8 | 1 |
| 45 | Measures of Fatigue in Patients With Rheumatic Diseases: A Critical Review. <i>Arthritis Care and Research</i> , 2020, 72, 369-409. | 1.5 | 20 |
| 46 | Prediction of hospitalizations in systemic lupus erythematosus using the Systemic Lupus International Collaborating Clinics Frailty Index (SLICC-FI). <i>Arthritis Care and Research</i> , 2020, , . | 1.5 | 9 |
| 47 | Accrual of Atherosclerotic Vascular Events in a Multicenter Inception Systemic Lupus Erythematosus Cohort. <i>Arthritis and Rheumatology</i> , 2020, 72, 1734-1740. | 2.9 | 17 |
| 48 | Clinical features, damage accrual, and survival in patients with familial systemic lupus erythematosus: data from a multi-ethnic, multinational Latin American lupus cohort. <i>Lupus</i> , 2020, 29, 1140-1145. | 0.8 | 1 |
| 49 | Serum uric acid is associated with damage in patients with systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2020, 7, e000366. | 1.1 | 6 |
| 50 | Applying the 2019 EULAR/ACR lupus criteria to patients from an established cohort: a Latin American perspective. <i>RMD Open</i> , 2020, 6, e001097. | 1.8 | 26 |
| 51 | Evaluation of the LFA-REAL clinician-reported outcome (ClinRO) and patient-reported outcome (PRO): data from the Peruvian Almenara Lupus Cohort. <i>Lupus Science and Medicine</i> , 2020, 7, e000419. | 1.1 | 6 |
| 52 | Antinuclear Antibody–Negative Systemic Lupus Erythematosus in an International Inception Cohort. <i>Arthritis Care and Research</i> , 2019, 71, 893-902. | 1.5 | 70 |
| 53 | Time in remission and low disease activity state (LDAS) are associated with a better quality of life in patients with systemic lupus erythematosus: results from LUMINA (LXXIX), a multiethnic, multicentre US cohort. <i>RMD Open</i> , 2019, 5, e000955. | 1.8 | 17 |
| 54 | Overrepresentation of Elderly Subjects in a Population-Based Study of Antiphospholipid Syndrome: Comment on the Article by Duarte-García et al. <i>Arthritis and Rheumatology</i> , 2019, 71, 1768-1769. | 2.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Clinical predictors of remission and low disease activity in Latin American early rheumatoid arthritis: data from the GLADAR cohort. <i>Clinical Rheumatology</i> , 2019, 38, 2737-2746. | 1.0 | 10 |
| 56 | Predictors of Remission and Low Disease Activity State in Systemic Lupus Erythematosus: Data from a Multiethnic, Multinational Latin American Cohort. <i>Journal of Rheumatology</i> , 2019, 46, 1299-1308. | 1.0 | 21 |
| 57 | A Practical Roadmap for Writing of Medical Scientific Publications. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 314-317. | 0.5 | 0 |
| 58 | Evaluating the Properties of a Frailty Index and Its Association With Mortality Risk Among Patients With Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019, 71, 1297-1307. | 2.9 | 25 |
| 59 | Use of combined hormonal contraceptives among women with systemic lupus erythematosus with and without medical contraindications to oestrogen. <i>Rheumatology</i> , 2019, 58, 1259-1267. | 0.9 | 8 |
| 60 | 289â€¦Comparison of ACR 1982/1997 and EULAR/ACR classification criteria for systemic lupus erythematosus in two multiethnic cohorts. , 2019, , . | | 0 |
| 61 | SAT0212â€¦ASSOCIATION BETWEEN SELF-EFFICACY AND HEALTH-RELATED QUALITY OF LIFE IN PATIENTS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , . | | 1 |
| 62 | Jaccoudâ€™s arthropathy in SLE: findings from a Latin American multiethnic population. <i>Lupus Science and Medicine</i> , 2019, 6, e000343. | 1.1 | 4 |
| 63 | Medical Scientific Publications From Latin America. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 157-158. | 0.5 | 3 |
| 64 | Low aspirin use and high prevalence of pre-eclampsia risk factors among pregnant women in a multinational SLE inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1010-1012. | 0.5 | 12 |
| 65 | Psychosis in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 281-289. | 2.9 | 55 |
| 66 | Response to: â€œClinical evidence guidelines in systemic lupus erythematosus: reevaluationâ€™ by Scheinberg. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e120-e120. | 0.5 | 1 |
| 67 | Homocysteine levels are independently associated with damage accrual in systemic lupus erythematosus patients from a Latin-American cohort. <i>Clinical Rheumatology</i> , 2019, 38, 1139-1146. | 1.0 | 3 |
| 68 | Remission or low disease activity as a target in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e3-e3. | 0.5 | 7 |
| 69 | Rheumatoid arthritis in the indigenous qom population of Rosario, Argentina: aggressive and disabling disease with inadequate adherence to treatment in a community-based cohort study. <i>Clinical Rheumatology</i> , 2018, 37, 2323-2330. | 1.0 | 9 |
| 70 | A plausibly causal functional lupus-associated risk variant in the STAT1â€“STAT4 locus. <i>Human Molecular Genetics</i> , 2018, 27, 2392-2404. | 1.4 | 34 |
| 71 | Glucocorticoid use and factors associated with variability in this use in the Systemic Lupus International Collaborating Clinics Inception Cohort. <i>Rheumatology</i> , 2018, 57, 677-687. | 0.9 | 37 |
| 72 | Cerebrovascular Events in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1478-1487. | 1.5 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Economic Evaluation of Lupus Nephritis in the Systemic Lupus International Collaborating Clinics Inception Cohort Using a Multistate Model Approach. <i>Arthritis Care and Research</i> , 2018, 70, 1294-1302. | 1.5 | 21 |
| 74 | Therapeutic Guidelines for Latin American Lupus Patients. <i>Journal of Clinical Rheumatology</i> , 2018, 24, 41-44. | 0.5 | 7 |
| 75 | CS-07â€¦Economic evaluation of damage accrual in an international SLE inception cohort. , 2018, , . | | 0 |
| 76 | CS-23â€¦Remission and low disease activity state are associated with a better health-related quality of life in systemic lupus erythematosus in a primarily mestizo population. , 2018, , . | | 0 |
| 77 | CS-13â€¦Remission and low disease activity state prevent hospitalizations and emergency room visits in systemic lupus erythematosus patients. , 2018, , . | | 0 |
| 78 | Factors affecting quality of life in patients with systemic lupus erythematosus: important considerations and potential interventions. <i>Expert Review of Clinical Immunology</i> , 2018, 14, 915-931. | 1.3 | 45 |
| 79 | First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL, <i>Grupo Latino Americano de Estudio del Tj ETQq1 1 0.784314 rgBT_Overlook Diseases. 2018, 77, 1549-1557. | 0.5 | 96 |
| 80 | Is Low Disease Activity Sufficient as a Target in Systemic Lupus Erythematosus? Comment on the Article by Petri et al. <i>Arthritis and Rheumatology</i> , 2018, 70, 2098-2099. | 2.9 | 0 |
| 81 | Genetic fine mapping of systemic lupus erythematosus MHC associations in Europeans and African Americans. <i>Human Molecular Genetics</i> , 2018, 27, 3813-3824. | 1.4 | 43 |
| 82 | Peripheral CD4+CD28null T-cells as predictors of damage inÂsystemic lupus erythematosus patients. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 1008-1013. | 0.4 | 3 |
| 83 | Serum uric acid levels contribute to new renal damage in systemic lupus erythematosus patients. <i>Clinical Rheumatology</i> , 2017, 36, 845-852. | 1.0 | 19 |
| 84 | Factors predictive of high disease activity early in the course of SLE in patients from a Latin-American cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 199-203. | 1.6 | 11 |
| 85 | The evolving concept of SLE comorbidities. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 753-768. | 1.3 | 30 |
| 86 | Epidemiology of systemic lupus erythematosus. <i>Expert Review of Clinical Immunology</i> , 2017, 13, 799-814. | 1.3 | 167 |
| 87 | Remission and Low Disease Activity Status (LDAS) protect lupus patients from damage occurrence: data from a multiethnic, multinational Latin American Lupus Cohort (GLADEL). <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 2071-2074. | 0.5 | 89 |
| 88 | Transancestral mapping and genetic load in systemic lupus erythematosus. <i>Nature Communications</i> , 2017, 8, 16021. | 5.8 | 314 |
| 89 | X Chromosome Dose and Sex Bias in Autoimmune Diseases: Increased Prevalence of 47,XXX in Systemic Lupus Erythematosus and SjÃ¶gren's Syndrome. <i>Arthritis and Rheumatology</i> , 2016, 68, 1290-1300. | 2.9 | 114 |
| 90 | Disease features and outcomes in United States lupus patients of Hispanic origin and their Mestizo counterparts in Latin America: a commentary. <i>Rheumatology</i> , 2016, 55, kev280. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Treat to target in systemic lupus erythematosus: a commentary. <i>Clinical Rheumatology</i> , 2016, 35, 1903-1907. | 1.0 | 7 |
| 92 | Systemic Lupus Erythematosus: Case definition and guidelines for data collection, analysis, and presentation of immunization safety data. <i>Vaccine</i> , 2016, 34, 6572-6581. | 1.7 | 4 |
| 93 | Incomplete Systemic Lupus Erythematosus: Early Diagnosis or Overdiagnosis?. <i>Arthritis Care and Research</i> , 2016, 68, 285-287. | 1.5 | 17 |
| 94 | Decreased <i>SMG7</i> expression associates with lupus-risk variants and elevated antinuclear antibody production. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2007-2013. | 0.5 | 16 |
| 95 | Abatacept for the treatment of systemic lupus erythematosus. <i>Expert Opinion on Investigational Drugs</i> , 2016, 25, 493-499. | 1.9 | 33 |
| 96 | Features associated with hematologic abnormalities and their impact in patients with systemic lupus erythematosus: Data from a multiethnic Latin American cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, 675-683. | 1.6 | 43 |
| 97 | Preferential association of a functional variant in complement receptor 2 with antibodies to double-stranded DNA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 242-252. | 0.5 | 10 |
| 98 | The frequency and outcome of lupus nephritis: results from an international inception cohort study. <i>Rheumatology</i> , 2016, 55, 252-262. | 0.9 | 370 |
| 99 | Circulating naive and memory CD4 ⁺ T cells and metabolic syndrome in patients with systemic lupus erythematosus: data from a primarily Mestizo population. <i>Rheumatology</i> , 2015, 54, 1302-1307. | 0.9 | 16 |
| 100 | Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421. | 1.6 | 54 |
| 101 | The number of flares patients experience impacts on damage accrual in systemic lupus erythematosus: data from a multiethnic Latin American cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1019-1023. | 0.5 | 100 |
| 102 | Lupus risk variants in the PXX locus alter B-cell receptor internalization. <i>Frontiers in Genetics</i> , 2015, 5, 450. | 1.1 | 25 |
| 103 | Lupus Risk Variant Increases pSTAT1 Binding and Decreases ETS1 Expression. <i>American Journal of Human Genetics</i> , 2015, 96, 731-739. | 2.6 | 36 |
| 104 | Mood Disorders in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1837-1847. | 2.9 | 98 |
| 105 | Genetic associations of leptin-related polymorphisms with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2015, 161, 157-162. | 1.4 | 10 |
| 106 | The IRF5-TNPO3 association with systemic lupus erythematosus has two components that other autoimmune disorders variably share. <i>Human Molecular Genetics</i> , 2015, 24, 582-596. | 1.4 | 74 |
| 107 | Impact of early disease factors on metabolic syndrome in systemic lupus erythematosus: data from an international inception cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1530-1536. | 0.5 | 70 |
| 108 | Factors associated with damage accrual in patients with systemic lupus erythematosus: results from the Systemic Lupus International Collaborating Clinics (SLICC) Inception Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1706-1713. | 0.5 | 391 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The PANLAR Rheumatology Prize for Latin American Rheumatologists. <i>Journal of Clinical Rheumatology</i> , 2014, 20, 94-95. | 0.5 | 2 |
| 110 | Primary cardiac disease in systemic lupus erythematosus patients: protective and risk factors--data from a multi-ethnic Latin American cohort. <i>Rheumatology</i> , 2014, 53, 1431-1438. | 0.9 | 33 |
| 111 | Impact of Race and Ethnicity in the Course and Outcome of Systemic Lupus Erythematosus. <i>Rheumatic Disease Clinics of North America</i> , 2014, 40, 433-454. | 0.8 | 58 |
| 112 | Cancer risk in systemic lupus: An updated international multi-centre cohort study. <i>Journal of Autoimmunity</i> , 2013, 42, 130-135. | 3.0 | 249 |
| 113 | Headache in Systemic Lupus Erythematosus: Results From a Prospective, International Inception Cohort Study. <i>Arthritis and Rheumatism</i> , 2013, 65, 2887-2897. | 6.7 | 84 |
| 114 | Non-Lymphoma Hematological Malignancies in Systemic Lupus Erythematosus. <i>Oncology</i> , 2013, 85, 235-240. | 0.9 | 30 |
| 115 | Epidemiology and sociodemographics of systemic lupus erythematosus and lupus nephritis among US adults with Medicaid coverage, 2000â€“2004. <i>Arthritis and Rheumatism</i> , 2013, 65, 753-763. | 6.7 | 357 |
| 116 | Erythropoiesis-stimulating Agent Use among Patients with Lupus Nephritis Approaching End-stage Renal Disease. <i>Journal of Clinical & Cellular Immunology</i> , 2013, 04, 179. | 1.5 | 5 |
| 117 | Analysis of autosomal genes reveals geneâ€“sex interactions and higher total genetic risk in men with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 694-699. | 0.5 | 87 |
| 118 | Anti-malarials exert a protective effect while Mestizo patients are at increased risk of developing SLE renal disease: data from a Latin-American cohort. <i>Rheumatology</i> , 2012, 51, 1293-1298. | 0.9 | 46 |
| 119 | Seizure disorders in systemic lupus erythematosus results from an international, prospective, inception cohort study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1502-1509. | 0.5 | 143 |
| 120 | Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indianâ€“European populations. <i>Arthritis and Rheumatism</i> , 2012, 64, 3687-3694. | 6.7 | 70 |
| 121 | Prevalence, incidence, and demographics of systemic lupus erythematosus and lupus nephritis from 2000 to 2004 among children in the US medicaid beneficiary population. <i>Arthritis and Rheumatism</i> , 2012, 64, 2669-2676. | 6.7 | 163 |
| 122 | Derivation and validation of the Systemic Lupus International Collaborating Clinics classification criteria for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012, 64, 2677-2686. | 6.7 | 3,838 |
| 123 | Quality-of-Life Measurements in Multiethnic Patients with Systemic Lupus Erythematosus: Cross-Cultural Issues. <i>Current Rheumatology Reports</i> , 2010, 12, 237-249. | 2.1 | 32 |
| 124 | Antimalarial treatment may have a timeâ€“dependent effect on lupus survival: Data from a multinational Latin American inception cohort. <i>Arthritis and Rheumatism</i> , 2010, 62, 855-862. | 6.7 | 177 |
| 125 | Factors predictive of thrombotic events in LUMINA, a multi-ethnic cohort of SLE patients (LXXII). <i>Rheumatology</i> , 2010, 49, 1720-1725. | 0.9 | 27 |
| 126 | Predictors of cardiovascular damage in patients with systemic lupus erythematosus: data from LUMINA (LXVIII), a multiethnic US cohort. <i>Rheumatology</i> , 2009, 48, 817-822. | 0.9 | 99 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Disease activity and damage are not associated with increased levels of fatigue in systemic lupus erythematosus patients from a multiethnic cohort: LXVII. <i>Arthritis and Rheumatism</i> , 2009, 61, 1179-1186. | 6.7 | 71 |
| 128 | Thrombosis in systemic lupus erythematosus: risk and protection. <i>Expert Review of Cardiovascular Therapy</i> , 2009, 7, 1541-1549. | 0.6 | 30 |
| 129 | Lessons from LUMINA: a multiethnic US cohort. <i>Lupus</i> , 2008, 17, 971-976. | 0.8 | 23 |
| 130 | Systemic Lupus Erythematosus in a Multiethnic US Cohort (LUMINA): LXI. Value of C-Reactive Protein as a Marker of Disease Activity and Damage. <i>Journal of Rheumatology</i> , 2008, 35, 2355-2358. | 1.0 | 39 |
| 131 | Effect of hydroxychloroquine on the survival of patients with systemic lupus erythematosus: data from LUMINA, a multiethnic US cohort (LUMINA L). <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1168-1172. | 0.5 | 428 |
| 132 | African-American and Hispanic ethnicities, renal involvement and obesity predispose to hypertension in systemic lupus erythematosus: results from LUMINA, a multiethnic cohort (LUMINAXLV). <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 618-622. | 0.5 | 42 |
| 133 | Damage, Accelerated Atherosclerosis, and Mortality in Patients With Systemic Lupus Erythematosus. <i>Journal of Clinical Rheumatology</i> , 2007, 13, 350-353. | 0.5 | 13 |
| 134 | Accelerated damage accrual among men with systemic lupus erythematosus: XLIV. Results from a multiethnic US cohort. <i>Arthritis and Rheumatism</i> , 2007, 56, 622-630. | 6.7 | 147 |
| 135 | A multiethnic, multicenter cohort of patients with systemic lupus erythematosus (SLE) as a model for the study of ethnic disparities in SLE. <i>Arthritis and Rheumatism</i> , 2007, 57, 576-584. | 6.7 | 228 |
| 136 | Using the Short Form 6D, as an overall measure of health, to predict damage accrual and mortality in patients with systemic lupus erythematosus: XLVII, results from a multiethnic US cohort. <i>Arthritis and Rheumatism</i> , 2007, 57, 986-992. | 6.7 | 22 |
| 137 | Poverty, not ethnicity, accounts for the differential mortality rates among lupus patients of various ethnic groups. <i>Journal of the National Medical Association</i> , 2007, 99, 1196-8. | 0.6 | 40 |
| 138 | Infections in Systemic Connective Tissue Diseases: Systemic Lupus Erythematosus, Scleroderma, and Polymyositis/Dermatomyositis. <i>Infectious Disease Clinics of North America</i> , 2006, 20, 849-875. | 1.9 | 63 |
| 139 | Systemic lupus erythematosus in a multiethnic US cohort: Clinical features, course, and outcome in patients with late-onset disease. <i>Arthritis and Rheumatism</i> , 2006, 54, 1580-1587. | 6.7 | 115 |
| 140 | Time to Renal Disease and End-Stage Renal Disease in PROFILE: A Multiethnic Lupus Cohort. <i>PLoS Medicine</i> , 2006, 3, e396. | 3.9 | 90 |
| 141 | Antimalarials in systemic lupus erythematosus: benefits beyond disease activity. <i>Future Rheumatology</i> , 2006, 1, 225-233. | 0.2 | 8 |
| 142 | Systemic lupus erythematosus in a multiethnic cohort (LUMINA): XXIX. Elevation of erythrocyte sedimentation rate is associated with disease activity and damage accrual. <i>Journal of Rheumatology</i> , 2005, 32, 2150-5. | 1.0 | 44 |
| 143 | Systemic lupus erythematosus in three ethnic groups. XIV. Poverty, wealth, and their influence on disease activity. <i>Arthritis and Rheumatism</i> , 2004, 51, 73-77. | 6.7 | 62 |
| 144 | Systemic lupus erythematosus in a multiethnic lupus cohort (LUMINA). XVII. Predictors of self-reported health-related quality of life early in the disease course. <i>Arthritis and Rheumatism</i> , 2004, 51, 465-474. | 6.7 | 141 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Systemic lupus erythematosus in three ethnic groups. XIX. Natural history of the accrual of the American College of Rheumatology criteria prior to the occurrence of criteria diagnosis. <i>Arthritis and Rheumatism</i> , 2004, 51, 609-615. | 6.7 | 56 |
| 146 | Systemic lupus erythematosus in a multiethnic US cohort (LUMINA): XXIII. Baseline predictors of vascular events. <i>Arthritis and Rheumatism</i> , 2004, 50, 3947-3957. | 6.7 | 273 |
| 147 | A 2-phase screening process for patients with Wegener's granulomatosis: a pilot study. <i>Journal of Rheumatology</i> , 2003, 30, 2420-1. | 1.0 | 0 |
| 148 | Systemic lupus erythematosus in three ethnic groups. VIII. Predictors of early mortality in the LUMINA cohort. <i>Arthritis and Rheumatism</i> , 2001, 45, 191-202. | 6.7 | 299 |
| 149 | Psychosocial and health status variables independently predict health care seeking in fibromyalgia. <i>Arthritis and Rheumatism</i> , 2001, 45, 362-371. | 6.7 | 52 |
| 150 | Systemic lupus erythematosus in three ethnic groups: IX. Differences in damage accrual. <i>Arthritis and Rheumatism</i> , 2001, 44, 2797-2806. | 6.7 | 230 |
| 151 | Pain complaints in patients with fibromyalgia versus chronic fatigue syndrome. <i>Current Review of Pain</i> , 2000, 4, 148-157. | 0.8 | 29 |
| 152 | Use of neuroimaging to understand abnormal pain sensitivity in fibromyalgia. <i>Current Rheumatology Reports</i> , 2000, 2, 141-148. | 2.1 | 48 |
| 153 | Abnormal Regional Cerebral Blood Flow in the Caudate Nucleus Among Fibromyalgia Patients and Non-Patients Is Associated with Insidious Symptom Onset. <i>Journal of Musculoskeletal Pain</i> , 1999, 7, 285-292. | 0.3 | 26 |
| 154 | Systemic lupus erythematosus in three ethnic groups: IV. Factors associated with self-reported functional outcome in a large cohort study. <i>Arthritis and Rheumatism</i> , 1999, 12, 256-266. | 6.7 | 51 |
| 155 | Systemic lupus erythematosus in three ethnic groups: V. Acculturation, health-related attitudes and behaviors, and disease activity in Hispanic patients from the LUMINA Cohort. <i>Arthritis and Rheumatism</i> , 1999, 12, 267-276. | 6.7 | 29 |
| 156 | Systemic lupus erythematosus in three ethnic groups: IV. Factors associated with self-reported functional outcome in a large cohort study. , 1999, 12, 256. | | 1 |
| 157 | Systemic lupus erythematosus in three ethnic groups: V. Acculturation, health-related attitudes and behaviors, and disease activity in Hispanic patients from the LUMINA Cohort. <i>Arthritis and Rheumatism</i> , 1999, 12, 267-276. | 6.7 | 2 |
| 158 | Systemic lupus erythematosus in three ethnic groups: II. Features predictive of disease activity early in its course. <i>Arthritis and Rheumatism</i> , 1998, 41, 1173-1180. | 6.7 | 202 |
| 159 | Nutrient intake patterns, body mass index, and vitamin levels in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997, 10, 9-17. | 6.7 | 37 |
| 160 | Methotrexate in Rheumatoid Arthritis. <i>BioDrugs</i> , 1997, 8, 164-175. | 2.2 | 9 |
| 161 | Psychiatric diagnoses in patients with fibromyalgia are related to health care-seeking behavior rather than to illness. <i>Arthritis and Rheumatism</i> , 1996, 39, 436-445. | 6.7 | 256 |
| 162 | Health Care Seeking Behavior in Fibromyalgia:. <i>Journal of Musculoskeletal Pain</i> , 1994, 2, 79-87. | 0.3 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Issues in meta-analysis: An overview. <i>Arthritis and Rheumatism</i> , 1994, 7, 156-160. | 6.7 | 5 |
| 164 | Determinants of serious liver disease among patients receiving low-dose methotrexate for rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1993, 36, 329-335. | 6.7 | 187 |
| 165 | Comparison of naproxen and acetaminophen in a two-year study of treatment of osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 1993, 36, 1196-1206. | 6.7 | 239 |
| 166 | Radiographic assessment of disease progression in rheumatoid arthritis patients enrolled in the cooperative systematic studies of the rheumatic diseases program randomized clinical trial of methotrexate, auranofin, or a combination of the two. <i>Arthritis and Rheumatism</i> , 1993, 36, 1364-1369. | 6.7 | 48 |
| 167 | Efficacy and safety of 10- <i>de</i> azaaminopterin in the treatment of rheumatoid arthritis: A one-year continuation, double-blind study. <i>Arthritis and Rheumatism</i> , 1992, 35, 1318-1321. | 6.7 | 4 |
| 168 | Comparison of auranofin, methotrexate, and the combination of both in the treatment of rheumatoid arthritis. A controlled clinical trial. <i>Arthritis and Rheumatism</i> , 1992, 35, 259-269. | 6.7 | 139 |
| 169 | Combination of disease-modifying antirheumatic drugs in the treatment of rheumatoid arthritis A survey of alabama rheumatologists. <i>Arthritis and Rheumatism</i> , 1991, 4, 48-51. | 6.7 | 1 |
| 170 | A comparison of the full and short versions of the arthritis impact measurement scales. <i>Arthritis and Rheumatism</i> , 1991, 4, 168-173. | 6.7 | 17 |
| 171 | Insufficiency fractures of the distal tibia misdiagnosed as cellulitis in three patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1991, 34, 912-915. | 6.7 | 24 |
| 172 | Prognosis in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1990, 33, 37-48. | 6.7 | 323 |
| 173 | Molecular forms of IgA rheumatoid factor in serum and synovial fluid of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1986, 29, 1194-1202. | 6.7 | 28 |
| 174 | Double-blind, multicenter controlled trial comparing topical dimethyl sulfoxide and normal saline for treatment of hand ulcers in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 1985, 28, 308-314. | 6.7 | 42 |
| 175 | Pure red cell aplasia and protein-losing enteropathy in a patient with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1985, 28, 1059-1061. | 6.7 | 31 |
| 176 | Familial studies in human brucellosis. <i>Tissue Antigens</i> , 1985, 26, 77-79. | 1.0 | 7 |
| 177 | DR antigens in systemic sclerosis: lack of clinical correlations. <i>Tissue Antigens</i> , 1985, 26, 156-158. | 1.0 | 20 |
| 178 | Azathioprine versus d-penicillamine in rheumatoid arthritis patients who have been treated unsuccessfully with gold. <i>Arthritis and Rheumatism</i> , 1984, 27, 721-727. | 6.7 | 57 |
| 179 | Differential patterns of in vitro IgM rheumatoid factor synthesis in seronegative and seropositive rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1982, 25, 150-155. | 6.7 | 21 |
| 180 | Characteristics associated with Covid-19 in patients with Rheumatic Disease in Latin America: data from the Covid-19 Global Rheumatology Alliance physician-reported registry. <i>Global Rheumatology</i> , 0, | 0.0 | 10 |