

Katherine Gordon-Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9136067/publications.pdf>

Version: 2024-02-01

83
papers

13,265
citations

81900

39
h-index

56724

83
g-index

93
all docs

93
docs citations

93
times ranked

15987
citing authors

#	ARTICLE	IF	CITATIONS
1	The dynamic interplay between sleep and mood: an intensive longitudinal study of individuals with bipolar disorder. <i>Psychological Medicine</i> , 2023, 53, 3345-3354.	4.5	7
2	Mental health prior to and during the COVID-19 pandemic in individuals with bipolar disorder: Insights from prospective longitudinal data. <i>Bipolar Disorders</i> , 2022, 24, 658-666.	1.9	5
3	Psychosocial markers of age at onset in bipolar disorder: a machine learning approach. <i>BJPsych Open</i> , 2022, 8, .	0.7	1
4	The influence of borderline personality traits on clinical outcomes in bipolar disorder. <i>Bipolar Disorders</i> , 2021, 23, 368-375.	1.9	10
5	Have I argued with my family this week? What questions do those with lived experience choose to monitor their bipolar disorder?. <i>Journal of Affective Disorders</i> , 2021, 281, 918-925.	4.1	8
6	Phenomenology, Epidemiology and Aetiology of Postpartum Psychosis: A Review. <i>Brain Sciences</i> , 2021, 11, 47.	2.3	35
7	Migraine associated with early onset postpartum depression in women with major depressive disorder. <i>Archives of Women's Mental Health</i> , 2021, 24, 949-955.	2.6	4
8	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
9	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
10	Mood episodes in pregnancy and risk of postpartum recurrence in bipolar disorder: The Bipolar Disorder Research Network Pregnancy Study. <i>Journal of Affective Disorders</i> , 2021, 294, 714-722.	4.1	9
11	Post-partum psychosis and its association with bipolar disorder in the UK: a case-control study using polygenic risk scores. <i>Lancet Psychiatry</i> , 2021, 8, 1045-1052.	7.4	12
12	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. <i>Psychological Medicine</i> , 2020, 50, 2346-2354.	4.5	9
13	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	1.3	137
14	Symptom profile of postpartum and non-postpartum manic episodes in bipolar I disorder: a within-subjects study. <i>Psychiatry Research</i> , 2020, 284, 112748.	3.3	14
15	Adverse childhood experiences and postpartum depression in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 263, 661-666.	4.1	11
16	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020, 77, 303.	11.0	32
17	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	3.2	22
18	Patterns and clinical correlates of lifetime alcohol consumption in women and men with bipolar disorder: Findings from the UK Bipolar Disorder Research Network. <i>Bipolar Disorders</i> , 2020, 22, 731-738.	1.9	15

#	ARTICLE	IF	CITATIONS
19	Large-scale roll out of electronic longitudinal mood-monitoring for research in affective disorders: Report from the UK bipolar disorder research network. <i>Journal of Affective Disorders</i> , 2019, 246, 789-793.	4.1	13
20	Agitated depression in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 547-555.	1.9	14
21	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
22	P017â€¦Differences in genetic risk for insomnia, hypersomnia and chronotype in bipolar disorder subtypes., 2019, , .		0
23	Postpartum psychosis in bipolar disorder: no evidence of association with personality traits, cognitive style or affective temperaments. <i>BMC Psychiatry</i> , 2019, 19, 395.	2.6	12
24	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	28.9	935
25	Contribution of Rare Copy Number Variants to Bipolar Disorder Risk Is Limited to Schizoaffective Cases. <i>Biological Psychiatry</i> , 2019, 86, 110-119.	1.3	45
26	A dataâ€¦driven investigation of relationships between bipolar psychotic symptoms and schizophrenia genomeâ€¦wide significant genetic loci. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 468-475.	1.7	9
27	Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 624-629.	4.1	42
28	Association Between Schizophrenia-Related Polygenic Liability and the Occurrence and Level of Mood-Incongruent Psychotic Symptoms in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 28.	11.0	91
29	Genotypeâ€¦phenotype correlations in Darier disease: A focus on the neuropsychiatric phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 717-726.	1.7	22
30	Stratification of the risk of bipolar disorder recurrences in pregnancy and postpartum. <i>British Journal of Psychiatry</i> , 2018, 213, 542-547.	2.8	46
31	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	28.9	623
32	Evidence for genetic heterogeneity between clinical subtypes of bipolar disorder. <i>Translational Psychiatry</i> , 2017, 7, e993-e993.	4.8	162
33	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	4.8	150
34	Genomeâ€¦wide significant locus for Research Diagnostic Criteria Schizoaffective Disorder Bipolar type. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 767-771.	1.7	1
35	Changes to the Diagnostic Criteria for Bipolar Disorder in DSM-5 Make Little Difference to Lifetime Diagnosis: Findings From the U.K. Bipolar Disorder Research Network (BDRN) Study. <i>American Journal of Psychiatry</i> , 2017, 174, 803-803.	7.2	9
36	A visual timeline tool for tracking mood and medication perinatally in affective disorders. <i>Archives of Women's Mental Health</i> , 2017, 20, 709-710.	2.6	0

#	ARTICLE	IF	CITATIONS
37	Sleep loss as a trigger of mood episodes in bipolar disorder: Individual differences based on diagnostic subtype and gender. <i>British Journal of Psychiatry</i> , 2017, 211, 169-174.	2.8	92
38	Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017, 82, 634-641.	1.3	99
39	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017, 207, 268-275.	4.1	19
40	Adverse childhood life events and postpartum psychosis in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 205, 69-72.	4.1	19
41	Copy number variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 89-93.	7.9	147
42	Affective instability, childhood trauma and major affective disorders. <i>Journal of Affective Disorders</i> , 2016, 190, 764-771.	4.1	45
43	Genome-wide association study identifies SESTD1 as a novel risk gene for lithium-responsive bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 1290-1297.	7.9	69
44	Smoking and postpartum psychosis. <i>Bipolar Disorders</i> , 2015, 17, 572-573.	1.9	4
45	Adverse childhood events and psychosis in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 191-197.	2.8	59
46	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
47	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 226-231.	4.1	19
48	Rapid cycling as a feature of bipolar disorder and comorbid migraine. <i>Journal of Affective Disorders</i> , 2015, 175, 320-324.	4.1	26
49	Bipolar disorder, miscarriage, and termination. <i>Bipolar Disorders</i> , 2015, 17, 102-105.	1.9	16
50	Gambling problems in bipolar disorder in the UK: Prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015, 207, 328-333.	2.8	32
51	H09 The Depression Phenotype In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, A54-A55.	1.9	0
52	Identification of Pathways for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 657.	11.0	204
53	Comorbid medical illness in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014, 205, 465-472.	2.8	113
54	Improving the psychometric utility of the hypomania checklist (HCL-32): A Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014, 152-154, 448-453.	4.1	14

#	ARTICLE	IF	CITATIONS
55	Mood disorders and parity – A clue to the aetiology of the postpartum trigger. <i>Journal of Affective Disorders</i> , 2014, 152-154, 334-339.	4.1	61
56	H07 The Familiality Of Psychiatric Symptoms In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, A54-A54.	1.9	0
57	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	21.4	2,067
58	Association at SYNE1 in both bipolar disorder and recurrent major depression. <i>Molecular Psychiatry</i> , 2013, 18, 614-617.	7.9	80
59	Replication of bipolar disorder susceptibility alleles and identification of two novel genome-wide significant associations in a new bipolar disorder case-control sample. <i>Molecular Psychiatry</i> , 2013, 18, 1302-1307.	7.9	123
60	Genome-wide significant associations in schizophrenia to ITIH3/4, CACNA1C and SDCCAG8, and extensive replication of associations reported by the Schizophrenia PGC. <i>Molecular Psychiatry</i> , 2013, 18, 708-712.	7.9	216
61	Perinatal Episodes Across the Mood Disorder Spectrum. <i>JAMA Psychiatry</i> , 2013, 70, 168.	11.0	201
62	Novel <i>ATP2A2</i> mutations in a large sample of individuals with Darier disease. <i>Journal of Dermatology</i> , 2013, 40, 259-266.	1.2	26
63	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. <i>Molecular Psychiatry</i> , 2011, 16, 2-4.	7.9	150
64	DISC1 exon 11 rare variants found more commonly in schizoaffective spectrum cases than controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 490-492.	1.7	19
65	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	21.4	1,283
66	Affective temperaments across the bipolar-unipolar spectrum: Examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010, 123, 42-51.	4.1	39
67	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010, 124, 351-356.	4.1	39
68	Variation at the GABA _A receptor gene, Rho 1 (<i>GABRR1</i>) associated with susceptibility to bipolar schizoaffective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1347-1349.	1.7	17
69	The neuropsychiatric phenotype in Darier disease. <i>British Journal of Dermatology</i> , 2010, 163, 515-522.	1.5	63
70	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. <i>Molecular Psychiatry</i> , 2010, 15, 146-153.	7.9	111
71	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 1016-1022.	7.9	458
72	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010, 464, 713-720.	27.8	737

#	ARTICLE	IF	CITATIONS
73	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. <i>British Journal of Psychiatry</i> , 2009, 195, 23-29.	2.8	83
74	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009, 114, 68-73.	4.1	52
75	Age-at-onset in bipolar-I disorder: Mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009, 116, 23-29.	4.1	75
76	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009, 11, 82-88.	1.9	56
77	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009, 11, 307-315.	1.9	4
78	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. <i>Nature Genetics</i> , 2008, 40, 1056-1058.	21.4	1,102
79	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008, 192, 388-389.	2.8	118
80	Operation of the Schizophrenia Susceptibility Gene, Neuregulin 1, Across Traditional Diagnostic Boundaries to Increase Risk for Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2005, 62, 642.	12.3	232
81	Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 431-437.	2.8	89
82	Bipolar disorder and polymorphisms in the dysbindin gene (DTNBP1). <i>Biological Psychiatry</i> , 2005, 57, 696-701.	1.3	120
83	Triplet repeats and bipolar disorder. <i>Current Psychiatry Reports</i> , 2002, 4, 134-140.	4.5	4