

# Glen E Palmer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9136149/publications.pdf>

Version: 2024-02-01

42  
papers

4,418  
citations

361413

20  
h-index

276875

41  
g-index

42  
all docs

42  
docs citations

42  
times ranked

10654  
citing authors

#	ARTICLE	IF	CITATIONS
1	Titration of C-5 Sterol Desaturase Activity Reveals Its Relationship to <i>Candida albicans</i> Virulence and Antifungal Susceptibility Is Dependent upon Host Immune Status. <i>MBio</i> , 2022, , e0011522.	4.1	1
2	A variant ECE1 allele contributes to reduced pathogenicity of <i>Candida albicans</i> during vulvovaginal candidiasis. <i>PLoS Pathogens</i> , 2021, 17, e1009884.	4.7	35
3	Species-Specific Differences in C-5 Sterol Desaturase Function Influence the Outcome of Azole Antifungal Exposure. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, e0104421.	3.2	1
4	Identification of Inhibitors of Fungal Fatty Acid Biosynthesis. <i>ACS Infectious Diseases</i> , 2021, 7, 3210-3223.	3.8	7
5	Delineation of the Direct Contribution of <i>Candida auris</i> <i>ERG11</i> Mutations to Clinical Triazole Resistance. <i>Microbiology Spectrum</i> , 2021, 9, e0158521.	3.0	27
6	Mutations in <i>TAC1B</i> : a Novel Genetic Determinant of Clinical Fluconazole Resistance in <i>Candida auris</i> . <i>MBio</i> , 2020, 11, .	4.1	101
7	Dihydrofolate Reductase Is a Valid Target for Antifungal Development in the Human Pathogen <i>Candida albicans</i> . <i>MSphere</i> , 2020, 5, .	2.9	20
8	An Unbiased Drug Screen for Seizure Suppressors in Duplication 15q Syndrome Reveals 5-HT1A and Dopamine Pathway Activation as Potential Therapies. <i>Biological Psychiatry</i> , 2020, 88, 698-709.	1.3	7
9	Abrogation of Triazole Resistance upon Deletion of <i>CDR1</i> in a Clinical Isolate of <i>Candida auris</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	99
10	Differential requirements of protein geranylgeranylation for the virulence of human pathogenic fungi. <i>Virulence</i> , 2019, 10, 511-526.	4.4	11
11	A Systematic Screen Reveals a Diverse Collection of Medications That Induce Antifungal Resistance in <i>Candida</i> Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	13
12	The Vacuolar Ca <sup>2+</sup> ATPase Pump Pmc1p Is Required for <i>Candida albicans</i> Pathogenesis. <i>MSphere</i> , 2019, 4, .	2.9	14
13	Remasking of <i>Candida albicans</i> $\beta$ -Glucan in Response to Environmental pH Is Regulated by Quorum Sensing. <i>MBio</i> , 2019, 10, .	4.1	37
14	Titration Gene Function in the Human Fungal Pathogen <i>Candida albicans</i> through Poly-Adenosine Tract Insertion. <i>MSphere</i> , 2019, 4, .	2.9	6
15	Loss of C-5 Sterol Desaturase Activity in <i>Candida albicans</i> : Azole Resistance or Merely Trailing Growth?. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	11
16	Commonly Used Oncology Drugs Decrease Antifungal Effectiveness against <i>Candida</i> and <i>Aspergillus</i> Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	8
17	Candidalysin Drives Epithelial Signaling, Neutrophil Recruitment, and Immunopathology at the Vaginal Mucosa. <i>Infection and Immunity</i> , 2018, 86, .	2.2	123
18	Comparative Analysis of the Capacity of the <i>Candida</i> Species To Elicit Vaginal Immunopathology. <i>Infection and Immunity</i> , 2018, 86, .	2.2	30

#	ARTICLE	IF	CITATIONS
19	Loss of Upc2p-Inducible <i>ERG3</i> Transcription Is Sufficient To Confer Niche-Specific Azole Resistance without Compromising <i>Candida albicans</i> Pathogenicity. <i>MBio</i> , 2018, 9, .	4.1	15
20	Loss of C-5 Sterol Desaturase Activity Results in Increased Resistance to Azole and Echinocandin Antifungals in a Clinical Isolate of <i>Candida parapsilosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	42
21	An Azole-Tolerant Endosomal Trafficking Mutant of <i>Candida albicans</i> Is Susceptible to Azole Treatment in a Mouse Model of Vaginal Candidiasis. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	12
22	Overexpression of <i>Candida albicans</i> Secreted Aspartyl Proteinase 2 or 5 Is Not Sufficient for Exacerbation of Immunopathology in a Murine Model of Vaginitis. <i>Infection and Immunity</i> , 2017, 85, .	2.2	11
23	<i>In Vivo</i> Indicators of Cytoplasmic, Vacuolar, and Extracellular pH Using pHluorin2 in <i>Candida albicans</i> . <i>MSphere</i> , 2017, 2, .	2.9	24
24	Antifungal adjuvants: Preserving and extending the antifungal arsenal. <i>Virulence</i> , 2017, 8, 198-210.	4.4	21
25	Target Abundance-Based Fitness Screening (TAFIS) Facilitates Rapid Identification of Target-Specific and Physiologically Active Chemical Probes. <i>MSphere</i> , 2017, 2, .	2.9	10
26	Identification of small molecules that disrupt vacuolar function in the pathogen <i>Candida albicans</i> . <i>PLoS ONE</i> , 2017, 12, e0171145.	2.5	11
27	Endosomal Trafficking Defects Can Induce Calcium-Dependent Azole Tolerance in <i>Candida albicans</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 7170-7177.	3.2	9
28	Trafficking through the Late Endosome Significantly Impacts <i>Candida albicans</i> Tolerance of the Azole Antifungals. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 2410-2420.	3.2	33
29	<i>ERG2</i> and <i>ERG24</i> Are Required for Normal Vacuolar Physiology as Well as <i>Candida albicans</i> Pathogenicity in a Murine Model of Disseminated but Not Vaginal Candidiasis. <i>Eukaryotic Cell</i> , 2015, 14, 1006-1016.	3.4	22
30	Fungal Morphogenetic Pathways Are Required for the Hallmark Inflammatory Response during <i>Candida albicans</i> Vaginitis. <i>Infection and Immunity</i> , 2014, 82, 532-543.	2.2	147
31	Morphogenesis Is Not Required for <i>Candida albicans</i> - <i>Staphylococcus aureus</i> Intra-Abdominal Infection-Mediated Dissemination and Lethal Sepsis. <i>Infection and Immunity</i> , 2014, 82, 3426-3435.	2.2	54
32	Synthesis and antifungal activity of substituted 2,4,6-pyrimidinetrione carbaldehyde hydrazones. <i>Biorganic and Medicinal Chemistry</i> , 2014, 22, 813-826.	3.0	61
33	Three Prevacuolar Compartment Rab GTPases Impact <i>Candida albicans</i> Hyphal Growth. <i>Eukaryotic Cell</i> , 2013, 12, 1039-1050.	3.4	23
34	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
35	Vacuolar trafficking and <i>Candida albicans</i> pathogenesis. <i>Communicative and Integrative Biology</i> , 2011, 4, 240-242.	1.4	22
36	Endosomal and AP-3-Dependent Vacuolar Trafficking Routes Make Additive Contributions to <i>Candida albicans</i> Hyphal Growth and Pathogenesis. <i>Eukaryotic Cell</i> , 2010, 9, 1755-1765.	3.4	14

#	ARTICLE	IF	CITATIONS
37	Role for Endosomal and Vacuolar GTPases in <i>Candida albicans</i> Pathogenesis. <i>Infection and Immunity</i> , 2009, 77, 2343-2355.	2.2	29
38	Bmh1p (14-3-3) mediates pathways associated with virulence in <i>Candida albicans</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 51-58.	1.8	15
39	Autophagy in the Invading Pathogen. <i>Autophagy</i> , 2007, 3, 251-253.	9.1	10
40	Autophagy in the pathogen <i>Candida albicans</i> . <i>Microbiology (United Kingdom)</i> , 2007, 153, 51-58.	1.8	87
41	Random mutagenesis of an essential <i>Candida albicans</i> gene. <i>Current Genetics</i> , 2004, 46, 343-356.	1.7	13
42	<i>Candida albicans</i> VPS11 Is Required for Vacuole Biogenesis and Germ Tube Formation. <i>Eukaryotic Cell</i> , 2003, 2, 411-421.	3.4	60