

John B Young

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9137363/publications.pdf>

Version: 2024-02-01

172
papers

14,549
citations

50276

46
h-index

20961

115
g-index

174
all docs

174
docs citations

174
times ranked

16032
citing authors

#	ARTICLE	IF	CITATIONS
1	Frailty in elderly people. <i>Lancet, The</i> , 2013, 381, 752-762.	13.7	6,145
2	Development and validation of an electronic frailty index using routine primary care electronic health record data. <i>Age and Ageing</i> , 2016, 45, 353-360.	1.6	844
3	Which medications to avoid in people at risk of delirium: a systematic review. <i>Age and Ageing</i> , 2011, 40, 23-29.	1.6	434
4	Self-Reported Long-Term Needs After Stroke. <i>Stroke</i> , 2011, 42, 1398-1403.	2.0	362
5	Delirium in older people. <i>BMJ: British Medical Journal</i> , 2007, 334, 842-846.	2.3	352
6	Diagnostic test accuracy of simple instruments for identifying frailty in community-dwelling older people: a systematic review. <i>Age and Ageing</i> , 2015, 44, 148-152.	1.6	293
7	Interventions for preventing delirium in hospitalised non-ICU patients. <i>The Cochrane Library</i> , 2016, 2016, CD005563.	2.8	277
8	Diagnosis, prevention, and management of delirium: summary of NICE guidance. <i>BMJ: British Medical Journal</i> , 2010, 341, c3704-c3704.	2.3	236
9	Physiotherapy for patients with mobility problems more than 1 year after stroke: a randomised controlled trial. <i>Lancet, The</i> , 2002, 359, 199-203.	13.7	182
10	Synopsis of the National Institute for Health and Clinical Excellence Guideline for Prevention of Delirium. <i>Annals of Internal Medicine</i> , 2011, 154, 746.	3.9	175
11	Information provision for stroke patients and their caregivers. <i>The Cochrane Library</i> , 2012, 11, CD001919.	2.8	175
12	Investigating recovery from stroke: a qualitative study. <i>Journal of Clinical Nursing</i> , 2000, 9, 507-515.	3.0	165
13	A test-retest reliability study of the Barthel Index, the Rivermead Mobility Index, the Nottingham extended Activities of Daily Living Scale and the Frenchay Activities Index in stroke patients. <i>Disability and Rehabilitation</i> , 2001, 23, 670-676.	1.8	155
14	Reliability of gait speed measured by a timed walking test in patients one year after stroke. <i>Clinical Rehabilitation</i> , 2002, 16, 306-314.	2.2	146
15	Process of implementing and delivering the Prevention of Delirium system of care: a mixed method preliminary study. <i>BMC Geriatrics</i> , 2020, 20, 1.	2.7	145
16	Standard set of health outcome measures for older persons. <i>BMC Geriatrics</i> , 2018, 18, 36.	2.7	130
17	The Frailty Syndrome. <i>Clinical Medicine</i> , 2011, 11, 72-75.	1.9	125
18	Physical rehabilitation for older people in long-term care. <i>The Cochrane Library</i> , 2013, , CD004294.	2.8	123

#	ARTICLE	IF	CITATIONS
19	Delirium detection in older acute medical inpatients: a multicentre prospective comparative diagnostic test accuracy study of the 4AT and the confusion assessment method. BMC Medicine, 2019, 17, 138.	5.5	121
20	Quality of life is substantially worse for community-dwelling older people living with frailty: systematic review and meta-analysis. Quality of Life Research, 2019, 28, 2041-2056.	3.1	114
21	A structured training programme for caregivers of inpatients after stroke (TRACS): a cluster randomised controlled trial and cost-effectiveness analysis. Lancet, The, 2013, 382, 2069-2076.	13.7	112
22	The Home-based Older People's Exercise (HOPE) trial: a pilot randomised controlled trial of a home-based exercise intervention for older people with frailty. Age and Ageing, 2014, 43, 687-695.	1.6	94
23	Developing a primary care-based stroke service: a review of the qualitative literature. British Journal of General Practice, 2003, 53, 137-42.	1.4	88
24	Cochrane review: information provision for stroke patients and their caregivers. Clinical Rehabilitation, 2009, 23, 195-206.	2.2	85
25	Cost-effectiveness of multi-component interventions to prevent delirium in older people admitted to medical wards. Age and Ageing, 2012, 41, 285-291.	1.6	85
26	Systematic review of day hospital care for elderly people. BMJ: British Medical Journal, 1999, 318, 837-841.	2.3	84
27	The 4 'A's' test for detecting delirium in acute medical patients: a diagnostic accuracy study. Health Technology Assessment, 2019, 23, 1-194.	2.8	82
28	A randomized trial to evaluate an education programme for patients and carers after stroke. Clinical Rehabilitation, 2004, 18, 726-736.	2.2	78
29	Stop Delirium! A complex intervention to prevent delirium in care homes: a mixed-methods feasibility study. Age and Ageing, 2011, 40, 90-98.	1.6	72
30	Do home-based exercise interventions improve outcomes for frail older people? Findings from a systematic review. Reviews in Clinical Gerontology, 2012, 22, 68-78.	0.5	71
31	Is physical rehabilitation for older people in long-term care effective? Findings from a systematic review. Age and Ageing, 2010, 39, 169-175.	1.6	69
32	Is Comprehensive Geriatric Assessment Admission Avoidance Hospital at Home an Alternative to Hospital Admission for Older Persons?. Annals of Internal Medicine, 2021, 174, 889-898.	3.9	69
33	The effect of physical rehabilitation on activities of daily living in older residents of long-term care facilities: systematic review with meta-analysis. Age and Ageing, 2013, 42, 682-688.	1.6	65
34	Use of the 'STRATIFY' falls risk assessment in patients recovering from acute stroke. Age and Ageing, 2006, 35, 138-143.	1.6	64
35	Postacute Care for Older People in Community Hospitals: A Multicenter Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2007, 55, 1995-2002.	2.6	62
36	Effectiveness of a multi-component intervention to reduce delirium incidence in elderly care wards. Age and Ageing, 2013, 42, 721-727.	1.6	62

#	ARTICLE	IF	CITATIONS
37	Rehabilitation for older people in long-term care. , 2009, , CD004294.		61
38	Managing frailty as a long-term condition. Age and Ageing, 2015, 44, 732-735.	1.6	61
39	The development of intermediate care services in England. Archives of Gerontology and Geriatrics, 2009, 49, S21-S25.	3.0	60
40	Convergent validity of the electronic frailty index. Age and Ageing, 2019, 48, 152-156.	1.6	60
41	Interventions for preventing delirium in older people in institutional long-term care. The Cochrane Library, 2014, , CD009537.	2.8	59
42	Information provision for stroke patients and their caregivers. , 2008, , CD001919.		58
43	A systematic review of the diagnostic test accuracy of brief cognitive tests to detect amnesic mild cognitive impairment. International Journal of Geriatric Psychiatry, 2016, 31, 1139-1150.	2.7	57
44	Recovering from stroke: a qualitative investigation of the role of goal setting in late stroke recovery. Journal of Advanced Nursing, 1999, 30, 401-409.	3.3	55
45	Developing and implementing an integrated delirium prevention system of care: a theory driven, participatory research study. BMC Health Services Research, 2013, 13, 341.	2.2	55
46	Developing a primary care-based stroke model: the prevalence of longer-term problems experienced by patients and carers. British Journal of General Practice, 2003, 53, 803-7.	1.4	54
47	Effects of locality based community hospital care on independence in older people needing rehabilitation: randomised controlled trial. BMJ: British Medical Journal, 2005, 331, 317-322.	2.3	51
48	Is there a role for physical activity in preventing cognitive decline in people with mild cognitive impairment?. Age and Ageing, 2012, 41, 5-8.	1.6	48
49	Improving recruitment of older people to clinical trials: use of the cohort multiple randomised controlled trial design. Age and Ageing, 2015, 44, 547-550.	1.6	48
50	Under-reporting of delirium in the NHS. Age and Ageing, 2011, 40, 283-286.	1.6	44
51	Is the association between blood pressure and mortality in older adults different with frailty? A systematic review and meta-analysis. Age and Ageing, 2019, 48, 627-635.	1.6	43
52	The importance of detecting and managing comorbidities in people with dementia?. Age and Ageing, 2014, 43, 741-743.	1.6	41
53	A systematic review of case-mix adjustment models for stroke. Clinical Rehabilitation, 2012, 26, 771-786.	2.2	40
54	Structured re-assessment system at 6 months after a disabling stroke: a randomised controlled trial with resource use and cost study. Age and Ageing, 2009, 38, 576-583.	1.6	38

#	ARTICLE	IF	CITATIONS
55	Cognitive assessment of older people. BMJ: British Medical Journal, 2011, 343, d5042-d5042.	2.3	38
56	Validation of the Longer-term Unmet Needs after Stroke (LUNS) monitoring tool: a multicentre study. Clinical Rehabilitation, 2013, 27, 1020-1028.	2.2	37
57	Family involvement in timely detection of changes in health of nursing homes residents: A qualitative exploratory study. Journal of Clinical Nursing, 2018, 27, 317-327.	3.0	37
58	A whole system study of intermediate care services for older people. Age and Ageing, 2005, 34, 577-583.	1.6	36
59	Rehabilitation for older people. BMJ: British Medical Journal, 1998, 316, 1108-1109.	2.3	33
60	A survey of physiotherapy and occupational therapy provision in UK nursing homes. Clinical Rehabilitation, 2001, 15, 607-610.	2.2	31
61	Post-acute care for older people in community hospitalsâ€”a cost-effectiveness analysis within a multi-centre randomised controlled trial. Age and Ageing, 2008, 37, 513-520.	1.6	31
62	Cluster Randomized Controlled Trial. Stroke, 2015, 46, 2212-2219.	2.0	31
63	The PiTSTOP study: a feasibility cluster randomized trial of delirium prevention in care homes for older people. Age and Ageing, 2016, 45, 651-660.	1.6	31
64	Review of longer-term problems after disabling stroke. Reviews in Clinical Gerontology, 2003, 13, .	0.5	30
65	A Cluster Randomized Controlled Trial of a Structured Training Programme for Caregivers of Inpatients after Stroke (TRACS). International Journal of Stroke, 2012, 7, 94-99.	5.9	30
66	Is comprehensive geriatric assessment hospital at home a cost-effective alternative to hospital admission for older people?. Age and Ageing, 2022, 51, .	1.6	30
67	Unpacking the â€˜black boxâ€™ of a nurse-led stroke support service. Clinical Rehabilitation, 2000, 14, 160-171.	2.2	29
68	Combined analysis of two randomized trials of community physiotherapy for patients more than one year post stroke. Clinical Rehabilitation, 2004, 18, 249-252.	2.2	29
69	Protocol for validation of the 4AT, a rapid screening tool for delirium: a multicentre prospective diagnostic test accuracy study. BMJ Open, 2018, 8, e015572.	1.9	29
70	A randomized trial evaluation of the Oswestry Standing Frame for patients after stroke. Clinical Rehabilitation, 2005, 19, 354-364.	2.2	27
71	Multicomponent delirium prevention: not as effective as NICE suggest?. Age and Ageing, 2015, 44, 915-917.	1.6	26
72	Decreased fibrinolytic potential in South Asian women with ischaemic cerebrovascular disease. British Journal of Haematology, 2001, 114, 155-161.	2.5	25

#	ARTICLE	IF	CITATIONS
73	Determinants of Social Outcome Measured by the Frenchay Activities Index at One Year after Stroke Onset. <i>Cerebrovascular Diseases</i> , 2001, 12, 114-120.	1.7	24
74	The ethics of consent in delirium studies. <i>Journal of Psychosomatic Research</i> , 2008, 65, 283-287.	2.6	24
75	Prevention of delirium (POD) for older people in hospital: study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2015, 16, 340.	1.6	24
76	The second national audit of intermediate care. <i>Age and Ageing</i> , 2015, 44, 182-184.	1.6	24
77	The impacts of family involvement on general hospital care experiences for people living with dementia: An ethnographic study. <i>International Journal of Nursing Studies</i> , 2019, 96, 72-81.	5.6	24
78	Insulin Resistance and Elevated Levels of Tissue Plasminogen Activator in First-Degree Relatives of South Asian Patients With Ischemic Cerebrovascular Disease. <i>Stroke</i> , 2001, 32, 1069-1073.	2.0	23
79	Older people's care experience in community and general hospitals: a comparative study. <i>Nursing Older People</i> , 2008, 20, 33-39.	0.2	23
80	An overview of rehabilitation for older people. <i>Reviews in Clinical Gerontology</i> , 1999, 9, 183-196.	0.5	21
81	Medical day hospital care for the elderly versus alternative forms of care. , 2008, , CD001730.		21
82	Delirium in care homes. <i>Reviews in Clinical Gerontology</i> , 2009, 19, 309-316.	0.5	21
83	A multi-centre randomised trial to compare the effectiveness of geriatrician-led admission avoidance hospital at home versus inpatient admission. <i>Trials</i> , 2017, 18, 491.	1.6	21
84	The Home-Based Older People's Exercise (HOPE) trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 143.	1.6	20
85	The development of a collaborative stroke training programme for nurses. <i>Journal of Clinical Nursing</i> , 1999, 8, 743-752.	3.0	19
86	A prospective baseline study of frail older people before the introduction of an intermediate care service. <i>Health and Social Care in the Community</i> , 2005, 13, 307-312.	1.6	19
87	Review of longer-term problems after a disabling stroke. <i>Reviews in Clinical Gerontology</i> , 2007, 17, 277.	0.5	19
88	Systematic approaches to the prevention and management of patients with delirium. <i>Journal of Psychosomatic Research</i> , 2008, 65, 267-272.	2.6	19
89	Do physiotherapy staff record treatment time accurately? An observational study. <i>Clinical Rehabilitation</i> , 2009, 23, 841-845.	2.2	19
90	The cost-effectiveness of multi-component interventions to prevent delirium in older people undergoing surgical repair of hip fracture. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 187-195.	1.4	19

#	ARTICLE	IF	CITATIONS
91	The Person, Interactions and Environment Programme to improve care of people with dementia in hospital: a multisite study. <i>Health Services and Delivery Research</i> , 2018, 6, 1-154.	1.4	19
92	An estimate of post-acute intermediate care need in an elderly care department for older people. <i>Health and Social Care in the Community</i> , 2003, 11, 229-231.	1.6	18
93	The patient experience of community hospital ? the process of care as a determinant of satisfaction. <i>Journal of Evaluation in Clinical Practice</i> , 2007, 13, 95-101.	1.8	18
94	Educating staff working in long-term care about delirium: The Trojan horse for improving quality of care?. <i>Journal of Psychosomatic Research</i> , 2008, 65, 261-266.	2.6	18
95	The validity of the Memory Alteration Test and the Test Your MemoryÂtest for communityâ€based identification of amnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 987-995.	0.8	18
96	Use of the confusion assessment method in multicentre delirium trials: training and standardisation. <i>BMC Geriatrics</i> , 2019, 19, 107.	2.7	18
97	Feasibility study of a primary care-based model for stroke aftercare. <i>British Journal of General Practice</i> , 2006, 56, 775-80.	1.4	18
98	Determinants of Plasminogen Activator Inhibitor-1 in South Asians with Ischaemic Stroke. <i>Cerebrovascular Diseases</i> , 2002, 14, 77-83.	1.7	17
99	A cost effectiveness analysis within a randomised controlled trial of post-acute care of older people in a community hospital. <i>BMJ: British Medical Journal</i> , 2006, 333, 228.	2.3	17
100	Post-acute rehabilitation care for older people in community hospitals and general hospitals â€“ Philosophies of care and patients' and caregivers' reported experiences: A qualitative study. <i>Disability and Rehabilitation</i> , 2009, 31, 1862-1872.	1.8	17
101	Community ageing research 75+ study (CARE75+): an experimental ageing and frailty research cohort. <i>BMJ Open</i> , 2019, 9, e026744.	1.9	17
102	Measuring outcomes in the longer term after a stroke. <i>Clinical Rehabilitation</i> , 2009, 23, 918-921.	2.2	16
103	Medical day hospital care for older people versus alternative forms of care. <i>The Cochrane Library</i> , 2015, 2015, CD001730.	2.8	16
104	The development and implementation of the structured training programme for caregivers of inpatients after stroke (TRACS) intervention: The London Stroke Carers Training Course. <i>Clinical Rehabilitation</i> , 2015, 29, 211-220.	2.2	16
105	Non-pharmacological approaches in the prevention of delirium. <i>European Geriatric Medicine</i> , 2020, 11, 71-81.	2.8	16
106	A preliminary investigation of patient and carer expectations of their general practitioner in longer-term stroke care. <i>Journal of Evaluation in Clinical Practice</i> , 1998, 4, 237-241.	1.8	15
107	Effect of a physiotherapist-led training programme on attitudes of nurses caring for patients after stroke. <i>Clinical Rehabilitation</i> , 1999, 13, 113-122.	2.2	15
108	Community care waiting lists and older people. <i>BMJ: British Medical Journal</i> , 2001, 322, 254-254.	2.3	15

#	ARTICLE	IF	CITATIONS
109	Post-acute transfer of older people to intermediate care services: the sooner the better?. Age and Ageing, 2007, 36, 589-592.	1.6	15
110	Poststroke Trajectories: The Process of Recovery Over the Longer Term Following Stroke. Global Qualitative Nursing Research, 2017, 4, 233339361773020.	1.4	15
111	Community rehabilitation for older people: day hospital or home-based services?. Age and Ageing, 2011, 40, 2-4.	1.6	14
112	Subdural haematoma in the elderly. BMJ, The, 2014, 348, g1682-g1682.	6.0	14
113	Systematic review investigating the reporting of comorbidities and medication in randomized controlled trials of people with dementia. Age and Ageing, 2014, 43, 868-872.	1.6	14
114	Day hospital and stroke patients. International Disability Studies, 1989, 11, 181-183.	0.4	13
115	Future directions for geriatric medicine. BMJ: British Medical Journal, 2000, 320, 133-134.	2.3	13
116	Increased fibrinogen, von Willebrand factor and tissue plasminogen activator levels in insulin resistant South Asian patients with ischaemic stroke. Atherosclerosis, 2002, 163, 371-376.	0.8	13
117	Quality of care for people with dementia in general hospitals: national cross-sectional audit of patient assessment. Clinical Medicine, 2014, 14, 490-494.	1.9	13
118	Intermediate care in England: where next?. Age and Ageing, 2006, 35, 339-341.	1.6	12
119	Survey to investigate the role of the community stroke care coordinator. British Journal of Community Nursing, 2008, 13, 31-36.	0.4	12
120	Evidence-based intervention to reduce avoidable hospital admissions in care home residents (the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 trial. BMJ Open, 2019, 9, e026510.	1.9	12
121	Effects of delays in transfer on independence outcomes for older people requiring postacute care in community hospitals in England. Journal of Clinical Gerontology and Geriatrics, 2010, 1, 48-52.	0.7	11
122	PERFECTED enhanced recovery (PERFECT-ER) care versus standard acute care for patients admitted to acute settings with hip fracture identified as experiencing confusion: study protocol for a feasibility cluster randomized controlled trial. Trials, 2017, 18, 583.	1.6	11
123	Development and evaluation of tools and an intervention to improve patient- and carer-centred outcomes in Longer-Term Stroke care and exploration of adjustment post stroke: the LoTS care research programme. Programme Grants for Applied Research, 2014, 2, 1-224.	1.0	11
124	Background to the post-acute care trial of community hospital rehabilitation for older people. International Journal of Therapy and Rehabilitation, 2006, 13, 66-73.	0.3	10
125	The feasibility of care mapping to improve care for physically ill older people in hospital. Age and Ageing, 2008, 37, 390-395.	1.6	10
126	National pilot audit of intermediate care. Clinical Medicine, 2011, 11, 146-149.	1.9	10

#	ARTICLE	IF	CITATIONS
127	A prospective observational study to investigate the association between abnormal hand movements and delirium in hospitalised older people. Age and Ageing, 2015, 44, 42-45.	1.6	10
128	“Across the pond” a response to the NICE guidelines for management of multi-morbidity in older people. Age and Ageing, 2017, 46, 343-345.	1.6	10
129	Investigation of ward fidelity to a multicomponent delirium prevention intervention during a multicentre, pragmatic, cluster randomised, controlled feasibility trial. Age and Ageing, 2020, 49, 648-655.	1.6	10
130	The Role of Community Physiotherapy for Stroke Patients. Physiotherapy, 1990, 76, 495-497.	0.4	9
131	Pain in older people with frailty. Reviews in Clinical Gerontology, 2015, 25, 159-171.	0.5	9
132	Pilot cluster randomised trial of an evidence-based intervention to reduce avoidable hospital admissions in nursing home residents (Better Health in Residents of Care Homes with) Tj ETQq0 0 0 rgBT /Overlock10 Tf 50 537 Td (Nu	1.0	9
133	A multicentre, pragmatic, cluster randomised, controlled feasibility trial of the POD system of care. Age and Ageing, 2020, 49, 640-647.	1.6	9
134	Research networks for stroke rehabilitation: opportunities and barriers. Clinical Medicine, 2005, 5, 42-46.	1.9	8
135	A review of brief cognitive assessment tests. Reviews in Clinical Gerontology, 2013, 23, 164-176.	0.5	8
136	Predicting Patient-Reported Stroke Outcomes: A Validation of the Six Simple Variable Prognostic Model. Cerebrovascular Diseases Extra, 2013, 3, 97-102.	1.5	8
137	Pilot trial of Stop Delirium! (PiTStop) - a complex intervention to prevent delirium in care homes for older people: study protocol for a cluster randomised controlled trial. Trials, 2014, 15, 47.	1.6	8
138	Protocol of a Cluster Randomized Trial Evaluation of a Patient and Carer-Centered System of Longer-Term Stroke Care (LoTS Care). International Journal of Stroke, 2015, 10, 259-263.	5.9	8
139	The ethics of “Trials within Cohorts” (TwICs): 2nd international symposium. Trials, 2017, 18, .	1.6	7
140	Study protocol for a cluster randomised controlled feasibility trial evaluating personalised care planning for older people with frailty: PROSPER V2 27/11/18. Pilot and Feasibility Studies, 2020, 6, 56.	1.2	7
141	Response and completion rates for postal outcomes booklets in stroke rehabilitation. International Journal of Therapy and Rehabilitation, 2007, 14, 440-445.	0.3	6
142	The geriatric day hospital: past, present and future. Age and Ageing, 2008, 37, 613-615.	1.6	6
143	A review of stroke outcome measures valid and reliable for administration by postal survey. Reviews in Clinical Gerontology, 2010, 20, 338-353.	0.5	6
144	Understanding the Models of Community Hospital rehabilitation Activity (MoCHA): a mixed-methods study. BMJ Open, 2017, 7, e010483.	1.9	6

#	ARTICLE	IF	CITATIONS
145	Knowledge Exchanges and Decision-Making Within Hospital Dementia Care Triads: An Ethnographic Study. <i>Gerontologist</i> , The, 2021, 61, 954-964.	3.9	6
146	Measuring and optimising the efficiency of community hospital inpatient care for older people: the MoCHA mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-100.	1.4	6
147	Hospital at Home admission avoidance with comprehensive geriatric assessment to maintain living at home for people aged 65 years and over: a RCT. , 2022, 10, 1-124.		6
148	A survey of community physiotherapy provision after 1year post-stroke. <i>International Journal of Therapy and Rehabilitation</i> , 1999, 6, 216-221.	0.1	5
149	Coagulation factor XIII B subunit antigen, FXIIIVal34Leu genotype and ischaemic stroke in South Asians. <i>Thrombosis and Haemostasis</i> , 2005, 93, 394-395.	3.4	5
150	Intermediate care for older people - an implementation. <i>British Journal of Health Care Management</i> , 2003, 9, 340-344.	0.2	4
151	Study protocolâ€”investigation of the Delirium Observation Screening Scale (DOSS) for the routine detection of delirium in the care home setting: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e009615.	1.9	4
152	Non-pharmacological interventions for managing delirium in hospitalised patients. <i>The Cochrane Library</i> , 0, , .	2.8	4
153	A complex intervention to reduce avoidable hospital admissions in nursing homes: a research programme including the BHiRCH-NH pilot cluster RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-200.	1.0	3
154	Rheumatological rehabilitation. <i>Reviews in Clinical Gerontology</i> , 1991, 1, 283-296.	0.5	2
155	Frailty and Organization of Health and Social Care. <i>Interdisciplinary Topics in Gerontology and Geriatrics</i> , 2015, 41, 161-173.	2.6	2
156	Longer-term health and social care strategies for stroke survivors and their carers: the LoTS2Care research programme including cluster feasibility RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-268.	1.0	2
157	Sheltered housing for the elderly: too many unanswered questions. <i>Archives of Gerontology and Geriatrics</i> , 1991, 12, 13-23.	3.0	1
158	Community-based specialist nurses for older people with long-term conditions in England. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2010, 1, 9-11.	0.7	1
159	Delirium in cardiac patients: A clinical review. <i>British Journal of Cardiac Nursing</i> , 2012, 7, 111-115.	0.1	1
160	Scaling Properties of the Subjective Index of Physical and Social Outcome After Stroke in a Study Population Unselected by Age. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2448-2455.	0.9	1
161	Post-Stroke Physiotherapy in Context. <i>International Journal of Therapy and Rehabilitation</i> , 2001, 8, 446-453.	0.1	0
162	Bradford elderly care and rehabilitation research department: research related to the national service framework for older people. <i>Clinical Effectiveness in Nursing</i> , 2003, 7, 115-123.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Recurrent syncope and chronic ear pain. BMJ Case Reports, 2010, 2010, bcr0620103109-bcr0620103109.	0.5	0
164	In-hospital delirium risk assessment, diagnosis and management; medications to avoid. Italian Journal of Medicine, 2011, 5, 98-102.	0.3	0
165	Dementia care deficiencies: potential for better care for patients in hospital. Neurodegenerative Disease Management, 2011, 1, 263-266.	2.2	0
166	In-hospital delirium risk assessment, diagnosis and management; medications to avoid. Italian Journal of Medicine, 0, , 98-102.	0.3	0
167	A point of care electronic stroke data collection system. British Journal of Health Care Management, 2013, 19, 10-15.	0.2	0
168	TIME TO ADDRESS “FRAILTY CREEPAGE” IN THE CANADIAN HEALTHCARE SYSTEM. Journal of Frailty & Aging,the, 2018, 7, 1-2.	1.3	0
169	Mary Godfrey 1953–2020. Age and Ageing, 0, , .	1.6	0
170	The Prevention of Delirium system of care for older patients admitted to hospital for emergency care: the POD research programme including feasibility RCT. Programme Grants for Applied Research, 2021, 9, 1-180.	1.0	0
171	Strategies to enhance routine physical activity in care home residents: the REACH research programme including a cluster feasibility RCT. Programme Grants for Applied Research, 2021, 9, 1-314.	1.0	0
172	A pain in the bottom. BMJ: British Medical Journal, 2008, 337, a1804-a1804.	2.3	0