

Steven Teerenstra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9145967/publications.pdf>

Version: 2024-02-01

146
papers

4,985
citations

109321

35
h-index

106344

65
g-index

149
all docs

149
docs citations

149
times ranked

8254
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting lymph node metastasis in pT1 colorectal cancer: a systematic review of risk factors providing rationale for therapy decisions. <i>Endoscopy</i> , 2013, 45, 827-841.	1.8	330
2	KRAS mutation analysis: a comparison between primary tumours and matched liver metastases in 305 colorectal cancer patients. <i>British Journal of Cancer</i> , 2011, 104, 1020-1026.	6.4	262
3	Stepped wedge designs could reduce the required sample size in cluster randomized trials. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 752-758.	5.0	237
4	Markers for EGFR pathway activation as predictor of outcome in metastatic colorectal cancer patients treated with or without cetuximab. <i>European Journal of Cancer</i> , 2010, 46, 1997-2009.	2.8	193
5	Sample size calculation for stepped wedge and other longitudinal cluster randomised trials. <i>Statistics in Medicine</i> , 2016, 35, 4718-4728.	1.6	168
6	Prognostic Value of Resection of Primary Tumor in Patients with Stage IV Colorectal Cancer: Retrospective Analysis of Two Randomized Studies and a Review of the Literature. <i>Annals of Surgical Oncology</i> , 2011, 18, 3252-3260.	1.5	158
7	Outcomes of colorectal cancer patients with peritoneal carcinomatosis treated with chemotherapy with and without targeted therapy. <i>European Journal of Surgical Oncology</i> , 2012, 38, 617-623.	1.0	156
8	Multidimensional Geriatric Assessment: Back to the Future A Randomized Study of a Multidisciplinary Program to Intervene on Geriatric Syndromes in Vulnerable Older People Who Live at Home (Dutch) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> 283-290.	3.6	134
9	Clinicopathological features and outcome in advanced colorectal cancer patients with synchronous vs metachronous metastases. <i>British Journal of Cancer</i> , 2010, 103, 159-164.	6.4	131
10	Mucinous adenocarcinomas: Poor prognosis in metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2012, 48, 501-509.	2.8	131
11	Internet and Social Media For Health-Related Information and Communication in Health Care: Preferences of the Dutch General Population. <i>Journal of Medical Internet Research</i> , 2013, 15, e220.	4.3	114
12	Coronavirus Disease 2019 Immediately Increases Burnout Symptoms in ICU Professionals: A Longitudinal Cohort Study*. <i>Critical Care Medicine</i> , 2021, 49, 419-427.	0.9	106
13	Open-Label, Non-Mandatory Transitioning From Originator Etanercept to Biosimilar <i><sc>SB</sc></i> 4. <i>Arthritis and Rheumatology</i> , 2018, 70, 1408-1418.	5.6	90
14	Early salpingectomy (Tubectomy) with delayed oophorectomy to improve quality of life as alternative for risk-reducing salpingo-oophorectomy in BRCA1/2 mutation carriers (TUBA study): a prospective non-randomised multicentre study. <i>BMC Cancer</i> , 2015, 15, 593.	2.6	88
15	Influence of body mass index on outcome in advanced colorectal cancer patients receiving chemotherapy with or without targeted therapy. <i>European Journal of Cancer</i> , 2011, 47, 2560-2567.	2.8	81
16	Multidimensional Geriatric Assessment: Back to the Future Cost-Effectiveness of a Multidisciplinary Intervention Model for Community-Dwelling Frail Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 275-282.	3.6	77
17	Early Serum Galactomannan Trend as a Predictor of Outcome of Invasive Aspergillosis. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2330-2336.	3.9	74
18	A structural multidisciplinary approach to depression management in nursing-home residents: a multicentre, stepped-wedge cluster-randomised trial. <i>Lancet, The</i> , 2013, 381, 2255-2264.	13.7	73

#	ARTICLE	IF	CITATIONS
19	The accuracy, precision and sustainability of different techniques for tablet subdivision: Breaking by hand and the use of tablet splitters or a kitchen knife. <i>International Journal of Pharmaceutics</i> , 2014, 466, 44-51.	5.2	73
20	Sample Size Considerations for GEE Analyses of Three-Level Cluster Randomized Trials. <i>Biometrics</i> , 2010, 66, 1230-1237.	1.4	72
21	Substantial risks associated with few clusters in cluster randomized and stepped wedge designs. <i>Clinical Trials</i> , 2016, 13, 459-463.	1.6	72
22	The Influence of Multimorbidity on Clinical Progression of Dementia in a Population-Based Cohort. <i>PLoS ONE</i> , 2013, 8, e84014.	2.5	69
23	A simple sample size formula for analysis of covariance in cluster randomized trials. <i>Statistics in Medicine</i> , 2012, 31, 2169-2178.	1.6	67
24	Subgroup analyses in confirmatory clinical trials: time to be specific about their purposes. <i>BMC Medical Research Methodology</i> , 2016, 16, 20.	3.1	66
25	Meta-analysis of ultrasound-guided biopsy of suspicious axillary lymph nodes in the selection of patients with extensive axillary tumour burden in breast cancer. <i>British Journal of Surgery</i> , 2015, 102, 159-168.	0.3	65
26	Beyond KRAS mutation status: influence of KRAScopy number status and microRNAs on clinical outcome to cetuximab in metastatic colorectal cancer patients. <i>BMC Cancer</i> , 2012, 12, 292.	2.6	60
27	Influence of prolonged cold ischemia in renal transplantation. <i>Clinical Transplantation</i> , 2011, 25, E612-E616.	1.6	58
28	Systematic review of the effect of external beam radiation therapy to the breast on axillary recurrence after negative sentinel lymph node biopsy. <i>British Journal of Surgery</i> , 2011, 98, 326-333.	0.3	56
29	Early Proinflammatory Cytokines and C-reactive Protein Trends as Predictors of Outcome in Invasive Aspergillosis. <i>Journal of Infectious Diseases</i> , 2010, 202, 1454-1462.	4.0	52
30	The effect of prophylactic calcium and magnesium infusions on the incidence of neurotoxicity and clinical outcome of oxaliplatin-based systemic treatment in advanced colorectal cancer patients. <i>European Journal of Cancer</i> , 2011, 47, 369-374.	2.8	46
31	MicroRNA expression in formalin-fixed paraffin embedded tissue using real time quantitative PCR: the strengths and pitfalls. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 683-690.	3.6	44
32	Health Care Use of Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-Care Strategy: An Observational Study. <i>Arthritis Care and Research</i> , 2014, 66, 817-827.	3.4	42
33	Efficacy of Diltiazem to Improve Coronary Vasomotor Dysfunction in ANOCA. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 1473-1484.	5.3	39
34	Reliability of point-of-care hematocrit, blood gas, electrolyte, lactate and glucose measurement during cardiopulmonary bypass. <i>Perfusion (United Kingdom)</i> , 2006, 21, 33-37.	1.0	37
35	Outcome of first line systemic treatment in elderly compared to younger patients with metastatic colorectal cancer: A retrospective analysis of the CAIRO and CAIRO2 studies of the Dutch Colorectal Cancer Group (DCCG). <i>Acta Oncologica</i> , 2012, 51, 831-839.	1.8	37
36	Sample size calculations for 3-level cluster randomized trials. <i>Clinical Trials</i> , 2008, 5, 486-495.	1.6	36

#	ARTICLE	IF	CITATIONS
37	The effect of biannual medication reviews on the appropriateness of psychotropic drug use for neuropsychiatric symptoms in patients with dementia: a randomised controlled trial. <i>Age and Ageing</i> , 2018, 47, 430-437.	1.6	36
38	Educating Dutch General Practitioners in Dementia Advance Care Planning: A Cluster Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 837-842.e4.	2.5	36
39	Toxicity testing of human assisted reproduction devices using the mouse embryo assay. <i>Reproductive BioMedicine Online</i> , 2009, 18, 529-535.	2.4	34
40	The predictive and prognostic value of circulating endothelial cells in advanced colorectal cancer patients receiving first-line chemotherapy and bevacizumab. <i>Annals of Oncology</i> , 2010, 21, 2447-2448.	1.2	34
41	The "best balance" allocation led to optimal balance in cluster-controlled trials. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 132-137.	5.0	33
42	Cost-consequence analysis of "washing without water" for nursing home residents: A cluster randomized trial. <i>International Journal of Nursing Studies</i> , 2015, 52, 112-120.	5.6	33
43	Pseudo cluster randomization: a treatment allocation method to minimize contamination and selection bias. <i>Statistics in Medicine</i> , 2005, 24, 3535-3547.	1.6	32
44	Nurse-led follow-up care for head and neck cancer patients: a quasi-experimental prospective trial. <i>Supportive Care in Cancer</i> , 2013, 21, 537-547.	2.2	32
45	The effect of hemodilution during normothermic cardiac surgery on renal physiology and function: a review. <i>Perfusion (United Kingdom)</i> , 2008, 23, 329-338.	1.0	31
46	More insight into the concept of apathy: a multidisciplinary depression management program has different effects on depressive symptoms and apathy in nursing homes. <i>International Psychogeriatrics</i> , 2013, 25, 1941-1952.	1.0	31
47	Act In case of Depression: The evaluation of a care program to improve the detection and treatment of depression in nursing homes. Study Protocol. <i>BMC Psychiatry</i> , 2011, 11, 91.	2.6	30
48	A new, simple and objective prognostic score for phase I cancer patients. <i>European Journal of Cancer</i> , 2011, 47, 1152-1160.	2.8	29
49	Cancer Patients Treated with Sunitinib or Sorafenib Have Sufficient Antibody and Cellular Immune Responses to Warrant Influenza Vaccination. <i>Clinical Cancer Research</i> , 2011, 17, 4541-4549.	7.0	28
50	The Influence of Chitosan on the Oral Bioavailability of Acyclovir—a Comparative Bioavailability Study in Humans. <i>Pharmaceutical Research</i> , 2015, 32, 2241-2249.	3.5	28
51	Association of Salpingectomy With Delayed Oophorectomy Versus Salpingo-oophorectomy With Quality of Life in BRCA1/2 Pathogenic Variant Carriers. <i>JAMA Oncology</i> , 2021, 7, 1203.	7.1	27
52	The stepped wedge cluster randomized trial always requires fewer clusters but not always fewer measurements, that is, participants than a parallel cluster randomized trial in a cross-sectional design. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1428.	5.0	25
53	The impact of nUrsiNg DELiRium Preventive INterventions in the Intensive Care Unit (UNDERPIN-ICU): A study protocol for a multi-centre, stepped wedge randomized controlled trial. <i>International Journal of Nursing Studies</i> , 2017, 68, 1-8.	5.6	25
54	Pseudo cluster randomization dealt with selection bias and contamination in clinical trials. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 381-386.	5.0	24

#	ARTICLE	IF	CITATIONS
55	Interchangeability of generic anti-epileptic drugs: a quantitative analysis of topiramate and gabapentin. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1007-1016.	1.9	24
56	Effectiveness of a training package for implementing a community-based occupational therapy program in dementia: a cluster randomized controlled trial. <i>Clinical Rehabilitation</i> , 2015, 29, 974-986.	2.2	24
57	The effect on caregiver burden of a problem-based home visiting programme for frail older people. <i>Age and Ageing</i> , 2009, 38, 542-547.	1.6	22
58	Interchangeability of Gabapentin Generic Formulations in the Netherlands: A Comparative Bioavailability Study. <i>Clinical Pharmacology and Therapeutics</i> , 2013, 94, 519-524.	4.7	22
59	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014, 26, 490-498.	1.8	21
60	The Impact of Nursing Delirium Preventive Interventions in the ICU: A Multicenter Cluster-randomized Controlled Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 204, 682-691.	5.6	21
61	Cerebellar Transcranial Direct Current Stimulation in Spinocerebellar Ataxia Type 3: a Randomized, Double-Blind, Sham-Controlled Trial. <i>Neurotherapeutics</i> , 2022, 19, 1259-1272.	4.4	21
62	Relatively Poor Survival of Mucinous Ovarian Carcinoma in Advanced Stage: A Systematic Review and Meta-analysis. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 651-658.	2.5	20
63	Limited value for ultrasonography in predicting flare in rheumatoid arthritis patients with low disease activity stopping TNF inhibitors. <i>Rheumatology</i> , 2017, 56, 1560-1565.	1.9	19
64	Comparison of the construct validity and reproducibility of four different types of patient-reported outcome measures (PROMs) in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018, 37, 3191-3199.	2.2	19
65	Conductivity-Based Hematocrit Measurement During Cardiopulmonary Bypass. <i>Journal of Clinical Monitoring and Computing</i> , 2007, 21, 7-12.	1.6	18
66	Voriconazole or Amphotericin B as Primary Therapy Yields Distinct Early Serum Galactomannan Trends Related to Outcomes in Invasive Aspergillosis. <i>PLoS ONE</i> , 2014, 9, e90176.	2.5	18
67	Investigation into the interchangeability of generic formulations using immunosuppressants and a broad selection of medicines. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 979-990.	1.9	18
68	A comparison of the intrasubject variation in drug exposure between generic and brand-name drugs: a retrospective analysis of replicate design trials. <i>British Journal of Clinical Pharmacology</i> , 2016, 81, 667-678.	2.4	18
69	Ultra-low dose of rituximab in rheumatoid arthritis: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 403.	1.6	18
70	Psychotropic drug prescription for nursing home residents with dementia: prevalence and associations with non-resident-related factors. <i>Ageing and Mental Health</i> , 2018, 22, 1244-1252.	2.8	18
71	Systematic Care for Caregivers of Patients With Dementia: A Multicenter, Cluster-Randomized, Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 521-531.	1.2	17
72	Can the PROPER intervention reduce psychotropic drug prescription in nursing home residents with dementia? Results of a cluster-randomized controlled trial. <i>International Psychogeriatrics</i> , 2021, 33, 577-586.	1.0	17

#	ARTICLE	IF	CITATIONS
73	An in-home geriatric programme for vulnerable community-dwelling older people improves the detection of dementia in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1312-1319.	2.7	16
74	Chromosome 20p11 gains are associated with liver-specific metastasis in patients with colorectal cancer. <i>Gut</i> , 2013, 62, 94-101.	12.1	16
75	Improving the implementation of perioperative safety guidelines using a multifaceted intervention approach: protocol of the IMPROVE study, a stepped wedge cluster randomized trial. <i>Implementation Science</i> , 2015, 10, 3.	6.9	16
76	Effects of a Multidisciplinary Intervention on the Presence of Neuropsychiatric Symptoms and Psychotropic Drug Use in Nursing Home Residents With Young-Onset Dementia: Behavior and Evolution of Young-Onset Dementia Part 2 (BEYOND-II) Study. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 581-589.	1.2	16
77	The role of patient's profile and allogeneic blood transfusion in development of post-cardiac surgery infections: a retrospective study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 19, 232-238.	1.1	15
78	Quality of life assessments in nursing homes revealed a tendency of proxies to moderate patients' self-reports. <i>Journal of Clinical Epidemiology</i> , 2016, 80, 123-133.	5.0	15
79	Diagnostic accuracy of a single-lead portable ECG device for measuring QTc prolongation. <i>Annals of Noninvasive Electrocardiology</i> , 2020, 25, e12683.	1.1	15
80	Effects of Viscosity on Cerebral Blood Flow After Cardiac Arrest. <i>Critical Care Medicine</i> , 2014, 42, 632-637.	0.9	14
81	E-IMR: e-health added to face-to-face delivery of Illness Management & Recovery programme for people with severe mental illness, an exploratory clustered randomized controlled trial. <i>BMC Health Services Research</i> , 2018, 18, 962.	2.2	14
82	Nijmegen Observer-Rated Depression scale for detection of depression in nursing home residents. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 1036-1044.	2.7	13
83	Effectiveness of a multifaceted implementation strategy on physicians' referral behavior to an evidence-based psychosocial intervention in dementia: a cluster randomized controlled trial. <i>BMC Family Practice</i> , 2013, 14, 70.	2.9	13
84	Physiotherapy to improve physical activity in community-dwelling older adults with mobility problems (Coach2Move): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 434.	1.6	13
85	Hypovolemia in Extracorporeal Life Support Can Lead to Arterial Gaseous Microemboli. <i>Artificial Organs</i> , 2013, 37, 276-282.	1.9	13
86	High body mass index and pre-existing autoimmune disease are associated with an increased risk of immune-related adverse events in cancer patients treated with PD-(L)1 inhibitors across different solid tumors. <i>ESMO Open</i> , 2021, 6, 100107.	4.5	13
87	A computational approach to compare regression modelling strategies in prediction research. <i>BMC Medical Research Methodology</i> , 2016, 16, 107.	3.1	12
88	Sample size calculation for stepped-wedge cluster-randomized trials with more than two levels of clustering. <i>Clinical Trials</i> , 2019, 16, 225-236.	1.6	12
89	Safety of the Combination of Intensive Cholesterol-Lowering Therapy with Oral Anticoagulation Medication in Elderly Patients with Atrial Fibrillation. <i>Drugs and Aging</i> , 2009, 26, 585-593.	2.7	11
90	Influence of Adherence to a Systematic Care Program for Caregivers of Dementia Patients. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 26-36.	1.2	11

#	ARTICLE	IF	CITATIONS
91	Level of evidence for promising subgroup findings in an overall non-significant trial. <i>Statistical Methods in Medical Research</i> , 2016, 25, 2193-2213.	1.5	11
92	Physical therapy aimed at self-management versus usual care physical therapy after hip arthroscopy for femoroacetabular impingement: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 91.	1.6	11
93	Effectiveness of a nurse-supported self-management programme for dual sensory impaired older adults in long-term care: a cluster randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e016674.	1.9	11
94	A new combined strategy to implement a community occupational therapy intervention: designing a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2011, 11, 13.	2.7	10
95	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014, 64, e538-e544.	1.4	10
96	Effectiveness of a self-management program for dual sensory impaired seniors in aged care settings: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2013, 14, 321.	1.6	9
97	Evaluating the social fitness Programme for older people with cognitive problems and their caregivers: lessons learned from a failed trial. <i>BMC Geriatrics</i> , 2018, 18, 237.	2.7	9
98	Quality of stepped-wedge trial reporting can be reliably assessed using an updated CONSORT: crowd-sourcing systematic review. <i>Journal of Clinical Epidemiology</i> , 2019, 107, 77-88.	5.0	9
99	Pseudo cluster randomization performed well when used in practice. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1169-1175.	5.0	8
100	One-year results after transitioning from etanercept originator to biosimilar in a setting promoting shared decision-making in rheumatology. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkaa042.	0.7	8
101	Objective and perspective determine the choice of composite endpoint. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 99-101.	5.0	7
102	A simple method for calculating power based on a prior trial. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 992-997.	5.0	7
103	Effects on staff outcomes from an intervention for management of neuropsychiatric symptoms in residents of young-onset dementia care units: A cluster randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2019, 96, 35-43.	5.6	7
104	Steroid treatment for the first episode of childhood nephrotic syndrome: comparison of the 8 and 12 weeks regimen using an individual patient data meta-analysis. <i>European Journal of Pediatrics</i> , 2021, 180, 2849-2859.	2.7	7
105	Evaluation of the i-STAT point-of-care analyzer in critically ill adult patients. <i>Journal of Extra-Corporeal Technology</i> , 2008, 40, 57-60.	0.4	7
106	Pseudo Cluster Randomization: Balancing the Disadvantages of Cluster and Individual Randomization. <i>Evaluation and the Health Professions</i> , 2011, 34, 151-163.	1.9	6
107	Factors associated with appropriate psychotropic drug prescription in nursing home patients with severe dementia. <i>International Psychogeriatrics</i> , 2018, 30, 547-556.	1.0	6
108	A multicentre cluster-randomized clinical trial to improve antibiotic use and reduce length of stay in hospitals: comparison of three measurement and feedback methods. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1625-1632.	3.0	6

#	ARTICLE	IF	CITATIONS
109	Increased adherence to perioperative safety guidelines associated with improved patient safety outcomes: a stepped-wedge, cluster-randomised multicentre trial. <i>British Journal of Anaesthesia</i> , 2022, 128, 562-573.	3.4	6
110	Sample size calculations for a split-cluster, beta-binomial design in the assessment of toxicity. <i>Statistics in Medicine</i> , 2005, 24, 3757-3772.	1.6	5
111	Leukocyte removal efficiency of cell-washed and unwashed whole blood: an in vitro study. <i>Perfusion (United Kingdom)</i> , 2005, 20, 335-341.	1.0	5
112	A comparison of methods to analyse continuous data from pseudo cluster randomized trials. <i>Statistics in Medicine</i> , 2007, 26, 4100-4115.	1.6	5
113	The role of nurses/social workers in using a multidimensional guideline for diagnosis of anxiety and challenging behaviour in people with intellectual disabilities. <i>Journal of Clinical Nursing</i> , 2015, 24, 1955-1965.	3.0	5
114	Mechanical vs manual cleaning of hospital beds: a prospective intervention study. <i>Journal of Hospital Infection</i> , 2015, 90, 142-146.	2.9	5
115	Estimates of subgroup treatment effects in overall nonsignificant trials: To what extent should we believe in them?. <i>Pharmaceutical Statistics</i> , 2017, 16, 280-295.	1.3	5
116	Implementation of a Cost-Effective Physical Therapy Approach (Coach2Move) to Improve Physical Activity in Community-Dwelling Older Adults With Mobility Problems: Protocol for a Cluster-Randomized, Stepped Wedge Trial. <i>Physical Therapy</i> , 2020, 100, 653-661.	2.4	5
117	A tutorial on dynamic risk prediction of a binary outcome based on a longitudinal biomarker. <i>Biometrical Journal</i> , 2020, 62, 398-413.	1.0	5
118	Identification of anatomic risk factors for acute coronary events by optical coherence tomography in patients with myocardial infarction and residual nonflow limiting lesions: rationale and design of the PECTUS-obs study. <i>BMJ Open</i> , 2021, 11, e048994.	1.9	5
119	Patient involvement in rheumatoid arthritis care to improve disease activity-based management in daily practice: A randomized controlled trial. <i>Patient Education and Counseling</i> , 2022, 105, 1244-1253.	2.2	5
120	Rethinking the intention-to-treat principle: one size does not fit all. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 198-200.	5.0	5
121	Cost effectiveness of interpersonal community psychiatric treatment for people with long-term severe non-psychotic mental disorders: protocol of a multi-centre randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 100.	2.6	4
122	Study protocol for an international, multicentre stepped-wedge cluster randomised trial to evaluate the impact of a digital antimicrobial stewardship smartphone application. <i>BMJ Open</i> , 2020, 10, e033640.	1.9	4
123	Reducing sample size by combining superiority and non-inferiority for two primary endpoints in the Social Fitness study. <i>Journal of Clinical Epidemiology</i> , 2017, 81, 86-95.	5.0	3
124	Effectiveness and cost effectiveness of interpersonal community psychiatric treatment (ICPT) for people with long-term severe non-psychotic mental disorders: a multi-Centre randomized controlled trial. <i>BMC Psychiatry</i> , 2021, 21, 261.	2.6	3
125	Evaluation of point-of-care analyzers' ability to reduce bias in conductivity-based hematocrit measurement during cardiopulmonary bypass. <i>Journal of Clinical Monitoring and Computing</i> , 2014, 28, 133-138.	1.6	2
126	The Course of Quality of Life and Its Predictors in Nursing Home Residents With Young-Onset Dementia. <i>Journal of the American Medical Directors Association</i> , 2020, 22, 1456-1464.e1.	2.5	2

#	ARTICLE	IF	CITATIONS
127	Revision for coronal malalignment will improve functional outcome up to 5Âyears postoperatively. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2731-2737.	4.2	2
128	An Extension of Kakutani's Theorem on Abstract Lp-spaces to the Case of any Positive p. Positivity, 2000, 4, 289-291.	0.7	1
129	6016 POSTER DISCUSSION Prognostic and Predictive Value of Mucinous Adenocarcinomas in Colorectal Cancer Patients Treated With Chemotherapy and Targeted Therapy. European Journal of Cancer, 2011, 47, S396.	2.8	1
130	Prognostic Value of Resection of Primary Tumor in Patients with Stage IV Colorectal Cancer: Retrospective Analysis of Two Randomized Studies and a Review of the Literature. Indian Journal of Surgical Oncology, 2012, 3, 57-65.	0.7	1
131	Comparison of strategies when building linear prediction models. Numerical Linear Algebra With Applications, 2014, 21, 618-628.	1.6	1
132	European regulatory use and impact of subgroup evaluation in marketing authorisation applications. Drug Discovery Today, 2017, 22, 1760-1764.	6.4	1
133	Level of evidence for promising subgroup findings: The case of trends and multiple subgroups. Statistics in Medicine, 2019, 38, 2561-2572.	1.6	1
134	Identifying the minimal important difference in patient-reported outcome measures in the field of people with severe mental illness: a preâ€“post-analysis of the Illness Management and Recovery Programme. Quality of Life Research, 2021, 30, 1723-1733.	3.1	1
135	Abstract 235: BeyondKRASmutation status: Influence ofKRAScopy number alteration and microRNAs in response to cetuximab in metastatic colorectal cancer patients. , 2011, , .		1
136	6093 POSTER The Absolute Rise in Blood Pressure Better Predicts the Outcome of Bevacizumab in Metastatic Colorectal Cancer (mCRC) Patients Compared to CTCAE. European Journal of Cancer, 2011, 47, S419.	2.8	0
137	Reply letter to: Pitfalls and limitations of a single-centre, retrospectively derived prognostic score for phase I oncology trial participant â€“ Reply to FÃ¼ssenich et al.: A new, simple and objective prognostic score for phase I cancer patients. European Journal of Cancer, 2012, 48, 597-598.	2.8	0
138	Oc022â€“Interchangeability Of Gabapentin Generic Formulations In The Netherlands: A Comparative Bioavailability Study. Clinical Therapeutics, 2013, 35, e9.	2.5	0
139	Authorsâ€™ response to the letter from Kalleian Eserian et al. International Journal of Pharmaceutics, 2015, 478, 682-683.	5.2	0
140	FRI0586â€“The Effects of An Educational Meeting and Subsequent Computer Reminders on The Ordering of Laboratory Tests by Rheumatologists: An Interrupted Time Series Analysis. Annals of the Rheumatic Diseases, 2016, 75, 654.1-654.	0.9	0
141	The <i>Diagnostic Guideline for Anxiety and Challenging Behaviour</i> for Persons with Intellectual Disabilities: Preliminary Outcomes on Internalizing Problems, Challenging Behaviours, Quality of Life and Clients' Satisfaction. Journal of Applied Research in Intellectual Disabilities, 2017, 30, 242-254.	2.0	0
142	FRI0740-HPRâ€“Online remote monitoring of patients with rheumatoid arthritis: first results of a pilot study. , 2017, , .		0
143	327 - The Course and Predictors of Quality of Life in Nursing Home Residents with Young-onset Dementia. International Psychogeriatrics, 2020, 32, 85-86.	1.0	0
144	An extension of the Kakutaniâ€™Bohnenblust characterization of L^p -spaces to \mathbb{S}^n in $(0, \infty)$. Positivity, 2020, 24, 1461-1477.	0.7	0

#	ARTICLE	IF	CITATIONS
145	Abstract 432: Differences in molecular background of colorectal liver and lung metastases. , 2012, , .		0
146	The effects of an educational meeting and subsequent computer reminders on the ordering of laboratory tests by rheumatologists: an interrupted time series analysis. Clinical and Experimental Rheumatology, 2017, 35, 379-383.	0.8	0