

Christian NÃÃ±ez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9146412/publications.pdf>

Version: 2024-02-01

23
papers

354
citations

840728

11
h-index

839512

18
g-index

24
all docs

24
docs citations

24
times ranked

630
citing authors

#	ARTICLE	IF	CITATIONS
1	Raloxifene as an Adjunctive Treatment for Postmenopausal Women With Schizophrenia: A 24-Week Double-Blind, Randomized, Parallel, Placebo-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 309-317.	4.3	54
2	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 846-858.	4.3	41
3	Clustering a large Spanish sample of patients with fibromyalgia using the Fibromyalgia Impact QuestionnaireâRevised: differences in clinical outcomes, economic costs, inflammatory markers, and gray matter volumes. <i>Pain</i> , 2019, 160, 908-921.	4.2	27
4	Different Cortical Gyrfication Patterns in <scp>Alzheimer's Disease</scp> and Impact on Memory Performance. <i>Annals of Neurology</i> , 2020, 88, 67-80.	5.3	23
5	Cannabis use and cognitive function in first episode psychosis: differential effect of heavy use. <i>Psychopharmacology</i> , 2016, 233, 809-821.	3.1	22
6	Global brain asymmetry is increased in schizophrenia and related to avolition. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 448-459.	4.5	19
7	Pharmacogenetic study of the effects of raloxifene on negative symptoms of postmenopausal women with schizophrenia: A double-blind, randomized, placebo-controlled trial. <i>European Neuropsychopharmacology</i> , 2016, 26, 1683-1689.	0.7	18
8	A large-scale study on the effects of sex on gray matter asymmetry. <i>Brain Structure and Function</i> , 2018, 223, 183-193.	2.3	18
9	Effects of caffeine intake and smoking on neurocognition in schizophrenia. <i>Psychiatry Research</i> , 2015, 230, 924-931.	3.3	17
10	Effects of raloxifene on cognition in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 729-737.	3.2	15
11	Three-Dimensional Map of Neonatal Arterial Ischemic Stroke Distribution From Early Multimodal Brain Imaging. <i>Stroke</i> , 2017, 48, 482-485.	2.0	14
12	Depression, auditory-verbal hallucinations, and delusions in patients with schizophrenia: Different patterns of association with prefrontal gray and white matter volume. <i>Psychiatry Research - Neuroimaging</i> , 2019, 283, 55-63.	1.8	13
13	Differential effects of sex on substance use between first episode psychosis patients and healthy people. <i>Comprehensive Psychiatry</i> , 2016, 69, 169-178.	3.1	12
14	Depressive symptoms and their relationship with negative and other psychotic symptoms in early onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1383-1390.	4.7	12
15	Caffeine effects and schizophrenia: Is there a need for more research?. <i>Schizophrenia Research</i> , 2019, 211, 34-35.	2.0	9
16	Neuron-specific enolase is correlated with lesion topology, relative infarct volume and outcome of symptomatic NAIS. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 132-137.	2.8	9
17	Digging into the construct of fibrofog: Psychometric properties of the Spanish version of the Multidimensional Inventory of Subjective Cognitive Impairment in patients with fibromyalgia. <i>Journal of Applied Biobehavioral Research</i> , 2018, 23, e12134.	2.0	8
18	Fluctuating asymmetry in patients with schizophrenia is related to hallucinations and thought disorganisation. <i>Psychiatry Research</i> , 2020, 285, 112816.	3.3	5

#	ARTICLE	IF	CITATIONS
19	Specificity proteins 1 and 4 in peripheral blood mononuclear cells in postmenopausal women with schizophrenia: a 24-week double-blind, randomized, parallel, placebo-controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 941-948.	3.2	4
20	Precise neonatal arterial ischemic stroke classification with a three-dimensional map of the arterial territories of the neonatal brain. <i>Pediatric Research</i> , 2020, 87, 1231-1236.	2.3	4
21	The Bed Nucleus of the Stria Terminalis as a Brain Correlate of Psychological Inflexibility in Fibromyalgia. <i>Journal of Clinical Medicine</i> , 2020, 9, 374.	2.4	4
22	Neonatal arterial stroke location is associated with outcome at 2 years: a voxel-based lesion-symptom mapping study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2021, , fetalneonatal-2020-320400.	2.8	4
23	Subclinical depression and anxiety impact verbal memory functioning differently in men and women –an fMRI study. <i>Journal of Psychiatric Research</i> , 2021, 140, 308-315.	3.1	2