
## Howard J Hoffman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9146638/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
2	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.	6.3	1,013
3	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	6.3	358
4	Diabetes and Hearing Impairment in the United States: Audiometric Evidence from the National Health and Nutrition Examination Survey, 1999 to 2004. Annals of Internal Medicine, 2008, 149, 1.	2.0	304
5	Hearing Impairment Associated With Depression in US Adults, National Health and Nutrition Examination Survey 2005-2010. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 293.	1.2	274
6	Declining Prevalence of Hearing Loss in US Adults Aged 20 to 69 Years. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 274.	1.2	223
7	Age-Related Changes in the Prevalence of Smell/Taste Problems among the United States Adult Population: Results of the 1994 Disability Supplement to the National Health Interview Survey (NHIS). Annals of the New York Academy of Sciences, 1998, 855, 716-722.	1.8	221
8	Prevalence and Impact of Bilateral Vestibular Hypofunction. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 803.	1.2	179
9	New chemosensory component in the U.S. National Health and Nutrition Examination Survey (NHANES): first-year results for measured olfactory dysfunction. Reviews in Endocrine and Metabolic Disorders, 2016, 17, 221-240.	2.6	165
10	Gustation assessment using the NIH Toolbox. Neurology, 2013, 80, S20-4.	1.5	148
11	Prevalence and Risk Factors of Self-Reported Smell and Taste Alterations: Results from the 2011–2012 US National Health and Nutrition Examination Survey (NHANES). Chemical Senses, 2016, 41, 69-76.	1.1	148
12	Preâ€pregnancy risk factors of smallâ€forâ€gestational age births among parous women in Scandinavia. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 273-279.	1.3	139
13	Genetic and Environmental Influences on Selfâ€Reported Reduced Hearing in the Old and Oldest Old. Journal of the American Geriatrics Society, 2001, 49, 1512-1517.	1.3	120
14	Vestibular vertigo and comorbid cognitive and psychiatric impairment: the 2008 National Health Interview Survey. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 367-372.	0.9	110
15	The Modified Romberg Balance Test. Otology and Neurotology, 2011, 32, 1309-1311.	0.7	107
16	Use of a dummy (pacifier) during sleep and risk of sudden infant death syndrome (SIDS): population based case-control study. BMJ: British Medical Journal, 2006, 332, 18-22.	2.4	103
17	Screened and unscreened hearing threshold levels for the adult population: Results from the Nord-TrÃ,ndelag Hearing Loss Study Niveles de umbrales auditivos tamizados y no tamizados en la poblaciÃ <sup>3</sup> n adulta. Resultados del estudio Nord-TrÃ,ndelag sobre hipoacusias. International Journal of Audiology. 2005, 44, 213-230.	0.9	102
18	Vital Signs: Noise-Induced Hearing Loss Among Adults — United States 2011–2012. Morbidity and Mortality Weekly Report, 2017, 66, 139-144.	9.0	92

#	Article	IF	CITATIONS
19	The Taste and Smell Protocol in the 2011–2014 US National Health and Nutrition Examination Survey (NHANES): Test–Retest Reliability and Validity Testing. Chemosensory Perception, 2015, 8, 138-148.	0.7	89
20	Epidemiology of Dizziness and Balance Problems in Children in the United States: A Population-Based Study. Journal of Pediatrics, 2016, 171, 240-247.e3.	0.9	84
21	Americans Hear as Well or Better Today Compared With 40 Years Ago: Hearing Threshold Levels in the Unscreened Adult Population of the United States, 1959–1962 and 1999–2004. Ear and Hearing, 2010, 31, 725-734.	1.0	78
22	Risk Factors for Hearing Impairment Among U.S. Adults With Diabetes. Diabetes Care, 2011, 34, 1540-1545.	4.3	77
23	Taste damage (otitis media, tonsillectomy and head and neck cancer), oral sensations and BMI. Physiology and Behavior, 2012, 107, 516-526.	1.0	77
24	Olfactory assessment using the NIH Toolbox. Neurology, 2013, 80, S32-6.	1.5	77
25	Chronic Cigarette Smoking Associates Directly and Indirectly with Self-Reported Olfactory Alterations: Analysis of the 2011–2014 National Health and Nutrition Examination Survey. Nicotine and Tobacco Research, 2019, 21, 818-827.	1.4	77
26	Breastfeeding and Risk of Infections at 6 Years. Pediatrics, 2014, 134, S13-S20.	1.0	70
27	Hearing Impairment Prevalence and Associated Risk Factors in the Hispanic Community Health Study/Study of Latinos. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 641.	1.2	69
28	Perspectives on Populationâ€based Epidemiological Studies of Olfactory and Taste Impairment. Annals of the New York Academy of Sciences, 2009, 1170, 514-530.	1.8	67
29	Exercise, Employment, Other Daily Activities, and Adverse Pregnancy Outcomes. American Journal of Epidemiology, 1996, 143, 211-218.	1.6	64
30	From psychophysics to the clinic: missteps and advances. Food Quality and Preference, 2004, 15, 617-632.	2.3	63
31	Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-TrÃ,ndelag Hearing Loss Study: Hipoacusia inducida por ruido, infecciones de oAdo y lesiones cefálicas: resultados del estudio Nord-TrÃ,ndelag sobre pérdidas auditivas. International Journal of Audiology, 2003. 42. 89-105.	0.9	59
32	Concurrent prenatal drinking and smoking increases risk for SIDS: Safe Passage Study report. EClinicalMedicine, 2020, 19, 100247.	3.2	55
33	Racial/ethnic disparities in the diagnosis of otitis media in infancy. International Journal of Pediatric Otorhinolaryngology, 2004, 68, 795-804.	0.4	52
34	The tendency to repeat gestational age and birth weight in successive births, related to perinatal survival. Acta Obstetricia Et Gynecologica Scandinavica, 1983, 62, 385-392.	1.3	51
35	Hearing loss induced by occupational and impulse noise: Results on threshold shifts by frequencies, age and gender from the Nord-TrÃ,ndelag Hearing Loss Study. International Journal of Audiology, 2006, 45, 309-317.	0.9	51
36	Hearing Loss in Perinatally HIV-infected and HIV-exposed but Uninfected Children and Adolescents. Pediatric Infectious Disease Journal, 2012, 31, 835-841.	1.1	51

#	Article	IF	CITATIONS
37	Evaluation of Risk for Late Language Emergence After In Utero Antiretroviral Drug Exposure in HIV-exposed Uninfected Infants. Pediatric Infectious Disease Journal, 2013, 32, e406-e413.	1.1	45
38	Drinking and smoking patterns during pregnancy: Development of group-based trajectories in the Safe Passage Study. Alcohol, 2017, 62, 49-60.	0.8	45
39	Low Heritability of Tinnitus. JAMA Otolaryngology, 2010, 136, 178.	1.5	42
40	Language Impairment in Children Perinatally Infected With HIV Compared to Children Who Were HIV-Exposed and Uninfected. Journal of Developmental and Behavioral Pediatrics, 2012, 33, 112-123.	0.6	38
41	Obstetric Service and Perinatal Mortality in Norway. Acta Obstetricia Et Gynecologica Scandinavica, 1978, 57, 3-19.	1.3	36
42	Panel 1: Epidemiology, Natural History, and Risk Factors. Otolaryngology - Head and Neck Surgery, 2013, 148, E1-E25.	1.1	36
43	Sensitivity and Specificity of Self-Reported Olfactory Function in a Home-Based Study of Independent-Living, Healthy Older Women. Chemosensory Perception, 2014, 7, 108-116.	0.7	36
44	Hearing Threshold Levels at Age 70 Years (65–74 Years) in the Unscreened Older Adult Population of the United States, 1959–1962 and 1999–2006. Ear and Hearing, 2012, 33, 437-440.	1.0	35
45	1. Epidemiology, Natural History, and Risk Factors. Annals of Otology, Rhinology and Laryngology, 2005, 114, 8-15.	0.6	34
46	Occupation and the risk of bothersome tinnitus: results from a prospective cohort study (HUNT). BMJ Open, 2012, 2, e000512.	0.8	34
47	Hearing Loss Among HIV-Seropositive and HIV-Seronegative Men and Women. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 202.	1.2	34
48	Genome-wide association meta-analysis identifies five novel loci for age-related hearing impairment. Scientific Reports, 2019, 9, 15192.	1.6	32
49	Sleep Apnea Is Associated with Hearing Impairment: The Hispanic Community Health Study/Study of Latinos. Journal of Clinical Sleep Medicine, 2016, 12, 719-726.	1.4	31
50	Sex-specific predictors of hearing-aid use in older persons: The age, gene/environment susceptibility - Reykjavik study. International Journal of Audiology, 2015, 54, 634-641.	0.9	28
51	Associations of olfactory dysfunction with anthropometric and cardiometabolic measures: Findings from the 2013–2014 national health and nutrition examination survey (NHANES). Physiology and Behavior, 2020, 215, 112702.	1.0	28
52	Association between vertigo, cognitive and psychiatric conditions in US children: 2012 National Health Interview Survey. International Journal of Pediatric Otorhinolaryngology, 2020, 130, 109802.	0.4	28
53	Genome-wide association meta-analysis identifies 48 risk variants and highlights the role of the stria vascularis in hearing loss. American Journal of Human Genetics, 2022, 109, 1077-1091.	2.6	27
54	Prevalence of Abnormalities in Vestibular Function and Balance among HIV-Seropositive and HIV-Seronegative Women and Men. PLoS ONE, 2012, 7, e38419.	1.1	22

#	Article	IF	CITATIONS
55	Childhood otitis media is associated with dizziness in adulthood: the HUNT cohort study. European Archives of Oto-Rhino-Laryngology, 2016, 273, 2047-2054.	0.8	22
56	Occupational noise exposure, hearing loss, and notched audiograms in the HUNT Nord-TrÃ,ndelag hearing loss study, 1996-1998. Laryngoscope, 2017, 127, 1442-1450.	1.1	21
57	Association of Prenatal Exposure to Maternal Drinking and Smoking With the Risk of Stillbirth. JAMA Network Open, 2021, 4, e2121726.	2.8	21
58	Otoacoustic emissions, pure-tone audiometry, and self-reported hearing. International Journal of Audiology, 2013, 52, 74-82.	0.9	20
59	Structural equation modeling of associations among tasteâ€related risk factors, taste functioning, and adiposity. Obesity, 2017, 25, 781-787.	1.5	20
60	Racial and Ethnic Differences in Receipt of Pressure Equalization Tubes Among US Children, 2014. Academic Pediatrics, 2017, 17, 88-94.	1.0	19
61	Home Apnea Monitoring and Sudden Infant Death Syndrome. Preventive Medicine, 1996, 25, 645-649.	1.6	17
62	Hearing Disability Prevalence and Risk Factors in Two Recent National Surveys. American Journal of Preventive Medicine, 2018, 55, 326-335.	1.6	17
63	Risk for Speech and Language Impairments in Preschool Age HIV-exposed Uninfected Children With In Utero Combination Antiretroviral Exposure. Pediatric Infectious Disease Journal, 2018, 37, 678-685.	1.1	16
64	Hearing Loss Associated With Ear Infections in Nord-TrÃุndelag, Norway. Ear and Hearing, 2004, 25, 388-396.	1.0	15
65	Self-Reported Olfactory Dysfunction and Diet Quality: Findings from the 2011–2014 National Health and Nutrition Examination Survey (NHANES). Nutrients, 2021, 13, 4561.	1.7	15
66	Association Between Childhood Hearing Disorders and Tinnitus in Adulthood. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 983.	1.2	14
67	Kids Nowadays Hear Better Than We Did: Declining Prevalence of Hearing Loss in <scp>US</scp> Youth, 1966–2010. Laryngoscope, 2019, 129, 1922-1939.	1.1	14
68	Cochlear Function Among HIV-Seropositive and HIV-Seronegative Men and Women. Ear and Hearing, 2014, 35, 56-62.	1.0	13
69	Longitudinal Evaluation of Language Impairment in Youth With Perinatally Acquired Human Immunodeficiency Virus (HIV) and Youth With Perinatal HIV Exposure. Journal of the Pediatric Infectious Diseases Society, 2016, 5, S33-S40.	0.6	12
70	Associations between chronic cigarette smoking and taste function: Results from the 2013–2014 national health and nutrition examination survey. Physiology and Behavior, 2021, 240, 113554.	1.0	12
71	Hearing in older adults with exfoliation syndrome/exfoliation glaucoma or primary openâ€angle glaucoma. Acta Ophthalmologica, 2016, 94, 140-146.	0.6	11
72	Distortion Product Otoacoustic Emission Data in Perinatally HIV-infected and HIV-exposed but Uninfected Children and Adolescents in the Pediatric HIV/AIDS Cohort Study. Pediatric Infectious Disease Journal, 2015, 34, 276-278.	1.1	10

#	Article	IF	CITATIONS
73	Self-reported Hearing Trouble in Adults Aged 18 and Over: United States, 2014. NCHS Data Brief, 2015, , 1-8.	6.8	10
74	Birth Prevalence of Congenital Cytomegalovirus Infection in HIV-Exposed Uninfected Children in the Era of Combination Antiretroviral Therapy. Journal of Pediatrics, 2020, 216, 82-87.e2.	0.9	9
75	Otoacoustic emissions in the general adult population of Nord-TrÃ,ndelag, Norway: III. relationships with pure-tone hearing thresholds Emisiones otoacústicas en la poblaciA³n general adulta en Nord-TrÃ,ndelag, Noruega: III: Relación con los umbrales de la audiometrÃa tonal. International Journal of Audiology. 2005. 44, 15-23.	0.9	7
76	Impact of Sensory Impairments on Functional Disability in Adults With Arthritis. American Journal of Preventive Medicine, 2016, 50, 454-462.	1.6	6
77	Risk factors for hearing impairment among adults with diabetes: The Hispanic Community Health Study/Study of Latinos (HCHS/SOL). Journal of Clinical and Translational Endocrinology, 2016, 6, 15-22.	1.0	6
78	Speech audiometry findings from HIV+ and HIVâ^' adults in the MACS and WIHS longitudinal cohort studies. Journal of Communication Disorders, 2016, 64, 103-109.	0.8	4
79	Poorer outcomes of all low birth weight groups at age 10: Missouri statewide case-control study. Early Human Development, 2019, 136, 60-69.	0.8	4
80	Alcohol and Taste Intensity. Chemosensory Perception, 2019, 12, 90-99.	0.7	4
81	Words-in-Noise Test Performance in Young Adults Perinatally HIV Infected and Exposed, Uninfected. American Journal of Audiology, 2020, 29, 68-78.	0.5	3
82	Transient Otoacoustic Emissions and Auditory Brainstem Responses in Low-Risk Cohort of Newborn and One-Month-Old Infants: Assessment of Infant Auditory System Physiology in the Prenatal Alcohol in SIDS and Stillbirth Network Safe Passage Study. Journal of the American Academy of Audiology, 2018, 29, 748-763.	0.4	2
83	Gap detection responses modelled using the Hill equation in adults with well-controlled HIV. International Journal of Audiology, 2023, 62, 383-392.	0.9	2
84	Symposium Overview. Annals of the New York Academy of Sciences, 2009, 1170, 511-513.	1.8	1
85	The Reduction in the Age-Adjusted Prevalence of Hearing Impairment in the United States—Reply. JAMA Otolaryngology - Head and Neck Surgery, 2017, 143, 957.	1.2	1
86	Vestibular and oculomotor abnormalities among HIV-infected and HIV-uninfected men and women: A pilot study. Journal of Vestibular Research: Equilibrium and Orientation, 2020, 30, 329-334.	0.8	1
87	Untangling the Link Between Hearing Loss and Depression. Hearing Journal, 2014, 67, 6.	0.1	Ο
88	Childhood hearing loss and established risk factors: What is the contribution of tobacco exposure prenatally or after birth?. Paediatric and Perinatal Epidemiology, 2018, 32, 439-441.	0.8	0
89	Prenatal Exposure to Tobacco and Alcohol Alters Development of the Neonatal Auditory System. Developmental Neuroscience, 2021, 43, 358-375.	1.0	0
90	3.ÂHearing Within Healthy Aging. , 2021, , .		0

3.ÂHearing Within Healthy Aging. , 2021, , . 90

#	Article	IF	CITATIONS
91	Statistical Modeling Approaches with Taste Functioning and Central Adiposity in Women: Implications for Mining the New National Health and Nutrition Examination Survey (NHANES) Taste and Smell Protocol. FASEB Journal, 2015, 29, 602.4.	0.2	0