

# Urs Schmidhalter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9147458/publications.pdf>

Version: 2024-02-01

214  
papers

10,280  
citations

31976

53  
h-index

45317

90  
g-index

229  
all docs

229  
docs citations

229  
times ranked

10053  
citing authors

#	ARTICLE	IF	CITATIONS
1	Drought and salinity: A comparison of their effects on mineral nutrition of plants. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 541-549.	1.9	798
2	Plant nutrition research: Priorities to meet human needs for food in sustainable ways. <i>Plant and Soil</i> , 2002, 247, 3-24.	3.7	383
3	Short-term and residual availability of nitrogen after long-term application of organic fertilizers on arable land. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 439-446.	1.9	320
4	Title is missing!. <i>Plant and Soil</i> , 2002, 247, 93-105.	3.7	252
5	Comparison of active and passive spectral sensors in discriminating biomass parameters and nitrogen status in wheat cultivars. <i>Field Crops Research</i> , 2011, 124, 74-84.	5.1	235
6	High resolution topsoil mapping using hyperspectral image and field data in multivariate regression modeling procedures. <i>Geoderma</i> , 2006, 136, 235-244.	5.1	221
7	Carbon and nitrogen mineralization in different upland soils of the subtropics treated with organic materials. <i>Soil Biology and Biochemistry</i> , 2005, 37, 1507-1518.	8.8	198
8	Reflectance estimation of canopy nitrogen content in winter wheat using optimised hyperspectral spectral indices and partial least squares regression. <i>European Journal of Agronomy</i> , 2014, 52, 198-209.	4.1	190
9	Quantification of Water Uptake by Arbuscular Mycorrhizal Hyphae and its Significance for Leaf Growth, Water Relations, and Gas Exchange of Barley Subjected to Drought Stress. <i>Plant Biology</i> , 2005, 7, 706-712.	3.8	186
10	Estimating the nitrogen nutrition index using spectral canopy reflectance measurements. <i>European Journal of Agronomy</i> , 2008, 29, 184-190.	4.1	185
11	Title is missing!. <i>Plant and Soil</i> , 2002, 247, 153-175.	3.7	183
12	Evaluating salt tolerance of wheat genotypes using multiple parameters. <i>European Journal of Agronomy</i> , 2005, 22, 243-253.	4.1	170
13	Precision agriculture: a challenge for crop nutrition management. <i>Plant and Soil</i> , 2002, 247, 143-149.	3.7	157
14	The impact of mineral nutrients in food crops on global human health. <i>Plant and Soil</i> , 2002, 247, 83-90.	3.7	156
15	Molecular mechanisms of potassium and sodium uptake in plants. <i>Plant and Soil</i> , 2002, 247, 43-54.	3.7	151
16	High-Throughput Estimation of Crop Traits: A Review of Ground and Aerial Phenotyping Platforms. <i>IEEE Geoscience and Remote Sensing Magazine</i> , 2021, 9, 200-231.	9.6	141
17	Short-term effects of drought and salinity on mineral nutrient distribution along growing leaves of maize seedlings. <i>Environmental and Experimental Botany</i> , 2007, 60, 268-275.	4.2	131
18	Influence of soil parameters on the effect of 3,4-dimethylpyrazole-phosphate as a nitrification inhibitor. <i>Biology and Fertility of Soils</i> , 2001, 34, 98-102.	4.3	130

#	ARTICLE	IF	CITATIONS
19	Digital Counts of Maize Plants by Unmanned Aerial Vehicles (UAVs). <i>Remote Sensing</i> , 2017, 9, 544.	4.0	123
20	Data fusion of spectral, thermal and canopy height parameters for improved yield prediction of drought stressed spring barley. <i>European Journal of Agronomy</i> , 2016, 78, 44-59.	4.1	119
21	Growth, ion content, gas exchange, and water relations of wheat genotypes differing in salt tolerances. <i>Australian Journal of Agricultural Research</i> , 2005, 56, 123.	1.5	114
22	High-throughput phenotyping early plant vigour of winter wheat. <i>European Journal of Agronomy</i> , 2014, 52, 271-278.	4.1	110
23	Quantification of mycorrhizal water uptake via high-resolution on-line water content sensors. <i>Plant and Soil</i> , 2011, 342, 459-468.	3.7	105
24	The changes induced in the physiological, biochemical and anatomical characteristics of <i>Vicia faba</i> by the exogenous application of proline under seawater stress. <i>South African Journal of Botany</i> , 2014, 93, 54-63.	2.5	101
25	Malate plays a central role in plant nutrition. <i>Plant and Soil</i> , 2002, 247, 133-139.	3.7	99
26	A proposed role for copper ions in cell wall loosening. <i>Plant and Soil</i> , 2002, 247, 57-67.	3.7	86
27	Comparing the performance of active and passive reflectance sensors to assess the normalized relative canopy temperature and grain yield of drought-stressed barley cultivars. <i>Field Crops Research</i> , 2015, 177, 148-160.	5.1	85
28	High throughput phenotyping of canopy water mass and canopy temperature in well-watered and drought stressed tropical maize hybrids in the vegetative stage. <i>European Journal of Agronomy</i> , 2011, 35, 22-32.	4.1	84
29	Nitrous oxide emission from soil and from a nitrogen-15-labelled fertilizer with the new nitrification inhibitor 3,4-dimethylpyrazole phosphate (DMPP). <i>Biology and Fertility of Soils</i> , 2001, 34, 103-108.	4.3	83
30	Irrigation rate and plant density effects on yield and water use efficiency of drip-irrigated corn. <i>Agricultural Water Management</i> , 2008, 95, 836-844.	5.6	82
31	Improved Salinity Tolerance by Phosphorus Fertilizer in Two <i>Phaseolus vulgaris</i> Recombinant Inbred Lines Contrasting in Their P-use Efficiency. <i>Journal of Agronomy and Crop Science</i> , 2016, 202, 497-507.	3.5	81
32	Palladium exposure of barley: uptake and effects. <i>Plant Biology</i> , 2008, 10, 272-276.	3.8	78
33	Effect of foliar fertilization application on the growth and mineral nutrient content of maize seedlings under drought and salinity. <i>Soil Science and Plant Nutrition</i> , 2008, 54, 133-141.	1.9	76
34	Tractor-Based Quadrilateral Spectral Reflectance Measurements to Detect Biomass and Total Aerial Nitrogen in Winter Wheat. <i>Agronomy Journal</i> , 2010, 102, 499-506.	1.8	75
35	The Application of EM38: Determination of Soil Parameters, Selection of Soil Sampling Points and Use in Agriculture and Archaeology. <i>Sensors</i> , 2017, 17, 2540.	3.8	74
36	Remotely estimating aerial N status of phenologically differing winter wheat cultivars grown in contrasting climatic and geographic zones in China and Germany. <i>Field Crops Research</i> , 2012, 138, 21-32.	5.1	71

#	ARTICLE	IF	CITATIONS
37	Use of a digital camera as alternative method for non-destructive detection of the leaf chlorophyll content and the nitrogen nutrition status in wheat. <i>Computers and Electronics in Agriculture</i> , 2017, 140, 25-33.	7.7	70
38	Thermal imaging and passive reflectance sensing to estimate the water status and grain yield of wheat under different irrigation regimes. <i>Agricultural Water Management</i> , 2017, 189, 98-110.	5.6	70
39	Effectiveness of 3,4-Dimethylpyrazole Phosphate as Nitrification Inhibitor in Soil as Influenced by Inhibitor Concentration, Application Form, and Soil Matric Potential. <i>Pedosphere</i> , 2008, 18, 378-385.	4.0	67
40	The performance of active spectral reflectance sensors as influenced by measuring distance, device temperature and light intensity. <i>Computers and Electronics in Agriculture</i> , 2014, 100, 24-33.	7.7	67
41	Mechanisms of metal resistance in plants: aluminum and heavy metals. <i>Plant and Soil</i> , 2002, 247, 109-119.	3.7	66
42	Optimal coupling combinations between irrigation frequency and rate for drip-irrigated maize grown on sandy soil. <i>Agricultural Water Management</i> , 2010, 97, 439-448.	5.6	64
43	Development of a quick on-farm test to determine nitrate levels in soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 432-438.	1.9	63
44	Interactive effects of salinity and macronutrient level on wheat. II. Composition. <i>Journal of Plant Nutrition</i> , 1997, 20, 1169-1182.	1.9	62
45	Legume Decomposition and Nitrogen Release When Applied as Green Manures to Tropical Vegetable Production Systems. <i>Agronomy Journal</i> , 2000, 92, 253-260.	1.8	62
46	Spatial distributions and net deposition rates of mineral elements in the elongating wheat ( <i>Triticum</i> ) Tj ETQq0 0 0 ggBT /Overlock 10 Tf	3.2	61
47	Characterisation of soil texture variability using the apparent soil electrical conductivity at a highly variable site. <i>Computers and Geosciences</i> , 2012, 39, 98-110.	4.2	61
48	Drip Irrigation Frequency: The Effects and Their Interaction with Nitrogen Fertilization on Sandy Soil Water Distribution, Maize Yield and Water Use Efficiency Under Egyptian Conditions. <i>Journal of Agronomy and Crop Science</i> , 2008, 194, 180-192.	3.5	60
49	Nitrogen status and biomass determination of oilseed rape by laser-induced chlorophyll fluorescence. <i>European Journal of Agronomy</i> , 2009, 30, 238-242.	4.1	60
50	Identification of stay-green and early senescence phenotypes in high-yielding winter wheat, and their relationship to grain yield and grain protein concentration using high-throughput phenotyping techniques. <i>Functional Plant Biology</i> , 2014, 41, 227.	2.1	60
51	Interaction of soil pH and phosphorus efficacy: Long-term effects of P fertilizer and lime applications on wheat, barley, and sugar beet. <i>Ambio</i> , 2018, 47, 41-49.	5.5	60
52	Spectral measurements of the total aerial N and biomass dry weight in maize using a quadrilateral-view optic. <i>Field Crops Research</i> , 2008, 106, 94-103.	5.1	59
53	Can changes in leaf water potential be assessed spectrally?. <i>Functional Plant Biology</i> , 2011, 38, 523.	2.1	59
54	A Comparison of Screening Criteria for Salt Tolerance in Wheat under Field and Controlled Environmental Conditions. <i>Journal of Agronomy and Crop Science</i> , 2009, 195, 356-367.	3.5	58

#	ARTICLE	IF	CITATIONS
55	Optimising three-band spectral indices to assess aerial N concentration, N uptake and aboveground biomass of winter wheat remotely in China and Germany. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2014, 92, 112-123.	11.1	54
56	Salinity and the growth of non-halophytic grass leaves: the role of mineral nutrient distribution. <i>Functional Plant Biology</i> , 2005, 32, 973.	2.1	53
57	EFFECT OF FOLIAR APPLICATION OF AMINOACIDS ON PLANT YIELD AND PHYSIOLOGICAL PARAMETERS IN BEAN PLANTS IRRIGATED WITH SEAWATER. <i>Acta Biologica Colombiana</i> , 2014, 20, 140-152.	0.4	52
58	Integrated assessment of agronomic, environmental and ecosystem economic benefits of blending use of controlled-release and common urea in wheat production. <i>Journal of Cleaner Production</i> , 2021, 287, 125572.	9.3	52
59	Field calibration of a capacitance soil water probe in heterogeneous fields. <i>Soil Research</i> , 2004, 42, 289.	1.1	50
60	Mid-season prediction of grain yield and protein content of spring barley cultivars using high-throughput spectral sensing. <i>European Journal of Agronomy</i> , 2017, 90, 108-116.	4.1	49
61	Improving grain yield and protein concentration of maize ( <i>Zea mays</i> L.) simultaneously by appropriate hybrid selection and nitrogen management. <i>Field Crops Research</i> , 2020, 249, 107754.	5.1	49
62	Spectral assessment of drought tolerance indices and grain yield in advanced spring wheat lines grown under full and limited water irrigation. <i>Agricultural Water Management</i> , 2017, 182, 1-12.	5.6	48
63	Abscisic Acid Receptors and Coreceptors Modulate Plant Water Use Efficiency and Water Productivity. <i>Plant Physiology</i> , 2019, 180, 1066-1080.	4.8	48
64	Simulation of satellite reflectance data using high-frequency ground based hyperspectral canopy measurements for in-season estimation of grain yield and grain nitrogen status in winter wheat. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 149, 176-187.	11.1	48
65	Lanthanum uptake from soil and nutrient solution and its effects on plant growth. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 574-580.	1.9	47
66	Spectral high-throughput assessments of phenotypic differences in biomass and nitrogen partitioning during grain filling of wheat under high yielding Western European conditions. <i>Field Crops Research</i> , 2013, 141, 16-26.	5.1	47
67	Evaluation of wavelengths and spectral reflectance indices for high-throughput assessment of growth, water relations and ion contents of wheat irrigated with saline water. <i>Agricultural Water Management</i> , 2019, 212, 358-377.	5.6	47
68	Spatial distributions of inorganic ions and sugars contributing to osmotic adjustment in the elongating wheat leaf under saline soil conditions. <i>Functional Plant Biology</i> , 1998, 25, 591.	2.1	47
69	Assessing the vertical footprint of reflectance measurements to characterize nitrogen uptake and biomass distribution in maize canopies. <i>Field Crops Research</i> , 2012, 129, 14-20.	5.1	46
70	Evaluation of Yield and Drought Using Active and Passive Spectral Sensing Systems at the Reproductive Stage in Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 379.	3.6	46
71	Comparison of the EM38 and EM38-MK2 electromagnetic induction-based sensors for spatial soil analysis at field scale. <i>Computers and Electronics in Agriculture</i> , 2015, 110, 267-280.	7.7	45
72	Evaluating RGB Imaging and Multispectral Active and Hyperspectral Passive Sensing for Assessing Early Plant Vigor in Winter Wheat. <i>Sensors</i> , 2018, 18, 2931.	3.8	44

#	ARTICLE	IF	CITATIONS
73	Germination and seedling growth of carrots under salinity and moisture stress. <i>Plant and Soil</i> , 1991, 132, 243-251.	3.7	42
74	High-Throughput Field Phenotyping Traits of Grain Yield Formation and Nitrogen Use Efficiency: Optimizing the Selection of Vegetation Indices and Growth Stages. <i>Frontiers in Plant Science</i> , 2019, 10, 1672.	3.6	42
75	EFFECTS OF SALINITY AND MACRONUTRIENT LEVELS ON MICRONUTRIENTS IN WHEAT. <i>Journal of Plant Nutrition</i> , 2001, 24, 273-281.	1.9	41
76	Effects of urease and nitrification inhibitors added to urea on nitrous oxide emissions from a loess soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2009, 172, 651-660.	1.9	40
77	Comparing hyperspectral index optimization algorithms to estimate aerial N uptake using multi-temporal winter wheat datasets from contrasting climatic and geographic zones in China and Germany. <i>Agricultural and Forest Meteorology</i> , 2013, 180, 44-57.	4.8	40
78	Title is missing!. <i>Plant and Soil</i> , 2002, 247, 71-80.	3.7	39
79	A Comparison of Plant Temperatures as Measured by Thermal Imaging and Infrared Thermometry. <i>Journal of Agronomy and Crop Science</i> , 2012, 198, 415-429.	3.5	38
80	Effect of salinity on tissue architecture in expanding wheat leaves. <i>Planta</i> , 2005, 220, 838-848.	3.2	36
81	Nitrogen release from plant-derived and industrially processed organic fertilizers used in organic horticulture. <i>Journal of Plant Nutrition and Soil Science</i> , 2006, 169, 549-556.	1.9	36
82	Potential for Using Plant Xylem Sap to Evaluate Inorganic Nutrient Availability in Soil. <i>Soil Science and Plant Nutrition</i> , 2005, 51, 333-341.	1.9	35
83	Water integration by plants root under non-uniform soil salinity. <i>Irrigation Science</i> , 2008, 27, 83-95.	2.8	35
84	Nitrogen availability of various biogas residues applied to ryegrass. <i>Journal of Plant Nutrition and Soil Science</i> , 2013, 176, 572-584.	1.9	35
85	Influence of sodium polyacrylate on the water-holding capacity of three different soils and effects on growth of wheat. <i>Soil Use and Management</i> , 2006, 20, 207-209.	4.9	33
86	High-Throughput Sensing of Aerial Biomass and Above-Ground Nitrogen Uptake in the Vegetative Stage of Well-Watered and Drought Stressed Tropical Maize Hybrids. <i>Crop Science</i> , 2011, 51, 479-489.	1.8	32
87	The gradient between pre-dawn rhizoplane and bulk soil matric potentials, and its relation to the pre-dawn root and leaf water potentials of four species. <i>Plant, Cell and Environment</i> , 1997, 20, 953-960.	5.7	31
88	Gaseous Nitrogen Losses from a Cambisol Cropped to Spring Wheat with Urea Sizes and Placement Depths. <i>Soil Science Society of America Journal</i> , 2009, 73, 1335-1344.	2.2	31
89	Potassium fertiliser enhances the salt-tolerance of common bean ( <i>Phaseolus vulgaris</i> L.). <i>Journal of Horticultural Science and Biotechnology</i> , 2014, 89, 185-192.	1.9	31
90	Evaluation of Both SPAD Reading and SPAD Index on Estimating the Plant Nitrogen Status of Winter Wheat. <i>International Journal of Plant Production</i> , 2020, 14, 67-75.	2.2	31

#	ARTICLE	IF	CITATIONS
91	Short-Term Effect of Drought and Salinity on Growth and Mineral Elements in Wheat Seedlings. <i>Journal of Plant Nutrition</i> , 2006, 29, 2227-2243.	1.9	30
92	Evaluation of active and passive sensor systems in the field to phenotype maize hybrids with high-throughput. <i>Field Crops Research</i> , 2013, 154, 236-245.	5.1	30
93	High-Throughput Phenotyping of Wheat and Barley Plants Grown in Single or Few Rows in Small Plots Using Active and Passive Spectral Proximal Sensing. <i>Sensors</i> , 2016, 16, 1860.	3.8	30
94	Referencing laser and ultrasonic height measurements of barley cultivars by using a herbometre as standard. <i>Crop and Pasture Science</i> , 2016, 67, 1215.	1.5	30
95	High-Throughput Field Phenotyping of Leaves, Leaf Sheaths, Culms and Ears of Spring Barley Cultivars at Anthesis and Dough Ripeness. <i>Frontiers in Plant Science</i> , 2017, 8, 1920.	3.6	30
96	Hyperspectral reflectance sensing to assess the growth and photosynthetic properties of wheat cultivars exposed to different irrigation rates in an irrigated arid region. <i>PLoS ONE</i> , 2017, 12, e0183262.	2.5	30
97	Assessing the Suitability of Various Physiological Traits to Screen Wheat Genotypes for Salt Tolerance. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1352-1360.	8.5	29
98	Ammonia loss from urea in grassland and its mitigation by the new urease inhibitor 2-NPT. <i>Journal of Agricultural Science</i> , 2016, 154, 1453-1462.	1.3	29
99	Sequence of drought response of maize seedlings in drying soil. <i>Physiologia Plantarum</i> , 1998, 104, 159-168.	5.2	28
100	An Evaluation of Different NIR-Spectral Pre-Treatments to Derive the Soil Parameters C and N of a Humus-Clay-Rich Soil. <i>Sensors</i> , 2021, 21, 1423.	3.8	28
101	Interactive effects of salinity and macronutrient level on wheat. I. Growth. <i>Journal of Plant Nutrition</i> , 1997, 20, 1155-1167.	1.9	27
102	Transfer of a near infrared spectroscopy laboratory application to an online process analyser for in situ monitoring of anaerobic digestion. <i>Bioresource Technology</i> , 2013, 129, 39-50.	9.6	27
103	Performance of nitrification inhibitors with different nitrogen fertilizers and soil textures. <i>Journal of Plant Nutrition and Soil Science</i> , 2019, 182, 694-700.	1.9	27
104	Carbohydrate deposition and partitioning in elongating leaves of wheat under saline soil conditions. <i>Functional Plant Biology</i> , 2000, 27, 363.	2.1	26
105	Nitrogen fertilizer-induced mineralization of soil organic C and N in six contrasting soils of Bangladesh. <i>Journal of Plant Nutrition and Soil Science</i> , 2007, 170, 210-218.	1.9	26
106	Influence of ambient light and temperature on laser-induced chlorophyll fluorescence measurements. <i>European Journal of Agronomy</i> , 2010, 32, 169-176.	4.1	26
107	Sensitivity of Vegetation Indices for Estimating Vegetative N Status in Winter Wheat. <i>Sensors</i> , 2019, 19, 3712.	3.8	26
108	Advancing High-Throughput Phenotyping of Wheat in Early Selection Cycles. <i>Remote Sensing</i> , 2020, 12, 574.	4.0	26



#	ARTICLE	IF	CITATIONS
109	Current Soil Nutrient Status of Intensively Managed Greenhouses. <i>Pedosphere</i> , 2012, 22, 825-833.	4.0	25
110	Passive Reflectance Sensing and Digital Image Analysis Allows for Assessing the Biomass and Nitrogen Status of Wheat in Early and Late Tillering Stages. <i>Frontiers in Plant Science</i> , 2018, 9, 1478.	3.6	25
111	Spectral reflectance indices as a rapid and nondestructive phenotyping tool for estimating different morphophysiological traits of contrasting spring wheat germplasms under arid conditions. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2015, 39, 572-587.	2.1	25
112	Theory and Guidelines for the Application of the Geophysical Sensor EM38. <i>Sensors</i> , 2019, 19, 4293.	3.8	24
113	Spectral assessments of wheat plants grown in pots and containers under saline conditions. <i>Functional Plant Biology</i> , 2013, 40, 409.	2.1	23
114	Comparative performance of spectral and thermographic properties of plants and physiological traits for phenotyping salinity tolerance of wheat cultivars under simulated field conditions. <i>Functional Plant Biology</i> , 2017, 44, 134.	2.1	23
115	Performance of optimized hyperspectral reflectance indices and partial least squares regression for estimating the chlorophyll fluorescence and grain yield of wheat grown in simulated saline field conditions. <i>Plant Physiology and Biochemistry</i> , 2019, 144, 300-311.	5.8	23
116	Kinetics and Spatial Distribution of Leaf Elongation of Wheat ( <i>Triticum aestivum</i> L.) under Saline Soil Conditions. <i>International Journal of Plant Sciences</i> , 2000, 161, 575-582.	1.3	22
117	The Legume Content in Multispecies Mixtures as Estimated with Near Infrared Reflectance Spectroscopy Method Validation. <i>Agronomy Journal</i> , 2005, 97, 18-25.	1.8	22
118	Abiotic soil properties and the occurrence of <i>Rhizoctonia</i> crown and root rot in sugar beet. <i>Journal of Plant Nutrition and Soil Science</i> , 2009, 172, 661-668.	1.9	22
119	Effect of nitrogen fertilization on <i>Fusarium</i> head blight in spring barley. <i>Crop Protection</i> , 2016, 88, 18-27.	2.1	22
120	Comparative Performance of Spectral Reflectance Indices and Multivariate Modeling for Assessing Agronomic Parameters in Advanced Spring Wheat Lines Under Two Contrasting Irrigation Regimes. <i>Frontiers in Plant Science</i> , 2019, 10, 1537.	3.6	22
121	Environmental, human health, and ecosystem economic performance of long-term optimizing nitrogen management for wheat production. <i>Journal of Cleaner Production</i> , 2021, 311, 127620.	9.3	22
122	Development of Near Infrared Reflectance Spectroscopy Calibrations to Estimate Legume Content of Multispecies Legume-Grass Mixtures. <i>Agronomy Journal</i> , 2005, 97, 11-17.	1.8	21
123	N <sub>2</sub> O, NH <sub>3</sub> and NO <sub>x</sub> Emissions as a Function of Urea Granule Size and Soil Type Under Aerobic Conditions. <i>Water, Air, and Soil Pollution</i> , 2006, 175, 127-148.	2.4	21
124	Site-specific effects of variable water supply and nitrogen fertilisation on winter wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2014, 177, 509-523.	1.9	21
125	Nitrogen Use Efficiency and Carbon Traits of High-Yielding European Hybrid vs. Line Winter Wheat Cultivars: Potentials and Limitations. <i>Frontiers in Plant Science</i> , 2019, 9, 1988.	3.6	21
126	Legume Decomposition and Nitrogen Release When Applied as Green Manures to Tropical Vegetable Production Systems. <i>Semigroup Forum</i> , 2000, 92, 253.	0.6	21



#	ARTICLE	IF	CITATIONS
127	The potential for online monitoring of short-term process dynamics in anaerobic digestion using near-infrared spectroscopy. <i>Biomass and Bioenergy</i> , 2013, 48, 224-230.	5.7	20
128	Combining biophysical parameters, spectral indices and multivariate hyperspectral models for estimating yield and water productivity of spring wheat across different agronomic practices. <i>PLoS ONE</i> , 2019, 14, e0212294.	2.5	20
129	Factors influencing phosphorus placement and effects on yield and yield parameters: A meta-analysis. <i>Soil and Tillage Research</i> , 2022, 216, 105257.	5.6	20
130	Tomato Crop Response to Short-Duration Legume Green Manures in Tropical Vegetable Systems. <i>Agronomy Journal</i> , 2000, 92, 245-253.	1.8	19
131	Development of a diurnal dehydration index for spring barley phenotyping. <i>Functional Plant Biology</i> , 2014, 41, 1249.	2.1	19
132	Passive reflectance sensing and digital image analysis for assessing quality parameters of mango fruits. <i>Scientia Horticulturae</i> , 2016, 212, 136-147.	3.6	19
133	Shift of grain protein composition in bread wheat under summer drought events. <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 49-55.	1.9	18
134	MEASURING AND MODELING ROOT WATER UPTAKE BASED ON <sup>36</sup> CHLORIDE DISCRIMINATION IN A SILT LOAM SOIL AFFECTED BY GROUNDWATER. <i>Soil Science</i> , 1994, 158, 97-105.	0.9	17
135	Near Infrared Spectroscopy Calibrations for the Estimation of Process Parameters of Anaerobic Digestion of Energy Crops and Livestock Residues. <i>Journal of Near Infrared Spectroscopy</i> , 2011, 19, 479-493.	1.5	17
136	Drip Irrigation Frequency: The Effects and Their Interaction with Nitrogen Fertilization on Maize Growth and Nitrogen Use Efficiency under Arid Conditions. <i>Journal of Agronomy and Crop Science</i> , 2011, 197, 186-201.	3.5	17
137	Passive reflectance sensing using optimized two- and three-band spectral indices for quantifying the total nitrogen yield of maize. <i>Computers and Electronics in Agriculture</i> , 2020, 173, 105403.	7.7	17
138	Improved evaluation of field experiments by accounting for inherent soil variability. <i>European Journal of Agronomy</i> , 2017, 89, 1-15.	4.1	16
139	Prediction of multi-year winter wheat yields at the field level with satellite and climatological data. <i>Computers and Electronics in Agriculture</i> , 2022, 194, 106777.	7.7	16
140	Transpiration/biomass ratio for carrots as affected by salinity, nutrient supply and soil aeration. <i>Plant and Soil</i> , 1991, 135, 125-132.	3.7	15
141	Use of modelling to understand nutrient acquisition by plants. <i>Plant and Soil</i> , 2002, 247, 123-130.	3.7	15
142	Evaluation of the differential osmotic adjustments between roots and leaves of maize seedlings with single or combined NPK-nutrient supply. <i>Functional Plant Biology</i> , 2007, 34, 228.	2.1	15
143	Precision Farming – Adaptation of Land Use Management to Small Scale Heterogeneity. , 2008, , 121-199.		15
144	Effects of Gypsum Particle Size on Reclaiming Saline-Sodic Soils in Egypt. <i>Communications in Soil Science and Plant Analysis</i> , 2015, 46, 1112-1122.	1.4	15

#	ARTICLE	IF	CITATIONS
145	On the use of spectral reflectance indices to assess agro-morphological traits of wheat plants grown under simulated saline field conditions. <i>Journal of Agronomy and Crop Science</i> , 2017, 203, 406-428.	3.5	15
146	Effect of Time of Day and Sky Conditions on Different Vegetation Indices Calculated from Active and Passive Sensors and Images Taken from UAV. <i>Remote Sensing</i> , 2021, 13, 1691.	4.0	15
147	Urease inhibitors: opportunities for meeting EU national obligations to reduce ammonia emission ceilings by 2030 in EU countries. <i>Environmental Research Letters</i> , 2021, 16, 084047.	5.2	15
148	Sensitivity of root and leaf water status in maize ( <i>Zea mays</i> ) subjected to mild soil dryness. <i>Functional Plant Biology</i> , 1998, 25, 307.	2.1	15
149	COMPARATIVE EFFICACY OF UREA FERTILIZATION VIA SUPERGRANULES VERSUS PRILLS ON NITROGEN DISTRIBUTION, YIELD RESPONSE AND NITROGEN USE EFFICIENCY OF SPRING WHEAT. <i>Journal of Plant Nutrition</i> , 2011, 34, 779-797.	1.9	14
150	Thermal phenotyping of stomatal sensitivity in spring barley. <i>Journal of Agronomy and Crop Science</i> , 2017, 203, 483-493.	3.5	14
151	Interactive Effects of N-, P- and K-Nutrition and Drought Stress on the Development of Maize Seedlings. <i>Agriculture (Switzerland)</i> , 2017, 7, 90.	3.1	14
152	Effects of combined application of acidified biogas slurry and chemical fertilizer on crop production and N soil fertility. <i>European Journal of Agronomy</i> , 2021, 123, 126224.	4.1	14
153	Daytime, Temporal, and Seasonal Variations of N <sub>2</sub> O Emissions in an Upland Cropping System of the Humid Tropics. <i>Communications in Soil Science and Plant Analysis</i> , 2007, 38, 189-204.	1.4	13
154	Spectral assessments of phenotypic differences in spike development during grain filling affected by varying N supply in wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2013, 176, 952-963.	1.9	13
155	Nitrous oxide emission from tea soil under different fertilizer managements in Japan. <i>Catena</i> , 2015, 135, 304-312.	5.0	13
156	Modeling the Effects of Soil Variability, Topography, and Management on the Yield of Barley. <i>Frontiers in Environmental Science</i> , 2018, 6, .	3.3	13
157	Estimating growth and photosynthetic properties of wheat grown in simulated saline field conditions using hyperspectral reflectance sensing and multivariate analysis. <i>Scientific Reports</i> , 2019, 9, 16473.	3.3	13
158	Temporal and Spectral Optimization of Vegetation Indices for Estimating Grain Nitrogen Uptake and Late-Seasonal Nitrogen Traits in Wheat. <i>Sensors</i> , 2019, 19, 4640.	3.8	13
159	Optimal coupling combinations between the irrigation rate and glycinebetaine levels for improving yield and water use efficiency of drip-irrigated maize grown under arid conditions. <i>Agricultural Water Management</i> , 2014, 140, 69-78.	5.6	12
160	Green Window Approach for improving nitrogen management by farmers in small-scale wheat fields. <i>Journal of Agricultural Science</i> , 2015, 153, 446-454.	1.3	12
161	Influence of Climate Conditions on the Temporal Development of Wheat Yields in a Long-Term Experiment in an Area with Pleistocene Loess. <i>Climate</i> , 2020, 8, 100.	2.8	12
162	Using optimized three-band spectral indices to assess canopy N uptake in corn and wheat. <i>European Journal of Agronomy</i> , 2021, 127, 126286.	4.1	12

#	ARTICLE	IF	CITATIONS
163	Combining Hyperspectral Reflectance Indices and Multivariate Analysis to Estimate Different Units of Chlorophyll Content of Spring Wheat under Salinity Conditions. <i>Plants</i> , 2022, 11, 456.	3.5	12
164	Mensuração da condutividade elétrica do solo por indução e sua correlação com fatores de produção. <i>Engenharia Agrícola</i> , 2005, 25, 420-426.	0.7	11
165	Influence of Soil Organic Carbon on Greenhouse Gas Emission Potential After Application of Biogas Residues or Cattle Slurry: Results from a Pot Experiment. <i>Pedosphere</i> , 2017, 27, 807-821.	4.0	11
166	Adaptation of ecotypes and cultivars of subterranean clover ( <i>Trifolium subterraneum</i> L.) to German environmental conditions and its suitability as living mulch. <i>Genetic Resources and Crop Evolution</i> , 2018, 65, 2057-2068.	1.6	11
167	Direct and Indirect Effects of Urease and Nitrification Inhibitors on N <sub>2</sub> O-N Losses from Urea Fertilization to Winter Wheat in Southern Germany. <i>Atmosphere</i> , 2020, 11, 782.	2.3	11
168	Improving water status prediction of winter wheat using multi-source data with machine learning. <i>European Journal of Agronomy</i> , 2022, 139, 126548.	4.1	11
169	Germination of <i>Pistacia vera</i> L. pollen in liquid medium. <i>Sexual Plant Reproduction</i> , 1991, 4, 182.	2.2	10
170	Investigation of deficit irrigation strategies combining SVAT-modeling, optimization and experiments. <i>Environmental Earth Sciences</i> , 2014, 72, 4901-4915.	2.7	10
171	Effect of Bio-stimulants on Yield and Quality of Head Lettuce Grown Under Two Sources of Nitrogen. <i>Gesunde Pflanzen</i> , 2016, 68, 33-39.	3.0	10
172	Estimating the Leaf Water Status and Grain Yield of Wheat under Different Irrigation Regimes Using Optimized Two- and Three-Band Hyperspectral Indices and Multivariate Regression Models. <i>Water (Switzerland)</i> , 2021, 13, 2666.	2.7	10
173	Potential for Using Plant Xylem Sap to Evaluate Inorganic Nutrient Availability in Soil. <i>Soil Science and Plant Nutrition</i> , 2005, 51, 343-350.	1.9	9
174	Insights on the role of tillering in salt tolerance of spring wheat from detillering. <i>Environmental and Experimental Botany</i> , 2008, 64, 33-42.	4.2	9
175	Emissions of Nitrous Oxide, Ammonia, and Carbon Dioxide from a Cambisol at Two Contrasting Soil Water Regimes and Urea Granular Sizes. <i>Communications in Soil Science and Plant Analysis</i> , 2009, 40, 1191-1213.	1.4	9
176	Temporal Dynamics and the Contribution of Plant Organs in a Phenotypically Diverse Population of High-Yielding Winter Wheat: Evaluating Concepts for Disentangling Yield Formation and Nitrogen Use Efficiency. <i>Frontiers in Plant Science</i> , 2019, 10, 1295.	3.6	9
177	Adsorption of Thiamin (Vitamin B1) on Soils and Clays. <i>Soil Science Society of America Journal</i> , 1994, 58, 1829.	2.2	8
178	Limitation of Salt Stress to Plant Growth. <i>Books in Soils, Plants, and the Environment</i> , 2004, , .	0.1	8
179	Effect of Salinity on the Composition, Number and Size of Epidermal Cells along the Mature Blade of Wheat Leaves. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1016-1023.	8.5	8
180	Spatial and Temporal Quantitative Analysis of Cell Division and Elongation Rate in Growing Wheat Leaves under Saline Conditions. <i>Journal of Integrative Plant Biology</i> , 2008, 50, 76-83.	8.5	8

#	ARTICLE	IF	CITATIONS
181	Evaluation of Very High Soil-Water Tension Threshold Values in Sensor-Based Deficit Irrigation Systems. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2014, 140, .	1.0	8
182	UAV-Based Hyperspectral Sensing for Yield Prediction in Winter Barley. , 2018, , .		8
183	Optimizing the Nitrogen Management Strategy for Winter Wheat in the North China Plain Using Rapid Soil and Plant Nitrogen Measurements. <i>Communications in Soil Science and Plant Analysis</i> , 2019, 50, 1310-1320.	1.4	8
184	Evaluation of Agricultural Feedstock-Robust near Infrared Calibrations for the Estimation of Process Parameters in Anaerobic Digestion. <i>Journal of Near Infrared Spectroscopy</i> , 2012, 20, 465-476.	1.5	7
185	Evaluating growth platforms and stress scenarios to assess the salt tolerance of wheat plants. <i>Functional Plant Biology</i> , 2014, 41, 860.	2.1	7
186	Ammonia losses from urea applied to winter wheat over four consecutive years and potential mitigation by urease inhibitors. <i>Journal of Plant Nutrition and Soil Science</i> , 2018, 181, 914-922.	1.9	7
187	Temporal and Organ-specific Responses in NUE Traits to N Fertilization, Fungicide Intensity and Early Sowing in Winter Wheat Cultivars. <i>Agronomy</i> , 2019, 9, 313.	3.0	7
188	Genetic Variation in Grain Yield and Quality Traits of Spring Malting Barley. <i>Agronomy</i> , 2021, 11, 1177.	3.0	7
189	Tomato Crop Response to Short-Duration Legume Green Manures in Tropical Vegetable Systems. <i>Semigroup Forum</i> , 2000, 92, 245.	0.6	7
190	Reduced cellular cross-sectional area in the leaf elongation zone of wheat causes a decrease in dry weight deposition under saline conditions. <i>Functional Plant Biology</i> , 2001, 28, 165.	2.1	7
191	Evaluating the Validity of a Nitrate Quick Test in Different Chinese Soils. <i>Pedosphere</i> , 2012, 22, 623-630.	4.0	6
192	Scenario modeling of ammonia emissions from surface applied urea under temperate conditions: application effects and model comparison. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 110, 177-193.	2.2	6
193	Passive reflectance sensing using regression and multivariate analysis to estimate biochemical parameters of different fruits kinds. <i>Scientia Horticulturae</i> , 2019, 243, 21-33.	3.6	6
194	Partitioning and Translocation of Dry Matter and Nitrogen During Grain Filling in Spring Barley Varieties and Their Roles in Determining Malting Quality. <i>Frontiers in Plant Science</i> , 2021, 12, 722871.	3.6	5
195	Simplifying residual nitrogen (N <sub>min</sub> ) sampling strategies and crop response. <i>European Journal of Agronomy</i> , 2021, 130, 126369.	4.1	5
196	Differential effect of moderate salinity on growth and ion contents in the mainstem and sub tillers of two wheat genotypes. <i>Soil Science and Plant Nutrition</i> , 2007, 53, 782-791.	1.9	4
197	EFFECT OF TILLER REMOVAL ON ION CONTENT IN MAINSTEM AND SUBTILLERS OF SPRING WHEAT UNDER MODERATE SALINITY. <i>Journal of Plant Nutrition</i> , 2012, 35, 1314-1328.	1.9	4
198	Using Discriminant Analysis and Logistic Regression in Mapping Quaternary Sediments. <i>Mathematical Geosciences</i> , 2014, 46, 361-376.	2.4	4

#	ARTICLE	IF	CITATIONS
199	Availability of phosphorus recovered from waste streams to plants cultivated in soilless growing media. <i>Journal of Plant Nutrition and Soil Science</i> , 2021, 184, 733-744.	1.9	4
200	EVALUATION OF THE TRANSFERABILITY OF A SVAT MODEL – RESULTS FROM FIELD AND GREENHOUSE APPLICATIONS. <i>Irrigation and Drainage</i> , 2011, 60, 59-70.	1.7	3
201	Deep Phenotyping of Yield-Related Traits in Wheat. <i>Agronomy</i> , 2020, 10, 603.	3.0	3
202	Plant availability of secondary phosphates depending on pH in a peat-based growing medium. <i>Acta Horticulturae</i> , 2021, , 437-442.	0.2	3
203	Sensitivity of Winter Barley Yield to Climate Variability in a Pleistocene Loess Area. <i>Climate</i> , 2021, 9, 112.	2.8	3
204	Non-invasive spectral detection of the beneficial effects of Bradyrhizobium spp. and plant growth-promoting rhizobacteria under different levels of nitrogen application on the biomass, nitrogen status, and yield of peanut cultivars. <i>Bragantia</i> , 2017, 76, 189-202.	1.3	2
205	Spatial distributions and net deposition rates of Fe, Mn and Zn in the elongating leaves of wheat under saline soil conditions. <i>Functional Plant Biology</i> , 2000, 27, 53.	2.1	2
206	Influence of sodium polyacrylate on the water-holding capacity of three different soils and effects on growth of wheat. <i>Soil Use and Management</i> , 2004, 20, 207-209.	4.9	2
207	Determining the plant critical saturated water accumulation curve in maize. <i>Field Crops Research</i> , 2022, 284, 108556.	5.1	2
208	Phenotyping of Wheat in Heat- and Drought-Stressed Environments Using UAVs. , 2021, , 251-259.		1
209	COMPARATIVE INVESTIGATIONS OF THE EFFECTS OF SALINITY AND MOISTURE STRESS ON GERMINATION AND SEEDLING GROWTH OF CARROTS. <i>Acta Horticulturae</i> , 1990, , 213-220.	0.2	1
210	A two-pinhole technique to determine distribution profiles of relative elemental growth rates in the growth zone of grass leaves. <i>Functional Plant Biology</i> , 2000, 27, 1187.	2.1	1
211	Soil resource mapping for precision farming using remote sensing. , 0, , .		0
212	Reply to Schnyder, Kavanova and Nelson. <i>Journal of Integrative Plant Biology</i> , 2009, 51, 437-437.	8.5	0
213	Spatial distributions and net deposition rates of Fe, Mn and Zn in the elongating leaves of wheat under saline soil conditions. <i>Australian Systematic Botany</i> , 2000, 13, .	0.9	0
214	WATER DEMAND OF CARROTS AS AFFECTED BY THE NUTRIENT, SALINITY AND AERATION STATUS OF THE SOIL. <i>Acta Horticulturae</i> , 1990, , 203-212.	0.2	0