

Hsin-Chih Yeh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9150774/publications.pdf>

Version: 2024-02-01

111
papers

1,304
citations

394421

19
h-index

477307

29
g-index

120
all docs

120
docs citations

120
times ranked

1860
citing authors

#	ARTICLE	IF	CITATIONS
1	The Prevalence of and Risk Factors for Androgen Deficiency in Aging Taiwanese Men. <i>Journal of Sexual Medicine</i> , 2009, 6, 936-946.	0.6	67
2	Bavachin attenuates LPS-induced inflammatory response and inhibits the activation of NLRP3 inflammasome in macrophages. <i>Phytomedicine</i> , 2019, 59, 152785.	5.3	59
3	Mir-193b Mediates CEBPD-Induced Cisplatin Sensitization Through Targeting ETS1 and Cyclin D1 in Human Urothelial Carcinoma Cells. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 1563-1573.	2.6	44
4	The Prognostic Significance of Inflammation-Associated Blood Cell Markers in Patients with Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 343-351.	1.5	43
5	AICAR Induces Apoptosis and Inhibits Migration and Invasion in Prostate Cancer Cells Through an AMPK/mTOR-Dependent Pathway. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1647.	4.1	42
6	INHBA overexpression indicates poor prognosis in urothelial carcinoma of urinary bladder and upper tract. <i>Journal of Surgical Oncology</i> , 2015, 111, 414-422.	1.7	39
7	FGF7 Over Expression is an Independent Prognosticator in Patients with Urothelial Carcinoma of the Upper Urinary Tract and Bladder. <i>Journal of Urology</i> , 2015, 194, 223-229.	0.4	37
8	The Comparison of the Aging Male Symptoms (AMS) Scale and Androgen Deficiency in the Aging Male (ADAM) Questionnaire to Detect Androgen Deficiency in Middle-Aged Men. <i>Journal of Andrology</i> , 2012, 33, 817-823.	2.0	34
9	MCM10 overexpression implicates adverse prognosis in urothelial carcinoma. <i>Oncotarget</i> , 2016, 7, 77777-77792.	1.8	34
10	The Potential Impact of Metabolic Syndrome on Erectile Dysfunction in Aging Taiwanese Males. <i>Journal of Sexual Medicine</i> , 2010, 7, 3127-3134.	0.6	33
11	Prognostic Significance of Lymphovascular Invasion in Upper Urinary Tract Urothelial Carcinoma is Influenced by Tumor Location. <i>Annals of Surgical Oncology</i> , 2015, 22, 1392-1400.	1.5	32
12	The Associations Among eNOS G894T Gene Polymorphism, Erectile Dysfunction, and Benign Prostate Hyperplasia-Related Lower Urinary Tract Symptoms. <i>Journal of Sexual Medicine</i> , 2009, 6, 3158-3165.	0.6	31
13	The Association of eNOS G894T Polymorphism with Metabolic Syndrome and Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2012, 9, 837-843.	0.6	26
14	The diagnostic ureteroscopy before radical nephroureterectomy in upper urinary tract urothelial carcinoma is not associated with higher intravesical recurrence. <i>World Journal of Surgical Oncology</i> , 2018, 16, 135.	1.9	26
15	Role of the NLRP3 Inflammasome: Insights Into Cancer Hallmarks. <i>Frontiers in Immunology</i> , 2020, 11, 610492.	4.8	26
16	Sulfatase-1 overexpression indicates poor prognosis in urothelial carcinoma of the urinary bladder and upper tract. <i>Oncotarget</i> , 2017, 8, 47216-47229.	1.8	26
17	The impact of urine microbiota in patients with lower urinary tract symptoms. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2021, 20, 23.	3.8	24
18	DPP4/CD26 overexpression in urothelial carcinoma confers an independent prognostic impact and correlates with intrinsic biological aggressiveness. <i>Oncotarget</i> , 2017, 8, 2995-3008.	1.8	24

#	ARTICLE	IF	CITATIONS
19	Nuclear factor- κ B activation predicts an unfavourable outcome in human upper urinary tract urothelial carcinoma. <i>BJU International</i> , 2010, 106, 1223-1229.	2.5	23
20	The Impact of Androgen Receptor CAG Repeat Polymorphism on Andropausal Symptoms in Different Serum Testosterone Levels. <i>Journal of Sexual Medicine</i> , 2012, 9, 2429-2437.	0.6	22
21	Hypoxia-regulated MicroRNA-210 Overexpression is Associated with Tumor Development and Progression in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 578-584.	2.5	22
22	High TNFAIP6 level is associated with poor prognosis of urothelial carcinomas. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 293.e11-293.e24.	1.6	21
23	Association Among Metabolic Syndrome, Testosterone Level and Severity of Erectile Dysfunction. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 240-247.	1.9	20
24	Concurrent Preoperative Presence of Hydronephrosis and Flank Pain Independently Predicts Worse Outcome of Upper Tract Urothelial Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139624.	2.5	20
25	Lower SHBG level is associated with higher leptin and lower adiponectin levels as well as metabolic syndrome, independent of testosterone. <i>Scientific Reports</i> , 2017, 7, 2727.	3.3	20
26	Protective Effect of Piplartine against LPS-Induced Sepsis through Attenuating the MAPKs/NF- κ B Signaling Pathway and NLRP3 Inflammasome Activation. <i>Pharmaceuticals</i> , 2021, 14, 588.	3.8	20
27	Associations of the lower urinary tract symptoms with the lifestyle, prostate volume, and metabolic syndrome in the elderly males. <i>Aging Male</i> , 2012, 15, 166-172.	1.9	17
28	Matrix metalloproteinase-11 as a marker of metastasis and predictor of poor survival in urothelial carcinomas. <i>Journal of Surgical Oncology</i> , 2016, 113, 700-707.	1.7	17
29	Zerumbone Suppresses the LPS-Induced Inflammatory Response and Represses Activation of the NLRP3 Inflammasome in Macrophages. <i>Frontiers in Pharmacology</i> , 2021, 12, 652860.	3.5	17
30	Renal Cell Carcinoma Presenting with Skull Metastasis: A Case Report and Literature Review. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 475-479.	1.9	16
31	The interaction of serum testosterone levels and androgen receptor CAG repeat polymorphism on the risk of erectile dysfunction in aging Taiwanese men. <i>Andrology</i> , 2015, 3, 902-908.	3.5	16
32	Cyclooxygenase-2 (COX-2) up-regulation is a prognostic marker for poor clinical outcome of upper tract urothelial cancer. <i>Anticancer Research</i> , 2012, 32, 4111-6.	1.1	16
33	New-onset diabetes after androgen-deprivation therapy for prostate cancer: A nationwide propensity score-matched four-year longitudinal cohort study. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 688-692.	2.3	15
34	Adrenal Schwannoma Treated with Laparoscopic Adrenalectomy: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 553-557.	1.9	14
35	Subcellular localisation of anillin is associated with different survival outcomes in upper urinary tract urothelial carcinoma. <i>Journal of Clinical Pathology</i> , 2015, 68, 1026-1032.	2.0	14
36	Urinary Incontinence in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017, 32, 51-55.	1.9	14

#	ARTICLE	IF	CITATIONS
37	The association between gender and outcome of patients with upper tract urothelial cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 37-42.	1.9	13
38	Prognostic Significance of Primary Tumor Location in Upper Tract Urothelial Carcinoma Treated with Nephroureterectomy: A Retrospective, Multi-Center Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2020, 9, 3866.	2.4	12
39	Low Hemoglobin-to-Red Cell Distribution Width Ratio Is Associated with Disease Progression and Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Biomedicines</i> , 2021, 9, 672.	3.2	12
40	Prognostic Value of Leptin Receptor Overexpression in Upper Tract Urothelial Carcinomas in Taiwan. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e653-e659.	1.9	11
41	DDR2 overexpression in urothelial carcinoma indicates an unfavorable prognosis: a large cohort study. <i>Oncotarget</i> , 2016, 7, 78918-78931.	1.8	11
42	The impact of metabolic syndrome on the responsiveness to α 1-blocker in men with BPH/LUTS. <i>International Journal of Clinical Practice</i> , 2013, 67, 356-362.	1.7	10
43	PTP4A3 Independently Predicts Metastasis and Survival in Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2015, 194, 1449-1455.	0.4	10
44	Is preoperative anemia a risk factor for upper tract urothelial carcinoma following radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 337.e1-337.e9.	1.6	10
45	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 933.e7-933.e12.	1.6	10
46	Mycotoxin Zearalenone Attenuates Innate Immune Responses and Suppresses NLRP3 Inflammasome Activation in LPS-Activated Macrophages. <i>Toxins</i> , 2021, 13, 593.	3.4	10
47	The impact of physical health and socioeconomic factors on sexual activity in middle-aged and elderly Taiwanese men. <i>Aging Male</i> , 2010, 13, 148-153.	1.9	9
48	Laparoscopic partial nephrectomy without intracorporeal suturing. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1585-1591.	2.4	9
49	Endoscopic management versus radical nephroureterectomy for localized upper tract urothelial carcinoma in a high endemic region. <i>Scientific Reports</i> , 2021, 11, 4040.	3.3	9
50	Comparing Oncological Outcomes and Surgical Complications of Hand-Assisted, Laparoscopic and Robotic Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 731460.	2.8	9
51	Spontaneous Perirenal Hematoma: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 578-581.	1.9	8
52	Giant Spermatocele Mimicking Hydrocele: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2007, 23, 366-369.	1.9	8
53	Intra- and Extra-abdominal Actinomycosis Mimicking Urachal Tumor in an Intrauterine Device Carrier: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 35-40.	1.9	8
54	The effect of tumor location on prognosis in patients with primary ureteral urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1670-1675.	1.6	8

#	ARTICLE	IF	CITATIONS
55	Robot-Assisted Extraperitoneal Radical Prostatectomy, Single Site Plus Two Model. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018, 28, 140-144.	1.0	8
56	Comparison between single-incision and multiple-incision laparoscopic surgery for totally extraperitoneal inguinal hernia repair. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2020, 29, 293-298.	1.2	8
57	High Transaldolase 1 expression predicts poor survival of patients with upper tract urothelial carcinoma. <i>Pathology International</i> , 2021, 71, 463-470.	1.3	8
58	A huge renal cell carcinoma: Case report and literature review. <i>Urological Science</i> , 2013, 24, 58-60.	0.6	7
59	Over-expression of Activated Signal Transducer and Activator of Transcription 3 Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 1360-1367.	2.5	7
60	Deduction of Novel Genes Potentially Involved in Upper Tract Urothelial Carcinoma Using Next-Generation Sequencing and Bioinformatics Approaches. <i>International Journal of Medical Sciences</i> , 2019, 16, 93-105.	2.5	7
61	Single-Site Sutureless Partial Nephrectomy for Small Exophytic Renal Tumors. <i>Journal of Clinical Medicine</i> , 2020, 9, 3658.	2.4	7
62	Overexpression of PTP4A3 is associated with metastasis and unfavorable prognosis in bladder cancer. <i>World Journal of Urology</i> , 2016, 34, 835-846.	2.2	6
63	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 496-505.	1.6	6
64	Identification of DNA Damage Repair-Associated Prognostic Biomarkers for Prostate Cancer Using Transcriptomic Data Analysis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11771.	4.1	6
65	Laparoendoscopic Single-Site Retroperitoneoscopic Adrenalectomy versus Conventional Retroperitoneoscopic Adrenalectomy: Initial Experience by the Same Laparoscopic Surgeon. <i>Urologia Internationalis</i> , 2013, 91, 297-303.	1.3	5
66	Risk of developing hypertension after hormone therapy for prostate cancer: a nationwide propensity score-matched longitudinal cohort study. <i>International Journal of Clinical Pharmacy</i> , 2020, 42, 1433-1439.	2.1	5
67	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 1218.	2.4	5
68	The role of HIF-1 α in regulating NLRP3 inflammasome activation in bladder cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, e17028-e17028.	1.6	5
69	Prognostic Factors for Contralateral Recurrence of Upper Tract Urothelial Carcinoma after Nephroureterectomy: A Large Multiregional Study. <i>Cancers</i> , 2021, 13, 5935.	3.7	5
70	Leiomyoma of the Epididymis: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2006, 22, 519-523.	1.9	4
71	Postoperative Disseminated Intravascular Coagulation in a Patient With Ureteral Metastasis from Gastric Cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 319-323.	1.9	4
72	Tumor distribution affects bladder recurrence but not survival outcome of multifocal upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Scientific Reports</i> , 2021, 11, 19059.	3.3	4

#	ARTICLE	IF	CITATIONS
73	How to manage patients with suspected upper tract urothelial carcinoma in the pandemic of COVID-19?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 733.e11-733.e16.	1.6	4
74	Identification of a Steroid Hormone-Associated Gene Signature Predicting the Prognosis of Prostate Cancer through an Integrative Bioinformatics Analysis. <i>Cancers</i> , 2022, 14, 1565.	3.7	4
75	Is Lymph Node Dissection Necessary During Radical Nephroureterectomy for Clinically Node-Negative Upper Tract Urothelial Carcinoma? A Multi-Institutional Study. <i>Frontiers in Oncology</i> , 2022, 12, 791620.	2.8	4
76	The Value of Preoperative Local Symptoms in Prognosis of Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy: A Retrospective, Multicenter Cohort Study. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	4
77	Comparison one-step procedure with two-step procedure in percutaneous nephrolithotomy. <i>Urolithiasis</i> , 2014, 42, 121-126.	2.0	3
78	Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma Following Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 3306-3317.	1.5	3
79	Renal Collecting Duct Carcinoma and Concomitant Bladder Urothelial Carcinoma: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 157-162.	1.9	2
80	Endoscopic Management of A Ureteral Obstruction Caused by Endometriosis: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 217-221.	1.9	2
81	Complications of laparoscopic radical prostatectomy—A single institute experience. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 550-554.	1.9	2
82	Neoadjuvant chemotherapy improves survival rate in advanced urothelial carcinoma. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 200-205.	1.9	2
83	Villous adenoma of the renal pelvis: A case report and literature review. <i>Urological Science</i> , 2014, 25, 101-103.	0.6	2
84	The Significant Prognosticators of Upper Tract Urothelial Carcinoma. <i>Urological Science</i> , 2015, 26, 230-234.	0.6	2
85	Patients' Renal Function Is Important When Evaluating Preoperative Anemia in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e241-e243.	1.9	2
86	The prognostic value of CSN6 expression in upper tract urothelial carcinomas. <i>Kaohsiung Journal of Medical Sciences</i> , 2019, 35, 559-565.	1.9	2
87	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , 2021, 39, 491-500.	2.2	2
88	Identification of potential genes in upper tract urothelial carcinoma using next-generation sequencing with bioinformatics and in vitro analyses. <i>PeerJ</i> , 2021, 9, e11343.	2.0	2
89	Mixed-type paratesticular rhabdomyosarcoma—A case report. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 239-241.	1.9	1
90	P0093 AMACR overexpression is associated with clinical and biological aggressiveness in urothelial carcinomas of the upper urinary tract and urinary bladder. <i>European Journal of Cancer</i> , 2014, 50, e35.	2.8	1

#	ARTICLE	IF	CITATIONS
91	Influence of late-stage chronic kidney disease on overall survival in patients with upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urological Science</i> , 2015, 26, 120-124.	0.6	1
92	Laparoendoscopic single-site retroperitoneoscopic adrenalectomy compared with conventional laparoscopy and open surgery. <i>Urological Science</i> , 2017, 28, 36-41.	0.6	1
93	Prognostic Value of Comorbidity for Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. <i>Cancers</i> , 2022, 14, 1466.	3.7	1
94	High Ubiquitin-Specific Protease 2a Expression Level Predicts Poor Prognosis in Upper Tract Urothelial Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2022, 30, 304-310.	1.2	1
95	Novel insights into the anti-cancer effects of 3-bromopyruvic acid against castration-resistant prostate cancer. <i>European Journal of Pharmacology</i> , 2022, 923, 174929.	3.5	1
96	P0094 CSF2 overexpression as a poor prognostic factor in patients with urothelial carcinoma of the upper urinary tract and urinary bladder. <i>European Journal of Cancer</i> , 2014, 50, e35-e36.	2.8	0
97	P0120 MMP11 overexpression: Poor prognosis in patients with urothelial carcinoma of the upper tract and urinary bladder. <i>European Journal of Cancer</i> , 2014, 50, e43.	2.8	0
98	P0108 Overexpression of DPP4 is a poor prognostic factor for patients with urothelial carcinoma of the upper urinary tract and urinary bladder. <i>European Journal of Cancer</i> , 2014, 50, e39.	2.8	0
99	Downregulation of MIR-145 predicts a worse outcome in upper tract urothelial carcinomas. <i>Urological Science</i> , 2015, 26, 289.	0.6	0
100	Sulf1 overexpression is a poor prognostic factor in patients with urothelial carcinoma. <i>Urological Science</i> , 2015, 26, S33.	0.6	0
101	Metformin improve upper tract urothelial carcinoma survival in Taiwanese patients with type 2 diabetes. <i>Urological Science</i> , 2016, 27, S24.	0.6	0
102	Overexpression of PTP4A3 is associated with metastasis and unfavorable prognosis in urothelial carcinoma. <i>Urological Science</i> , 2016, 27, S1.	0.6	0
103	The prognostic significance of inflammation-associated blood cell markers in patients with upper tract urothelial carcinoma. <i>Urological Science</i> , 2016, 27, S1-S2.	0.6	0
104	Antegrade cystoscopic light source guided laser urethrotomy for the treatment of completely obliterated urethra. <i>Urological Science</i> , 2017, 28, 32-35.	0.6	0
105	Comment on: Does Red Blood Cell Distribution Width Really Have a Prognostic Role in Upper Tract Urothelial Carcinoma?. <i>Annals of Surgical Oncology</i> , 2017, 24, 681-681.	1.5	0
106	Abstract B21: PTRF promotes cell survival and predicts disease progression in upper tract urothelial carcinoma. , 2020, , .		0
107	A single-institution experience with laparoendoscopic single-site retroperitoneal adrenalectomy. <i>Urological Science</i> , 2018, 29, 293.	0.6	0
108	ASO Author Reflections: Prognostic Significance of Perineural Invasion in Upper Tract Urothelial Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 3318.	1.5	0

#	ARTICLE	IF	CITATIONS
109	ASO Visual Abstract: Perineural Invasion is a Powerful Prognostic Factor for Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
110	Coexistent renal milk of calcium and amyloidosis. <i>Iranian Journal of Kidney Diseases</i> , 2014, 8, 104.	0.1	0
111	MP45-18 IDENTIFICATION OF DNA DAMAGE REPAIR-ASSOCIATED PROGNOSTIC BIOMARKERS FOR PROSTATE CANCER USING TRANSCRIPTOMIC DATA ANALYSIS. <i>Journal of Urology</i> , 2022, 207, .	0.4	0