

Sunyoung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9151650/publications.pdf>

Version: 2024-02-01

79
papers

3,970
citations

471509

17
h-index

133252

59
g-index

79
all docs

79
docs citations

79
times ranked

3723
citing authors

#	ARTICLE	IF	CITATIONS
1	Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 300-307.e2.	2.5	2,796
2	Validation of the Korean Version of the SARC-F Questionnaire to Assess Sarcopenia: Korean Frailty and Aging Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 40-45.e1.	2.5	123
3	Global Prevalence of Physical Frailty by Fried's Criteria in Community-Dwelling Elderly With National Population-Based Surveys. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 548-550.	2.5	115
4	Korean frailty and aging cohort study (KFACS): cohort profile. <i>BMJ Open</i> , 2020, 10, e035573.	1.9	87
5	Calf Circumference as a Simple Screening Marker for Diagnosing Sarcopenia in Older Korean Adults: the Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Korean Medical Science</i> , 2018, 33, e151.	2.5	80
6	The Association between the Low Muscle Mass and Osteoporosis in Elderly Korean People. <i>Journal of Korean Medical Science</i> , 2014, 29, 995.	2.5	67
7	Length of hospital stay after hip fracture surgery and 1-year mortality. <i>Osteoporosis International</i> , 2019, 30, 145-153.	3.1	39
8	Physical frailty predicts medical expenses in community-dwelling, elderly patients: Three-year prospective findings from living profiles of older people surveys in Korea. <i>European Geriatric Medicine</i> , 2015, 6, 412-416.	2.8	36
9	Moderate hearing loss is related with social frailty in a community-dwelling older adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 126-130.	3.0	35
10	Characteristics of sarcopenia by European consensus and a phenotype score. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020, 11, 497-504.	7.3	34
11	Calcium-Channel Blockers and Dementia Risk in Older Adultsâ€”National Health Insurance Service â€”Senior Cohort (2002â€”2013) â€”. <i>Circulation Journal</i> , 2016, 80, 2336-2342.	1.6	33
12	Sleep Latency in Men and Sleep Duration in Women Can Be Frailty Markers in Community-Dwelling Older Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 63-67.	3.3	31
13	Association between Bone Mineral Density and Sleep Duration in the Korean Elderly Population. <i>Korean Journal of Family Medicine</i> , 2014, 35, 90.	1.2	27
14	Modified Criteria for Diagnosing â€œCognitive Frailtyâ€•. <i>Psychiatry Investigation</i> , 2018, 15, 839-842.	1.6	24
15	Screening Value of Timed Up and Go Test for Frailty and Low Physical Performance in Korean Older Population: The Korean Frailty and Aging Cohort Study (KFACS). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 259-266.	1.8	21
16	Trends of thromboprophylaxis and complications after major lower limb orthopaedic surgeries in Korea: National Health Insurance Claim Data. <i>Thrombosis Research</i> , 2017, 155, 48-52.	1.7	19
17	Association between Plasma Levels of Growth Differentiation Factor-15 and Renal Function in the Elderly: Korean Frailty and Aging Cohort Study. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 405-414.	2.0	19
18	Development of a Frailty Phenotype Questionnaire for Use in Screening Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 660-664.	2.5	19

#	ARTICLE	IF	CITATIONS
19	Cross-Comparisons of Gait Speeds by Automatic Sensors and a Stopwatch to Provide Converting Formula Between Measuring Modalities. <i>Annals of Geriatric Medicine and Research</i> , 2019, 23, 71-76.	1.8	19
20	Sex-different changes of body composition in aging: a systemic review. <i>Archives of Gerontology and Geriatrics</i> , 2022, 102, 104711.	3.0	18
21	EuroQol Visual Analogue Scale (EQ-VAS) as a Predicting Tool for Frailty in Older Korean Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 1275-1280.	3.3	17
22	The relationship between smoking cigarettes and metabolic syndrome: A cross-sectional study with non-single residents of Seoul under 40 years old. <i>PLoS ONE</i> , 2021, 16, e0256257.	2.5	15
23	Slower gait speed predicts decline in Instrumental Activities of Daily Living in community-dwelling elderly: 3-year prospective finding from Living Profiles of Older People Survey in Korea. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 141-145.	0.7	14
24	Need for Systematic Efforts to Modify Health-Related Behaviors After Acute Myocardial Infarction in Korea. <i>Circulation Journal</i> , 2018, 82, 2523-2529.	1.6	14
25	The improvement of quality of life in patients treated with bariatric surgery in Korea. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2013, 84, 131.	1.1	12
26	Estimating quality of life with biomarkers among older Korean adults: A machine-learning approach. <i>Archives of Gerontology and Geriatrics</i> , 2020, 87, 103966.	3.0	12
27	Five items differentiate mild to severe dementia from normal to minimal cognitive impairment—Using the Global Deterioration Scale. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 1-5.	0.7	11
28	Machine learning-based diagnosis and risk factor analysis of cardiocerebrovascular disease based on KNHANES. <i>Scientific Reports</i> , 2022, 12, 2250.	3.3	11
29	Why Geriatric Medicine Is Important for Korea: Lessons Learned in the United States. <i>Journal of Korean Medical Science</i> , 2018, 33, e175.	2.5	10
30	What are the illnesses associated with frailty in community-dwelling older adults: the Korean Frailty and Aging Cohort Study. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 1004-1013.	1.7	10
31	The Relationship between Psychological Factors and Weight Gain. <i>Korean Journal of Family Medicine</i> , 2020, 41, 381-368.	1.2	10
32	Rectal perforation due to benign stricture caused by rectal burns associated with hot coffee enemas. <i>Endoscopy</i> , 2012, 44, E32-E33.	1.8	9
33	Frailty index associated with all-cause mortality, long-term institutionalization, and hip fracture. <i>European Geriatric Medicine</i> , 2019, 10, 403-411.	2.8	9
34	Risk Factors of Geriatric Syndromes in Korean Population. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 123-130.	1.8	9
35	Introduction of Fall Risk Assessment (FRA) System and Cross-Sectional Validation Among Community-Dwelling Older Adults. <i>Annals of Rehabilitation Medicine</i> , 2019, 43, 87-95.	1.6	9
36	A later menopausal age is associated with a lower prevalence of physical frailty in community-dwelling older adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104243.	3.0	8

#	ARTICLE	IF	CITATIONS
37	Older Men Living with Spouse and Older Women Living with Spouse and Children Have Lower Frailty Prevalence: The Korean Frailty and Aging Cohort Study (KFACS). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 204-210.	1.8	8
38	Effects of Physical Activity on Fractures in Adults: A Community-Based Korean Cohort Study. <i>The Korean Journal of Sports Medicine</i> , 2017, 35, 97.	0.2	8
39	How Much Intake of Sodium Is Good for Frailty? : The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 503-508.	3.3	7
40	The Association of Gait Speed and Frontal Lobe among Various Cognitive Domains: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 91-97.	3.3	7
41	Body Mass Index and Mortality according to Gender in a Community-Dwelling Elderly Population: The 3-Year Follow-up Findings from the Living Profiles of Older People Surveys in Korea. <i>Korean Journal of Family Medicine</i> , 2016, 37, 317.	1.2	7
42	Test-retest Reliability and Sensitivity to Change of a New Fall Risk Assessment System: A Pilot Study. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 80-87.	1.8	7
43	Physical Activity Patterns and Their Associated Factors Measured by Global Physical Activity Questionnaire Survey among Korean. <i>The Korean Journal of Sports Medicine</i> , 2020, 38, 1.	0.2	7
44	Hand Grip Strength and Likelihood of Moderate-to-Severe Airflow Limitation in the General Population. <i>International Journal of COPD</i> , 0, Volume 17, 1237-1245.	2.3	7
45	Author reply to Comment on: Frequent CTLA4-CD28 gene fusion in diverse types of T-cell lymphoma, by Yoo et al.. <i>Haematologica</i> , 2016, 101, e271-e271.	3.5	6
46	Use of Frailty in Deciding Clinical Treatment Goals for Chronic Disease in Elderly Patients in the Community. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 967-969.	2.5	6
47	Number of daily antihypertensive drugs and the risk of osteoporotic fractures in older hypertensive adults: National health insurance service "Senior cohort. <i>Journal of Cardiology</i> , 2017, 70, 80-85.	1.9	6
48	Combined effects of four major geriatric syndromes on adverse outcomes based on Korean National Health Insurance claims data. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1463-1468.	1.5	6
49	Gait Speed Cut-Off Point as a Predictor of Fall in Community-Dwelling Older Adults: Three-Year Prospective Finding from Living Profiles of Elderly People Surveys in Korea. <i>Korean Journal of Family Practice</i> , 2016, 6, 105-110.	0.3	6
50	Health Behavior and Factors Associated with Depression in North Korean Adolescent Defectors in South Korea: The Korea Youth Risk Behavior Web-Based Survey, 2011-2014. <i>Korean Journal of Family Medicine</i> , 2017, 38, 256.	1.2	6
51	Clinical Practice Guidelines for Managing Frailty in Community-Dwelling Korean Elderly Adults in Primary Care Settings. <i>Korean Journal of Family Medicine</i> , 2021, 42, 413-424.	1.2	6
52	Nursing Homes and Their Contracted Doctors: Korean Experience. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 533-534.	2.5	5
53	Effects of Statin Use for Primary Prevention among Adults Aged 75 Years and Older in the National Health Insurance Service Senior Cohort (2002-2015). <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 91-98.	1.8	5
54	The Cut-Off Point of Gait Speed as Predictor of 3 Year Mortality in Korean Community-Dwelling Elderly. <i>Korean Journal of Family Practice</i> , 2016, 6, 166-171.	0.3	4

#	ARTICLE	IF	CITATIONS
55	Discrepancy Between Quarterly Recall and Annual Recall of Falls: A Survey of Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 174-181.	1.8	4
56	The Association Between the Number of Natural Remaining Teeth and Appendicular Skeletal Muscle Mass in Korean Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2018, 22, 194-199.	1.8	4
57	Pre-discharge rehabilitation after hip surgery reduces 30-day readmissions in older adults: National Health Insurance Service“Senior Cohort (2007“2012). <i>European Geriatric Medicine</i> , 2017, 8, 430-434.	2.8	3
58	Clinical Practice Guideline for Frailty Applicable in Primary Care Setting. <i>Korean Journal of Family Practice</i> , 2021, 11, 223-235.	0.3	3
59	Association Between Computerized Reaction Time, Short Physical Performance Battery and Berg Balance Scale in the Community-Dwelling Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2017, 21, 108-114.	1.8	3
60	Moderate-intensity statin use for primary prevention for more than 5 years is associated with decreased all-cause mortality in 75 years and older. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104644.	3.0	3
61	A Novel PRKAR1A Mutation in Korean Carney Complex Family. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 7-13.	1.2	2
62	An Optimal Questionnaire Representing Slow Gait Speed(<1m/s) in Community-dwelling Older Adults: The Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 648-653.	3.3	2
63	Relationship between Adolescents Health Behavior, Stress and Birth Order: The Korea Youth Risk Behavior Web-Based Survey 2014. <i>Seuteureseu Yeon-gu</i> , 2017, 25, 138-144.	0.4	2
64	The Effect of Sleep Duration and Regularity on Cardio-Cerebrovascular Disease: Community-Based Prospective Study. <i>Korean Journal of Family Practice</i> , 2018, 8, 729-734.	0.3	2
65	How Can We Evaluate Disability without Bias?. <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 152-153.	1.8	2
66	The Relationship Between Physical Activity and Risk of Cardiovascular Disease Among Hypertensive Persons: A Community-Based Prospective Study. <i>Korean Journal of Family Practice</i> , 2018, 8, 676-683.	0.3	1
67	Comprehensive Geriatric Assessment for Elderly Orthopedic Inpatients Consulted by Geriatric Medicine in a Hospital. <i>Journal of the Korean Geriatrics Society</i> , 2014, 18, 213-220.	0.3	1
68	The Association between Recognition of Weight and Health Behavior of Korean Adolescents: The Korea Youth Risk Behavior Web-Based Survey, 2014. <i>Korean Journal of Family Practice</i> , 2017, 7, 322-329.	0.3	1
69	Factors correlated with initiating antipsychotics among dementia patients in Korean long-term care facilities: National Health Insurance Service-Senior Cohort (2002-2013). , 2017, 8, .		1
70	SELF-REPORTED HEALTH AS A PREDICTOR OF FUNCTIONAL DECLINE IN A COMMUNITY-DWELLING ELDERLY POPULATION. <i>Innovation in Aging</i> , 2017, 1, 357-358.	0.1	0
71	Usefulness of Orientation to the Year as an Aid to Case Finding of Mild Cognitive Impairment or Depression in Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8096.	2.6	0
72	Perceived Recovery Time from Common Cold as a Possible Indicator of Physical Resilience. <i>Annals of Geriatric Medicine and Research</i> , 2021, 25, 204-209.	1.8	0

#	ARTICLE	IF	CITATIONS
73	SU-E-T-235: Evaluation of Dosimetric Properties of Plastic Detectors in Proton Beam Therapy. Medical Physics, 2011, 38, 3540-3541.	3.0	0
74	Comparison of "Serial 7"™s Subtraction"™ and "Sam-Chun-Ri-Gang-San"™ Backward for Evaluation of in Primary Medicine. Journal of the Korean Geriatrics Society, 2015, 19, 25-33.	0.3	0
75	The Association between Independence of Elders and Their Abuse Experiences. Korean Journal of Family Practice, 2016, 6, 577-585.	0.3	0
76	Success rate in tracking moving target with center of gravity in left-right direction predicts six-month fall in elderly. , 2017, 8, .		0
77	Urine Cotinine for Assessing the Association between Secondhand Smoke Exposure and Depression in Adult Non-Smokers in Korea: Analysis of the Korea National Health and Nutrition Examination Survey 2016. Korean Journal of Health Promotion, 2019, 19, 138.	0.2	0
78	Association of Subclinical Hypothyroidism and Depression with Patient Health Questionnaire-9 in Korean Adults: Results from the Korea National Health and Nutrition Examination Survey, 2014. Korean Journal of Family Practice, 2020, 10, 176-181.	0.3	0
79	A Machine-Learning-Based Risk Factor Analysis for Hypertension: Korea National Health and Nutrition Examination Survey 2016"2019. Korean Journal of Family Practice, 2022, 12, 173-178.	0.3	0