

Paul A Boelen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156514/publications.pdf>

Version: 2024-02-01

204
papers

8,961
citations

38742

50
h-index

58581

82
g-index

209
all docs

209
docs citations

209
times ranked

4771
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective linkages between peer victimization and externalizing problems in children: a meta-analysis. <i>Aggressive Behavior</i> , 2011, 37, 215-222.	2.4	374
2	Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 277-284.	2.0	360
3	A Cognitive-Behavioral Conceptualization of Complicated Grief. <i>Clinical Psychology: Science and Practice</i> , 2006, 13, 109-128.	0.9	306
4	Intolerance of uncertainty and social anxiety. <i>Journal of Anxiety Disorders</i> , 2009, 23, 130-135.	3.2	291
5	The influence of symptoms of prolonged grief disorder, depression, and anxiety on quality of life among bereaved adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 444-452.	3.2	232
6	“Prolonged grief disorder” and “persistent complex bereavement disorder”, but not “complicated grief”, are one and the same diagnostic entity: an analysis of data from the Yale Bereavement Study. <i>World Psychiatry</i> , 2016, 15, 266-275.	10.4	230
7	The prevalence and characteristics of complicated grief in older adults. <i>Journal of Affective Disorders</i> , 2011, 132, 231-238.	4.1	219
8	Complicated Grief, Depression, and Anxiety as Distinct Postloss Syndromes: A Confirmatory Factor Analysis Study. <i>American Journal of Psychiatry</i> , 2005, 162, 2175-2177.	7.2	204
9	Validation of the new DSM-5-TR criteria for prolonged grief disorder and the “Revised” (“R”) scale. <i>World Psychiatry</i> , 2021, 20, 96-106.	10.4	186
10	Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. <i>Psychiatry Research</i> , 2020, 288, 113031.	3.3	167
11	RELIABILITY AND VALIDITY OF THE DUTCH VERSION OF THE INVENTORY OF TRAUMATIC GRIEF (ITG). <i>Death Studies</i> , 2003, 27, 227-247.	2.7	164
12	Acute grief after deaths due to COVID-19, natural causes and unnatural causes: An empirical comparison. <i>Journal of Affective Disorders</i> , 2021, 278, 54-56.	4.1	159
13	The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis. <i>Journal of Affective Disorders</i> , 2020, 265, 146-156.	4.1	157
14	Traumatic Grief as a Disorder Distinct From Bereavement-Related Depression and Anxiety: A Replication Study With Bereaved Mental Health Care Patients. <i>American Journal of Psychiatry</i> , 2003, 160, 1339-1341.	7.2	151
15	Prolonged Grief Disorder, depression, and posttraumatic stress disorder are distinguishable syndromes. <i>Journal of Affective Disorders</i> , 2010, 125, 374-378.	4.1	148
16	Internet-Based Exposure and Behavioral Activation for Complicated Grief and Rumination: A Randomized Controlled Trial. <i>Behavior Therapy</i> , 2015, 46, 729-748.	2.4	126
17	Negative cognitions and avoidance in emotional problems after bereavement: A prospective study. <i>Behaviour Research and Therapy</i> , 2006, 44, 1657-1672.	3.1	115
18	Avoidance processes mediate the relationship between rumination and symptoms of complicated grief and depression following loss. <i>Journal of Abnormal Psychology</i> , 2013, 122, 961-970.	1.9	107

#	ARTICLE	IF	CITATIONS
19	Ruminative coping as avoidance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 462-472.	3.2	106
20	Intolerance of Uncertainty and PTSD Symptoms: Exploring the Construct Relationship in a Community Sample with a Heterogeneous Trauma History. <i>Cognitive Therapy and Research</i> , 2013, 37, 725-734.	1.9	101
21	Psychometric Properties of the Grief Cognitions Questionnaire (GCQ). <i>Journal of Psychopathology and Behavioral Assessment</i> , 2005, 27, 291-303.	1.2	97
22	The Underlying Structure of Grief: A Taxometric Investigation of Prolonged and Normal Reactions to Loss. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2009, 31, 190-201.	1.2	97
23	Intolerance of Uncertainty in Adolescents. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 194-200.	1.0	92
24	The Traumatic Grief Inventory Self-Report Version (TGI-SR): Introduction and Preliminary Psychometric Evaluation. <i>Journal of Loss and Trauma</i> , 2017, 22, 196-212.	1.5	92
25	“But it might be a heart attack” Intolerance of uncertainty and panic disorder symptoms. <i>Journal of Anxiety Disorders</i> , 2014, 28, 463-470.	3.2	89
26	Complicated grief and uncomplicated grief are distinguishable constructs. <i>Psychiatry Research</i> , 2008, 157, 311-314.	3.3	84
27	Trajectories of grief, depression, and posttraumatic stress in disaster-bereaved people. <i>Depression and Anxiety</i> , 2020, 37, 35-44.	4.1	83
28	The role of cognitive variables in psychological functioning after the death of a first degree relative. <i>Behaviour Research and Therapy</i> , 2003, 41, 1123-1136.	3.1	82
29	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. <i>Death Studies</i> , 2019, 43, 351-364.	2.7	76
30	Commentary on the Inclusion of Persistent Complex Bereavement-Related Disorder in DSM-5. <i>Death Studies</i> , 2012, 36, 771-794.	2.7	74
31	Adaptive and maladaptive rumination after loss: A three-wave longitudinal study. <i>British Journal of Clinical Psychology</i> , 2015, 54, 163-180.	3.5	74
32	Prolonged grief and depression after unnatural loss: Latent class analyses and cognitive correlates. <i>Psychiatry Research</i> , 2016, 240, 358-363.	3.3	73
33	Symptoms of prolonged grief, post-traumatic stress, and depression after loss in a Dutch community sample: A latent class analysis. <i>Psychiatry Research</i> , 2017, 247, 276-281.	3.3	71
34	Continuing Bonds and Grief: A Prospective Analysis. <i>Death Studies</i> , 2006, 30, 767-776.	2.7	68
35	Development and Psychometric Evaluation of the Utrecht Grief Rumination Scale. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2014, 36, 165-176.	1.2	67
36	Cognitive-behavioral variables mediate the impact of violent loss on post-loss psychopathology. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2015, 7, 382-390.	2.1	67

#	ARTICLE	IF	CITATIONS
37	Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. <i>BMJ: British Medical Journal</i> , 2017, 357, j2016.	2.3	67
38	The factor structure of Posttraumatic Stress Disorder symptoms among bereaved individuals: A confirmatory factor analysis study. <i>Journal of Anxiety Disorders</i> , 2008, 22, 1377-1383.	3.2	66
39	Intolerance of Uncertainty, Hypochondriacal Concerns, Obsessive-Compulsive Symptoms, and Worry. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 208-213.	1.0	65
40	Distinctiveness of symptoms of prolonged grief, depression, and post-traumatic stress in bereaved children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 673-679.	4.7	65
41	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>HÅgare Utbildning</i> , 2017, 8, 1298311.	3.0	65
42	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018, 240, 79-87.	4.1	64
43	Psychological interventions for patients with rheumatic diseases and anxiety or depression. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 305-319.	3.3	63
44	Negative cognitions in emotional problems following romantic relationship break-ups. <i>Stress and Health</i> , 2009, 25, 11-19.	2.6	62
45	The centrality of a loss and its role in emotional problems among bereaved people. <i>Behaviour Research and Therapy</i> , 2009, 47, 616-622.	3.1	61
46	A prospective examination of the association between the centrality of a loss and post-loss psychopathology. <i>Journal of Affective Disorders</i> , 2012, 137, 117-124.	4.1	60
47	Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 765-777.	3.1	60
48	The role of negative interpretations of grief reactions in emotional problems after bereavement. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2003, 34, 225-238.	1.2	58
49	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). <i>Comprehensive Psychiatry</i> , 2022, 112, 152281.	3.1	58
50	Symptomatology following loss and trauma: Latent class and network analyses of prolonged grief disorder, posttraumatic stress disorder, and depression in a treatment-seeking trauma-exposed sample. <i>Depression and Anxiety</i> , 2020, 37, 26-34.	4.1	56
51	Anxious and Depressive Avoidance and Symptoms of Prolonged Grief, Depression, and Post-Traumatic Stress Disorder. <i>Psychologica Belgica</i> , 2013, 50, 49.	1.9	55
52	Measuring Experiential Avoidance: Reliability and Validity of the Dutch 9-item Acceptance and Action Questionnaire (AAQ). <i>Journal of Psychopathology and Behavioral Assessment</i> , 2008, 30, 241-251.	1.2	53
53	Concurrent and prospective associations of intolerance of uncertainty with symptoms of prolonged grief, posttraumatic stress, and depression after bereavement. <i>Journal of Anxiety Disorders</i> , 2016, 41, 65-72.	3.2	53
54	When a child dies: a systematic review of well-defined parent-focused bereavement interventions and their alignment with grief- and loss theories. <i>BMC Palliative Care</i> , 2020, 19, 28.	1.8	51

#	ARTICLE	IF	CITATIONS
55	Symptoms of prolonged grief, depression, and adult separation anxiety: Distinctiveness and correlates. <i>Psychiatry Research</i> , 2013, 207, 68-72.	3.3	48
56	Brief Eclectic Psychotherapy for Traumatic Grief (BEP-TG): toward integrated treatment of symptoms related to traumatic loss. <i>HÅgare Utbildning</i> , 2015, 6, 27324.	3.0	48
57	Facilitating grief: An exploration of the function of funerals and rituals in relation to grief reactions. <i>Death Studies</i> , 2021, 45, 735-745.	2.7	48
58	The importance of harmonising diagnostic criteria sets for pathological grief. <i>British Journal of Psychiatry</i> , 2021, 219, 473-476.	2.8	48
59	Cognitive behavioral variables mediate the associations of neuroticism and attachment insecurity with Prolonged Grief Disorder severity. <i>Anxiety, Stress and Coping</i> , 2011, 24, 291-307.	2.9	45
60	Is Rumination after Bereavement Linked with Loss Avoidance? Evidence from Eye-Tracking. <i>PLoS ONE</i> , 2014, 9, e104980.	2.5	44
61	Rumination and implicit avoidance following bereavement: An Approach avoidance task investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 47, 84-91.	1.2	44
62	Factors associated with outcome of cognitive-behavioural therapy for complicated grief: A preliminary study. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 284-291.	2.7	43
63	Developing scales measuring disorder-specific intolerance of uncertainty (DSIU): A new perspective on transdiagnostic. <i>Journal of Anxiety Disorders</i> , 2015, 31, 49-57.	3.2	43
64	Comparison of six proposed diagnostic criteria sets for disturbed grief. <i>Psychiatry Research</i> , 2020, 285, 112786.	3.3	43
65	Intrusive images in grief: an exploratory study. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 217-226.	2.7	40
66	Intolerance of Uncertainty and Adult Separation Anxiety. <i>Cognitive Behaviour Therapy</i> , 2014, 43, 133-144.	3.5	40
67	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. <i>Psychiatry Research</i> , 2019, 273, 206-210.	3.3	40
68	Cognitive-Behavioral Therapy for Complicated Grief: Theoretical Underpinnings and Case Descriptions. <i>Journal of Loss and Trauma</i> , 2006, 11, 1-30.	1.5	39
69	Symptoms of Post-Traumatic Stress Disorder in Bereaved Children and Adolescents: Factor Structure and Correlates. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 1097-1108.	3.5	38
70	No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. <i>Anxiety, Stress and Coping</i> , 2019, 32, 231-243.	2.9	38
71	Toward Cultural Assessment of Grief and Grief-Related Psychopathology. <i>Psychiatric Services</i> , 2018, 69, 1050-1052.	2.0	37
72	A Prospective Examination of Catastrophic Misinterpretations and Experiential Avoidance in Emotional Distress Following Loss. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 252-257.	1.0	35

#	ARTICLE	IF	CITATIONS
73	PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. <i>Psychiatry Research</i> , 2020, 293, 113438.	3.3	35
74	Psychometric Properties of the Dutch Inventories of Prolonged Grief for Children and Adolescents. <i>Clinical Psychology and Psychotherapy</i> , 2012, 19, 540-551.	2.7	34
75	Inclusion of Other in the Self and Breakup-Related Grief Following Relationship Dissolution. <i>Journal of Loss and Trauma</i> , 2010, 15, 534-547.	1.5	33
76	Autobiographical memory specificity and symptoms of complicated grief, depression, and posttraumatic stress disorder following loss. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 331-337.	1.2	33
77	Does worry affect adjustment to bereavement? A longitudinal investigation. <i>Anxiety, Stress and Coping</i> , 2017, 30, 243-252.	2.9	33
78	An Item Response Theory Analysis of a Measure of Complicated Grief. <i>Death Studies</i> , 2009, 33, 101-129.	2.7	32
79	Anxious and depressive avoidance behavior in post-loss psychopathology: a longitudinal study. <i>Anxiety, Stress and Coping</i> , 2015, 28, 587-600.	2.9	32
80	Prolonged grief disorder in section II of DSM-5: a commentary. <i>HÅrre Utbildning</i> , 2020, 11, 1771008.	3.0	32
81	A systematic review of loneliness in bereavement: Current research and future directions. <i>Current Opinion in Psychology</i> , 2022, 43, 48-64.	4.9	32
82	Psychopathology Among Homicidally Bereaved Individuals. <i>Trauma, Violence, and Abuse</i> , 2015, 16, 70-80.	6.2	31
83	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>HÅrre Utbildning</i> , 2017, 8, 1378052.	3.0	30
84	The Role of Self-Concept Clarity in Prolonged Grief Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 56-62.	1.0	29
85	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. <i>Trauma, Violence, and Abuse</i> , 2019, 20, 287-302.	6.2	29
86	How thinking hurts: Rumination, worry, and avoidance processes in adjustment to bereavement. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 548-558.	2.7	29
87	Do prolonged grief disorder symptoms predict post-traumatic stress disorder symptoms following bereavement? A cross-lagged analysis. <i>Comprehensive Psychiatry</i> , 2018, 80, 65-71.	3.1	28
88	The Role of Threatening Misinterpretations and Avoidance in Emotional Problems After Loss. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 71-87.	1.2	27
89	Improving the understanding and treatment of complex grief: an important issue for psychotraumatology. <i>HÅrre Utbildning</i> , 2016, 7, 32609.	3.0	27
90	Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. <i>Journal of Affective Disorders</i> , 2019, 250, 71-78.	4.1	27

#	ARTICLE	IF	CITATIONS
91	Cognitive-Behavioral Therapy for Prolonged Grief in Children: Feasibility and Multiple Baseline Study. <i>Cognitive and Behavioral Practice</i> , 2013, 20, 349-361.	1.5	26
92	An Open Trial of "GriefHelp™": A Cognitive-Behavioural Treatment for Prolonged Grief in Children and Adolescents. <i>Clinical Psychology and Psychotherapy</i> , 2015, 22, 185-192.	2.7	26
93	CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2021, 178, 294-304.	7.2	26
94	Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 667-674.	2.3	26
95	Peritraumatic Distress and Dissociation in Prolonged Grief and Posttraumatic Stress Following Violent and Unexpected Deaths. <i>Journal of Trauma and Dissociation</i> , 2015, 16, 541-550.	1.9	25
96	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 913-920.	1.0	25
97	Continuing Relationships with the Deceased: Disentangling Bonds and Grief. <i>Death Studies</i> , 2006, 30, 757-766.	2.7	24
98	Prolonged Grief, Posttraumatic Stress, Anger, and Revenge Phenomena Following Homicidal Loss. <i>Homicide Studies</i> , 2016, 20, 177-195.	1.2	24
99	The Longitudinal and Cross-Sectional Associations of Grief and Complicated Grief With Sleep Quality in Older Adults. <i>Behavioral Sleep Medicine</i> , 2019, 17, 31-40.	2.1	24
100	A Sense of "unrealness" about the death of a loved one: An exploratory study of its role in emotional complications among bereaved individuals. <i>Applied Cognitive Psychology</i> , 2010, 24, 238-251.	1.6	23
101	Narrative reconstruction therapy for prolonged grief disorder—rationale and case study. <i>Högskole Utbildning</i> , 2016, 7, 30687.	3.0	23
102	Prevalence and Correlates of Self-Rated Posttraumatic Stress Disorder and Complicated Grief in a Community-Based Sample of Homicidally Bereaved Individuals. <i>Journal of Interpersonal Violence</i> , 2016, 31, 207-227.	2.0	23
103	Severity profiles of posttraumatic stress, depression, anxiety, and somatization symptoms in treatment seeking traumatized refugees. <i>Journal of Affective Disorders</i> , 2020, 266, 71-81.	4.1	23
104	Irrational Beliefs and Basic Assumptions in Bereaved University Students: A Comparison Study. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2004, 22, 111-129.	1.7	22
105	Variables Mediating the Linkage Between Loss Centrality and Postloss Psychopathology. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 801-806.	1.0	22
106	Early indicators of problematic grief trajectories following bereavement. <i>Högskole Utbildning</i> , 2017, 8, 1423825.	3.0	22
107	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people. <i>Högskole Utbildning</i> , 2021, 12, 1-14.	3.0	22
108	Bayesian Evaluation of Inequality-Constrained Hypotheses in SEM Models Using Multiple Indicators. <i>Structural Equation Modeling</i> , 2012, 19, 593-609.	3.8	21

#	ARTICLE	IF	CITATIONS
109	Traumatic loss: Mental health consequences and implications for treatment and prevention. <i>H�tgre Utbildning</i> , 2019, 10, 1591331.	3.0	21
110	Development and initial validation of the job loss grief scale. <i>Anxiety, Stress and Coping</i> , 2019, 32, 428-442.	2.9	21
111	Comparison of proposed diagnostic criteria for pathological grief using a sample of elderly bereaved spouses in Denmark: Perspectives on future bereavement research. <i>Journal of Affective Disorders</i> , 2019, 251, 52-59.	4.1	21
112	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. <i>Journal of Loss and Trauma</i> , 2021, 26, 211-219.	1.5	21
113	Sleep Difficulties Are Correlated with Emotional Problems following Loss and Residual Symptoms of Effective Prolonged Grief Disorder Treatment. <i>Depression Research and Treatment</i> , 2013, 2013, 1-6.	1.3	20
114	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017, 209, 1-2.	4.1	20
115	Treating complicated grief and posttraumatic stress in homicidally bereaved individuals: A randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 497-508.	2.7	20
116	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. <i>Clinical Psychological Science</i> , 2019, 7, 1330-1339.	4.0	20
117	The relative importance of rumination, experiential avoidance and mindfulness as predictors of depressive symptoms. <i>Journal of Contextual Behavioral Science</i> , 2017, 6, 8-12.	2.6	19
118	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 907-916.	2.7	19
119	Revenge and psychological adjustment after homicidal loss. <i>Aggressive Behavior</i> , 2014, 40, 504-511.	2.4	18
120	Prolonged grief and posttraumatic stress in bereaved children: A latent class analysis. <i>Psychiatry Research</i> , 2017, 258, 518-524.	3.3	18
121	Experiential acceptance and trait mindfulness as predictors of analogue post-traumatic stress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 1-14.	2.5	18
122	7ROSES, a transdiagnostic intervention for promoting self-efficacy in traumatized refugees: a first quantitative evaluation. <i>H�tgre Utbildning</i> , 2019, 10, 1673062.	3.0	18
123	Intolerance of uncertainty predicts analogue posttraumatic stress following adverse life events. <i>Anxiety, Stress and Coping</i> , 2019, 32, 498-504.	2.9	17
124	Responding to the new International Classification of Diseases-11 prolonged grief disorder during the COVID-19 pandemic: a new bereavement network and three-tiered model of care. <i>Public Health</i> , 2021, 191, 85-90.	2.9	17
125	Prolonged grief disorder, posttraumatic stress disorder, and depression following traffic accidents among bereaved Balinese family members: Prevalence, latent classes and cultural correlates. <i>Journal of Affective Disorders</i> , 2021, 292, 773-781.	4.1	17
126	Upward and Downward Counterfactual Thought After Loss: A Multiwave Controlled Longitudinal Study. <i>Behavior Therapy</i> , 2021, 52, 577-593.	2.4	16

#	ARTICLE	IF	CITATIONS
127	Restricted Mourning: Impact of the COVID-19 Pandemic on Funeral Services, Grief Rituals, and Prolonged Grief Symptoms. <i>Frontiers in Psychiatry</i> , 2022, 13, .	2.6	16
128	Day patient treatment for traumatic grief: preliminary evaluation of a one-year treatment programme for patients with multiple and traumatic losses. <i>HÅgre Utbildning</i> , 2017, 8, 1375335.	3.0	15
129	Self-Identity After Bereavement. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 405-408.	1.0	15
130	Latent class analysis of indicators of intolerance of uncertainty. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 243-251.	1.5	15
131	Loss of loved ones or home due to a disaster: Effects over time on distress in immigrant ethnic minorities. <i>Transcultural Psychiatry</i> , 2018, 55, 648-668.	1.6	15
132	Eritrean Unaccompanied Refugee Minors in Transition: A Focused Ethnography of Challenges and Needs. <i>Residential Treatment for Children and Youth</i> , 2019, 36, 157-176.	0.9	15
133	Post-Migration Stressors and Their Association With Symptom Reduction and Non-Completion During Treatment for Traumatic Grief in Refugees. <i>Frontiers in Psychiatry</i> , 2020, 11, 407.	2.6	15
134	Personal goals and prolonged grief disorder symptoms. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 439-444.	2.7	14
135	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 108-115.	1.0	14
136	Concurrent and prospective associations of habitual overgeneral memory and prospection with symptoms of depression, general anxiety, obsessive compulsiveness, and post-traumatic stress. <i>Memory</i> , 2014, 22, 747-758.	1.7	13
137	Commentary on: A Call to Action: Facing the Shadow Pandemic of Complicated Forms of Grief. <i>Omega: Journal of Death and Dying</i> , 2023, 87, 334-340.	1.0	13
138	Psychopathology Symptoms, Rumination and Autobiographical Memory Specificity: Do Associations Hold After Bereavement?. <i>Applied Cognitive Psychology</i> , 2015, 29, 478-484.	1.6	12
139	Complicated grief following job loss: Risk factors for its development and maintenance. <i>Scandinavian Journal of Psychology</i> , 2020, 61, 698-706.	1.5	12
140	Symptoms of prolonged grief disorder as per DSM-5-TR, posttraumatic stress, and depression: Latent classes and correlations with anxious and depressive avoidance. <i>Psychiatry Research</i> , 2021, 302, 114033.	3.3	12
141	Psychometric Properties of the Dutch version of the Automatic Thoughts Questionnaire "Positive (ATQ " P). <i>Cognitive Behaviour Therapy</i> , 2007, 36, 23-33.	3.5	11
142	Optimism in prolonged grief and depression following loss: A three-wave longitudinal study. <i>Psychiatry Research</i> , 2015, 227, 313-317.	3.3	11
143	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 311-324.	2.2	11
144	Ruminative and dampening responses to positive affect in bipolar disorder and major depressive disorder. <i>Comprehensive Psychiatry</i> , 2018, 85, 72-77.	3.1	11

#	ARTICLE	IF	CITATIONS
145	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. Pilot and Feasibility Studies, 2019, 5, 93.	1.2	11
146	Valid ICD-11 PGD Scales and Structured Clinical Interviews Needed. Frontiers in Psychology, 2020, 11, 1120.	2.1	11
147	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. HÅ¶gre Utbildning, 2021, 12, 1987687.	3.0	11
148	Peritraumatic Dissociation After Loss. Journal of Nervous and Mental Disease, 2012, 200, 362-364.	1.0	10
149	Psychometric Properties of the Grief Cognitions Questionnaire for Children (GCQ-C). Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2017, 35, 60-77.	1.7	10
150	Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. Clinical Psychology and Psychotherapy, 2020, 27, 955-964.	2.7	10
151	Child adjustment to parental cancer: A latent profile analysis.. Health Psychology, 2021, 40, 774-783.	1.6	10
152	The course of symptoms in the first 27 months following bereavement: A latent trajectory analysis of prolonged grief, posttraumatic stress, and depression. Psychiatry Research, 2022, 311, 114472.	3.3	10
153	Examination of Proposed Criteria for Complicated Grief in People Confronted with Violent or Non-Violent Loss. Death Studies, 2007, 31, 155-164.	2.7	9
154	The effectiveness of Grief-Help, a cognitive behavioural treatment for prolonged grief in children: study protocol for a randomised controlled trial. Trials, 2013, 14, 395.	1.6	9
155	Trauma-related self-defining memories and future goals in Dissociative Identity Disorder. Behaviour Research and Therapy, 2016, 87, 216-224.	3.1	9
156	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 19.	1.2	9
157	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. HÅ¶gre Utbildning, 2017, 8, 1388710.	3.0	9
158	lâ€™mve changed, but lâ€™m not less happy: Interview study among nonclinical relatives of long-term missing persons. Death Studies, 2018, 42, 346-355.	2.7	9
159	Dampening of positive affect is associated with posttraumatic stress following stressful life events. HÅ¶gre Utbildning, 2021, 12, 1851077.	3.0	9
160	Grief reactions, depression, and anxiety following job loss: patterns and correlates. HÅ¶gre Utbildning, 2021, 12, .	3.0	9
161	The Dutch Version of the Centrality of Event Scale (CES). European Journal of Psychological Assessment, 2020, 36, 361-371.	3.0	9
162	Positive Thinking in Bereavement: Is it Related to Depression, Anxiety, or Grief Symptomatology?. Psychological Reports, 2002, 91, 857-863.	1.7	8

#	ARTICLE	IF	CITATIONS
163	“It feels as if she might return one day”: A sense of unrealness as a predictor of bereavement-related emotional distress / “Tengo la sensación de que ella puede volver algún día”: la sensación de irrealidad como un predictor del sufrimiento emocional relacionado con la pérdida. <i>Estudios De Psicología</i> , 2017, 38, 734-751.	0.3	8
164	Symptom severity in PTSD and comorbid psychopathology: A latent profile analysis among traumatized veterans. <i>Journal of Anxiety Disorders</i> , 2019, 62, 35-44.	3.2	8
165	Understanding Relations Between Intolerance of Uncertainty, Social Anxiety, and Body Dissatisfaction in Women. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 833-835.	1.0	8
166	Traumatic grief research and care in the aftermath of the COVID-19 pandemic. <i>Høgskole Utbildning</i> , 2021, 12, 1957272.	3.0	8
167	Mobile app for prolonged grief among bereaved parents: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052763.	1.9	8
168	Reciprocal relations between symptoms of complicated grief, depression, and anxiety following job loss: A cross-lagged analysis. <i>Clinical Psychologist</i> , 2020, 24, 276-284.	0.8	7
169	Contextualizing Cognitions: the Relation Between Negative Post-traumatic Cognitions and Post-traumatic Stress Among Palestinian Refugees. <i>International Journal of Cognitive Therapy</i> , 2020, 13, 159-172.	2.2	7
170	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. <i>International Journal of Stress Management</i> , 2019, 26, 401-410.	1.2	7
171	Negative Cognitions in Loss-Related Emotional Distress in Adolescent Girls: A Preliminary Study. <i>Journal of Loss and Trauma</i> , 2008, 13, 441-449.	1.5	6
172	Commemoration of disruptive events: a scoping review about posttraumatic stress reactions and related factors. <i>Høgskole Utbildning</i> , 2020, 11, 1701226.	3.0	6
173	Can Circumstances Be Softened? Self-Efficacy, Post-Migratory Stressors, and Mental Health among Refugees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1440.	2.6	6
174	Cultural Identity Conflict and Psychological Well-Being in Bicultural Young Adults. <i>Journal of Nervous and Mental Disease</i> , 2021, 209, 525-532.	1.0	6
175	Overcoming barriers to mental health care: multimodal trauma-focused treatment approach for unaccompanied refugee minors. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021, 15, 53.	2.5	6
176	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. <i>Journal of Affective Disorders</i> , 2021, 292, 234-241.	4.1	6
177	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates. <i>PLoS ONE</i> , 2022, 17, e0264497.	2.5	6
178	The ICD-11 and DSM-5-TR prolonged grief criteria: Validation of the Traumatic Grief Inventory-Self Report Plus using exploratory factor analysis and item response theory. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1950-1962.	2.7	6
179	The UK National Homicide Therapeutic Service: A Retrospective Naturalistic Study Among 929 Bereaved Individuals. <i>Frontiers in Psychiatry</i> , 2020, 11, 878.	2.6	5
180	Feasibility of narrative exposure therapy in an outpatient day treatment programme for refugees: improvement in symptoms and global functioning. <i>Høgskole Utbildning</i> , 2020, 11, 1759983.	3.0	5

#	ARTICLE	IF	CITATIONS
181	Validation of a German Version of the Grief Cognitions Questionnaire and Establishment of a Short Form. <i>Frontiers in Psychology</i> , 2020, 11, 620987.	2.1	5
182	My Grief App for Prolonged Grief in Bereaved Parents: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 872314.	2.6	5
183	Performance of Complicated Grief Criteria. <i>American Journal of Psychiatry</i> , 2016, 173, 1149-1149.	7.2	4
184	Developing and testing a nurse-led intervention to support bereavement in relatives in the intensive care (BRIC study): a protocol of a pre-post intervention study. <i>BMC Palliative Care</i> , 2020, 19, 130.	1.8	4
185	Family Empowerment (FAME): A feasibility trial of preventive multifamily groups for asylum seeker families in the Netherlands. <i>Journal of Marital and Family Therapy</i> , 2021, 47, 864-881.	1.1	4
186	Psychometric properties of the German version of the Depressive and Anxious Avoidance in Prolonged Grief Questionnaire (DAAPGQ). <i>PLoS ONE</i> , 2021, 16, e0254959.	2.5	4
187	Loneliness in Bereavement: Measurement Matters. <i>Frontiers in Psychology</i> , 2021, 12, 741762.	2.1	4
188	Negative Cognitions and Emotional Distress Following Job Loss: Development and Validation of the Beliefs About Loss of Work (BLOW) Scale. <i>International Journal of Cognitive Therapy</i> , 2022, 15, 191-208.	2.2	4
189	How deep is your thought? The relations between intolerance of uncertainty, worry and weight and shape concerns in adolescent girls with anorexia nervosa. <i>Journal of Eating Disorders</i> , 2021, 9, 164.	2.7	4
190	Associations of dimensions of anger with distress following traumatic bereavement.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2024, 16, 176-183.	2.1	4
191	French-Canadian validation of the Traumatic Grief Inventory-Self Report (TGI-SR). <i>Death Studies</i> , 2023, 47, 430-439.	2.7	4
192	A longitudinal evaluation of active outreach after an aeroplane crash: screening for post-traumatic stress disorder and depression and assessment of self-reported treatment needs. <i>HÅrgre Utbildning</i> , 2019, 10, 1554406.	3.0	3
193	Health Care Professionals' Experiences With Preloss Care in Pediatrics: Goals, Strategies, Obstacles, and Facilitators. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 107-116.	1.2	3
194	Narrative reconstruction therapy for prolonged grief disorder – a pilot study. <i>HÅrgre Utbildning</i> , 2021, 12, 1896126.	3.0	3
195	Challenges in Preloss Care to Parents Facing Their Child's End-of-Life: A Qualitative Study From the Clinicians Perspective. <i>Academic Pediatrics</i> , 2022, 22, 910-917.	2.0	3
196	The centrality of a loss-event: Patterns, correlates, and predictive value. <i>Anxiety, Stress and Coping</i> , 2021, 34, 258-265.	2.9	3
197	Psychometric Properties of the Belief Scale. <i>European Journal of Psychological Assessment</i> , 2007, 23, 133-140.	3.0	3
198	POSITIVE THINKING IN BEREAVEMENT: IS IT RELATED TO DEPRESSION, ANXIETY, OR GRIEF SYMPTOMATOLOGY?. <i>Psychological Reports</i> , 2002, 91, 857.	1.7	3

#	ARTICLE	IF	CITATIONS
199	Reciprocal Relations of Worry, Rumination, and Psychopathology Symptoms After Loss: A Prospective Cohort Study. <i>Behavior Therapy</i> , 2022, 53, 793-806.	2.4	2
200	Child Posttraumatic Stress after Parental Cancer: Associations with Individual and Family Factors. <i>Journal of Pediatric Psychology</i> , 2022, 47, 1031-1043.	2.1	2
201	The post-war generation remembers: A mixed-method study exploring children's attitudes towards World War II commemoration. <i>Children and Society</i> , 2022, 36, 747-767.	1.7	1
202	Heterogeneity of posttraumatic stress symptoms in bereaved children and adolescents: Exploring subgroups and possible risk factors. <i>Psychiatry Research</i> , 2022, 312, 114575.	3.3	1
203	"I lost so much more than my partner" Bereaved partners' grief experiences following suicide or physician-assisted dying in case of a mental disorder. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	1
204	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents. <i>European Journal of Psychotraumatology</i> , 2022, 13, 2068912.	2.5	0