

Paul A Boelen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9156514/publications.pdf>

Version: 2024-02-01

204
papers

8,961
citations

38742

50
h-index

58581

82
g-index

209
all docs

209
docs citations

209
times ranked

4771
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of dimensions of anger with distress following traumatic bereavement.. Psychological Trauma: Theory, Research, Practice, and Policy, 2024, 16, 176-183.	2.1	4
2	Commentary on: A Call to Action: Facing the Shadow Pandemic of Complicated Forms of Grief. Omega: Journal of Death and Dying, 2023, 87, 334-340.	1.0	13
3	French-Canadian validation of the Traumatic Grief Inventory-Self Report (TGI-SR). Death Studies, 2023, 47, 430-439.	2.7	4
4	Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. Australian and New Zealand Journal of Psychiatry, 2022, 56, 667-674.	2.3	26
5	Challenges in Preloss Care to Parents Facing Their Child's End-of-Life: A Qualitative Study From the Clinicians Perspective. Academic Pediatrics, 2022, 22, 910-917.	2.0	3
6	A systematic review of loneliness in bereavement: Current research and future directions. Current Opinion in Psychology, 2022, 43, 48-64.	4.9	32
7	Negative Cognitions and Emotional Distress Following Job Loss: Development and Validation of the Beliefs About Loss of Work (BLOW) Scale. International Journal of Cognitive Therapy, 2022, 15, 191-208.	2.2	4
8	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). Comprehensive Psychiatry, 2022, 112, 152281.	3.1	58
9	Reciprocal Relations of Worry, Rumination, and Psychopathology Symptoms After Loss: A Prospective Cohort Study. Behavior Therapy, 2022, 53, 793-806.	2.4	2
10	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates. PLoS ONE, 2022, 17, e0264497.	2.5	6
11	The course of symptoms in the first 27 months following bereavement: A latent trajectory analysis of prolonged grief, posttraumatic stress, and depression. Psychiatry Research, 2022, 311, 114472.	3.3	10
12	The postwar generation remembers: A mixed-method study exploring children's attitudes towards World War II commemoration. Children and Society, 2022, 36, 747-767.	1.7	1
13	Child Posttraumatic Stress after Parental Cancer: Associations with Individual and Family Factors. Journal of Pediatric Psychology, 2022, 47, 1031-1043.	2.1	2
14	My Grief App for Prolonged Grief in Bereaved Parents: A Pilot Study. Frontiers in Psychiatry, 2022, 13, 872314.	2.6	5
15	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents. European Journal of Psychotraumatology, 2022, 13, 2068912.	2.5	0
16	Heterogeneity of posttraumatic stress symptoms in bereaved children and adolescents: Exploring subgroups and possible risk factors. Psychiatry Research, 2022, 312, 114575.	3.3	1
17	Restricted Mourning: Impact of the COVID-19 Pandemic on Funeral Services, Grief Rituals, and Prolonged Grief Symptoms. Frontiers in Psychiatry, 2022, 13, .	2.6	16
18	The ICD-11 and DSM-5-TR prolonged grief criteria: Validation of the Traumatic Grief Inventory-Self Report Plus using exploratory factor analysis and item response theory. Clinical Psychology and Psychotherapy, 2022, 29, 1950-1962.	2.7	6

#	ARTICLE	IF	CITATIONS
19	“I lost so much more than my partner” Bereaved partners’ grief experiences following suicide or physician-assisted dying in case of a mental disorder. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	1
20	Facilitating grief: An exploration of the function of funerals and rituals in relation to grief reactions. <i>Death Studies</i> , 2021, 45, 735-745.	2.7	48
21	The importance of harmonising diagnostic criteria sets for pathological grief. <i>British Journal of Psychiatry</i> , 2021, 219, 473-476.	2.8	48
22	Health Care Professionals' Experiences With Preloss Care in Pediatrics: Goals, Strategies, Obstacles, and Facilitators. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 107-116.	1.2	3
23	Acute grief after deaths due to COVID-19, natural causes and unnatural causes: An empirical comparison. <i>Journal of Affective Disorders</i> , 2021, 278, 54-56.	4.1	159
24	Upward and Downward Counterfactual Thought After Loss: A Multiwave Controlled Longitudinal Study. <i>Behavior Therapy</i> , 2021, 52, 577-593.	2.4	16
25	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. <i>Journal of Loss and Trauma</i> , 2021, 26, 211-219.	1.5	21
26	Dampening of positive affect is associated with posttraumatic stress following stressful life events. <i>HÅ¶gre Utbildning</i> , 2021, 12, 1851077.	3.0	9
27	Traumatic grief research and care in the aftermath of the COVID-19 pandemic. <i>HÅ¶gre Utbildning</i> , 2021, 12, 1957272.	3.0	8
28	Grief reactions, depression, and anxiety following job loss: patterns and correlates. <i>HÅ¶gre Utbildning</i> , 2021, 12, .	3.0	9
29	Validation of the new DSM-5-TR criteria for prolonged grief disorder and the <sc>PG-13â€Revised</sc> (<sc>PG-13â€R</sc>) scale. <i>World Psychiatry</i> , 2021, 20, 96-106.	10.4	186
30	Narrative reconstruction therapy for prolonged grief disorder – a pilot study. <i>HÅ¶gre Utbildning</i> , 2021, 12, 1896126.	3.0	3
31	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 907-916.	2.7	19
32	Responding to the new International Classification of Diseases-11 prolonged grief disorder during the COVID-19 pandemic: a new bereavement network and three-tiered model of care. <i>Public Health</i> , 2021, 191, 85-90.	2.9	17
33	Can Circumstances Be Softened? Self-Efficacy, Post-Migratory Stressors, and Mental Health among Refugees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1440.	2.6	6
34	CBT for Prolonged Grief in Children and Adolescents: A Randomized Clinical Trial. <i>American Journal of Psychiatry</i> , 2021, 178, 294-304.	7.2	26
35	Cultural Identity Conflict and Psychological Well-Being in Bicultural Young Adults. <i>Journal of Nervous and Mental Disease</i> , 2021, 209, 525-532.	1.0	6
36	Family Empowerment (FAME): A feasibility trial of preventive multifamily groups for asylum seeker families in the Netherlands. <i>Journal of Marital and Family Therapy</i> , 2021, 47, 864-881.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Symptoms of prolonged grief disorder as per DSM-5-TR, posttraumatic stress, and depression: Latent classes and correlations with anxious and depressive avoidance. <i>Psychiatry Research</i> , 2021, 302, 114033.	3.3	12
38	Psychometric properties of the German version of the Depressive and Anxious Avoidance in Prolonged Grief Questionnaire (DAAPGQ). <i>PLoS ONE</i> , 2021, 16, e0254959.	2.5	4
39	Loneliness in Bereavement: Measurement Matters. <i>Frontiers in Psychology</i> , 2021, 12, 741762.	2.1	4
40	Prolonged grief disorder, posttraumatic stress disorder, and depression following traffic accidents among bereaved Balinese family members: Prevalence, latent classes and cultural correlates. <i>Journal of Affective Disorders</i> , 2021, 292, 773-781.	4.1	17
41	Child adjustment to parental cancer: A latent profile analysis.. <i>Health Psychology</i> , 2021, 40, 774-783.	1.6	10
42	Overcoming barriers to mental health care: multimodal trauma-focused treatment approach for unaccompanied refugee minors. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021, 15, 53.	2.5	6
43	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. <i>Journal of Affective Disorders</i> , 2021, 292, 234-241.	4.1	6
44	The centrality of a loss-event: Patterns, correlates, and predictive value. <i>Anxiety, Stress and Coping</i> , 2021, 34, 258-265.	2.9	3
45	Online treatment of persistent complex bereavement disorder, posttraumatic stress disorder, and depression symptoms in people who lost loved ones during the COVID-19 pandemic: study protocol for a randomized controlled trial and a controlled trial. <i>HÅrgre Utbildning</i> , 2021, 12, 1987687.	3.0	11
46	DSM-5-TR prolonged grief disorder and DSM-5 posttraumatic stress disorder are related, yet distinct: confirmatory factor analyses in traumatically bereaved people. <i>HÅrgre Utbildning</i> , 2021, 12, 1-14.	3.0	22
47	Mobile app for prolonged grief among bereaved parents: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e052763.	1.9	8
48	How deep is your thought? The relations between intolerance of uncertainty, worry and weight and shape concerns in adolescent girls with anorexia nervosa. <i>Journal of Eating Disorders</i> , 2021, 9, 164.	2.7	4
49	Trajectories of grief, depression, and posttraumatic stress in disaster-bereaved people. <i>Depression and Anxiety</i> , 2020, 37, 35-44.	4.1	83
50	Symptomatology following loss and trauma: Latent class and network analyses of prolonged grief disorder, posttraumatic stress disorder, and depression in a treatment-seeking trauma-exposed sample. <i>Depression and Anxiety</i> , 2020, 37, 26-34.	4.1	56
51	Symptoms of prolonged grief, posttraumatic stress, and depression in recently bereaved people: symptom profiles, predictive value, and cognitive behavioural correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 765-777.	3.1	60
52	Understanding Relations Between Intolerance of Uncertainty, Social Anxiety, and Body Dissatisfaction in Women. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 833-835.	1.0	8
53	The UK National Homicide Therapeutic Service: A Retrospective Naturalistic Study Among 929 Bereaved Individuals. <i>Frontiers in Psychiatry</i> , 2020, 11, 878.	2.6	5
54	Feasibility of narrative exposure therapy in an outpatient day treatment programme for refugees: improvement in symptoms and global functioning. <i>HÅrgre Utbildning</i> , 2020, 11, 1759983.	3.0	5

#	ARTICLE	IF	CITATIONS
55	Prolonged grief disorder in section II of DSM-5: a commentary. <i>HÅrgre Utbildning</i> , 2020, 11, 1771008.	3.0	32
56	Developing and testing a nurse-led intervention to support bereavement in relatives in the intensive care (BRIC study): a protocol of a pre-post intervention study. <i>BMC Palliative Care</i> , 2020, 19, 130.	1.8	4
57	Complicated grief following job loss: Risk factors for its development and maintenance. <i>Scandinavian Journal of Psychology</i> , 2020, 61, 698-706.	1.5	12
58	Reciprocal relations between symptoms of complicated grief, depression, and anxiety following job loss: A cross-lagged analysis. <i>Clinical Psychologist</i> , 2020, 24, 276-284.	0.8	7
59	Valid ICD-11 PGD Scales and Structured Clinical Interviews Needed. <i>Frontiers in Psychology</i> , 2020, 11, 1120.	2.1	11
60	Post-Migration Stressors and Their Association With Symptom Reduction and Non-Completion During Treatment for Traumatic Grief in Refugees. <i>Frontiers in Psychiatry</i> , 2020, 11, 407.	2.6	15
61	When a child dies: a systematic review of well-defined parent-focused bereavement interventions and their alignment with grief- and loss theories. <i>BMC Palliative Care</i> , 2020, 19, 28.	1.8	51
62	Associations of depressive rumination and positive affect regulation with emotional distress after the death of a loved one. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 955-964.	2.7	10
63	How thinking hurts: Rumination, worry, and avoidance processes in adjustment to bereavement. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 548-558.	2.7	29
64	Commemoration of disruptive events: a scoping review about posttraumatic stress reactions and related factors. <i>HÅrgre Utbildning</i> , 2020, 11, 1701226.	3.0	6
65	Severity profiles of posttraumatic stress, depression, anxiety, and somatization symptoms in treatment seeking traumatized refugees. <i>Journal of Affective Disorders</i> , 2020, 266, 71-81.	4.1	23
66	The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis. <i>Journal of Affective Disorders</i> , 2020, 265, 146-156.	4.1	157
67	Prolonged grief disorder following the Coronavirus (COVID-19) pandemic. <i>Psychiatry Research</i> , 2020, 288, 113031.	3.3	167
68	Contextualizing Cognitions: the Relation Between Negative Post-traumatic Cognitions and Post-traumatic Stress Among Palestinian Refugees. <i>International Journal of Cognitive Therapy</i> , 2020, 13, 159-172.	2.2	7
69	Validation of a German Version of the Grief Cognitions Questionnaire and Establishment of a Short Form. <i>Frontiers in Psychology</i> , 2020, 11, 620987.	2.1	5
70	Comparison of six proposed diagnostic criteria sets for disturbed grief. <i>Psychiatry Research</i> , 2020, 285, 112786.	3.3	43
71	PTSD treatment in times of COVID-19: A systematic review of the effects of online EMDR. <i>Psychiatry Research</i> , 2020, 293, 113438.	3.3	35
72	The Dutch Version of the Centrality of Event Scale (CES). <i>European Journal of Psychological Assessment</i> , 2020, 36, 361-371.	3.0	9

#	ARTICLE	IF	CITATIONS
73	Traumatic loss: Mental health consequences and implications for treatment and prevention. <i>HÅrge Utbildning</i> , 2019, 10, 1591331.	3.0	21
74	Cognitive behavioural therapy and mindfulness for relatives of missing persons: a pilot study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 93.	1.2	11
75	7ROSES, a transdiagnostic intervention for promoting self-efficacy in traumatized refugees: a first quantitative evaluation. <i>HÅrge Utbildning</i> , 2019, 10, 1673062.	3.0	18
76	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. <i>Clinical Psychological Science</i> , 2019, 7, 1330-1339.	4.0	20
77	A longitudinal evaluation of active outreach after an aeroplane crash: screening for post-traumatic stress disorder and depression and assessment of self-reported treatment needs. <i>HÅrge Utbildning</i> , 2019, 10, 1554406.	3.0	3
78	Symptom severity in PTSD and comorbid psychopathology: A latent profile analysis among traumatized veterans. <i>Journal of Anxiety Disorders</i> , 2019, 62, 35-44.	3.2	8
79	Intolerance of uncertainty predicts analogue posttraumatic stress following adverse life events. <i>Anxiety, Stress and Coping</i> , 2019, 32, 498-504.	2.9	17
80	Development and initial validation of the job loss grief scale. <i>Anxiety, Stress and Coping</i> , 2019, 32, 428-442.	2.9	21
81	Eritrean Unaccompanied Refugee Minors in Transition: A Focused Ethnography of Challenges and Needs. <i>Residential Treatment for Children and Youth</i> , 2019, 36, 157-176.	0.9	15
82	Comparison of proposed diagnostic criteria for pathological grief using a sample of elderly bereaved spouses in Denmark: Perspectives on future bereavement research. <i>Journal of Affective Disorders</i> , 2019, 251, 52-59.	4.1	21
83	No pain, no gain: cross-lagged analyses of posttraumatic growth and anxiety, depression, posttraumatic stress and prolonged grief symptoms after loss. <i>Anxiety, Stress and Coping</i> , 2019, 32, 231-243.	2.9	38
84	Comparison of DSM-5 criteria for persistent complex bereavement disorder and ICD-11 criteria for prolonged grief disorder in help-seeking bereaved children. <i>Journal of Affective Disorders</i> , 2019, 250, 71-78.	4.1	27
85	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 913-920.	1.0	25
86	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. <i>Death Studies</i> , 2019, 43, 351-364.	2.7	76
87	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. <i>Psychiatry Research</i> , 2019, 273, 206-210.	3.3	40
88	Toward a Better Understanding of Psychological Symptoms in People Confronted With the Disappearance of a Loved One: A Systematic Review. <i>Trauma, Violence, and Abuse</i> , 2019, 20, 287-302.	6.2	29
89	The Longitudinal and Cross-Sectional Associations of Grief and Complicated Grief With Sleep Quality in Older Adults. <i>Behavioral Sleep Medicine</i> , 2019, 17, 31-40.	2.1	24
90	Latent classes of posttraumatic stress symptoms in two samples of bereaved people.. <i>International Journal of Stress Management</i> , 2019, 26, 401-410.	1.2	7

#	ARTICLE	IF	CITATIONS
91	Treating complicated grief and posttraumatic stress in homicidally bereaved individuals: A randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 497-508.	2.7	20
92	Latent class analysis of indicators of intolerance of uncertainty. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 243-251.	1.5	15
93	Exploration of the Associations Between Responses to Affective States and Psychopathology in Two Samples of People Confronted With the Loss of a Loved One. <i>Journal of Nervous and Mental Disease</i> , 2018, 206, 108-115.	1.0	14
94	Experiential acceptance and trait mindfulness as predictors of analogue post-traumatic stress. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018, 91, 1-14.	2.5	18
95	Do prolonged grief disorder symptoms predict post-traumatic stress disorder symptoms following bereavement? A cross-lagged analysis. <i>Comprehensive Psychiatry</i> , 2018, 80, 65-71.	3.1	28
96	I've changed, but I'm not less happy: Interview study among nonclinical relatives of long-term missing persons. <i>Death Studies</i> , 2018, 42, 346-355.	2.7	9
97	Cognitive-Behavioral Correlates of Psychological Symptoms Among Relatives of Missing Persons. <i>International Journal of Cognitive Therapy</i> , 2018, 11, 311-324.	2.2	11
98	Toward Cultural Assessment of Grief and Grief-Related Psychopathology. <i>Psychiatric Services</i> , 2018, 69, 1050-1052.	2.0	37
99	Loss of loved ones or home due to a disaster: Effects over time on distress in immigrant ethnic minorities. <i>Transcultural Psychiatry</i> , 2018, 55, 648-668.	1.6	15
100	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018, 240, 79-87.	4.1	64
101	Ruminative and dampening responses to positive affect in bipolar disorder and major depressive disorder. <i>Comprehensive Psychiatry</i> , 2018, 85, 72-77.	3.1	11
102	Psychometric Properties of the Grief Cognitions Questionnaire for Children (GCQ-C). <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2017, 35, 60-77.	1.7	10
103	The Traumatic Grief Inventory Self-Report Version (TGI-SR): Introduction and Preliminary Psychometric Evaluation. <i>Journal of Loss and Trauma</i> , 2017, 22, 196-212.	1.5	92
104	The relative importance of rumination, experiential avoidance and mindfulness as predictors of depressive symptoms. <i>Journal of Contextual Behavioral Science</i> , 2017, 6, 8-12.	2.6	19
105	Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. <i>BMJ: British Medical Journal</i> , 2017, 357, j2016.	2.3	67
106	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>HÅgre Utbildning</i> , 2017, 8, 1298311.	3.0	65
107	Day patient treatment for traumatic grief: preliminary evaluation of a one-year treatment programme for patients with multiple and traumatic losses. <i>HÅgre Utbildning</i> , 2017, 8, 1375335.	3.0	15
108	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>HÅgre Utbildning</i> , 2017, 8, 1388710.	3.0	9

#	ARTICLE	IF	CITATIONS
109	Prolonged grief and posttraumatic stress in bereaved children: A latent class analysis. <i>Psychiatry Research</i> , 2017, 258, 518-524.	3.3	18
110	Self-Identity After Bereavement. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 405-408.	1.0	15
111	â€œIt feels as if she might return one dayâ€: A sense of unrealness as a predictor of bereavement-related emotional distress / â€œTengo la sensaci3n de que ella puede volver alg3n d3aâ€: la sensaci3n de irrealidad como un predictor del sufrimiento emocional relacionado con la p3rdida. <i>Estudios De Psicologia</i> , 2017, 38, 734-751.	0.3	8
112	Grief rumination mediates the association between self-compassion and psychopathology in relatives of missing persons. <i>H3gre Utbildning</i> , 2017, 8, 1378052.	3.0	30
113	Does worry affect adjustment to bereavement? A longitudinal investigation. <i>Anxiety, Stress and Coping</i> , 2017, 30, 243-252.	2.9	33
114	Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. <i>Journal of Affective Disorders</i> , 2017, 209, 1-2.	4.1	20
115	Symptoms of prolonged grief, post-traumatic stress, and depression after loss in a Dutch community sample: A latent class analysis. <i>Psychiatry Research</i> , 2017, 247, 276-281.	3.3	71
116	Early indicators of problematic grief trajectories following bereavement. <i>H3gre Utbildning</i> , 2017, 8, 1423825.	3.0	22
117	Narrative reconstruction therapy for prolonged grief disorderâ€”rationale and case study. <i>H3gre Utbildning</i> , 2016, 7, 30687.	3.0	23
118	Improving the understanding and treatment of complex grief: an important issue for psychotraumatology. <i>H3gre Utbildning</i> , 2016, 7, 32609.	3.0	27
119	Prolonged grief and depression after unnatural loss: Latent class analyses and cognitive correlates. <i>Psychiatry Research</i> , 2016, 240, 358-363.	3.3	73
120	Trauma-related self-defining memories and future goals in Dissociative Identity Disorder. <i>Behaviour Research and Therapy</i> , 2016, 87, 216-224.	3.1	9
121	Performance of Complicated Grief Criteria. <i>American Journal of Psychiatry</i> , 2016, 173, 1149-1149.	7.2	4
122	â€œProlonged grief disorderâ€ and â€œpersistent complex bereavement disorderâ€, but not â€œcomplicated griefâ€, are one and the same diagnostic entity: an analysis of data from the Yale Bereavement Study. <i>World Psychiatry</i> , 2016, 15, 266-275.	10.4	230
123	Cognitive behavioural therapy for psychopathology in relatives of missing persons: study protocol for a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 19.	1.2	9
124	Prevalence and Correlates of Self-Rated Posttraumatic Stress Disorder and Complicated Grief in a Community-Based Sample of Homicidally Bereaved Individuals. <i>Journal of Interpersonal Violence</i> , 2016, 31, 207-227.	2.0	23
125	Concurrent and prospective associations of intolerance of uncertainty with symptoms of prolonged grief, posttraumatic stress, and depression after bereavement. <i>Journal of Anxiety Disorders</i> , 2016, 41, 65-72.	3.2	53
126	Prolonged Grief, Posttraumatic Stress, Anger, and Revenge Phenomena Following Homicidal Loss. <i>Homicide Studies</i> , 2016, 20, 177-195.	1.2	24

#	ARTICLE	IF	CITATIONS
127	Cognitive-behavioral variables mediate the impact of violent loss on post-loss psychopathology.. Psychological Trauma: Theory, Research, Practice, and Policy, 2015, 7, 382-390.	2.1	67
128	Brief Eclectic Psychotherapy for Traumatic Grief (BEP-TG): toward integrated treatment of symptoms related to traumatic loss. HÅggr Utbildning, 2015, 6, 27324.	3.0	48
129	Anxious and depressive avoidance behavior in post-loss psychopathology: a longitudinal study. Anxiety, Stress and Coping, 2015, 28, 587-600.	2.9	32
130	Psychopathology Among Homicidally Bereaved Individuals. Trauma, Violence, and Abuse, 2015, 16, 70-80.	6.2	31
131	Developing scales measuring disorder-specific intolerance of uncertainty (DSIU): A new perspective on transdiagnostic. Journal of Anxiety Disorders, 2015, 31, 49-57.	3.2	43
132	Optimism in prolonged grief and depression following loss: A three-wave longitudinal study. Psychiatry Research, 2015, 227, 313-317.	3.3	11
133	An Open Trial of "GriefHelp™: A Cognitive-Behavioural Treatment for Prolonged Grief in Children and Adolescents. Clinical Psychology and Psychotherapy, 2015, 22, 185-192.	2.7	26
134	Psychopathology Symptoms, Rumination and Autobiographical Memory Specificity: Do Associations Hold After Bereavement?. Applied Cognitive Psychology, 2015, 29, 478-484.	1.6	12
135	Peritraumatic Distress and Dissociation in Prolonged Grief and Posttraumatic Stress Following Violent and Unexpected Deaths. Journal of Trauma and Dissociation, 2015, 16, 541-550.	1.9	25
136	Internet-Based Exposure and Behavioral Activation for Complicated Grief and Rumination: A Randomized Controlled Trial. Behavior Therapy, 2015, 46, 729-748.	2.4	126
137	Adaptive and maladaptive rumination after loss: A three-wave longitudinal study. British Journal of Clinical Psychology, 2015, 54, 163-180.	3.5	74
138	Rumination and implicit avoidance following bereavement: An Approach avoidance task investigation. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 47, 84-91.	1.2	44
139	Is Rumination after Bereavement Linked with Loss Avoidance? Evidence from Eye-Tracking. PLoS ONE, 2014, 9, e104980.	2.5	44
140	Intolerance of Uncertainty and Adult Separation Anxiety. Cognitive Behaviour Therapy, 2014, 43, 133-144.	3.5	40
141	Revenge and psychological adjustment after homicidal loss. Aggressive Behavior, 2014, 40, 504-511.	2.4	18
142	Development and Psychometric Evaluation of the Utrecht Grief Rumination Scale. Journal of Psychopathology and Behavioral Assessment, 2014, 36, 165-176.	1.2	67
143	Concurrent and prospective associations of habitual overgeneral memory and prospection with symptoms of depression, general anxiety, obsessive compulsiveness, and post-traumatic stress. Memory, 2014, 22, 747-758.	1.7	13
144	"But it might be a heart attack" Intolerance of uncertainty and panic disorder symptoms. Journal of Anxiety Disorders, 2014, 28, 463-470.	3.2	89

#	ARTICLE	IF	CITATIONS
145	Symptoms of Post-Traumatic Stress Disorder in Bereaved Children and Adolescents: Factor Structure and Correlates. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 1097-1108.	3.5	38
146	Intolerance of Uncertainty and PTSD Symptoms: Exploring the Construct Relationship in a Community Sample with a Heterogeneous Trauma History. <i>Cognitive Therapy and Research</i> , 2013, 37, 725-734.	1.9	101
147	The effectiveness of Grief-Help, a cognitive behavioural treatment for prolonged grief in children: study protocol for a randomised controlled trial. <i>Trials</i> , 2013, 14, 395.	1.6	9
148	Symptoms of prolonged grief, depression, and adult separation anxiety: Distinctiveness and correlates. <i>Psychiatry Research</i> , 2013, 207, 68-72.	3.3	48
149	Cognitive-Behavioral Therapy for Prolonged Grief in Children: Feasibility and Multiple Baseline Study. <i>Cognitive and Behavioral Practice</i> , 2013, 20, 349-361.	1.5	26
150	Avoidance processes mediate the relationship between rumination and symptoms of complicated grief and depression following loss.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 961-970.	1.9	107
151	Sleep Difficulties Are Correlated with Emotional Problems following Loss and Residual Symptoms of Effective Prolonged Grief Disorder Treatment. <i>Depression Research and Treatment</i> , 2013, 2013, 1-6.	1.3	20
152	Anxious and Depressive Avoidance and Symptoms of Prolonged Grief, Depression, and Post-Traumatic Stress Disorder. <i>Psychologica Belgica</i> , 2013, 50, 49.	1.9	55
153	Commentary on the Inclusion of Persistent Complex Bereavement-Related Disorder in DSM-5. <i>Death Studies</i> , 2012, 36, 771-794.	2.7	74
154	Variables Mediating the Linkage Between Loss Centrality and Postloss Psychopathology. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 801-806.	1.0	22
155	The Role of Self-Concept Clarity in Prolonged Grief Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 56-62.	1.0	29
156	Intolerance of Uncertainty, Hypochondriacal Concerns, Obsessive-Compulsive Symptoms, and Worry. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 208-213.	1.0	65
157	Peritraumatic Dissociation After Loss. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 362-364.	1.0	10
158	Bayesian Evaluation of Inequality-Constrained Hypotheses in SEM Models Using Mplus. <i>Structural Equation Modeling</i> , 2012, 19, 593-609.	3.8	21
159	Psychological interventions for patients with rheumatic diseases and anxiety or depression. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 305-319.	3.3	63
160	Distinctiveness of symptoms of prolonged grief, depression, and post-traumatic stress in bereaved children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 673-679.	4.7	65
161	Psychometric Properties of the Dutch Inventories of Prolonged Grief for Children and Adolescents. <i>Clinical Psychology and Psychotherapy</i> , 2012, 19, 540-551.	2.7	34
162	A prospective examination of the association between the centrality of a loss and post-loss psychopathology. <i>Journal of Affective Disorders</i> , 2012, 137, 117-124.	4.1	60

#	ARTICLE	IF	CITATIONS
163	The prevalence and characteristics of complicated grief in older adults. <i>Journal of Affective Disorders</i> , 2011, 132, 231-238.	4.1	219
164	Prospective linkages between peer victimization and externalizing problems in children: a meta-analysis. <i>Aggressive Behavior</i> , 2011, 37, 215-222.	2.4	374
165	Factors associated with outcome of cognitive-behavioural therapy for complicated grief: A preliminary study. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 284-291.	2.7	43
166	Personal goals and prolonged grief disorder symptoms. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 439-444.	2.7	14
167	Cognitive behavioral variables mediate the associations of neuroticism and attachment insecurity with Prolonged Grief Disorder severity. <i>Anxiety, Stress and Coping</i> , 2011, 24, 291-307.	2.9	45
168	Intolerance of Uncertainty in Adolescents. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 194-200.	1.0	92
169	A Prospective Examination of Catastrophic Misinterpretations and Experiential Avoidance in Emotional Distress Following Loss. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 252-257.	1.0	35
170	Prolonged Grief Disorder, depression, and posttraumatic stress disorder are distinguishable syndromes. <i>Journal of Affective Disorders</i> , 2010, 125, 374-378.	4.1	148
171	A Sense of "unrealness" about the death of a loved one: An exploratory study of its role in emotional complications among bereaved individuals. <i>Applied Cognitive Psychology</i> , 2010, 24, 238-251.	1.6	23
172	Inclusion of Other in the Self and Breakup-Related Grief Following Relationship Dissolution. <i>Journal of Loss and Trauma</i> , 2010, 15, 534-547.	1.5	33
173	Autobiographical memory specificity and symptoms of complicated grief, depression, and posttraumatic stress disorder following loss. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 331-337.	1.2	33
174	The Underlying Structure of Grief: A Taxometric Investigation of Prolonged and Normal Reactions to Loss. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2009, 31, 190-201.	1.2	97
175	Negative cognitions in emotional problems following romantic relationship break-ups. <i>Stress and Health</i> , 2009, 25, 11-19.	2.6	62
176	An Item Response Theory Analysis of a Measure of Complicated Grief. <i>Death Studies</i> , 2009, 33, 101-129.	2.7	32
177	The centrality of a loss and its role in emotional problems among bereaved people. <i>Behaviour Research and Therapy</i> , 2009, 47, 616-622.	3.1	61
178	Intolerance of uncertainty and social anxiety. <i>Journal of Anxiety Disorders</i> , 2009, 23, 130-135.	3.2	291
179	Measuring Experiential Avoidance: Reliability and Validity of the Dutch 9-item Acceptance and Action Questionnaire (AAQ). <i>Journal of Psychopathology and Behavioral Assessment</i> , 2008, 30, 241-251.	1.2	53
180	Intrusive images in grief: an exploratory study. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 217-226.	2.7	40

#	ARTICLE	IF	CITATIONS
181	The factor structure of Posttraumatic Stress Disorder symptoms among bereaved individuals: A confirmatory factor analysis study. <i>Journal of Anxiety Disorders</i> , 2008, 22, 1377-1383.	3.2	66
182	Complicated grief and uncomplicated grief are distinguishable constructs. <i>Psychiatry Research</i> , 2008, 157, 311-314.	3.3	84
183	Negative Cognitions in Loss-Related Emotional Distress in Adolescent Girls: A Preliminary Study. <i>Journal of Loss and Trauma</i> , 2008, 13, 441-449.	1.5	6
184	The Role of Threatening Misinterpretations and Avoidance in Emotional Problems After Loss. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 71-87.	1.2	27
185	Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 277-284.	2.0	360
186	Psychometric Properties of the Dutch version of the Automatic Thoughts Questionnaire "Positive (ATQ " P). <i>Cognitive Behaviour Therapy</i> , 2007, 36, 23-33.	3.5	11
187	Examination of Proposed Criteria for Complicated Grief in People Confronted with Violent or Non-Violent Loss. <i>Death Studies</i> , 2007, 31, 155-164.	2.7	9
188	The influence of symptoms of prolonged grief disorder, depression, and anxiety on quality of life among bereaved adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 444-452.	3.2	232
189	Ruminative coping as avoidance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 462-472.	3.2	106
190	Psychometric Properties of the Belief Scale. <i>European Journal of Psychological Assessment</i> , 2007, 23, 133-140.	3.0	3
191	Negative cognitions and avoidance in emotional problems after bereavement: A prospective study. <i>Behaviour Research and Therapy</i> , 2006, 44, 1657-1672.	3.1	115
192	A Cognitive-Behavioral Conceptualization of Complicated Grief.. <i>Clinical Psychology: Science and Practice</i> , 2006, 13, 109-128.	0.9	306
193	Continuing Bonds and Grief: A Prospective Analysis. <i>Death Studies</i> , 2006, 30, 767-776.	2.7	68
194	Continuing Relationships with the Deceased: Disentangling Bonds and Grief. <i>Death Studies</i> , 2006, 30, 757-766.	2.7	24
195	Cognitive-Behavioral Therapy for Complicated Grief: Theoretical Underpinnings and Case Descriptions. <i>Journal of Loss and Trauma</i> , 2006, 11, 1-30.	1.5	39
196	Psychometric Properties of the Grief Cognitions Questionnaire (GCQ). <i>Journal of Psychopathology and Behavioral Assessment</i> , 2005, 27, 291-303.	1.2	97
197	Complicated Grief, Depression, and Anxiety as Distinct Postloss Syndromes: A Confirmatory Factor Analysis Study. <i>American Journal of Psychiatry</i> , 2005, 162, 2175-2177.	7.2	204
198	Irrational Beliefs and Basic Assumptions in Bereaved University Students: A Comparison Study. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2004, 22, 111-129.	1.7	22

#	ARTICLE	IF	CITATIONS
199	The role of negative interpretations of grief reactions in emotional problems after bereavement. Journal of Behavior Therapy and Experimental Psychiatry, 2003, 34, 225-238.	1.2	58
200	The role of cognitive variables in psychological functioning after the death of a first degree relative. Behaviour Research and Therapy, 2003, 41, 1123-1136.	3.1	82
201	RELIABILITY AND VALIDITY OF THE DUTCH VERSION OF THE INVENTORY OF TRAUMATIC GRIEF (ITG). Death Studies, 2003, 27, 227-247.	2.7	164
202	Traumatic Grief as a Disorder Distinct From Bereavement-Related Depression and Anxiety: A Replication Study With Bereaved Mental Health Care Patients. American Journal of Psychiatry, 2003, 160, 1339-1341.	7.2	151
203	Positive Thinking in Bereavement: Is it Related to Depression, Anxiety, or Grief Symptomatology?. Psychological Reports, 2002, 91, 857-863.	1.7	8
204	POSITIVE THINKING IN BEREAVEMENT: IS IT RELATED TO DEPRESSION, ANXIETY, OR GRIEF SYMPTOMATOLOGY?. Psychological Reports, 2002, 91, 857.	1.7	3