

Dinesh K Shetty

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9159758/publications.pdf>

Version: 2024-02-01

57
papers

1,977
citations

279798

23
h-index

243625

44
g-index

57
all docs

57
docs citations

57
times ranked

1009
citing authors

#	ARTICLE	IF	CITATIONS
1	Shear-Lag Analysis of Fiber Push-Out (Indentation) Tests for Estimating Interfacial Friction Stress in Ceramic-Matrix Composites. <i>Journal of the American Ceramic Society</i> , 1988, 71, C-107-C-109.	3.8	159
2	Mixed-mode fracture in biaxial stress state: Application of the diametral-compression (Brazilian disk) test. <i>Engineering Fracture Mechanics</i> , 1987, 26, 825-840.	4.3	148
3	Rising Crack-Growth-Resistance (R-Curve) Behavior of Toughened Alumina and Silicon Nitride. <i>Journal of the American Ceramic Society</i> , 1991, 74, 2634-2641.	3.8	145
4	Interfacial Bonding and Friction in Silicon Carbide [Filament]-Reinforced Ceramic- and Glass-Matrix Composites. <i>Journal of the American Ceramic Society</i> , 1989, 72, 1891-1898.	3.8	115
5	Phase Constitution and Mechanical Properties of Carbides in the Ta-C System. <i>Journal of the American Ceramic Society</i> , 2009, 92, 2404-2407.	3.8	110
6	Fracture Toughness of Polycrystalline Ceramics in Combined Mode I and Mode II Loading. <i>Journal of the American Ceramic Society</i> , 1989, 72, 78-84.	3.8	96
7	Crack Stability and Strength Distribution of Ceramics That Exhibit Rising Crack-Growth-Resistance (R-Curve) Behavior. <i>Journal of the American Ceramic Society</i> , 1989, 72, 1158-1162.	3.8	77
8	Transformation Zone Shape, Size, and Crack-Growth-Resistance [R-Curve] Behavior of Ceria-Partially-Stabilized Zirconia Polycrystals. <i>Journal of the American Ceramic Society</i> , 1989, 72, 921-928.	3.8	74
9	Reliability Analysis of Structural Ceramics Subjected to Biaxial Flexure. <i>Journal of the American Ceramic Society</i> , 1991, 74, 333-344.	3.8	57
10	Interfacial Sliding Friction in Silicon Carbide-Borosilicate Glass Composites: A Comparison of Pullout and Pushout Tests. <i>Journal of the American Ceramic Society</i> , 1991, 74, 115-122.	3.8	57
11	Strength Improvement in Transformation-Toughened Alumina by Selective Phase Transformation. <i>Journal of the American Ceramic Society</i> , 1987, 70, 714-718.	3.8	56
12	Indentation Fracture Response and Damage Resistance of Al ₂ O ₃ -ZrO ₂ Composites Strengthened by Transformation-Induced Residual Stresses. <i>Journal of the American Ceramic Society</i> , 1988, 71, C-501-C-505.	3.8	53
13	Transformation Plasticity and Toughening in CeO ₂ -Partially-Stabilized Zirconia-Alumina (Ce-TZP/Al ₂ O ₃) Composites Doped with MnO. <i>Journal of the American Ceramic Society</i> , 1992, 75, 1229-1238.	3.8	53
14	Fatigue Crack Propagation in Ceria-Partially-Stabilized Zirconia (Ce-TZP)-Alumina Composites. <i>Journal of the American Ceramic Society</i> , 1990, 73, 2992-3001.	3.8	52
15	Effects of carbon nanofibers on cell morphology, thermal conductivity and crush strength of carbon foam. <i>Carbon</i> , 2010, 48, 68-80.	10.3	51
16	Toughening of layered ceramic composites with residual surface compression: effects of layer thickness. <i>Engineering Fracture Mechanics</i> , 2001, 68, 1-7.	4.3	47
17	Matrix Cracking in Ceramic-Matrix Composites. <i>Journal of the American Ceramic Society</i> , 1993, 76, 2497-2504.	3.8	41
18	Transformation-Induced Residual Stresses: A High Fracture Toughness Carbide with Rising Crack-Growth-Resistance (R-Curve) Behavior. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2601-2608.	3.8	41

#	ARTICLE	IF	CITATIONS
19	R-Curve Behavior and Flaw Insensitivity of Ce-TZP/Al ₂ O ₃ Composite. Journal of the American Ceramic Society, 1993, 76, 961-969.	3.8	34
20	Cleavage fracture of steel in the upper ductile-brittle transition region. Engineering Fracture Mechanics, 1983, 17, 461-470.	4.3	32
21	Transformation Zone Shape Effects on Crack Shielding in Ceria-Partially-Stabilized Zirconia (Ce-TZP)-Alumina Composites. Journal of the American Ceramic Society, 1992, 75, 2991-2994.	3.8	32
22	Extreme-Value Statistics Analysis of Fracture Strengths of a Sintered Silicon Nitride Failing from Pores. Journal of the American Ceramic Society, 1992, 75, 2116-2124.	3.8	26
23	Effect of Additives on the Activation Energy for Sintering of Silicon Carbide. Journal of the American Ceramic Society, 2008, 91, 1135-1140.	3.8	25
24	Equivalence of Physically Based Statistical Fracture Theories for Reliability Analysis of Ceramics in Multiaxial Loading. Journal of the American Ceramic Society, 1990, 73, 1917-1921.	3.8	24
25	Short-Crack Fracture Toughness of Silicon Carbide. Journal of the American Ceramic Society, 2009, 92, 179-185.	3.8	23
26	On the Effect of Birefringence on Light Transmission in Polycrystalline Magnesium Fluoride. Journal of the American Ceramic Society, 2015, 98, 829-837.	3.8	22
27	Effects of Additives on the Pressure-Assisted Densification and Properties of Silicon Carbide. Journal of the American Ceramic Society, 2008, 91, 2163-2169.	3.8	21
28	Lower-bound fracture toughness of a reactor-pressure-vessel steel. Engineering Fracture Mechanics, 1981, 14, 833-842.	4.3	19
29	Crack Shielding in Ce-TZP/Al ₂ O ₃ Composites: Comparison of Fatigue and Sustained Load Crack Growth Specimens. Journal of the American Ceramic Society, 1994, 77, 105-117.	3.8	19
30	Thermal expansion behaviors of yttrium tungstates in the WO ₃ -Y ₂ O ₃ system. Ceramics International, 2013, 39, 8421-8427.	4.8	19
31	Analysis of creep deformation under cyclic loading conditions. Materials Science and Engineering, 1975, 20, 261-266.	0.1	18
32	Synthesis and characterization of Al _{2-x} Sc _x (WO ₄) ₃ ceramics for low-expansion infrared-transmitting windows. Journal of Materials Science, 2012, 47, 6286-6296.	3.7	18
33	Cyclic Fatigue of Ce-TZP/Al ₂ O ₃ Composites: Role of the Degradation of Transformation Zone Shielding. Journal of the American Ceramic Society, 1995, 78, 599-608.	3.8	17
34	Processing of Dense Ta ₄ C ₃ by Reaction Sintering of Ta and TaC Powder Mixture. Journal of the American Ceramic Society, 2014, 97, 3826-3834.	3.8	17
35	Dielectric Breakdown of Polycrystalline Alumina: A Weakest-Link Failure Analysis. Journal of the American Ceramic Society, 2013, 96, 3430-3439.	3.8	16
36	First-principles study on surface stability of tantalum carbides. Surface Science, 2016, 644, 24-28.	1.9	16

#	ARTICLE	IF	CITATIONS
37	Direct measurement of crack shielding in ceramics by the application of Raman microprobe spectroscopy. <i>Journal of Materials Research</i> , 1994, 9, 3183-3193.	2.6	15
38	Transient wear of silicon nitride in lubricated rolling contact. <i>Wear</i> , 1998, 223, 58-65.	3.1	15
39	Micromechanics of crack bridging in sapphire/epoxy composites. <i>Composites Science and Technology</i> , 1998, 58, 1763-1773.	7.8	15
40	Rolling-Contact Fatigue and Wear of CVD-SiC with Residual Surface Compression. <i>Journal of the American Ceramic Society</i> , 1995, 78, 2307-2313.	3.8	14
41	A Functionally Graded Carbide in the Ta-C System. <i>Journal of the American Ceramic Society</i> , 2016, 99, 392-394.	3.8	13
42	Effects of composition and microstructure on the slurry erosion of WC-Co cermets. <i>Wear</i> , 1987, 114, 1-18.	3.1	12
43	An Assessment of the Applicability of Particle Light Scattering Theories to Birefringent Polycrystalline Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 551-556.	3.8	9
44	Fabrication of high-density and translucent Al-containing garnet, $\text{Li}_{1-x}\text{La}_3\text{Zr}_2\text{Ta}_x\text{O}_{12}$ (LLZTO) solid-state electrolyte by pressure filtration and sintering. <i>Solid State Ionics</i> , 2021, 364, 115640.	2.7	9
45	Role of Autocatalytic Transformation in Zone Shape and Toughening of Ceria-Tetragonal-Zirconia-Alumina (Ce-TZP/Al ₂ O ₃) Composites. <i>Journal of the American Ceramic Society</i> , 1991, 74, 678-681.	3.8	8
46	Critical Stresses for Extension of Filament-Bridged Matrix Cracks in Ceramic-Matrix Composites: An Assessment with a Model Composite with Tailored Interfaces. <i>Journal of the American Ceramic Society</i> , 1995, 78, 1139-1146.	3.8	7
47	R Curves and Crack-Stability Map: Application to Ce-TZP/Al ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2007, 90, 3554-3558.	3.8	6
48	Transformation zones, crack shielding, and crack-growth resistance of Ce-TZP/alumina composite in mode II and combined mode II and mode I loading. <i>Engineering Fracture Mechanics</i> , 2003, 70, 2569-2585.	4.3	5
49	Load-Bearing Capacity in Quasi-Static Compression and Bearing Toughness of Silicon Nitride Balls. <i>Tribology Transactions</i> , 2004, 47, 522-526.	2.0	4
50	Birefringence and grain-size effects on optical transmittance of polycrystalline magnesium fluoride. <i>Proceedings of SPIE</i> , 2009, , .	0.8	4
51	Prediction of Crack Paths in Particulate Composites Using Electrical Analog. <i>Journal of the American Ceramic Society</i> , 1990, 73, 340-345.	3.8	3
52	Contact damage initiation in silicon nitride in Hertzian indentation: role of microstructure. <i>Journal of Materials Science</i> , 2007, 42, 3508-3519.	3.7	3
53	Colloidal processing and optical transmittance of submicron polycrystalline alumina. , 2011, , .		2
54	Synthesis, characterization, and densification of Al _{2-x} Sc _x (WO ₄) ₃ ceramics for low-expansion infrared-transparent windows. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
55	Functional phase grading of Ti-4C : Kinetics and properties. Journal of the American Ceramic Society, 2019, 102, 3771-3778.	3.8	1
56	Comparison between high temperature dead-load creep and stress-relaxation deformation in iron-doped polycrystalline aluminum and magnesium oxides.. Journal of the Ceramic Association Japan, 1983, 91, 251-257.	0.2	0
57	C-Crack Initiation in Quasi-Static and Impact Loading of a Bearing-Grade Silicon Nitride. Journal of ASTM International, 2008, 5, 1-14.	0.2	0