

Florent Allais

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9159978/publications.pdf>

Version: 2024-02-01

146
papers

3,726
citations

136950

32
h-index

189892

50
g-index

154
all docs

154
docs citations

154
times ranked

3217
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanocrystallisation and self-assembly of biosourced ferulic acid derivative in polylactic acid elastomeric blends. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1842-1851.	9.4	6
2	Towards a comprehensive sustainability methodology to assess anthropogenic impacts on ecosystems: Review of the integration of Life Cycle Assessment, Environmental Risk Assessment and Ecosystem Services Assessment. <i>Science of the Total Environment</i> , 2022, 808, 152125.	8.0	35
3	Predictive modeling and experimental implementation of organic acids in stream recovery by reactive extraction in membrane contactors. <i>Chemical Engineering Journal</i> , 2022, 431, 134067.	12.7	2
4	Sustainable synthesis, <i>in silico</i> evaluation of potential toxicity and environmental fate, antioxidant and UV-filtering/photostability activity of phenolic-based thiobarbituric derivatives. <i>Green Chemistry Letters and Reviews</i> , 2022, 15, 116-127.	4.7	6
5	Optimization of the Recovery of Secondary Metabolites from Defatted Brassica carinata Meal and Its Effects on the Extractability and Functional Properties of Proteins. <i>Foods</i> , 2022, 11, 429.	4.3	0
6	Fully renewable photocrosslinkable polycarbonates from cellulose-derived monomers. <i>Green Chemistry</i> , 2022, 24, 2871-2881.	9.0	11
7	Improved Processability and Antioxidant Behavior of Poly(3-hydroxybutyrate) in Presence of Ferulic Acid-Based Additives. <i>Bioengineering</i> , 2022, 9, 100.	3.5	4
8	Extraction and Purification Processes of Sinapic Acid Derivatives from Rapeseed and Mustard Seed By-Products. <i>Separation and Purification Reviews</i> , 2022, 51, 521-544.	5.5	4
9	Photocatalytic Radical Addition to Levoglucosenone. <i>European Journal of Organic Chemistry</i> , 2022, .	2.4	5
10	Impact of Bis-O-dihydroferuloyl-1,4-butanediol Content on the Chemical, Enzymatic and Fungal Degradation Processes of Poly(3-hydroxybutyrate). <i>Polymers</i> , 2022, 14, 1564.	4.5	3
11	Evaluation of the Potential of Lipid-Extracted <i>Chlorella vulgaris</i> Residue for <i>Yarrowia lipolytica</i> Growth at Different pH Levels. <i>Marine Drugs</i> , 2022, 20, 264.	4.6	0
12	In-stream product recovery of p-coumaric acid heterologously produced: Implementation of a continuous liquid-liquid extraction assisted by hollow fiber membrane contactor. <i>Separation and Purification Technology</i> , 2022, 293, 121083.	7.9	8
13	Green assessment of polymer microparticles production processes: a critical review. <i>Green Chemistry</i> , 2022, 24, 4237-4269.	9.0	16
14	Synthesis and Enzymatic Degradation of Sustainable Levoglucosenone-Derived Copolyesters with Renewable Citronellol Side Chains. <i>Polymers</i> , 2022, 14, 2082.	4.5	8
15	Mechanochemical synthesis of (4 <i>S</i>)-(1 <i>N</i>)-alkyl-4,5-bis-sulfooxypentanamide <i>via</i> a one-pot sequential aminolysis-sulfation reaction of (1 <i>S</i>)- β -hydroxymethyl- β -butyrolactone (2H-HBO). <i>Green Chemistry</i> , 2022, 24, 5856-5861.	9.0	3
16	Optimization and Green Metrics Analysis of the AgOAc-Mediated Dimerization of Piceid: Toward a High-Yielding and More Sustainable Access to β -Viniferin and Synthesis of New Piceid Dimers. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 9166-9175.	6.7	0
17	Accessing <i>p</i> -Hydroxycinnamic Acids: Chemical Synthesis, Biomass Recovery, or Engineered Microbial Production?. <i>ChemSusChem</i> , 2021, 14, 118-129.	6.8	40
18	Solvent selection strategy for an ISPR (In Situ/In stream product recovery) process: The case of microbial production of p-coumaric acid coupled with a liquid-liquid extraction. <i>Separation and Purification Technology</i> , 2021, 259, 118170.	7.9	12

#	ARTICLE	IF	CITATIONS
19	New Generation UV-A Filters: Understanding Their Photodynamics on a Human Skin Mimic. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 337-344.	4.6	23
20	Selective Extraction of Sinapic Acid Derivatives from Mustard Seed Meal by Acting on pH: Toward a High Antioxidant Activity Rich Extract. <i>Molecules</i> , 2021, 26, 212.	3.8	14
21	Effective Lignin Utilization Strategy: Major Depolymerization Technologies, Purification Process and Production of Valuable Material. <i>Chemistry Letters</i> , 2021, 50, 1123-1130.	1.3	7
22	Are lignin-derived monomers and polymers truly sustainable? An in-depth green metrics calculations approach. <i>Green Chemistry</i> , 2021, 23, 1495-1535.	9.0	66
23	Valorization of waste biomass from oleaginous "oil-bearing" seeds through the biocatalytic production of sinapic acid from mustard bran. <i>Biomass and Bioenergy</i> , 2021, 145, 105940.	5.7	10
24	Optimization and Comparison of Three Cell Disruption Processes on Lipid Extraction from Microalgae. <i>Processes</i> , 2021, 9, 369.	2.8	18
25	Synthesis of Biobased Phloretin Analogues: An Access to Antioxidant and Anti-Tyrosinase Compounds for Cosmetic Applications. <i>Antioxidants</i> , 2021, 10, 512.	5.1	11
26	Blending Ferulic Acid Derivatives and Polylactic Acid into Biobased and Transparent Elastomeric Materials with Shape Memory Properties. <i>Biomacromolecules</i> , 2021, 22, 1568-1578.	5.4	15
27	Implementation of an Enzyme Membrane Reactor to Intensify the \pm -O-Glycosylation of Resveratrol Using Cyclodextrins. <i>Pharmaceuticals</i> , 2021, 14, 319.	3.8	5
28	Phenolic Ester-Decorated Cellulose Nanocrystals as UV-Absorbing Nanoreinforcements in Polyvinyl Alcohol Films. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 6427-6437.	6.7	27
29	Sinapic Acid and Sinapate Esters in Brassica: Innate Accumulation, Biosynthesis, Accessibility via Chemical Synthesis or Recovery From Biomass, and Biological Activities. <i>Frontiers in Chemistry</i> , 2021, 9, 664602.	3.6	25
30	Development of a life cycle impact assessment framework accounting for biodiversity in deep seafloor ecosystems: A case study on the Clarion Clipperton Fracture Zone. <i>Science of the Total Environment</i> , 2021, 770, 144747.	8.0	5
31	Strategic Approach Towards Plastic Waste Valorization: Challenges and Promising Chemical Upcycling Possibilities. <i>ChemSusChem</i> , 2021, 14, 4007-4027.	6.8	73
32	Sustainable Hyperbranched Functional Materials via Green Polymerization of Readily Accessible Levoglucosenone-Derived Monomers. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2100284.	3.9	8
33	Origin and industrial applications of lignosulfonates with a focus on their use as superplasticizers in concrete. <i>Construction and Building Materials</i> , 2021, 301, 124065.	7.2	27
34	Diethyl sinapate-grafted cellulose nanocrystals as nature-inspired UV filters in cosmetic formulations. <i>Materials Today Bio</i> , 2021, 12, 100126.	5.5	9
35	Intensification of p-coumaric acid heterologous production using extractive biphasic fermentation. <i>Bioresource Technology</i> , 2021, 337, 125436.	9.6	13
36	Green synthesis of 2-deoxy-D-ribonolactone from cellulose-derived levoglucosenone (LGO): A promising monomer for novel bio-based polyesters. <i>European Polymer Journal</i> , 2021, 159, 110745.	5.4	8

#	ARTICLE	IF	CITATIONS
37	Simultaneous extraction and enzymatic hydrolysis of mustard bran for the recovery of sinapic acid. <i>Food and Bioproducts Processing</i> , 2021, 130, 68-78.	3.6	9
38	The continuous evolution of the Bazancourt "Pomacle site rooted in the commitment and vision of pioneering farmers. When reality shapes the biorefinery concept. <i>EFB Bioeconomy Journal</i> , 2021, 1, 100007.	2.4	4
39	Identification and expression of a CHMO from the <i>Pseudomonas aeruginosa</i> strain Pa1242: application to the bioconversion of Cyrene α , ϵ into a key precursor (S)- β -hydroxymethyl-butylolactone. <i>Green Chemistry</i> , 2021, 23, 2694-2702.	9.0	2
40	Towards developing novel and sustainable molecular light-to-heat converters. <i>Chemical Science</i> , 2021, 12, 15239-15252.	7.4	18
41	Bio-based photo-reversible self-healing polymer designed from lignin. <i>Green Chemistry</i> , 2021, 23, 10050-10061.	9.0	19
42	Unprecedented Biodegradable Cellulose-Derived Polyesters with Pendant Citronellol Moieties: From Monomer Synthesis to Enzymatic Degradation. <i>Molecules</i> , 2021, 26, 7672.	3.8	9
43	(S)- β -Hydroxymethyl- β -butenolide, a Valuable Chiral Synthone: Syntheses, Reactivity, and Applications. <i>Organic Process Research and Development</i> , 2020, 24, 615-636.	2.7	13
44	Identification of microalgae biorefinery scenarios and development of mass and energy balance flowsheets. <i>Algal Research</i> , 2020, 45, 101737.	4.6	20
45	Glucosinolates: Natural Occurrence, Biosynthesis, Accessibility, Isolation, Structures, and Biological Activities. <i>Molecules</i> , 2020, 25, 4537.	3.8	62
46	A straightforward access to functionalizable polymers through ring-opening metathesis polymerization of levoglucosenone-derived monomers. <i>European Polymer Journal</i> , 2020, 138, 109980.	5.4	19
47	Chemo-enzymatic synthesis of a levoglucosenone-derived bi-functional monomer and its ring-opening metathesis polymerization in the green solvent Cyrene α , ϵ . <i>Polymer Chemistry</i> , 2020, 11, 7471-7475.	3.9	25
48	Synthesis and polymerization of bio-based acrylates: a review. <i>Polymer Chemistry</i> , 2020, 11, 7452-7470.	3.9	52
49	Conservation of ultrafast photoprotective mechanisms with increasing molecular complexity in sinapoyl malate derivatives. <i>ChemPhysChem</i> , 2020, 21, 2006-2011.	2.1	10
50	Exploring the Photochemistry of an Ethyl Sinapate Dimer: An Attempt Toward a Better Ultraviolet Filter. <i>Frontiers in Chemistry</i> , 2020, 8, 633.	3.6	9
51	Sinapic Acid Esters: Octinoxate Substitutes Combining Suitable UV Protection and Antioxidant Activity. <i>Antioxidants</i> , 2020, 9, 782.	5.1	28
52	Grafting Nature-Inspired and Bio-Based Phenolic Esters onto Cellulose Nanocrystals Gives Biomaterials with Photostable Anti-UV Properties. <i>ChemSusChem</i> , 2020, 13, 6552-6561.	6.8	24
53	Expedient and sustainable two-step synthesis of sinapoyl-malate and analogues: towards non-endocrine disruptive bio-based and water-soluble bioactive compounds. <i>Green Chemistry</i> , 2020, 22, 6510-6518.	9.0	16
54	Inhibition of Phenolics Uptake by Lignolytic Fungal Cells and Its Potential as a Tool for the Production of Lignin-Derived Aromatic Building Blocks. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 362.	3.5	4

#	ARTICLE	IF	CITATIONS
55	Grafting Nature-Inspired and Bio-Based Phenolic Esters onto Cellulose Nanocrystals Gives Biomaterials with Photostable Anti-UV Properties. <i>ChemSusChem</i> , 2020, 13, 6460-6460.	6.8	1
56	Cellulose-Derived Levoglucosenone, a Great Versatile Chemical Platform for the Production of Renewable Monomers and Polymers. <i>ACS Symposium Series</i> , 2020, , 77-97.	0.5	10
57	Innovative Bio-Based Organic UV-A and Blue Light Filters from Meldrum's Acid. <i>Molecules</i> , 2020, 25, 2178.	3.8	18
58	Sustainable Straightforward Synthesis and Evaluation of the Antioxidant and Antimicrobial Activity of Sinapine and Analogues. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6998-7004.	5.2	20
59	Optimization of an ethanol/water-based sinapine extraction from mustard bran using Response Surface Methodology. <i>Food and Bioproducts Processing</i> , 2020, 122, 322-331.	3.6	21
60	Editorial: From Biomass to Advanced Bio-Based Chemicals & Materials: A Multidisciplinary Perspective. <i>Frontiers in Chemistry</i> , 2020, 8, 131.	3.6	6
61	Simultaneous recovery of ferulic acid and sugars from wheat bran enzymatic hydrolysate by diananofiltration. <i>Separation and Purification Technology</i> , 2020, 242, 116755.	7.9	16
62	Biomimetic regioselective and high-yielding Cu(I)-catalyzed dimerization of sinapate esters in green solvent Cyrene, towards sustainable antioxidant and anti-UV ingredients. <i>Green Chemistry</i> , 2020, 22, 2077-2085.	9.0	32
63	Bio-based production of chemicals through metabolic engineering. , 2020, , 171-202.		1
64	Sustainable Synthesis and Polycondensation of Levoglucosenone-Cyrene-Based Bicyclic Diol Monomer: Access to Renewable Polyesters. <i>ChemSusChem</i> , 2020, 13, 2613-2620.	6.8	21
65	Sustainable Synthesis of p-Hydroxycinnamic Diacids through Proline-Mediated Knoevenagel Condensation in Ethanol: An Access to Potent Phenolic UV Filters and Radical Scavengers. <i>Antioxidants</i> , 2020, 9, 331.	5.1	22
66	Towards symmetry driven and nature inspired UV filter design. <i>Nature Communications</i> , 2019, 10, 4748.	12.8	54
67	Improvement of protein content and decrease of anti-nutritional factors in olive cake by solid-state fermentation: A way to valorize this industrial by-product in animal feed. <i>Journal of Bioscience and Bioengineering</i> , 2019, 128, 384-390.	2.2	43
68	Proline-Mediated Knoevenagel-Doebner Condensation in Ethanol: A Sustainable Access to p-Hydroxycinnamic Acids. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 9422-9427.	6.7	35
69	Eco-Friendly Extraction of Sinapine From Residues of Mustard Production. <i>Frontiers in Sustainable Food Systems</i> , 2019, 3, .	3.9	15
70	Preparation of Renewable Epoxy-Amine Resins With Tunable Thermo-Mechanical Properties, Wettability and Degradation Abilities From Lignocellulose- and Plant Oils-Derived Components. <i>Frontiers in Chemistry</i> , 2019, 7, 159.	3.6	26
71	Recovery of 3-hydroxypropionic acid from organic phases after reactive extraction with amines in an alcohol-type solvent. <i>Separation and Purification Technology</i> , 2019, 219, 260-267.	7.9	11
72	First Total Synthesis of (1 ² -5)-(1 ² -O-4) Dihydroxytrimer and Dihydrotrimer of Coniferyl Alcohol (G): Advanced Lignin Model Compounds. <i>Frontiers in Chemistry</i> , 2019, 7, 842.	3.6	6

#	ARTICLE	IF	CITATIONS
73	High-Performance Bio-Based Benzoxazines from Enzymatic Synthesis of Diphenols. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1800312.	2.2	43
74	Ferulic acid derivatives used as biobased powders for a convenient plasticization of polylactic acid in continuous hot-melt process. <i>European Polymer Journal</i> , 2019, 110, 293-300.	5.4	15
75	High-Yielding Diastereoselective <i>syn</i> -Dihydroxylation of Protected HBO: An Access to D(+)-Ribono-1,4-lactone and 5-O-Protected Analogues. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 1600-1604.		11
76	Towards an <i>in situ</i> product recovery of bio-based 3-hydroxypropionic acid: influence of bioconversion broth components on membrane-assisted reactive extraction. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 964-972.	3.2	8
77	Enzymatic Synthesis of Resveratrol \pm -Glycosides from β -Cyclodextrin-Resveratrol Complex in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 5370-5380.	6.7	28
78	Investigating isomer specific photoprotection in a model plant sunscreen. <i>Chemical Communications</i> , 2018, 54, 936-939.	4.1	33
79	Organic solvent- and catalyst-free Baeyer-Villiger oxidation of levoglucosenone and dihydrolevoglucosenone (Cyrene [®]): a sustainable route to (<i>S</i>)- β -hydroxymethyl- β -butenolide and (<i>S</i>)- β -hydroxymethyl- β -butyrolactone. <i>Green Chemistry</i> , 2018, 20, 2455-2458.	9.0	44
80	Recovering ferulic acid from wheat bran enzymatic hydrolysate by a novel and non-thermal process associating weak anion-exchange and electro dialysis. <i>Separation and Purification Technology</i> , 2018, 200, 75-83.	7.9	21
81	Enzymatic reduction of levoglucosenone by an alkene reductase (OYE 2.6): a sustainable metal- and dihydrogen-free access to the bio-based solvent Cyrene [®] . <i>Green Chemistry</i> , 2018, 20, 5528-5532.	9.0	33
82	Ferulic Acid- and Sinapic Acid-Based Bisphenols: Promising Renewable and Safer Alternatives to Bisphenol A for the Production of Bio-Based Polymers and Resins. <i>ACS Symposium Series</i> , 2018, , 221-251.	0.5	5
83	Microwave-Assisted Knoevenagel-Doebner Reaction: An Efficient Method for Naturally Occurring Phenolic Acids Synthesis. <i>Frontiers in Chemistry</i> , 2018, 6, 426.	3.6	24
84	Chemo-Enzymatic Synthesis and Free Radical Polymerization of Renewable Acrylate Monomers from Cellulose-Based Lactones. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 17284-17293.	6.7	23
85	Chemo-Enzymatic Synthesis of Renewable Sterically-Hindered Phenolic Antioxidants with Tunable Polarity from Lignocellulose and Vegetal Oil Components. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3358.	4.1	13
86	Development of potential yield loss indicators to assess the effect of seaweed farming on fish landings. <i>Algal Research</i> , 2018, 35, 194-205.	4.6	12
87	Detoxification of highly acidic hemicellulosic hydrolysate from wheat straw by diano-filtration with a focus on phenolic compounds. <i>Journal of Membrane Science</i> , 2018, 566, 112-121.	8.2	20
88	Importance of Mediators for Lignin Degradation by Fungal Laccase. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10097-10107.	6.7	77
89	Gas-Solution Phase Transient Absorption Study of the Plant Sunscreen Derivative Methyl Sinapate. <i>ChemPhotoChem</i> , 2018, 2, 743-748.	3.0	26
90	Synthetic Rhamnolipid Bolaforms trigger an innate immune response in <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2018, 8, 8534.	3.3	25

#	ARTICLE	IF	CITATIONS
91	Towards an extractive bioconversion of 3-hydroxypropionic acid: study of inhibition phenomena. <i>Journal of Chemical Technology and Biotechnology</i> , 2017, 92, 2425-2432.	3.2	15
92	Ultrafast Barrierless Photoisomerization and Strong Ultraviolet Absorption of Photoproducts in Plant Sunscreens. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 1025-1030.	4.6	76
93	New insights in reactive extraction mechanisms of organic acids: An experimental approach for 3-hydroxypropionic acid extraction with tri-n-octylamine. <i>Separation and Purification Technology</i> , 2017, 179, 523-532.	7.9	25
94	A novel and integrative process: From enzymatic fractionation of wheat bran with a hemicellulasic cocktail to the recovery of ferulic acid by weak anion exchange resin. <i>Industrial Crops and Products</i> , 2017, 105, 148-155.	5.2	29
95	From bench scale to kilolab production of renewable ferulic acid-based bisphenols: optimisation and evaluation of different purification approaches towards technical feasibility and process environmental sustainability. <i>Reaction Chemistry and Engineering</i> , 2017, 2, 406-419.	3.7	8
96	Syringaresinol: A Renewable and Safer Alternative to Bisphenol A for Epoxy-Amine Resins. <i>ChemSusChem</i> , 2017, 10, 738-746.	6.8	102
97	Chemo-Enzymatic Synthesis and Characterization of Renewable Thermoplastic and Thermoset Isocyanate-Free Poly(hydroxy)urethanes from Ferulic Acid Derivatives. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1446-1456.	6.7	55
98	Exploring the microstructure of natural fibre composites by confocal Raman imaging and image analysis. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 94, 32-40.	7.6	21
99	Microstructural and Chemical Approach To Highlight How a Simple Methyl Group Affects the Mechanical Properties of a Natural Fibers Composite. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 10352-10360.	6.7	2
100	Isocyanate-Free Synthesis and Characterization of Renewable Poly(hydroxy)urethanes from Syringaresinol. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8648-8656.	6.7	73
101	Elucidating nuclear motions in a plant sunscreen during photoisomerization through solvent viscosity effects. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 21127-21131.	2.8	30
102	Mechanistic modeling and equilibrium prediction of the reactive extraction of organic acids with amines: A comparative study of two complexation-solvation models using 3-hydroxypropionic acid. <i>Separation and Purification Technology</i> , 2017, 189, 475-487.	7.9	11
103	Lignocellulosic fibers: a critical review of the extrusion process for enhancement of the properties of natural fiber composites. <i>RSC Advances</i> , 2017, 7, 34638-34654.	3.6	86
104	Ferulic acid-based renewable esters and amides-containing epoxy thermosets from wheat bran and beetroot pulp: Chemo-enzymatic synthesis and thermo-mechanical properties characterization. <i>Industrial Crops and Products</i> , 2017, 95, 83-95.	5.2	67
105	Biocatalytic Synthesis and Polymerization via ROMP of New Biobased Phenolic Monomers: A Greener Process toward Sustainable Antioxidant Polymers. <i>Frontiers in Chemistry</i> , 2017, 5, 126.	3.6	18
106	Wheat and Sugar Beet Coproducts for the Bioproduction of 3-Hydroxypropionic Acid by <i>Lactobacillus reuteri</i> DSM17938. <i>Fermentation</i> , 2017, 3, 32.	3.0	12
107	Lipase-Catalyzed Baeyer-Villiger Oxidation of Cellulose-Derived Levoglucosenone into (S)-1 ³ -Hydroxymethyl-1,2-Butenolide: Optimization by Response Surface Methodology. <i>Frontiers in Chemistry</i> , 2016, 4, 16.	3.6	18
108	Chemo-Enzymatic Synthesis of Chiral Epoxides Ethyl and Methyl (S)-3-(Oxiran-2-yl)propanoates from Renewable Levoglucosenone: An Access to Enantiopure (S)-Dairy Lactone. <i>Molecules</i> , 2016, 21, 988.	3.8	19

#	ARTICLE	IF	CITATIONS
109	Reactive extraction of 3-hydroxypropionic acid from model aqueous solutions and real bioconversion media. Comparison with its isomer 2-hydroxypropionic (lactic) acid. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2276-2285.	3.2	15
110	Chemo-enzymatic preparation and characterization of renewable oligomers with bisguaicol moieties: promising sustainable antiradical/antioxidant additives. <i>Green Chemistry</i> , 2016, 18, 3334-3345.	9.0	33
111	ADMET polymerization of biobased monomers deriving from syringaresinol. <i>RSC Advances</i> , 2016, 6, 44297-44304.	3.6	26
112	Optimization of the Laccase-Catalyzed Synthesis of (±)-Syringaresinol and Study of its Thermal and Antiradical Activities. <i>ChemistrySelect</i> , 2016, 1, 5165-5171.	1.5	54
113	Ferulic Acid-Based Bis/Trisphenols as Renewable Antioxidants for Polypropylene and Poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlook	6.7	43
114	Structure property relationships of biobased n-alkyl bisferulate epoxy resins. <i>Green Chemistry</i> , 2016, 18, 4961-4973.	9.0	73
115	Reactive extraction of bio-based 3-hydroxypropionic acid assisted by hollow-fiber membrane contactor using TOA and Aliquat 336 in <i>n</i> -decanol. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2705-2712.	3.2	24
116	Monitoring of free phenol content in lignosulfonates by ClO ₂ titration and UV difference spectroscopy. <i>Holzforschung</i> , 2016, 70, 719-724.	1.9	5
117	Ultrafast Photoprotecting Sunscreens in Natural Plants. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 56-61.	4.6	100
118	Structure-Activity Relationships and Structural Design Optimization of a Series of <i>p</i> -Hydroxycinnamic Acids-Based Bis- and Trisphenols as Novel Sustainable Antiradical/Antioxidant Additives. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 3486-3496.	6.7	47
119	Renewable polymers derived from ferulic acid and biobased diols via ADMET. <i>European Polymer Journal</i> , 2015, 62, 236-243.	5.4	82
120	Comparative electrochemical study on monolignols and dimers relevant for the comprehension of the lignification process. <i>Phytochemistry Letters</i> , 2015, 13, 280-285.	1.2	13
121	Chemo-enzymatic Synthesis, Derivatizations, and Polymerizations of Renewable Phenolic Monomers Derived from Ferulic Acid and Biobased Polyols: An Access to Sustainable Copolyesters, Poly(ester-urethane)s, and Poly(ester-alkenamer)s. <i>ACS Symposium Series</i> , 2015, , 41-68.	0.5	9
122	Diversity of <i>Lactobacillus reuteri</i> Strains in Converting Glycerol into 3-Hydroxypropionic Acid. <i>Applied Biochemistry and Biotechnology</i> , 2015, 177, 923-939.	2.9	36
123	Relationships between the use of Embden Meyerhof pathway (EMP) or Phosphoketolase pathway (PKP) and lactate production capabilities of diverse <i>Lactobacillus reuteri</i> strains. <i>Journal of Microbiology</i> , 2015, 53, 702-710.	2.8	23
124	3-Hydroxypropionaldehyde (3-HPA) quantification by HPLC using a synthetic acrolein-free 3-hydroxypropionaldehyde system as analytical standard. <i>RSC Advances</i> , 2015, 5, 92619-92627.	3.6	11
125	Renewable alternating aliphatic-aromatic poly(ester-urethane)s prepared from ferulic acid and bio-based diols. <i>European Polymer Journal</i> , 2015, 63, 186-193.	5.4	64
126	Chemo-enzymatic synthesis of key intermediates (S)- β -hydroxymethyl- β -butenolide and (S)- β -hydroxymethyl- β -butyrolactone via lipase-mediated Baeyer-Villiger oxidation of levoglucosenone. <i>Green Chemistry</i> , 2015, 17, 404-412.	9.0	59

#	ARTICLE	IF	CITATIONS
127	Renewable Alternating Aliphatic ² -Aromatic Copolyesters Derived from Biobased Ferulic Acid, Diols, and Diacids: Sustainable Polymers with Tunable Thermal Properties. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 431-439.	2.2	110
128	Plant Sunscreens in the UV-B: Ultraviolet Spectroscopy of Jet-Cooled Sinapoyl Malate, Sinapic Acid, and Sinapate Ester Derivatives. <i>Journal of the American Chemical Society</i> , 2014, 136, 14780-14795.	13.7	141
129	Chemoenzymatic Total Synthesis of a Naturally Occurring (5 ⁵)/(8 ² -O) Dehydrotrimer of Ferulic Acid. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 173-179.	2.4	28
130	Chemo-enzymatic preparation of new bio-based bis- and trisphenols: new versatile building blocks for polymer chemistry. <i>RSC Advances</i> , 2013, 3, 8988.	3.6	79
131	An Access to Chiral ² -Benzyl- ³ -butyrolactones and Its Application to the Synthesis of Enantiopure (+)-Secoisolaricresinol, (-)-Secoisolaricresinol, and (-)-Enterolactone. <i>Synthesis</i> , 2011, 2011, 1456-1464.	2.3	12
132	Stereoselective Total Synthesis of (+)-Dodoneine. <i>Synthesis</i> , 2010, 2010, 1649-1653.	2.3	16
133	Asymmetric Total Synthesis of Rugulactone, an $\hat{\pm}$ -Pyrone from <i>Cryptocarya rugulosa</i> . <i>Synthesis</i> , 2010, 2010, 2787-2793.	2.3	20
134	Straightforward Total Synthesis of 2-O-Feruloyl-l-malate, 2-O-Sinapoyl-l-malate and 2-O-5-Hydroxyferuloyl-l-malate. <i>Synthesis</i> , 2009, 2009, 3571-3578.	2.3	37
135	Imbalanced Lignin Biosynthesis Promotes the Sexual Reproduction of Homothallic Oomycete Pathogens. <i>PLoS Pathogens</i> , 2009, 5, e1000264.	4.7	80
136	A Short and Highly Diastereoselective Synthesis of Verbalactone. <i>Synlett</i> , 2007, 2007, 0451-0452.	1.8	2
137	Part 2. Mechanistic aspects of the reduction of <i>S</i> -alkyl-thionocarbonates in the presence of triethylborane and air. <i>Beilstein Journal of Organic Chemistry</i> , 2007, 3, 46.	2.2	22
138	A Comparison of a Radical Polymerization vs ROMP Matrix for Molecular Imprinting. <i>Macromolecules</i> , 2006, 39, 7859-7862.	4.8	11
139	Enantio- and Diastereoselective Allylmetalations: An Easy and Efficient Access to the AB Spiroketal of Spongistatin. <i>Organic Letters</i> , 2006, 8, 3655-3657.	4.6	25
140	A Short and Efficient Synthesis of (-)-Diospongin A. <i>Synlett</i> , 2006, 2006, 3455-3456.	1.8	4
141	Desymmetrisation of Cyclopentadienylsilane by Asymmetric Cyclopropanation. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 1069-1073.	2.4	18
142	Desymmetrization of Cyclopentadienylsilane by Asymmetric Cyclopropanation.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
143	Aldehyde ² -alkene cyclizations via O-stannyl ketyl radicals using sugars as chiral auxiliaries. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 2871-2874.	1.8	9
144	Highly Diastereoselective 5-Hexenyl Radical Cyclizations with Lewis Acids and Carbohydrate Scaffolds. <i>Organic Letters</i> , 2001, 3, 145-147.	4.6	34

#	ARTICLE	IF	CITATIONS
145	Valorization of Oleaginous "Oil-Bearing" Biomass Through the Biocatalytic Production of Sinapic Acid from Mustard Bran. SSRN Electronic Journal, 0, , .	0.4	0
146	From Biomass-Derived p-Hydroxycinnamic Acids to Novel Sustainable and Non-Toxic Phenolics-Based UV-Filters: A Multidisciplinary Journey. Frontiers in Chemistry, 0, 10, .	3.6	4