

Rosa Maria Borzani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9160405/publications.pdf>

Version: 2024-02-01

66
papers

3,563
citations

186209

28
h-index

155592

55
g-index

68
all docs

68
docs citations

68
times ranked

4689
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | NF- κ B Signaling: Multiple Angles to Target OA. <i>Current Drug Targets</i> , 2010, 11, 599-613. | 1.0 | 478 |
| 2 | Biomaterials: Foreign Bodies or Tuners for the Immune Response?. <i>International Journal of Molecular Sciences</i> , 2019, 20, 636. | 1.8 | 426 |
| 3 | Roles of inflammatory and anabolic cytokines in cartilage metabolism: signals and multiple effectors converge upon MMP-13 regulation in osteoarthritis. , 2011, 21, 202-220. | | 386 |
| 4 | Enhanced and coordinated in vivo expression of inflammatory cytokines and nitric oxide synthase by chondrocytes from patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1998, 41, 2165-2174. | 6.7 | 243 |
| 5 | p16INK4a and its regulator miR-24 link senescence and chondrocyte terminal differentiation-associated matrix remodeling in osteoarthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, R58. | 1.6 | 175 |
| 6 | Human chondrocytes express functional chemokine receptors and release matrix-degrading enzymes in response to C-X-C and C-C chemokines. <i>Arthritis and Rheumatism</i> , 2000, 43, 1734-1741. | 6.7 | 142 |
| 7 | Flow cytometric analysis of intracellular chemokines in chondrocytes in vivo: constitutive expression and enhancement in osteoarthritis and rheumatoid arthritis. <i>FEBS Letters</i> , 1999, 455, 238-242. | 1.3 | 89 |
| 8 | mTOR, AMPK, and Sirt1: Key Players in Metabolic Stress Management. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2015, 25, 59-75. | 0.4 | 82 |
| 9 | Chemokines in Cartilage Degradation. <i>Clinical Orthopaedics and Related Research</i> , 2004, 427, S53-S61. | 0.7 | 76 |
| 10 | Molecular Mechanisms Contributing to Mesenchymal Stromal Cell Aging. <i>Biomolecules</i> , 2020, 10, 340. | 1.8 | 74 |
| 11 | Differential requirements for IKK α and IKK β in the differentiation of primary human osteoarthritic chondrocytes. <i>Arthritis and Rheumatism</i> , 2008, 58, 227-239. | 6.7 | 71 |
| 12 | Emerging Players at the Intersection of Chondrocyte Loss of Maturational Arrest, Oxidative Stress, Senescence and Low-Grade Inflammation in Osteoarthritis. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-17. | 1.9 | 70 |
| 13 | A role for chemokines in the induction of chondrocyte phenotype modulation. <i>Arthritis and Rheumatism</i> , 2004, 50, 112-122. | 6.7 | 67 |
| 14 | Hydroxytyrosol prevents chondrocyte death under oxidative stress by inducing autophagy through sirtuin 1-dependent and -independent mechanisms. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 1181-1191. | 1.1 | 59 |
| 15 | Human Osteoarthritic Cartilage Shows Reduced In Vivo Expression of IL-4, a Chondroprotective Cytokine that Differentially Modulates IL-1 β -Stimulated Production of Chemokines and Matrix-Degrading Enzymes In Vitro. <i>PLoS ONE</i> , 2014, 9, e96925. | 1.1 | 55 |
| 16 | Chondrocyte hypertrophy and apoptosis induced by GRO α require three-dimensional interaction with the extracellular matrix and a co-receptor role of chondroitin sulfate and are associated with the mitochondrial splicing variant of cathepsin B. <i>Journal of Cellular Physiology</i> , 2007, 210, 417-427. | 2.0 | 50 |
| 17 | Matrix metalloproteinase 13 loss associated with impaired extracellular matrix remodeling disrupts chondrocyte differentiation by concerted effects on multiple regulatory factors. <i>Arthritis and Rheumatism</i> , 2010, 62, 2370-2381. | 6.7 | 49 |
| 18 | Hydroxytyrosol modulates the levels of microRNA-9 and its target sirtuin-1 thereby counteracting oxidative stress-induced chondrocyte death. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 600-610. | 0.6 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Serum copper/zinc superoxide dismutase levels in patients with rheumatoid arthritis. <i>International Journal of Clinical and Laboratory Research</i> , 1996, 26, 245-249. | 1.0 | 41 |
| 20 | Spermidine rescues the deregulated autophagic response to oxidative stress of osteoarthritic chondrocytes. <i>Free Radical Biology and Medicine</i> , 2020, 153, 159-172. | 1.3 | 40 |
| 21 | IKK β /CHUK Regulates Extracellular Matrix Remodeling Independent of Its Kinase Activity to Facilitate Articular Chondrocyte Differentiation. <i>PLoS ONE</i> , 2013, 8, e73024. | 1.1 | 39 |
| 22 | Growth-related oncogene β induction of apoptosis in osteoarthritis chondrocytes. <i>Arthritis and Rheumatism</i> , 2002, 46, 3201-3211. | 6.7 | 38 |
| 23 | Sustained NF κ B activation produces a short-term cell proliferation block in conjunction with repressing effectors of cell cycle progression controlled by E2F or FoxM1. <i>Journal of Cellular Physiology</i> , 2009, 218, 215-227. | 2.0 | 37 |
| 24 | Sulforaphane protects human chondrocytes against cell death induced by various stimuli. <i>Journal of Cellular Physiology</i> , 2011, 226, 1771-1779. | 2.0 | 36 |
| 25 | Hydroxytyrosol Prevents Increase of Osteoarthritis Markers in Human Chondrocytes Treated with Hydrogen Peroxide or Growth-Related Oncogene β . <i>PLoS ONE</i> , 2014, 9, e109724. | 1.1 | 34 |
| 26 | Polyamine depletion inhibits apoptosis following blocking of survival pathways in human chondrocytes stimulated by tumor necrosis factor- α . <i>Journal of Cellular Physiology</i> , 2006, 206, 138-146. | 2.0 | 32 |
| 27 | Lithium Chloride Dependent Glycogen Synthase Kinase 3 Inactivation Links Oxidative DNA Damage, Hypertrophy and Senescence in Human Articular Chondrocytes and Reproduces Chondrocyte Phenotype of Obese Osteoarthritis Patients. <i>PLoS ONE</i> , 2015, 10, e0143865. | 1.1 | 32 |
| 28 | MicroRNAs and Autophagy: Fine Players in the Control of Chondrocyte Homeostatic Activities in Osteoarthritis. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-16. | 1.9 | 32 |
| 29 | Nutraceutical Activity in Osteoarthritis Biology: A Focus on the Nutrigenomic Role. <i>Cells</i> , 2020, 9, 1232. | 1.8 | 29 |
| 30 | Polyamine biosynthesis as a target to inhibit apoptosis of non-tumoral cells. <i>Amino Acids</i> , 2007, 33, 197-202. | 1.2 | 28 |
| 31 | Glycogen Synthase Kinase-3 β Inhibition Links Mitochondrial Dysfunction, Extracellular Matrix Remodelling and Terminal Differentiation in Chondrocytes. <i>Scientific Reports</i> , 2017, 7, 12059. | 1.6 | 27 |
| 32 | Autoantibodies to Poly(ADP-Ribose)Polymerase in Autoimmune Diseases. <i>Autoimmunity</i> , 1990, 6, 203-209. | 1.2 | 26 |
| 33 | Cell and matrix morpho-functional analysis in chondrocyte micromasses. <i>Microscopy Research and Technique</i> , 2005, 67, 286-295. | 1.2 | 26 |
| 34 | Cell death in human articular chondrocyte: a morpho-functional study in micromass model. Apoptosis: an International Journal on Programmed Cell Death, 2014, 19, 1471-1483. | 2.2 | 26 |
| 35 | Small Extracellular Vesicles from adipose derived stromal cells significantly attenuate in vitro the NF κ B dependent inflammatory/catabolic environment of osteoarthritis. <i>Scientific Reports</i> , 2021, 11, 1053. | 1.6 | 26 |
| 36 | A fluorescent in situ hybridization method in flow cytometry to detect HIV-1 specific RNA. <i>Journal of Immunological Methods</i> , 1996, 193, 167-176. | 0.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Chondroprotective activity of N-acetyl phenylalanine glucosamine derivative on knee joint structure and inflammation in a murine model of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 589-599. | 0.6 | 24 |
| 38 | Elevated Serum Superoxide Dismutase Levels Correlate with Disease Severity and Neutrophil Degranulation in Idiopathic Pulmonary Fibrosis. <i>Clinical Science</i> , 1993, 85, 353-359. | 1.8 | 23 |
| 39 | Polyamine depletion inhibits NF- κ B binding to DNA and interleukin-8 production in human chondrocytes stimulated by tumor necrosis factor- α . <i>Journal of Cellular Physiology</i> , 2005, 204, 956-963. | 2.0 | 23 |
| 40 | Mapping of topoisomerase II β epitopes recognized by autoantibodies in idiopathic pulmonary fibrosis. <i>Clinical and Experimental Immunology</i> , 1998, 114, 339-346. | 1.1 | 22 |
| 41 | Enhanced Osteoblastogenesis of Adipose-Derived Stem Cells on Spermine Delivery via β -Catenin Activation. <i>Stem Cells and Development</i> , 2013, 22, 1588-1601. | 1.1 | 22 |
| 42 | Role of polyamines in hypertrophy and terminal differentiation of osteoarthritic chondrocytes. <i>Amino Acids</i> , 2012, 42, 667-678. | 1.2 | 21 |
| 43 | Idiopathic pulmonary fibrosis: can cell mediated immunity markers predict clinical outcome?. <i>Thorax</i> , 1990, 45, 536-540. | 2.7 | 18 |
| 44 | IgG subclass distribution of anti-HBs antibodies following vaccination with cDNA HBsAg. <i>Journal of Immunological Methods</i> , 1992, 146, 17-23. | 0.6 | 17 |
| 45 | Polyamine delivery as a tool to modulate stem cell differentiation in skeletal tissue engineering. <i>Amino Acids</i> , 2014, 46, 717-728. | 1.2 | 16 |
| 46 | PKC δ is a regulator of hypertrophic differentiation of chondrocytes in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1451-1460. | 0.6 | 16 |
| 47 | The polyamine analogue N^{11} -diethylnorspermine can induce chondrocyte apoptosis independently of its ability to alter metabolism and levels of natural polyamines. <i>Journal of Cellular Physiology</i> , 2009, 219, 109-116. | 2.0 | 15 |
| 48 | Antibodies to topoisomerase II in idiopathic pulmonary fibrosis. <i>Clinical Rheumatology</i> , 1993, 12, 311-315. | 1.0 | 13 |
| 49 | Down-modulation of chemokine receptor cartilage expression in inflammatory arthritis. <i>British Journal of Rheumatology</i> , 2003, 42, 14-18. | 2.5 | 13 |
| 50 | Intracellular Cu/Zn superoxide dismutase levels in T and non-T cells from normal aged subjects. <i>Mechanisms of Ageing and Development</i> , 1994, 73, 27-37. | 2.2 | 12 |
| 51 | The N-Acetyl Phenylalanine Glucosamine Derivative Attenuates the Inflammatory/Catabolic Environment in a Chondrocyte-Synoviocyte Co-Culture System. <i>Scientific Reports</i> , 2019, 9, 13603. | 1.6 | 12 |
| 52 | Induction of ornithine decarboxylase in T/C-28a2 chondrocytes by lysophosphatidic acid: Signaling pathway and inhibition of cell proliferation. <i>FEBS Letters</i> , 2005, 579, 2919-2925. | 1.3 | 11 |
| 53 | Effect of oxidative stress and 3-hydroxytyrosol on DNA methylation levels of miR-9 promoters. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7885-7889. | 1.6 | 10 |
| 54 | Oxidative stress-induced DNA damage and repair in primary human osteoarthritis chondrocytes: focus on IKK β and the DNA Mismatch Repair System. <i>Free Radical Biology and Medicine</i> , 2021, 166, 212-225. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Intracellular nucleotides of lymphocytes and granulocytes from normal ageing subjects. Mechanisms of Ageing and Development, 1992, 64, 1-11. | 2.2 | 9 |
| 56 | Soft TCPTP Agonism—Novel Target to Rescue Airway Epithelial Integrity by Exogenous Spermidine. Frontiers in Pharmacology, 2016, 7, 147. | 1.6 | 9 |
| 57 | Polyamine supplementation reduces DNA damage in adipose stem cells cultured in 3-D. Scientific Reports, 2019, 9, 14269. | 1.6 | 9 |
| 58 | Pleiotropic Roles of NOTCH1 Signaling in the Loss of Maturation Arrest of Human Osteoarthritic Chondrocytes. International Journal of Molecular Sciences, 2021, 22, 12012. | 1.8 | 7 |
| 59 | Effect of the polyamine analogue <i>N</i> ¹ , <i>N</i> ¹¹ -diethylnorspermine on cell survival and susceptibility to apoptosis of human chondrocytes. Journal of Cellular Physiology, 2008, 216, 153-161. | 2.0 | 6 |
| 60 | Comparison of different methods for the detection of autoantibodies in autoimmune diseases. International Journal of Clinical and Laboratory Research, 1995, 25, 205-210. | 1.0 | 4 |
| 61 | —Spermidine restores dysregulated autophagy and polyamine synthesis in aged and osteoarthritic chondrocytes via EP300. Experimental and Molecular Medicine, 2019, 51, 1-2. | 3.2 | 4 |
| 62 | Modulation of Fatty Acid-Related Genes in the Response of H9c2 Cardiac Cells to Palmitate and n-3 Polyunsaturated Fatty Acids. Cells, 2020, 9, 537. | 1.8 | 2 |
| 63 | Basal and IL-1 ^β enhanced chondrocyte chemotactic activity on monocytes are co-dependent on both IKK ^α and IKK ^β NF- κ B activating kinases. Scientific Reports, 2021, 11, 21697. | 1.6 | 2 |
| 64 | Superoxide Dismutases in Idiopathic Pulmonary Fibrosis. Clinical Science, 1995, 88, 371-371. | 1.8 | 1 |
| 65 | Production of the chemokine RANTES by articular chondrocytes and its role in cartilage degradation: Comment on the article by Alaaeddine et al. Arthritis and Rheumatism, 2003, 48, 278-278. | 6.7 | 1 |
| 66 | Detection of Circulating Autoantibodies to Poly(ADP-Ribose)Polymerase in Autoimmune Diseases. Annals of the New York Academy of Sciences, 1992, 663, 508-509. | 1.8 | 0 |