

# Martin Rowe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9163394/publications.pdf>

Version: 2024-02-01

151  
papers

14,618  
citations

15504

65  
h-index

20358

116  
g-index

153  
all docs

153  
docs citations

153  
times ranked

8751  
citing authors

#	ARTICLE	IF	CITATIONS
1	EBV BCL-2 homologue BHRF1 drives chemoresistance and lymphomagenesis by inhibiting multiple cellular pro-apoptotic proteins. <i>Cell Death and Differentiation</i> , 2020, 27, 1554-1568.	11.2	35
2	Sphingosine-1-phosphate signalling drives an angiogenic transcriptional programme in diffuse large B cell lymphoma. <i>Leukemia</i> , 2019, 33, 2884-2897.	7.2	26
3	Coordinated repression of BIM and PUMA by Epstein-Barr virus latent genes maintains the survival of Burkitt lymphoma cells. <i>Cell Death and Differentiation</i> , 2018, 25, 241-254.	11.2	20
4	Induction of the Lytic Cycle Sensitizes Epstein-Barr Virus-Infected B Cells to NK Cell Killing That Is Counteracted by Virus-Mediated NK Cell Evasion Mechanisms in the Late Lytic Cycle. <i>Journal of Virology</i> , 2016, 90, 947-958.	3.4	26
5	The Missing Link in Epstein-Barr Virus Immune Evasion: the BDLF3 Gene Induces Ubiquitination and Downregulation of Major Histocompatibility Complex Class I (MHC-I) and MHC-II. <i>Journal of Virology</i> , 2016, 90, 356-367.	3.4	63
6	Immunity to Oncogenic Viruses. , 2016, , 363-374.		0
7	Memory B-cell reconstitution following allogeneic hematopoietic stem cell transplantation is an EBV-associated transformation event. <i>Blood</i> , 2015, 126, 2665-2675.	1.4	31
8	Identification of Epstein-Barr Virus Replication Proteins in Burkitt's Lymphoma Cells. <i>Pathogens</i> , 2015, 4, 739-751.	2.8	17
9	Unexpected patterns of Epstein-Barr virus transcription revealed by a High throughput PCR array for absolute quantification of viral mRNA. <i>Virology</i> , 2015, 474, 117-130.	2.4	68
10	The Epstein-Barr Virus BamHI C Promoter Is Not Essential for B Cell Immortalization In Vitro, but It Greatly Enhances B Cell Growth Transformation. <i>Journal of Virology</i> , 2015, 89, 2483-2493.	3.4	4
11	Innate Immune Recognition of EBV. <i>Current Topics in Microbiology and Immunology</i> , 2015, 391, 265-287.	1.1	29
12	Epstein-Barr virus transcription factor Zta acts through distal regulatory elements to directly control cellular gene expression. <i>Nucleic Acids Research</i> , 2015, 43, 3563-3577.	14.5	37
13	Epstein-Barr virus and Burkitt lymphoma. <i>Chinese Journal of Cancer</i> , 2014, 33, 609-19.	4.9	54
14	Cooperation between Epstein-Barr Virus Immune Evasion Proteins Spreads Protection from CD8+ T Cell Recognition across All Three Phases of the Lytic Cycle. <i>PLoS Pathogens</i> , 2014, 10, e1004322.	4.7	47
15	Targeting of MCL-1 kills MYC-driven mouse and human lymphomas even when they bear mutations in p53. <i>Genes and Development</i> , 2014, 28, 58-70.	5.9	156
16	Counteracting Effects of Cellular Notch and Epstein-Barr Virus EBNA2: Implications for Stromal Effects on Virus-Host Interactions. <i>Journal of Virology</i> , 2014, 88, 12065-12076.	3.4	29
17	Epstein Barr virus entry; kissing and conjugation. <i>Current Opinion in Virology</i> , 2014, 4, 78-84.	5.4	65
18	Suppression of the LMP2A target gene, EGR1, protects Hodgkin's lymphoma cells from entry to the EBV lytic cycle. <i>Journal of Pathology</i> , 2013, 230, 399-409.	4.5	31

#	ARTICLE	IF	CITATIONS
19	Kaposi's Sarcoma-Associated Herpesvirus-Encoded Viral IRF3 Modulates Major Histocompatibility Complex Class II (MHC-II) Antigen Presentation through MHC-II Transactivator-Dependent and -Independent Mechanisms: Implications for Oncogenesis. <i>Journal of Virology</i> , 2013, 87, 5340-5350.	3.4	18
20	Induction of Interferon-Stimulated Genes on the IL-4 Response Axis by Epstein-Barr Virus Infected Human B Cells; Relevance to Cellular Transformation. <i>PLoS ONE</i> , 2013, 8, e64868.	2.5	12
21	Herpesviruses Placating the Unwilling Host: Manipulation of the MHC Class II Antigen Presentation Pathway. <i>Viruses</i> , 2012, 4, 1335-1353.	3.3	25
22	Burkitt lymphoma pathogenesis and therapeutic targets from structural and functional genomics. <i>Nature</i> , 2012, 490, 116-120.	27.8	759
23	Epstein-Barr Virus and the Pathogenesis of T and NK Lymphoma: a Mystery Unsolved. <i>Current Hematologic Malignancy Reports</i> , 2012, 7, 276-284.	2.3	25
24	Hypomethylation and Over-Expression of the Beta Isoform of BLIMP1 is Induced by Epstein-Barr Virus Infection of B Cells; Potential Implications for the Pathogenesis of EBV-Associated Lymphomas. <i>Pathogens</i> , 2012, 1, 83-101.	2.8	10
25	Arginine Methyltransferases Are Regulated by Epstein-Barr Virus in B Cells and Are Differentially Expressed in Hodgkin's Lymphoma. <i>Pathogens</i> , 2012, 1, 52-64.	2.8	14
26	Down-regulation of BLIMP1 by the EBV oncogene, LMP-1, disrupts the plasma cell differentiation program and prevents viral replication in B cells: implications for the pathogenesis of EBV-associated B-cell lymphomas. <i>Blood</i> , 2011, 117, 5907-5917.	1.4	86
27	The H3K27me3 demethylase, KDM6B, is induced by Epstein-Barr virus and over-expressed in Hodgkin's Lymphoma. <i>Oncogene</i> , 2011, 30, 2037-2043.	5.9	133
28	Deciphering the role of Epstein-Barr virus in the pathogenesis of T and NK cell lymphoproliferations. <i>Herpesviridae</i> , 2011, 2, 8.	2.7	40
29	The Epstein-Barr Virus-Encoded BILF1 Protein Modulates Immune Recognition of Endogenously Processed Antigen by Targeting Major Histocompatibility Complex Class I Molecules Trafficking on both the Exocytic and Endocytic Pathways. <i>Journal of Virology</i> , 2011, 85, 1604-1614.	3.4	74
30	Quantitative Studies of Epstein-Barr Virus-Encoded MicroRNAs Provide Novel Insights into Their Regulation. <i>Journal of Virology</i> , 2011, 85, 996-1010.	3.4	99
31	Epstein-Barr Virus Latent Membrane Protein 1 Increases Calcium Influx through Store-operated Channels in B Lymphoid Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 18583-18592.	3.4	31
32	Epigenetic and Transcriptional Changes Which Follow Epstein-Barr Virus Infection of Germinal Center B Cells and Their Relevance to the Pathogenesis of Hodgkin's Lymphoma. <i>Journal of Virology</i> , 2011, 85, 9568-9577.	3.4	81
33	Epstein-Barr Virus Infection of Polarized Epithelial Cells via the Basolateral Surface by Memory B Cell-Mediated Transfer Infection. <i>PLoS Pathogens</i> , 2011, 7, e1001338.	4.7	89
34	Epstein-Barr Virus Evades CD4+ T Cell Responses in Lytic Cycle through BZLF1-mediated Downregulation of CD74 and the Cooperation of vBcl-2. <i>PLoS Pathogens</i> , 2011, 7, e1002455.	4.7	61
35	A novel latent membrane 2 transcript expressed in Epstein-Barr virus-positive NK- and T-cell lymphoproliferative disease encodes a target for cellular immunotherapy. <i>Blood</i> , 2010, 116, 3695-3704.	1.4	63
36	Immune responses to Epstein-Barr virus: molecular interactions in the virus evasion of CD8+ T cell immunity. <i>Microbes and Infection</i> , 2010, 12, 173-181.	1.9	46

#	ARTICLE	IF	CITATIONS
37	Epstein-Barr Virus-Associated Hemophagocytic Lymphohistiocytosis in Adults Characterized by High Viral Genome Load within Circulating Natural Killer Cells. <i>Clinical Infectious Diseases</i> , 2010, 51, 66-69.	5.8	51
38	Stage-Specific Inhibition of MHC Class I Presentation by the Epstein-Barr Virus BNLF2a Protein during Virus Lytic Cycle. <i>PLoS Pathogens</i> , 2009, 5, e1000490.	4.7	80
39	Features Distinguishing Epstein-Barr Virus Infections of Epithelial Cells and B Cells: Viral Genome Expression, Genome Maintenance, and Genome Amplification. <i>Journal of Virology</i> , 2009, 83, 7749-7760.	3.4	104
40	An Epstein-Barr Virus Anti-Apoptotic Protein Constitutively Expressed in Transformed Cells and Implicated in Burkitt Lymphomagenesis: The Wp/BHRF1 Link. <i>PLoS Pathogens</i> , 2009, 5, e1000341.	4.7	142
41	STAT1 contributes to the maintenance of the latency III viral programme observed in Epstein-Barr virus-transformed B cells and their recognition by CD8+ T cells. <i>Journal of General Virology</i> , 2009, 90, 2239-2250.	2.9	12
42	Cyclical Expression of EBV Latent Membrane Protein 1 in EBV-Transformed B Cells Underpins Heterogeneity of Epitope Presentation and CD8+ T Cell Recognition. <i>Journal of Immunology</i> , 2009, 182, 1919-1928.	0.8	31
43	The Epstein-Barr Virus G-Protein-Coupled Receptor Contributes to Immune Evasion by Targeting MHC Class I Molecules for Degradation. <i>PLoS Pathogens</i> , 2009, 5, e1000255.	4.7	149
44	Burkitt's lymphoma: The Rosetta Stone deciphering Epstein-Barr virus biology. <i>Seminars in Cancer Biology</i> , 2009, 19, 377-388.	9.6	94
45	Modulation of B-cell endoplasmic reticulum calcium homeostasis by Epstein-Barr virus Latent Membrane Protein-1. <i>Molecular Cancer</i> , 2009, 8, 59.	19.2	31
46	Epstein-Barr virus evasion of CD8+ and CD4+ T cell immunity via concerted actions of multiple gene products. <i>Seminars in Cancer Biology</i> , 2008, 18, 397-408.	9.6	108
47	The DNase of Gammaherpesviruses Impairs Recognition by Virus-Specific CD8 <sup>+</sup> T Cells through an Additional Host Shutoff Function. <i>Journal of Virology</i> , 2008, 82, 2385-2393.	3.4	87
48	Host shutoff during productive Epstein-Barr virus infection is mediated by BGLF5 and may contribute to immune evasion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3366-3371.	7.1	202
49	CD154 Tone Sets the Signaling Pathways and Transcriptome Generated in Model CD40-Pluricompetent L3055 Burkitt's Lymphoma Cells. <i>Journal of Immunology</i> , 2007, 179, 2705-2712.	0.8	14
50	Epstein-Barr virus induces a distinct form of DNA-bound STAT1 compared with that found in interferon-stimulated B lymphocytes. <i>Journal of General Virology</i> , 2007, 88, 1876-1886.	2.9	15
51	The Switch from Latent to Productive Infection in Epstein-Barr Virus-Infected B Cells Is Associated with Sensitization to NK Cell Killing. <i>Journal of Virology</i> , 2007, 81, 474-482.	3.4	134
52	Bmi-1 is induced by the Epstein-Barr virus oncogene LMP1 and regulates the expression of viral target genes in Hodgkin lymphoma cells. <i>Blood</i> , 2007, 109, 2597-2603.	1.4	89
53	Three Restricted Forms of Epstein-Barr Virus Latency Counteracting Apoptosis in c-Myc Expressing Burkitt Lymphoma Cells. <i>Blood</i> , 2007, 110, 1572-1572.	1.4	2
54	Epstein-Barr Virus Represses the FoxO1 Transcription Factor through Latent Membrane Protein 1 and Latent Membrane Protein 2A. <i>Journal of Virology</i> , 2006, 80, 11191-11199.	3.4	27

#	ARTICLE	IF	CITATIONS
55	Epstein-Barr Virus gp42 Is Posttranslationally Modified To Produce Soluble gp42 That Mediates HLA Class II Immune Evasion. <i>Journal of Virology</i> , 2005, 79, 841-852.	3.4	82
56	Impaired Transporter Associated with Antigen Processing-Dependent Peptide Transport during Productive EBV Infection. <i>Journal of Immunology</i> , 2005, 174, 6829-6838.	0.8	70
57	Susceptibility of B lymphocytes to adenovirus type 5 infection is dependent upon both coxsackievirus adenovirus receptor and $\alpha 5 \beta 1$ integrin expression. <i>Journal of General Virology</i> , 2005, 86, 1669-1679.	2.9	13
58	Nuclear Factor $\kappa$ B-Dependent Activation of the Antiapoptotic bcl-2 Gene by the Epstein-Barr Virus Latent Membrane Protein 1 and Activated CD40 Receptor. <i>Journal of Virology</i> , 2004, 78, 1800-1816.	3.4	52
59	Analysis of human tumour necrosis factor receptor 1 dominant-negative mutants reveals a major region controlling cell surface expression. <i>FEBS Letters</i> , 2004, 570, 138-142.	2.8	7
60	Epstein-barr virus latent membrane protein-1 mediates upregulation of tumor necrosis factor- $\alpha$ in EBV-infected T cells: Implications for the pathogenesis of hemophagocytic syndrome. <i>Journal of Biomedical Science</i> , 2003, 10, 146-155.	7.0	11
61	NF- $\kappa$ B is required for cell death induction by latent membrane protein 1 of Epstein-Barr virus. <i>Cellular Signalling</i> , 2003, 15, 423-433.	3.6	14
62	Latent Membrane Protein 1 of Epstein-Barr Virus Stimulates Processing of NF- $\kappa$ B2 p100 to p52. <i>Journal of Biological Chemistry</i> , 2003, 278, 51134-51142.	3.4	66
63	Epstein-Barr virus LMP1 blocks p16INK4a-Rb pathway by promoting nuclear export of E2F4/5. <i>Journal of Cell Biology</i> , 2003, 162, 173-183.	5.2	91
64	Latent Membrane Protein 1 Inhibits Epstein-Barr Virus Lytic Cycle Induction and Progress via Different Mechanisms. <i>Journal of Virology</i> , 2003, 77, 5000-5007.	3.4	58
65	Two Carboxyl-terminal Activation Regions of Epstein-Barr Virus Latent Membrane Protein 1 Activate NF- $\kappa$ B through Distinct Signaling Pathways in Fibroblast Cell Lines. <i>Journal of Biological Chemistry</i> , 2003, 278, 46565-46575.	3.4	65
66	Epstein-Barr Virus Latent Membrane Protein-1 Mediates Upregulation of Tumor Necrosis Factor- $\alpha$ in EBV-Infected T Cells: Implications for the Pathogenesis of Hemophagocytic Syndrome. <i>Journal of Biomedical Science</i> , 2003, 10, 146-155.	7.0	15
67	Epstein-Barr Virus Regulates STAT1 through Latent Membrane Protein 1. <i>Journal of Virology</i> , 2003, 77, 4439-4443.	3.4	28
68	Epstein-Barr Virus Nuclear Antigen 3C and Prothymosin Alpha Interact with the p300 Transcriptional Coactivator at the CH1 and CH3/HAT Domains and Cooperate in Regulation of Transcription and Histone Acetylation. <i>Journal of Virology</i> , 2002, 76, 4699-4708.	3.4	83
69	The Lytic Cycle of Epstein-Barr Virus Is Associated with Decreased Expression of Cell Surface Major Histocompatibility Complex Class I and Class II Molecules. <i>Journal of Virology</i> , 2002, 76, 8179-8188.	3.4	69
70	Phosphatidylinositol 3-kinase is essential for the proliferation of lymphoblastoid cells. <i>Oncogene</i> , 2002, 21, 1263-1271.	5.9	55
71	CD99 expression is positively regulated by Sp1 and is negatively regulated by Epstein-Barr virus latent membrane protein 1 through nuclear factor- $\kappa$ B. <i>Blood</i> , 2001, 97, 3596-3604.	1.4	22
72	Cell transformation induced by Epstein-Barr virus is living dangerously. <i>Seminars in Cancer Biology</i> , 2001, 11, 403-405.	9.6	6

#	ARTICLE	IF	CITATIONS
73	Epstein-Barr Virus LMP-1 Natural Sequence Variants Differ in Their Potential To Activate Cellular Signaling Pathways. <i>Journal of Virology</i> , 2001, 75, 9129-9141.	3.4	65
74	Mechanism of Action of a Novel Latent Membrane Protein-1 Dominant Negative. <i>Journal of Biological Chemistry</i> , 2001, 276, 1195-1203.	3.4	49
75	Characterization of a CD40-Dominant Inhibitory Receptor Mutant. <i>Journal of Immunology</i> , 2001, 167, 6388-6393.	0.8	3
76	Characterization of Intercellular Adhesion Molecule-1 Regulation by Epstein-Barr Virus-encoded Latent Membrane Protein-1 Identifies Pathways That Cooperate with Nuclear Factor $\kappa$ B to Activate Transcription. <i>Journal of Biological Chemistry</i> , 2001, 276, 984-992.	3.4	38
77	Antigen Processing Defects in Cervical Carcinomas Limit the Presentation of a CTL Epitope from Human Papillomavirus 16 E6. <i>Journal of Immunology</i> , 2001, 167, 5420-5428.	0.8	101
78	Detection of EBV Latent Proteins by Western Blotting. , 2001, 174, 229-242.		6
79	Viral latent membrane protein 1 (LMP-1)â€“induced CD99 down-regulation in B cells leads to the generation of cells with Hodgkin's and Reed-Sternberg phenotype. <i>Blood</i> , 2000, 95, 294-300.	1.4	69
80	The bfl-1 Gene Is Transcriptionally Upregulated by the Epstein-Barr Virus LMP1, and Its Expression Promotes the Survival of a Burkitt's Lymphoma Cell Line. <i>Journal of Virology</i> , 2000, 74, 6652-6658.	3.4	86
81	Viral latent membrane protein 1 (LMP-1)â€“induced CD99 down-regulation in B cells leads to the generation of cells with Hodgkin's and Reed-Sternberg phenotype. <i>Blood</i> , 2000, 95, 294-300.	1.4	20
82	Epstein-Barr Virus-Encoded Latent Membrane Protein 1 Activates the JNK Pathway through Its Extreme C Terminus via a Mechanism Involving TRADD and TRAF2. <i>Journal of Virology</i> , 1999, 73, 1023-1035.	3.4	194
83	Epstein-Barr Virus Nuclear Antigen 3C Interacts with Histone Deacetylase To Repress Transcription. <i>Journal of Virology</i> , 1999, 73, 5688-5697.	3.4	136
84	Epsteinâ€“Barr virus latent membrane protein-1 (LMP1) signalling is distinct from CD40 and involves physical cooperation of its two C-terminus functional regions. <i>Oncogene</i> , 1998, 17, 2383-2392.	5.9	59
85	Isolation and analysis of two strongly transforming isoforms of the Epstein-Barr-virus(EBV)-encoded latent membrane protein-1 (LMP1) from a single Hodgkin's lymphoma. , 1998, 76, 194-200.		22
86	Epstein-Barr virus gene expression in post-transplant lymphoproliferative disorders. <i>Seminars in Immunopathology</i> , 1998, 20, 389-403.	4.0	18
87	Epstein-Barr virus gene expression in post-transplant lymphoproliferative disorders. <i>Seminars in Immunopathology</i> , 1998, 20, 389-403.	4.0	1
88	The 30-Base-Pair Deletion in Chinese Variants of the Epstein-Barr Virus LMP1 Gene Is Not the Major Effector of Functional Differences between Variant LMP1 Genes in Human Lymphocytes. <i>Journal of Virology</i> , 1998, 72, 4038-4048.	3.4	51
89	Downregulated Expression of SHP-1 in Burkitt Lymphomas and Germinal Center B Lymphocytes. <i>Journal of Experimental Medicine</i> , 1997, 186, 1575-1583.	8.5	71
90	Epsteinâ€“Barr virus-encoded LMP1 and CD40 mediate IL-6 production in epithelial cells via an NF- $\kappa$ B pathway involving TNF receptor-associated factors. <i>Oncogene</i> , 1997, 14, 2899-2916.	5.9	252

#	ARTICLE	IF	CITATIONS
91	Epstein-Barr virus latent membrane protein-1 (LMP1) C-terminus activation region 2 (CTAR2) maps to the far C-terminus and requires oligomerisation for NF- $\kappa$ B activation. <i>Oncogene</i> , 1997, 15, 1851-1858.	5.9	119
92	Cytostatic Effect of Epstein-Barr Virus Latent Membrane Protein-1 Analyzed Using Tetracycline-Regulated Expression in B Cell Lines. <i>Virology</i> , 1996, 223, 29-40.	2.4	130
93	Lymphoblastoid cells transfected with c-myc: Downregulation of EBV-lytic antigens and impaired response of autologous CD4+ T cells in vitro. , 1996, 68, 810-816.		8
94	Restoration of endogenous antigen processing in Burkitt's lymphoma cells by Epstein-Barr virus latent membrane protein-1: coordinate up-regulation of peptide transporters and HLA-class I antigen expression. <i>European Journal of Immunology</i> , 1995, 25, 1374-1384.	2.9	195
95	The association of an HPV16 oncogene variant with HLA-B7 has implications for vaccine design in cervical cancer. <i>Nature Medicine</i> , 1995, 1, 464-470.	30.7	184
96	Class I major histocompatibility complex-restricted cytotoxic T lymphocytes specific for Epstein-Barr virus (EBV)-transformed B lymphoblastoid cell lines against which they were raised.. <i>Journal of Experimental Medicine</i> , 1995, 181, 2221-2228.	8.5	91
97	The role of repetitive DNA sequences in the size variation of Epstein-Barr virus (EBV) nuclear antigens, and the identification of different EBV isolates using RFLP and PCR analysis. <i>Journal of General Virology</i> , 1995, 76, 779-790.	2.9	67
98	Precipitation of the Epstein-Barr virus protein EBNA 2 by an EBNA 3c-specific monoclonal antibody. <i>Journal of General Virology</i> , 1994, 75, 769-778.	2.9	58
99	Lymphotoxin acts as an autocrine growth factor for Epstein-Barr virus-transformed B cells and differentiated Burkitt lymphoma cell lines. <i>European Journal of Immunology</i> , 1994, 24, 1879-1885.	2.9	45
100	HIV-1 Induces Down-Regulation of bcl-2 Expression and Death by Apoptosis of EBV-Immortalized B Cells: A Model for a Persistent "Self-Limiting" HIV-1 Infection. <i>Virology</i> , 1994, 198, 234-244.	2.4	46
101	Reduced Signal Transduction through Glucocorticoid Receptor in Burkitt's Lymphoma Cell Lines. <i>Virology</i> , 1994, 199, 339-353.	2.4	15
102	Epstein-Barr virus transforming proteins. <i>Seminars in Virology</i> , 1994, 5, 391-399.	3.9	12
103	PATTERNS OF EPSTEIN-BARR VIRUS LATENT AND REPLICATIVE GENE EXPRESSION IN EPSTEIN-BARR VIRUS B CELL LYMPHOPROLIFERATIVE DISORDERS AFTER ORGAN TRANSPLANTATION. <i>Transplantation</i> , 1994, 58, 317-323.	1.0	82
104	Cytogenetic Rearrangement of C-MYC Oncogene Occurs Prior to Infection with Epstein-Barr Virus in the Monoclonal Malignant B Cells From an AIDS Patient. <i>Leukemia and Lymphoma</i> , 1993, 9, 157-164.	1.3	13
105	MHC class II-restricted presentation of endogenously synthesized antigen: Epstein-Barr virus transformed B cell lines can present the viral glycoprotein gp340 by two distinct pathways. <i>International Immunology</i> , 1993, 5, 451-460.	4.0	13
106	HLA-A11 epitope loss isolates of Epstein-Barr virus from a highly A11+ population. <i>Science</i> , 1993, 260, 98-100.	12.6	272
107	Epstein-Barr virus-coded BHRF1 protein, a viral homologue of Bcl-2, protects human B cells from programmed cell death.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8479-8483.	7.1	601
108	Identification of target antigens for the human cytotoxic T cell response to Epstein-Barr virus (EBV): implications for the immune control of EBV-positive malignancies.. <i>Journal of Experimental Medicine</i> , 1992, 176, 157-168.	8.5	504

#	ARTICLE	IF	CITATIONS
109	Epstein-Barr Virus and Carcinomas Expression of the Viral Genome in an Undifferentiated Gastric Carcinoma. <i>Diagnostic Molecular Pathology</i> , 1992, 1, 103-108.	2.1	14
110	Epstein-Barr Virus and Carcinomas Expression of the Viral Genome in an Undifferentiated Gastric Carcinoma. <i>Diagnostic Molecular Pathology</i> , 1992, 1, 103-108.	2.1	53
111	Immunohistochemical demonstration of the Epstein-Barr virus-encoded latent membrane protein in paraffin sections of Hodgkin's disease. <i>Journal of Pathology</i> , 1992, 166, 1-5.	4.5	131
112	Three transcriptionally distinct forms of epstein-barr virus latency in somatic cell hybrids: Cell phenotype dependence of virus promoter usage. <i>Virology</i> , 1992, 187, 189-201.	2.4	120
113	Restoration of the LFA-3 adhesion pathway in Burkitt's lymphoma cells using an LFA-3 recombinant vaccinia virus: consequences for T cell recognition. <i>European Journal of Immunology</i> , 1992, 22, 1741-1748.	2.9	4
114	Expression of Epstein-Barr virus latent gene products in tumour cells of Hodgkin's disease. <i>Lancet, The</i> , 1991, 337, 320-322.	13.7	707
115	Epstein-Barr virus latent genes in tumour cells of Hodgkin's disease. <i>Lancet, The</i> , 1991, 337, 1617.	13.7	13
116	Induction of bcl-2 expression by epstein-barr virus latent membrane protein 1 protects infected B cells from programmed cell death. <i>Cell</i> , 1991, 65, 1107-1115.	28.9	1,219
117	Restricted Epstein-Barr virus protein expression in Burkitt lymphoma is due to a different Epstein-Barr nuclear antigen 1 transcriptional initiation site.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 6343-6347.	7.1	181
118	Expression of Epstein-Barr virus replicative proteins in aids-related non-Hodgkin's lymphoma cells. <i>Journal of Pathology</i> , 1991, 165, 289-299.	4.5	111
119	Epstein-Barr virus (EBV)-associated lymphoproliferative disease in the SCID mouse model: implications for the pathogenesis of EBV-positive lymphomas in man.. <i>Journal of Experimental Medicine</i> , 1991, 173, 147-158.	8.5	313
120	The Epstein-Barr virus carrier state: dominance of a single growth-transforming isolate in the blood and in the oropharynx of healthy virus carriers. <i>Journal of General Virology</i> , 1991, 72, 1579-1590.	2.9	112
121	Cross-recognition of a mouse H-2-peptide complex by human HLA-restricted cytotoxic T cells. <i>European Journal of Immunology</i> , 1990, 20, 659-664.	2.9	7
122	Effect of the ebna-2 gene on the surface antigen phenotype of transfected ebv-negative B-lymphoma lines. <i>International Journal of Cancer</i> , 1990, 45, 77-82.	5.1	26
123	Establishment of an EBV-positive lymphoblastoid cell line that grows as a lymphoma in nude mice and expresses membrane CD2 molecules. <i>International Journal of Cancer</i> , 1990, 45, 299-307.	5.1	15
124	Human cytotoxic T-cell responses against Epstein-Barr virus nuclear antigens demonstrated by using recombinant vaccinia viruses.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 2906-2910.	7.1	114
125	Different Epstein-Barr virus-B cell interactions in phenotypically distinct clones of a Burkitt's lymphoma cell line. <i>Journal of General Virology</i> , 1990, 71, 1481-1495.	2.9	341
126	EBV, molecular mimicry and rheumatoid arthritis: a hypothesis. <i>Immunology Letters</i> , 1989, 20, 93.	2.5	0

#	ARTICLE	IF	CITATIONS
127	The epstein-barr virus: Host balance in acute infectious mononucleosis patients receiving acyclovir anti-viral therapy. International Journal of Cancer, 1989, 43, 61-66.	5.1	50
128	Epstein-barr virus-infected b cells persist in the circulation of acyclovir-treated virus carriers. International Journal of Cancer, 1989, 43, 67-71.	5.1	181
129	Isolation of a normal B cell subset with a Burkitt-like phenotype and transformation in vitro with Epstein-Barr virus. International Journal of Cancer, 1988, 42, 213-220.	5.1	45
130	Expression of Epstein-Barr virus-encoded proteins in nasopharyngeal carcinoma. International Journal of Cancer, 1988, 42, 329-338.	5.1	483
131	Characterization of the Serological Response in Man to the Latent Membrane Protein and the Six Nuclear Antigens Encoded by Epstein-Barr Virus. Journal of General Virology, 1988, 69, 1217-1228.	2.9	44
132	Monoclonal Antibodies to the Latent Membrane Protein of Epstein-Barr Virus Reveal Heterogeneity of the Protein and Inducible Expression in Virus-transformed Cells. Journal of General Virology, 1987, 68, 1575-1586.	2.9	298
133	Epstein-Barr virus nuclear antigen 2 specifically induces expression of the B-cell activation antigen CD23.. Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 3452-3456.	7.1	444
134	Epstein-barr virus-specific t-cell recognition of B-cell transformants expressing different ebna 2 antigens. International Journal of Cancer, 1987, 39, 373-379.	5.1	9
135	The level of expression of class-I MHC antigens in adenovirus-transformed human cell lines. International Journal of Cancer, 1987, 40, 213-219.	5.1	9
136	Epstein-Barr virus-transformed human precursor B cell lines: altered growth phenotype of lines with germline or rearranged but nonexpressed heavy chain genes. European Journal of Immunology, 1987, 17, 1199-1207.	2.9	71
137	Burkitt-like lymphoma in an English child: Characterisation of tumour biopsy cells and of the derived tumour cell line. British Journal of Cancer, 1986, 54, 385-391.	6.4	5
138	Epstein-Barr virus status and tumour cell phenotype in sporadic Burkitt's lymphoma. International Journal of Cancer, 1986, 37, 367-373.	5.1	102
139	Ligation of the CD23, p45 (BLAST-2, EBVCS) antigen triggers the cell-cycle progression of activated B lymphocytes. European Journal of Immunology, 1986, 16, 1075-1080.	2.9	127
140	Evidence for an association between CD23 and the receptor for a low molecular weight B cell growth factor. European Journal of Immunology, 1986, 16, 1627-1630.	2.9	100
141	Epstein-Barr virus-positive Burkitt's lymphoma cells not recognized by virus-specific T-cell surveillance. Nature, 1985, 317, 629-631.	27.8	149
142	Distinctions between endemic and sporadic forms of epstein-barr virus-positive burkitt's lymphoma. International Journal of Cancer, 1985, 35, 435-441.	5.1	126
143	T-cell-mediated regression of spontaneous and of Epstein-Barr virus-induced B-cell transformation in vitro: Studies with cyclosporin A. Cellular Immunology, 1984, 87, 646-658.	3.0	132
144	Selective reactivation of Epstein-Barr virus-specific cytotoxic T cells by stimulation in vitro with allogeneic virus-transformed HLA-homozygous typing cells. Human Immunology, 1983, 6, 151-165.	2.4	4

#	ARTICLE	IF	CITATIONS
145	Stimulation of human lymphocytes with irradiated cells of the autologous Epstein-Barr virus-transformed cell line. Cellular Immunology, 1982, 67, 129-140.	3.0	57
146	Stimulation of human lymphocytes with irradiated cells of the autologous Epstein-Barr virus-transformed cell line. Cellular Immunology, 1982, 67, 141-151.	3.0	13
147	Cytotoxic T cell recognition of Epstein-Barr virus-infected B cells. III. Establishment of HLA-restricted cytotoxic T cell lines using interleukin 2. European Journal of Immunology, 1982, 12, 1012-1018.	2.9	68
148	Monoclonal antibodies to epstein-barr virus-induced, transformation-associated cell surface antigens: Binding patterns and effect upon virus-specific t-cell cytotoxicity. International Journal of Cancer, 1982, 29, 373-381.	5.1	156
149	Epstein-Barr virus-specific cytotoxic T-cell clones restricted through a single HLA antigen. Nature, 1982, 297, 413-415.	27.8	106
150	Reactivation of epstein-barr virus-specific cytotoxic t cells by in vitro stimulation with the autologous lymphoblastoid cell line. International Journal of Cancer, 1981, 27, 593-601.	5.1	69
151	Human Lymphocyte Ecto-5'-Nucleotidase is Not Directly Involved in Immunoglobulin Production. Biochemical Society Transactions, 1979, 7, 997-998.	3.4	3