
William Yeo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9165279/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validity and Reliability of the American Orthopaedic Foot and Ankle Society Score for the English-Literate Singapore Population With Hallux Valgus. Foot and Ankle Specialist, 2022, , 193864002210794.	1.0	3
2	Measurement properties of Pain Catastrophizing Scale in patients with knee osteoarthritis. Clinical Rheumatology, 2021, 40, 295-301.	2.2	18
3	The Effect of Body Mass Index on Long-Term Patient-Reported Outcome Scores after Anterior Cervical Discectomy and Fusion in an Asian Population: A 2-Year Study. Asian Spine Journal, 2021, 15, 512-522.	2.0	6
4	Patients With Poor Baseline Mental Health May Experience Significant Improvements in Pain and Disability After Minimally Invasive Transforaminal Lumbar Interbody Fusion. Clinical Spine Surgery, 2020, 33, 205-214.	1.3	9
5	The Association Between Psychological Resilience and Physical Function Among Older Adults With Hip Fracture Surgery. Journal of the American Medical Directors Association, 2020, 21, 260-266.e2.	2.5	30
6	Clinical and radiographic outcomes of computer-navigated total knee arthroplasty are not adversely affected by body mass index. Journal of Orthopaedics, 2020, 19, 54-58.	1.3	1
7	A comparison of contiguous two-level anterior cervical discectomy and fusion using a structural allograft versus a Polyetheretherketone (PEEK) cage: the results of a three-year follow-up. BMC Musculoskeletal Disorders, 2020, 21, 331.	1.9	8
8	Predictors of Outcomes After Single-level Anterior Cervical Discectomy and Fusion for Cervical Spondylotic Myelopathy. Clinical Spine Surgery, 2020, 33, E525-E532.	1.3	6
9	No Difference in Functional Outcome but Higher Revision Rate Among Smokers Undergoing Cervical Artificial Disc Replacement: Analysis of a Spine Registry. International Journal of Spine Surgery, 2020, 14, 916-923.	1.5	1
10	Women Do Not Have Poorer Outcomes After Minimally Invasive Lumbar Fusion Surgery: A Five-Year Follow-Up Study. International Journal of Spine Surgery, 2020, 14, 756-761.	1.5	0
11	The incidence of infection in routine knee arthroscopy without the use of prophylactic antibiotics is low. Proceedings of Singapore Healthcare, 2019, 28, 110-114.	0.6	Ο
12	Poor Baseline Mental Health Does Not Influence Improvement in Patient-reported Outcomes, Satisfaction, and Return to Work Two Years After Single-level Anterior Cervical Discectomy and Fusion. Spine, 2019, 44, 839-847.	2.0	17
13	The Influence of Body Mass Index on Functional Outcomes, Satisfaction, and Return to Work After Single-level Minimally-invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 809-817.	2.0	12
14	Reduction in foraminal height after lateral access surgery does not affect quality of life: A 2-year outcome study on lateral lumbar interbody fusion. Journal of Orthopaedic Surgery, 2019, 27, 230949901982933.	1.0	2
15	THU0445â€ASSOCIATION BETWEEN PATIENT'S EXPECTATION AND SATISFACTION FOLLOWING TOTAL KN REPLACEMENT FOR OSTEOARTHRITIS. , 2019, , .	EE	0
16	AB1324â€MEASUREMENT PROPERTIES OF THE 10-ITEM CONNOR-DAVIDSON RESILIENCE SCALE AMONG PATI WITH TOTAL KNEE REPLACEMENT BASED ON ITEM RESPONSE THEORY. , 2019, , .	ENTS	1
17	THU0439â€MEASUREMENT PROPERTIES OF PAIN CATASTROPHIZING SCALE IN PATIENTS WITH KNEE OSTEOARTHRITIS. , 2019, , .		Ο
18	Time Taken to Return to Work Does Not Influence Outcomes of Minimally Invasive Transforaminal Lumbar Interbody Fusion. Spine, 2019, 44, 503-509.	2.0	8

William Yeo

#	Article	IF	CITATIONS
19	Association between preoperative anaemia and blood transfusion with long-term functional and quality of life outcomes amongst patients undergoing primary total knee arthroplasty in Singapore: a single-centre retrospective study. Quality of Life Research, 2019, 28, 85-98.	3.1	10
20	Pre-operative pressure pain thresholds do not meaningfully explain satisfaction or improvement in pain after knee replacement: a cohort study. Osteoarthritis and Cartilage, 2019, 27, 49-58.	1.3	9
21	Perioperative Factors Influencing Postoperative Satisfaction After Lateral Access Surgery for Degenerative Lumbar Spondylolisthesis. International Journal of Spine Surgery, 2019, 13, 415-422.	1.5	5
22	The Diagnostic Value of Magnetic Resonance Imaging in Identifying Unsuspected Malignancy in Patients Undergoing Percutaneous Vertebral Augmentation for Vertebral Compression Fractures. International Journal of Spine Surgery, 2019, 13, 464-469.	1.5	4
23	Arthroscopic undersurface rotator cuff repair versus conventional arthroscopic double-row rotator cuff repair – Comparable results at 2-year follow-up. Journal of Orthopaedic Surgery, 2018, 26, 230949901875757.	1.0	3
24	Outcomes of arthroscopic capsular release for the diabetic frozen shoulder in Asian patients. Journal of Orthopaedic Surgery, 2018, 26, 230949901875757.	1.0	7
25	Short-term outcomes of arthroscopic TightRope® fixation are better than hook plate fixation in acute unstable acromioclavicular joint dislocations. European Journal of Orthopaedic Surgery and Traumatology, 2018, 28, 869-875.	1.4	35
26	Clinical and Radiological Outcomes Comparing Percutaneous Chevron-Akin Osteotomies vs Open Scarf-Akin Osteotomies for Hallux Valgus. Foot and Ankle International, 2018, 39, 311-317.	2.3	69
27	The Impact of Diabetes on Patient Outcomes After Total Knee Arthroplasty in an Asian Population. Journal of Arthroplasty, 2018, 33, 3186-3189.	3.1	11
28	The Role of Prefracture Health Status in Physical and Mental Function After Hip Fracture Surgery. Journal of the American Medical Directors Association, 2018, 19, 989-994.e2.	2.5	4
29	Preoperative Leg Pain Score Predicts Patient Satisfaction After Transforaminal Lumbar Interbody Fusion Surgery. Global Spine Journal, 2018, 8, 354-358.	2.3	15
30	Surgical site infection after primary total knee arthroplasty is associated with a longer duration of surgery. Journal of Orthopaedic Surgery, 2018, 26, 230949901878564.	1.0	27
31	Subtalar arthroscopy and fluoroscopy in percutaneous fixation of intra-articular calcaneal fractures. Journal of Orthopaedic Surgery, 2017, 25, 230949901668499.	1.0	6
32	Associated lumbar scoliosis does not affect outcomes in patients undergoing focal minimally invasive surgery-transforaminal lumbar interbody fusion (MISTLIF) for neurogenic symptoms—a minimum 2-year follow-up study. Spine Journal, 2017, 17, 34-43.	1.3	5
33	Single-Level Minimally Invasive Transforaminal Lumbar Interbody Fusion Provides Sustained Improvements in Clinical and Radiological Outcomes up to 5 Years Postoperatively in Patients with Neurogenic Symptoms Secondary to Spondylolisthesis. Asian Spine Journal, 2017, 11, 204-212.	2.0	19
34	Elderly Patients Achieving Clinical and Radiological Outcomes Comparable with Those of Younger Patients Following Minimally Invasive Transforaminal Lumbar Interbody Fusion. Asian Spine Journal, 2017, 11, 230-242.	2.0	19
35	Predictors for Rehabilitation Outcome in Asian Geriatric Hip Fracture Patients. Journal of Orthopaedic Surgery, 2016, 24, 153-157.	1.0	10
36	Intraoperative reduction does not result in better outcomes in low-grade lumbar spondylolisthesis with neurogenic symptoms after minimally invasive transforaminal lumbar interbody fusion—a 5-year follow-up study. Spine Journal, 2016, 16, 182-190.	1.3	31

WILLIAM YEO

#	Article	IF	CITATIONS
37	Bone Morphogenic Protein Is a Viable Adjunct for Fusion in Minimally Invasive Transforaminal Lumbar Interbody Fusion. Asian Spine Journal, 2016, 10, 1091.	2.0	12
38	A proposed set of metrics for standardized outcome reporting in the management of low back pain. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 523-533.	3.3	120
39	Five-Year Outcomes of Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion. Spine, 2013, 38, 2049-2055.	2.0	204
40	A Comparison of Clinical Outcomes of Two Methods of Femoral Hamstring Graft Pin Fixation in Anterior Cruciate Ligament Reconstruction. Proceedings of Singapore Healthcare, 2013, 22, 248-252.	0.6	1
41	Clinical and radiological outcomes of open versus minimally invasive transforaminal lumbar interbody fusion. European Spine Journal, 2012, 21, 2265-2270.	2.2	237
42	Clinical and Radiological Outcomes of Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion. Spine, 2009, 34, 1385-1389.	2.0	383
43	Radiofrequency Plantar Fascia Coblation With and Without Gastrocnemius Recession in the Management of Recalcitrant Plantar Fasciitis. Foot and Ankle International, 0, , 107110072210918.	2.3	0