## Carol Coole

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9167094/publications.pdf

Version: 2024-02-01

933447 794594 34 413 10 19 citations h-index g-index papers 34 34 34 502 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Returning to Work After Stroke: Perspectives of Employer Stakeholders, a Qualitative Study. Journal of Occupational Rehabilitation, 2013, 23, 406-418.	2.2	67
2	What Concerns Workers with Low Back Pain? Findings of a Qualitative Study of Patients Referred for Rehabilitation. Journal of Occupational Rehabilitation, 2010, 20, 472-480.	2.2	56
3	Staying at work with back pain: patients' experiences of work-related help received from GPs and other clinicians. A qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 190.	1.9	38
4	Low back pain patients' experiences of work modifications; a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 277.	1.9	29
5	Work problems due to low back pain: what do GPs do? A questionnaire survey. Family Practice, 2010, 27, 31-37.	1.9	25
6	Hip Precautions following Primary Total Hip Replacement: A National Survey of Current Occupational Therapy Practice. British Journal of Occupational Therapy, 2012, 75, 164-170.	0.9	23
7	Individual work support for employed patients with low back pain: a randomized controlled pilot trial. Clinical Rehabilitation, 2013, 27, 40-50.	2.2	12
8	Communicating with Employers: Experiences of Occupational Therapists Treating People with Musculoskeletal Conditions. Journal of Occupational Rehabilitation, 2014, 24, 585-595.	2.2	12
9	Hip precautions after total hip replacement and their discontinuation from practice: patient perceptions and experiences. Disability and Rehabilitation, 2021, 43, 2890-2896.	1.8	12
10	How do GPs complete fit note comments?. Occupational Medicine, 2013, 63, 575-578.	1.4	11
11	Completion of fit notes by GPs: a mixed methods study. Perspectives in Public Health, 2015, 135, 233-242.	1.6	11
12	Evaluation of hip precautions following total hip replacement: a before and after study. Disability and Rehabilitation, 2021, 43, 2882-2889.	1.8	11
13	What Do Clinicians Think about Hip Precautions following Total Hip Replacement?. British Journal of Occupational Therapy, 2013, 76, 300-307.	0.9	9
14	Return-to-work outcomes and usefulness of actual fit notes received by employers. Family Practice, 2015, 32, 551-556.	1.9	9
15	What do we tell patients about elective total hip replacement in the UK? An analysis of patient literature. BMC Musculoskeletal Disorders, 2013, 14, 152.	1.9	8
16	Development of an occupational advice intervention for patients undergoing lower limb arthroplasty (the OPAL study). BMC Health Services Research, 2018, 18, 504.	2.2	8
17	Managing Employees Undergoing Total Hip and Knee Replacement: Experiences of Workplace Representatives. Journal of Occupational Rehabilitation, 2019, 29, 451-461.	2.2	8
18	Using intervention mapping to develop an occupational advice intervention to aid return to work following hip and knee replacement in the United Kingdom. BMC Health Services Research, 2020, 20, 523.	2,2	8

#	Article	IF	CITATIONS
19	Return to work advice after total hip and knee replacement. Occupational Medicine, 2020, 70, 113-118.	1.4	8
20	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. Health Technology Assessment, 2020, 24, 1-408.	2.8	8
21	Total hip and knee replacement and return to work: clinicians' perspectives. Disability and Rehabilitation, 2021, 43, 1247-1254.	1.8	7
22	Engaging workplace representatives in research: what recruitment strategies work best?. Occupational Medicine, 2018, 68, 282-285.	1.4	5
23	Supporting Workers with Musculoskeletal Conditions: A Survey of United Kingdom Occupational Therapists' Communications with Clients and Their Employers. British Journal of Occupational Therapy, 2013, 76, 478-486.	0.9	4
24	Recommendations to facilitate the ideal fit note: are they achievable in practice?. BMC Family Practice, 2015, 16, 138.	2.9	4
25	Comparing face-to-face with online training for occupational therapists in advising on fitness for work: Protocol for the CREATE study. British Journal of Occupational Therapy, 2020, 83, 172-178.	0.9	4
26	Hip precautions after hip operation (HippityHop): Protocol for a before and after study evaluating hip precautions following total hip replacement. British Journal of Occupational Therapy, 2018, 81, 319-325.	0.9	3
27	Clinicians' experiences of discontinuing routine hip precautions following total hip replacement surgery: a qualitative analysis. Disability and Rehabilitation, 2022, 44, 4227-4232.	1.8	3
28	Improving occupational therapists' confidence in completing the Allied Health Professions Health and Work Report: Results from the CREATE feasibility study. British Journal of Occupational Therapy, 2021, 84, 516-525.	0.9	3
29	Assessing the feasibility of collecting health care resource use data from general practices for use in an economic evaluation of vocational rehabilitation for back pain. Journal of Evaluation in Clinical Practice, 2011, 17, 204-207.	1.8	2
30	Development of an occupational advice intervention for patients undergoing elective hip and knee replacement: a Delphi study. BMJ Open, 2020, 10, e036191.	1.9	2
31	The Allied Health Professions Health and Work Report and the fit note: Perspectives of patients and stakeholders. British Journal of Occupational Therapy, 2021, 84, 72-78.	0.9	2
32	Return to driving after total hip and knee arthroplasty $\hat{a} \in \text{``the perspective of employed patients.}$ Disability and Rehabilitation, 2021, , 1-7.	1.8	1
33	The identification of research priorities for UK occupational therapists in work rehabilitation. International Journal of Therapy and Rehabilitation, 2015, 22, 329-336.	0.3	0
34	Occupational therapists and physiotherapists could issue fit notes. BMJ, The, 2015, 351, h4559.	6.0	O