

Carol Coole

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9167094/publications.pdf>

Version: 2024-02-01

34
papers

413
citations

933447

10
h-index

794594

19
g-index

34
all docs

34
docs citations

34
times ranked

502
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinicians's experiences of discontinuing routine hip precautions following total hip replacement surgery: a qualitative analysis. <i>Disability and Rehabilitation</i> , 2022, 44, 4227-4232.	1.8	3
2	Evaluation of hip precautions following total hip replacement: a before and after study. <i>Disability and Rehabilitation</i> , 2021, 43, 2882-2889.	1.8	11
3	Hip precautions after total hip replacement and their discontinuation from practice: patient perceptions and experiences. <i>Disability and Rehabilitation</i> , 2021, 43, 2890-2896.	1.8	12
4	The Allied Health Professions Health and Work Report and the fit note: Perspectives of patients and stakeholders. <i>British Journal of Occupational Therapy</i> , 2021, 84, 72-78.	0.9	2
5	Total hip and knee replacement and return to work: clinicians's perspectives. <i>Disability and Rehabilitation</i> , 2021, 43, 1247-1254.	1.8	7
6	Improving occupational therapists's confidence in completing the Allied Health Professions Health and Work Report: Results from the CREATE feasibility study. <i>British Journal of Occupational Therapy</i> , 2021, 84, 516-525.	0.9	3
7	Return to driving after total hip and knee arthroplasty " the perspective of employed patients. <i>Disability and Rehabilitation</i> , 2021, , 1-7.	1.8	1
8	Using intervention mapping to develop an occupational advice intervention to aid return to work following hip and knee replacement in the United Kingdom. <i>BMC Health Services Research</i> , 2020, 20, 523.	2.2	8
9	Development of an occupational advice intervention for patients undergoing elective hip and knee replacement: a Delphi study. <i>BMJ Open</i> , 2020, 10, e036191.	1.9	2
10	Comparing face-to-face with online training for occupational therapists in advising on fitness for work: Protocol for the CREATE study. <i>British Journal of Occupational Therapy</i> , 2020, 83, 172-178.	0.9	4
11	Return to work advice after total hip and knee replacement. <i>Occupational Medicine</i> , 2020, 70, 113-118.	1.4	8
12	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. <i>Health Technology Assessment</i> , 2020, 24, 1-408.	2.8	8
13	Managing Employees Undergoing Total Hip and Knee Replacement: Experiences of Workplace Representatives. <i>Journal of Occupational Rehabilitation</i> , 2019, 29, 451-461.	2.2	8
14	Hip precautions after hip operation (HippityHop): Protocol for a before and after study evaluating hip precautions following total hip replacement. <i>British Journal of Occupational Therapy</i> , 2018, 81, 319-325.	0.9	3
15	Development of an occupational advice intervention for patients undergoing lower limb arthroplasty (the OPAL study). <i>BMC Health Services Research</i> , 2018, 18, 504.	2.2	8
16	Engaging workplace representatives in research: what recruitment strategies work best?. <i>Occupational Medicine</i> , 2018, 68, 282-285.	1.4	5
17	The identification of research priorities for UK occupational therapists in work rehabilitation. <i>International Journal of Therapy and Rehabilitation</i> , 2015, 22, 329-336.	0.3	0
18	Recommendations to facilitate the ideal fit note: are they achievable in practice?. <i>BMC Family Practice</i> , 2015, 16, 138.	2.9	4

#	ARTICLE	IF	CITATIONS
19	Return-to-work outcomes and usefulness of actual fit notes received by employers. Family Practice, 2015, 32, 551-556.	1.9	9
20	Occupational therapists and physiotherapists could issue fit notes. BMJ, The, 2015, 351, h4559.	6.0	0
21	Completion of fit notes by GPs: a mixed methods study. Perspectives in Public Health, 2015, 135, 233-242.	1.6	11
22	Communicating with Employers: Experiences of Occupational Therapists Treating People with Musculoskeletal Conditions. Journal of Occupational Rehabilitation, 2014, 24, 585-595.	2.2	12
23	Returning to Work After Stroke: Perspectives of Employer Stakeholders, a Qualitative Study. Journal of Occupational Rehabilitation, 2013, 23, 406-418.	2.2	67
24	What do we tell patients about elective total hip replacement in the UK? An analysis of patient literature. BMC Musculoskeletal Disorders, 2013, 14, 152.	1.9	8
25	Supporting Workers with Musculoskeletal Conditions: A Survey of United Kingdom Occupational Therapists' Communications with Clients and Their Employers. British Journal of Occupational Therapy, 2013, 76, 478-486.	0.9	4
26	What Do Clinicians Think about Hip Precautions following Total Hip Replacement?. British Journal of Occupational Therapy, 2013, 76, 300-307.	0.9	9
27	How do GPs complete fit note comments?. Occupational Medicine, 2013, 63, 575-578.	1.4	11
28	Individual work support for employed patients with low back pain: a randomized controlled pilot trial. Clinical Rehabilitation, 2013, 27, 40-50.	2.2	12
29	Hip Precautions following Primary Total Hip Replacement: A National Survey of Current Occupational Therapy Practice. British Journal of Occupational Therapy, 2012, 75, 164-170.	0.9	23
30	Assessing the feasibility of collecting health care resource use data from general practices for use in an economic evaluation of vocational rehabilitation for back pain. Journal of Evaluation in Clinical Practice, 2011, 17, 204-207.	1.8	2
31	What Concerns Workers with Low Back Pain? Findings of a Qualitative Study of Patients Referred for Rehabilitation. Journal of Occupational Rehabilitation, 2010, 20, 472-480.	2.2	56
32	Staying at work with back pain: patients' experiences of work-related help received from GPs and other clinicians. A qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 190.	1.9	38
33	Low back pain patients' experiences of work modifications; a qualitative study. BMC Musculoskeletal Disorders, 2010, 11, 277.	1.9	29
34	Work problems due to low back pain: what do GPs do? A questionnaire survey. Family Practice, 2010, 27, 31-37.	1.9	25