

Ralf M Haiges

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9168902/publications.pdf>

Version: 2024-02-01

159
papers

6,278
citations

71004

43
h-index

93651

72
g-index

224
all docs

224
docs citations

224
times ranked

6839
citing authors

#	ARTICLE	IF	CITATIONS
1	Switching Catalyst Selectivity via the Introduction of a Pendant Nitrophenyl Group. <i>Inorganic Chemistry</i> , 2022, 61, 1316-1326.	1.9	5
2	Fluoro- π -Nitrogen Cations. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	4
3	Fluoro- π -Nitrogen Cations. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	0
4	Electronically-coupled redox centers in trimetallic cobalt complexes. <i>Dalton Transactions</i> , 2022, 51, 5660-5672.	1.6	4
5	Pushing steric limits in osmium(IV) tetraaryl complexes. <i>Dalton Transactions</i> , 2022, 51, 10558-10570.	1.6	0
6	Influence of Intermolecular Hydrogen Bonding Interactions on the Electrocatalytic Reduction of CO_2 to CO by 6,6'- π -Amine Substituted Rhenium Bipyridine Complexes. <i>ChemElectroChem</i> , 2021, 1, 7, 1864-1872.	1.7	8
7	Effects of Protonation State on Electrocatalytic CO_2 Reduction by a Cobalt Aminopyridine Macrocyclic Complex. <i>Inorganic Chemistry</i> , 2021, 60, 17517-17528.	1.9	5
8	High frequency atomic tunneling yields ultralow and glass-like thermal conductivity in chalcogenide single crystals. <i>Nature Communications</i> , 2020, 11, 6039.	5.8	36
9	Electronically Modified Cobalt Aminopyridine Complexes Reveal an Orthogonal Axis for Catalytic Optimization for CO_2 Reduction. <i>Inorganic Chemistry</i> , 2020, 59, 13709-13718.	1.9	11
10	Highly Efficient Deep Blue Luminescence of 2-Coordinate Coinage Metal Complexes Bearing Bulky NHC Benzimidazolyl Carbene. <i>Frontiers in Chemistry</i> , 2020, 8, 401.	1.8	42
11	Protonation of CH_3N_3 and CF_3N_3 in Superacids: Isolation and Structural Characterization of Long-Lived Methyl- and Trifluoromethylamino Diazonium Ions. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 12520-12526.	7.2	1
12	Understanding the role of crystallographic shear on the electrochemical behavior of niobium oxyfluorides. <i>Journal of Materials Chemistry A</i> , 2020, 8, 12623-12632.	5.2	12
13	Protonierung von CH_3N_3 und CF_3N_3 in Supersäuren: Isolierung und strukturelle Charakterisierung von langlebigen Methyl- und Trifluormethylamino-Diazonium-Ionen. <i>Angewandte Chemie</i> , 2020, 132, 12620-12627.	1.6	0
14	Enhancement of the Luminescent Efficiency in Carbene- $\text{Au}(\text{I})$ -Aryl Complexes by the Restriction of Renner-Teller Distortion and Bond Rotation. <i>Journal of the American Chemical Society</i> , 2020, 142, 6158-6172.	6.6	72
15	Molecular dynamics of four-coordinate carbene- $\text{Cu}(\text{I})$ complexes employing tris(pyrazolyl)borate ligands. <i>Polyhedron</i> , 2020, 180, 114381.	1.0	5
16	Difluorochloronium(III) Fluoridometallates – from Molecular Building Blocks to (Helical) Chains. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 4483-4496.	1.0	2
17	Rhenium bipyridine catalysts with hydrogen bonding pendant amines for CO_2 reduction. <i>Dalton Transactions</i> , 2019, 48, 14251-14255.	1.6	34
18	Studies on Long-Lived (Pentafluorosulfanyl)phenyl-Substituted Carbocations. <i>Journal of Organic Chemistry</i> , 2019, 84, 11724-11734.	1.7	3

#	ARTICLE	IF	CITATIONS
19	Photochemistry of 2-Nitroarenes: 2-Nitrophenyl- \pm -trifluoromethyl Carbinols as Synthons for Fluoroorganics. <i>Journal of the American Chemical Society</i> , 2019, 141, 15921-15931.	6.6	5
20	Recent developments in the chemistry of metal oxopolyazides. <i>Dalton Transactions</i> , 2019, 48, 806-813.	1.6	4
21	Lewis adduct formation of hydrogen cyanide and nitriles with arsenic and antimony pentafluoride. <i>Dalton Transactions</i> , 2019, 48, 99-106.	1.6	17
22	Symmetric pyrrolic squaraines and their application to organic photovoltaics. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019, 374, 16-21.	2.0	7
23	How Energetic are <i>cyclo</i> -Pentazoles?. <i>Propellants, Explosives, Pyrotechnics</i> , 2019, 44, 263-266.	1.0	19
24	“Quick-Silver” from a Systematic Study of Highly Luminescent, Two-Coordinate, d^{10} Coinage Metal Complexes. <i>Journal of the American Chemical Society</i> , 2019, 141, 8616-8626.	6.6	187
25	The Binary Group 4 Azide Adducts [(bpy)Ti(N ₃) ₂] ₂ , [(phen)Ti(N ₃) ₂] ₂ , [(bpy) ₂ Zr(N ₃) ₂] ₂ ·bpy, and [(bpy) ₂ Hf(N ₃) ₂] ₂ ·bpy. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 2388-2391.	1.0	4
26	Eliminating nonradiative decay in Cu(I) emitters: >99% quantum efficiency and microsecond lifetime. <i>Science</i> , 2019, 363, 601-606.	6.0	450
27	Mechanistic Insights into Ruthenium-Pincer-Catalyzed Amine-Assisted Homogeneous Hydrogenation of CO ₂ to Methanol. <i>Journal of the American Chemical Society</i> , 2019, 141, 3160-3170.	6.6	123
28	Crystal growth and structural analysis of perovskite chalcogenide BaZrS ₃ and Ruddlesden-Popper phase Ba ₃ Zr ₂ S ₇ . <i>Journal of Materials Research</i> , 2019, 34, 3819-3826.	1.2	36
29	Tetraaza-Pentacenes by means of a One-Pot Friedländer Synthesis. <i>Chemistry - A European Journal</i> , 2019, 25, 1472-1475.	1.7	9
30	Band gap evolution in Ruddlesden-Popper phases. <i>Physical Review Materials</i> , 2019, 3, .	0.9	26
31	Pendant Hydrogen-Bond Donors in Cobalt Catalysts Independently Enhance CO ₂ Reduction. <i>ACS Central Science</i> , 2018, 4, 397-404.	5.3	163
32	Perfluoroalcohols: The Preparation and Crystal Structures of Heptafluorocyclobutanol and Hexafluorocyclobutane-1,1-diol. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8174-8177.	7.2	10
33	Air-Stable Room-Temperature Mid-Infrared Photodetectors Based on hBN/Black Arsenic Phosphorus/hBN Heterostructures. <i>Nano Letters</i> , 2018, 18, 3172-3179.	4.5	145
34	A 2,2'-bipyridine-containing covalent organic framework bearing rhenium(<i>tricarboxylate</i>) tricarboxylate moieties for CO ₂ reduction. <i>Dalton Transactions</i> , 2018, 47, 17450-17460.	1.6	80
35	Perfluoroalcohols: The Preparation and Crystal Structures of Heptafluorocyclobutanol and Hexafluorocyclobutane-1,1-diol. <i>Angewandte Chemie</i> , 2018, 130, 8306-8309.	1.6	3
36	Covalent-Organic Frameworks Composed of Rhenium Bipyridine and Metal Porphyrins: Designing Heterobimetallic Frameworks with Two Distinct Metal Sites. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 37919-37927.	4.0	112

#	ARTICLE	IF	CITATIONS
37	Formamidinium Nitroformate: An Insensitive RDX Alternative. <i>Journal of the American Chemical Society</i> , 2018, 140, 15089-15098.	6.6	49
38	Fluoroalcohols: Synthesis and Characterization of Perfluorinated Methanol, Ethanol and Propanol, and their Oxonium Salts. <i>Chemistry - A European Journal</i> , 2018, 24, 16737-16742.	1.7	5
39	Optimal Bandgap in a 2D Ruddlesden-Popper Perovskite Chalcogenide for Single-Junction Solar Cells. <i>Chemistry of Materials</i> , 2018, 30, 4882-4886.	3.2	49
40	Giant optical anisotropy in a quasi-one-dimensional crystal. <i>Nature Photonics</i> , 2018, 12, 392-396.	15.6	269
41	Formation Mechanism of NF_4^+ Salts and Extraordinary Enhancement of the Oxidizing Power of Fluorine by Strong Lewis Acids. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7924-7929.	7.2	10
42	Formation Mechanism of NF_4^+ Salts and Extraordinary Enhancement of the Oxidizing Power of Fluorine by Strong Lewis Acids. <i>Angewandte Chemie</i> , 2017, 129, 8032-8037.	1.6	3
43	H_2 evolution by a cobalt selenolate electrocatalyst and related mechanistic studies. <i>Chemical Communications</i> , 2017, 53, 7306-7309.	2.2	18
44	Protonation of Nitramines: Where Does the Proton Go?. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 9587-9591.	7.2	6
45	Synthesis and Characterization of Nitro-, Trinitromethyl-, and Fluorodinitromethyl-Substituted Triazolyl- and Tetrazolyl-trihydroborate Anions. <i>Chemistry - A European Journal</i> , 2017, 23, 13087-13099.	1.7	12
46	Preparation and Characterization of Group 13 Cyanides. <i>Chemistry - A European Journal</i> , 2017, 23, 9054-9066.	1.7	7
47	Synthesis and characterization of a tetranickel complex supported by a dithiolate framework with pendant ether moieties. <i>Polyhedron</i> , 2017, 123, 9-13.	1.0	5
48	Misconceptions on fluoronium ions and hypervalent fluorine cations. <i>Journal of Fluorine Chemistry</i> , 2017, 204, 6-10.	0.9	8
49	Dinitramidoborates: A Fascinating Case of Competing Oxygen and Nitrogen Donors and Tautomerism. <i>Angewandte Chemie</i> , 2017, 129, 11021-11025.	1.6	3
50	Protonierung von Nitraminen: Bildung des O- oder N-protonierten Kations. <i>Angewandte Chemie</i> , 2017, 129, 9715-9719.	1.6	2
51	Dinitramidoborates: A Fascinating Case of Competing Oxygen and Nitrogen Donors and Tautomerism. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10881-10885.	7.2	2
52	Formation Mechanism of NF_4^+ Salts and Extraordinary Enhancement of the Oxidizing Power of Fluorine by Strong Lewis Acids (<i>Angew. Chem.</i> 27/2017). <i>Angewandte Chemie</i> , 2017, 129, 8128-8128.	1.6	0
53	Preparation and Characterization of Group 13 Cyanides. <i>Chemistry - A European Journal</i> , 2017, 23, 8991-8991.	1.7	1
54	Defects Cause Subgap Luminescence from a Crystalline Tetracene Derivative. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 5993-6001.	2.1	6

#	ARTICLE	IF	CITATIONS
55	The Chromium(VI) Oxoazides $[\text{UO}_2(\text{N}_3)_2(\text{CH}_3\text{CN})_2]$, $[(\text{bipy})_2\text{UO}_2(\text{N}_3)_2(\text{N}_3)_4]$, $[(\text{bipy})\text{UO}_2(\text{N}_3)_3(\text{N}_3)_3]^+$, $[\text{UO}_2(\text{N}_3)_4]^{2+}$, and $[(\text{UO}_2)_2(\text{N}_3)_3(\text{N}_3)_8]^{4+}$. Chemistry - A European Journal, 2017, 23, 652-664.	1.7	14
56	The crystal structure of carbamoyl fluoride, NH_2COF . Structural Chemistry, 2017, 28, 303-307.	1.0	5
57	The niobium oxoazides $[\text{NbO}(\text{N}_3)_3]$, $[\text{NbO}(\text{N}_3)_3 \cdot 2\text{CH}_3\text{CN}]$, $[(\text{bipy})\text{NbO}(\text{N}_3)_3]$, $\text{Cs}_2[\text{NbO}(\text{N}_3)_5]$ and $[\text{PPh}_4]_2[\text{NbO}(\text{N}_3)_5]$. Dalton Transactions, 2016, 45, 10523-10529.	1.6	9
58	Proton-Assisted Reduction of CO_2 by Cobalt Aminopyridine Macrocycles. Journal of the American Chemical Society, 2016, 138, 5765-5768.	6.6	186
59	Protonation of nitriles: isolation and characterization of alkyl- and aryl nitrilium ions. Dalton Transactions, 2016, 45, 8494-8499.	1.6	21
60	Preparation and Characterization of Antimony and Arsenic Tricyanide and Their 2,2'-Bipyridine Adducts. Chemistry - A European Journal, 2016, 22, 13251-13257.	1.7	12
61	The Binary Group 4 Azides $[\text{PPh}_4]_2[\text{Zr}(\text{N}_3)_6]$ and $[\text{PPh}_4]_2[\text{Hf}(\text{N}_3)_6]$. Angewandte Chemie, 2016, 128, 14562-14566.	1.6	4
62	The Binary Group 4 Azides $[\text{PPh}_4]_2[\text{Zr}(\text{N}_3)_6]$ and $[\text{PPh}_4]_2[\text{Hf}(\text{N}_3)_6]$. Angewandte Chemie - International Edition, 2016, 55, 14350-14354.	7.2	11
63	A quinoidal bis-phenalenyl-fused porphyrin with supramolecular organization and broad near-infrared absorption. Chemical Communications, 2016, 52, 1949-1952.	2.2	17
64	Singlet Fission in a Covalently Linked Cofacial Alkynyltetracene Dimer. Journal of the American Chemical Society, 2016, 138, 617-627.	6.6	248
65	Single crystal magnetic structure and susceptibility of CoSe_2O_5 . Journal of Solid State Chemistry, 2016, 236, 39-44.	1.4	11
66	Lewis Acid Catalyzed Synthesis of Di/Trifluoromethyl-1,2,3,4-Tetrahydroquinazolines. Synfacts, 2015, 11, 1341-1341.	0.0	0
67	Amine-Free Reversible Hydrogen Storage in Formate Salts Catalyzed by Ruthenium Pincer Complex without pH Control or Solvent Change. ChemSusChem, 2015, 8, 1442-1451.	3.6	107
68	The First Molybdenum(VI) and Tungsten(VI) Oxoazides $\text{MO}_2(\text{N}_3)_2$, $\text{MO}_2(\text{N}_3)_2 \cdot 2\text{CH}_3\text{CN}$, $(\text{bipy})\text{MO}_2(\text{N}_3)_2$, and $[\text{MO}_2(\text{N}_3)_4]^{2+}$ (M=Mo, W). Angewandte Chemie, 2015, 127, 9717-9721.	1.6	4
69	The Vanadium(V) Oxoazides $[\text{VO}(\text{N}_3)_3]$, $[(\text{bipy})\text{VO}(\text{N}_3)_3]$, and $[\text{VO}(\text{N}_3)_3]^{5+}$. Angewandte Chemie - International Edition, 2015, 54, 9101-9105.	7.2	14
70	The First Molybdenum(VI) and Tungsten(VI) Oxoazides $\text{MO}_2(\text{N}_3)_2(\text{N}_3)_2$, $\text{MO}_2(\text{N}_3)_2 \cdot 2\text{CH}_3\text{CN}$, $(\text{bipy})\text{MO}_2(\text{N}_3)_2$, and $[\text{MO}_2(\text{N}_3)_4]^{2+}$ (M=Mo, W). Angewandte Chemie - International Edition, 2015, 54, 9581-9585.	7.2	9
71	Die Molybdän(V)- und Wolfram(VI)-Oxoazide $[\text{MoO}(\text{N}_3)_3]$, $[\text{MoO}(\text{N}_3)_3 \cdot 2\text{CH}_3\text{CN}]$, $[(\text{bipy})\text{MoO}(\text{N}_3)_3]$, $[\text{MoO}(\text{N}_3)_5]^{2+}$, $[\text{WO}(\text{N}_3)_4]$ und $[\text{WO}(\text{N}_3)_4 \cdot \text{CH}_3\text{CN}]$. Angewandte Chemie, 2015, 127, 15771-15776.	1.6	5
72	Lewis Acid Catalyzed Condensation-Cyclization Cascade: Direct Synthesis of Di/Trifluoromethyl-1,2,3,4-Tetrahydroquinazolines. Chemistry - A European Journal, 2015, 21, 10170-10178.	1.7	10

#	ARTICLE	IF	CITATIONS
73	The Molybdenum(V) and Tungsten(VI) Oxoazides [MoO(N ₃) ₃], [MoO(N ₃) ₃ ·2CH ₃ CN], [(bipy)MoO(N ₃) ₃], [MoO(N ₃) ₅] ²⁺ , [WO(N ₃) ₄], and [WO(N ₃) ₄ ·CH ₃ CN]. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15550-15555.	7.2	12
74	Ammonia-(Dinitramido)boranes: High-Energy Density Materials. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11730-11734.	7.2	45
75	Convenient Access to Fluorinated Alkylammonium Salts. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 14535-14538.	7.2	11
76	Investigation of contamination of thin-film aluminum filters by MMH-NTO plumes exposed to UV radiation. <i>Proceedings of SPIE</i> , 2015, , .	0.8	2
77	Syntheses of Diphenylaminodiazidophosphane and Diphenylaminofluoroazidophosphane. <i>Inorganic Chemistry</i> , 2015, 54, 11859-11867.	1.9	4
78	Synthesis and structural characterization of 3,5-dinitro-1,2,4-triazolates. <i>Dalton Transactions</i> , 2015, 44, 2978-2988.	1.6	26
79	Are DTTO and <i>iso</i> -DTTO Worthwhile Targets for Synthesis?. <i>Propellants, Explosives, Pyrotechnics</i> , 2015, 40, 463-468.	1.0	34
80	5-(Fluorodinitromethyl)-2H-tetrazole and its tetrazolates – Preparation and Characterization of New High Energy Compounds. <i>Dalton Transactions</i> , 2015, 44, 10166-10176.	1.6	39
81	Preparation and characterization of 3,5-dinitro-1H-1,2,4-triazole. <i>Dalton Transactions</i> , 2015, 44, 7586-7594.	1.6	33
82	Synthesis and Characterization of Fluorodinitroamine, FN(NO ₂) ₂ . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1316-1320.	7.2	20
83	Rücktitelbild: Nitryl Cyanide, NCNO ₂ (<i>Angew. Chem.</i> 27/2014). <i>Angewandte Chemie</i> , 2014, 126, 7216-7216.	1.6	0
84	Preparation of the First Manganese(III) and Manganese(IV) Azides. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 8200-8205.	7.2	24
85	Adduct Formation of Tantalum(V) and Niobium(V) Fluoride with Neutral Group 15 Donor Ligands, an Example for Ligand Induced Self-Ionization. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1568-1575.	0.6	18
86	Nitryl Cyanide, NCNO ₂ . <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6893-6897.	7.2	45
87	Stereoselective Synthesis of Fluoroalkenoates and Fluorinated Isoxazolidinones: N-Substituents Governing the Dual Reactivity of Nitrones. <i>Chemistry - A European Journal</i> , 2014, 20, 831-838.	1.7	19
88	<i>N</i> -Difluoromethylation of Imidazoles and Benzimidazoles Using the Ruppert-Prakash Reagent under Neutral Conditions. <i>Organic Letters</i> , 2014, 16, 54-57.	2.4	75
89	Synthesis and photophysical characterization of a bis-pincer osmium complex. <i>Polyhedron</i> , 2014, 84, 136-143.	1.0	6
90	Control of emission colour with N-heterocyclic carbene (NHC) ligands in phosphorescent three-coordinate Cu complexes. <i>Chemical Communications</i> , 2014, 50, 7176-7179.	2.2	122

#	ARTICLE	IF	CITATIONS
91	4-Oxo- or 1-oxo-N ₇ O ⁺ ? A computational and experimental study. RSC Advances, 2014, 4, 28377-28389.	1.7	6
92	Formic Acid As a Hydrogen Storage Medium: Ruthenium-Catalyzed Generation of Hydrogen from Formic Acid in Emulsions. ACS Catalysis, 2014, 4, 311-320.	5.5	72
93	Long-Lived Trifluoromethanide Anion: A Key Intermediate in Nucleophilic Trifluoromethylations. Angewandte Chemie - International Edition, 2014, 53, 11575-11578.	7.2	122
94	Coordination Adducts of Niobium(V) and Tantalum(V) Azide M(N ₃) ₅ (M=Nb, Ta) with Nitrogen Donor Ligands and their Self-Ionization. Angewandte Chemie - International Edition, 2014, 53, 5431-5434.	7.2	25
95	[BH ₃ CO ₂] ₃ : The First Room-Temperature Stable (Trinitromethyl)borate. Angewandte Chemie - International Edition, 2013, 52, 11002-11006.	7.2	23
96	Direct Synthesis of Diverse β -Fluoroethylamines by a Multicomponent Protocol. Chemistry - A European Journal, 2013, 19, 3579-3583.	1.7	18
97	Difluoro(sulfinato)methylation of N-Sulfinyl Imines Facilitated by 2-Pyridyl Sulfone: Stereoselective Synthesis of Difluorinated β -Amino Sulfonic Acids and Peptidosulfonamides. Angewandte Chemie - International Edition, 2013, 52, 10835-10839.	7.2	36
98	Thermolysis of trifluoromethyl-containing vinyl diazocarbonyl compounds and X-ray crystal structure analysis of unexpected reaction products. Journal of Fluorine Chemistry, 2013, 156, 322-326.	0.9	4
99	Increasing Sensitivity in Determining Chemical Shifts in One Dimensional Lorentzian NMR Spectra. Journal of Physical Chemistry A, 2013, 117, 3319-3331.	1.1	5
100	Energetic Bis(3,5-dinitro-1H-1,2,4-triazolyl)dihydro- and dichloroborates and Bis(5-nitro-2H-tetrazolyl)-, Bis(5-(trinitromethyl)-2H-tetrazolyl)-, and Bis(5-(fluorodinitromethyl)-2H-tetrazolyl)dihydroborate. Inorganic Chemistry, 2013, 52, 5551-5558.	1.9	31
101	Energetic High-Nitrogen Compounds: 5-(Trinitromethyl)-2H-tetrazole and -tetrazolates, Preparation, Characterization, and Conversion into 5-(Dinitromethyl)tetrazoles. Inorganic Chemistry, 2013, 52, 7249-7260.	1.9	102
102	Unprecedented Conformational Variability in Main Group Inorganic Chemistry: the Tetraazidoarsenite and -Antimonite Salts A ₄ [M(N ₃) ₄] ⁻ (A = Tl, Pb, Bi, Sb, Sn, Te, Se, S, Te, Se, S) and Five Different Anion Structures. Inorganic Chemistry, 2013, 52, 402-414.	1.9	26
103	Structure of Cyclic Nucleoside Phosphonate Ester Prodrugs: An Inquiry. Journal of Organic Chemistry, 2012, 77, 684-689.	1.7	5
104	Structural and Photophysical Studies of Phosphorescent Three-Coordinate Copper(I) Complexes Supported by an N-Heterocyclic Carbene Ligand. Organometallics, 2012, 31, 7983-7993.	1.1	113
105	[Bi(N ₃) ₄] ⁻ , [Bi(N ₃) ₃ (N ₃) ₅] ²⁻ , [Bi(N ₃) ₃ (N ₃) ₆] ³⁻ , [Bi(N ₃) ₃ (N ₃) ₃], [Bi(N ₃) ₃ (N ₃) ₃], and [Bi(N ₃) ₂ (N ₃) ₃] ²⁻ and on the Lone Pair Activation of Fluoride-Ion Acceptor Properties of WSF ₄ : Synthesis, Characterization, and Computational Study of the WSF ₅ ⁻ and W ₂ S ₂ F ₉ ⁻ Anions and ¹⁹ F NMR Spectroscopic Characterization of the W ₂ OSF ₉ ⁻ Anion. Inorganic Chemistry, 2012, 51, 6350-6359.	1.9	48
106	Enantioselective Synthesis of \pm -Stereogenic β -Keto Esters via Formal Umpolung. Organic Letters, 2012, 14, 3260-3263.	1.9	11
107	Facile synthesis of \pm -monofluoromethyl alcohols: Nucleophilic monofluoromethylation of aldehydes using TMSCF(SO ₂ Ph) ₂ . Journal of Fluorine Chemistry, 2012, 133, 27-32.	2.4	32
108		0.9	17

#	ARTICLE	IF	CITATIONS
127	Convenient Access to Trifluoromethanol. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 6155-6158.	7.2	31
128	The Binary Selenium(IV) Azides $\text{Se}(\text{N})_3$, $\text{Se}(\text{N})_4$, $\text{Se}(\text{N})_5$, and $\text{Se}(\text{N})_6$. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8686-8690.	7.2	57
129	New Signal Processing Method for the Faster Observation of Natural-Abundance ^{15}N NMR Spectra and Its Application to N_5^+ . <i>Inorganic Chemistry</i> , 2006, 45, 437-442.	1.9	13
130	Are the NF_4^+ Cations in NF_4BF_4 Really Nontetrahedral?. <i>Inorganic Chemistry</i> , 2006, 45, 7981-7984.	1.9	14
131	Oxygen-Balanced Energetic Ionic Liquid. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4981-4984.	7.2	87
132	Preparation, Characterization, and Crystal Structures of the $\text{SO}_3\text{NHF}_6^-$ and SO_3NF_2^+ Ions. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 5179-5184.	7.2	13
133	Experimental Evidence for Linear Metal-Azido Coordination: The Binary Group 5 Azides $[\text{Nb}(\text{N}_3)_5]$, $[\text{Ta}(\text{N}_3)_5]$, $[\text{Nb}(\text{N}_3)_6]^+$, and $[\text{Ta}(\text{N}_3)_6]^+$, and 1:1 Acetonitrile Adducts $[\text{Nb}(\text{N}_3)_5(\text{CH}_3\text{CN})]$ and $[\text{Ta}(\text{N}_3)_5(\text{CH}_3\text{CN})]$. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4830-4835.	7.2	53
134	Polyazide Chemistry: The First Binary Group 6 Azides, $\text{Mo}(\text{N}_3)_6$, $\text{W}(\text{N}_3)_6$, $[\text{Mo}(\text{N}_3)_7]^+$, and $[\text{W}(\text{N}_3)_7]^+$, and the $[\text{NW}(\text{N}_3)_4]^+$ and $[\text{NMo}(\text{N}_3)_4]^+$ Ions. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 1860-1865.	7.2	87
135	Polyazide Chemistry: Preparation and Characterization of $\text{As}(\text{N}_3)_5$, $\text{Sb}(\text{N}_3)_5$, and $[\text{P}(\text{C}_6\text{H}_5)_4][\text{Sb}(\text{N}_3)_6]^-$. <i>ChemInform</i> , 2005, 36, no.	0.1	0
136	Polyazide Chemistry: The First Binary Group 6 Azides, $\text{Mo}(\text{N}_3)_6$, $\text{W}(\text{N}_3)_6$, $[\text{Mo}(\text{N}_3)_7]^-$, and $[\text{W}(\text{N}_3)_7]^-$, and the $[\text{NW}(\text{N}_3)_4]^-$ and $[\text{NMo}(\text{N}_3)_4]^-$ Ions. <i>ChemInform</i> , 2005, 36, no.	0.1	0
137	The Syntheses and Structures of Ph_4EN_3 (E = P, As, Sb), an Example for the Transition from Ionic to Covalent Azides within the Same Main Group. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 2691-2695.	0.6	34
138	The race for the first generation of the pentazolite anion in solution is far from over. <i>Chemical Communications</i> , 2005, , 1607.	2.2	60
139	The Binary Group 4 Azides $[\text{Ti}(\text{N}_3)_4]$, $[\text{P}(\text{C}_6\text{H}_5)_4][\text{Ti}(\text{N}_3)_5]$, and $[\text{P}(\text{C}_6\text{H}_5)_4]_2[\text{Ti}(\text{N}_3)_6]$ and on Linear $\text{Ti} \dots \text{N} \dots \text{N}$ Coordination. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3148-3152.	7.2	73
140	High-Energy-Density Materials: Synthesis and Characterization of $\text{N}_5^+[\text{P}(\text{N}_3)_6]^-$, $\text{N}_5^+[\text{B}(\text{N}_3)_4]^-$, $\text{N}_5^+[\text{HF}_2]^-$, $\text{N}_5^+[\text{HF}]^-$, $\text{N}_5^+[\text{BF}_4]^-$, $\text{N}_5^+[\text{PF}_6]^-$, and $\text{N}_5^+[\text{SO}_3\text{F}]^-$. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4919-4924.	7.2	100
141	The $[\text{NH}_3\text{Cl}]^+$ Ion. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 5213-5217.	7.2	9
142	Polyazide Chemistry: Preparation and Characterization of $\text{As}(\text{N}_3)_5$, $\text{Sb}(\text{N}_3)_5$, and $[\text{P}(\text{C}_6\text{H}_5)_4][\text{Sb}(\text{N}_3)_6]^-$. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 6676-6680.	7.2	79
143	Polyazide Chemistry: Preparation and Characterization of $\text{Te}(\text{N}_3)_4$ and $[\text{P}(\text{C}_6\text{H}_5)_4]_2[\text{Te}(\text{N}_3)_6]$ and Evidence for $[\text{N}(\text{CH}_3)_4][\text{Te}(\text{N}_3)_5]^-$. <i>ChemInform</i> , 2004, 35, no.	0.1	0
144	The Binary Group 4 Azides $[\text{Ti}(\text{N}_3)_4]$, $[\text{P}(\text{C}_6\text{H}_5)_4][\text{Ti}(\text{N}_3)_5]$, and $[\text{P}(\text{C}_6\text{H}_5)_4]_2[\text{Ti}(\text{N}_3)_6]$ and on Linear $\text{Ti} \dots \text{N} \dots \text{N}$ Coordination. <i>ChemInform</i> , 2004, 35, no.	0.1	0

#	ARTICLE	IF	CITATIONS
145	High-Energy-Density Materials: Synthesis and Characterization of N+5[P(N3)6]-, N+5[B(N3)4]-, N+5[HF2]-, N+5[BF4]-, N+5[PF6]-, and N+5[SO3F]-. ChemInform, 2004, 35, no.	0.1	0
146	The [NH3Cl]+ Ion.. ChemInform, 2004, 35, no.	0.1	0
147	First Structural Characterization of Binary AsIII and SbIII Azides. Chemistry - A European Journal, 2004, 10, 508-517.	1.7	92
148	Methyl Tin(IV) Derivatives of HOTeF5 and HN(SO2CF3)2: A Solution Multinuclear NMR Study and the X-ray Crystal Structures of (CH3)2SnCl(OTeF5) and [(CH3)3Sn(H2O)2][N(SO2CF3)2]. Inorganic Chemistry, 2004, 43, 3189-3199.	1.9	12
149	The (SO2)2N3- Anion.. ChemInform, 2003, 34, no.	0.1	0
150	Polyazide Chemistry: Preparation and Characterization of Te(N3)4 and [P(C6H5)4]2[Te(N3)6] and Evidence for [N(CH3)4][Te(N3)5]. Angewandte Chemie - International Edition, 2003, 42, 5847-5851.	7.2	91
151	The (SO2)2N3-Anion. Inorganic Chemistry, 2003, 42, 416-419.	1.9	9
152	Synthesis and structural characterization of nitrogen containing high energy density materials. Acta Crystallographica Section A: Foundations and Advances, 2002, 58, c316-c316.	0.3	0
153	Synthesis and Characterization of the SO2N3-, (SO2)2N3-, and SO3N3- Anions. Inorganic Chemistry, 2002, 41, 4275-4285.	1.9	13
154	Tritylsulfinylamine: a new member in the family of sulfinylamines. Solid State Sciences, 2002, 4, 1529-1534.	1.5	10
155	Improved Synthesis of CsN3 Dedicated to Professor Joachim Strähle on the Occasion of his 65th Birthday. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2002, 628, 909.	0.6	9
156	An Improved Method for Product Separation in Metathetical Reactions and its Demonstration for the Synthesis of Anhydrous Cesium Salts. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2002, 628, 1717.	0.6	5
157	The NMR shifts are not a measure for the nakedness of the fluoride anion. Journal of Fluorine Chemistry, 2002, 116, 49-58.	0.9	57
158	Reaktionen des donorfreien (CF3)2Cd mit Phosphor(V)halogeniden: Difluorcarben-Einschiebungen und Direktsynthese von (CF3)3PF2 / Reactions of Donor-Free (CF3)2Cd with Phosphorus(V) Halides: Insertion of Difluorocarbene and Direct Synthesis of (CF3)3PF2. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1998, 53, 1455-1460.	0.3	9
159	Group 13 Cyanides & Happiness. ChemistryViews, 0, , .	0.0	0