J N Kemal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9169958/publications.pdf

Version: 2024-02-01

38 papers	1,875 citations	15 h-index	17 g-index
38	38	38	1813
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Microresonator-based solitons for massively parallel coherent optical communications. Nature, 2017, 546, 274-279.	27.8	816
2	THz-to-optical conversion in wireless communications using an ultra-broadband plasmonic modulator. Nature Photonics, 2019, 13, 519-524.	31.4	170
3	Generalized Kramers–Kronig receiver for coherent terahertz communications. Nature Photonics, 2020, 14, 601-606.	31.4	139
4	Ultra-high electro-optic activity demonstrated in a silicon-organic hybrid modulator. Optica, 2018, 5, 739.	9.3	131
5	Wireless THz link with optoelectronic transmitter and receiver. Optica, 2019, 6, 1063.	9.3	79
6	Hybrid multi-chip assembly of optical communication engines by in situ 3D nano-lithography. Light: Science and Applications, 2020, 9, 71.	16.6	77
7	Silicon-organic hybrid (SOH) Mach-Zehnder modulators for 100 GBd PAM4 signaling with sub-1 dB phase-shifter loss. Optics Express, 2020, 28, 24693.	3.4	47
8	Multi-wavelength coherent transmission using an optical frequency comb as a local oscillator. Optics Express, 2016, 24, 25432.	3.4	44
9	Hybrid electro-optic modulator combining silicon photonic slot waveguides with high-k radio-frequency slotlines. Optica, 2021, 8, 511.	9.3	41
10	Coherent WDM transmission using quantum-dash mode-locked laser diodes as multi-wavelength source and local oscillator. Optics Express, 2019, 27, 31164.	3.4	35
11	Performance of chip-scale optical frequency comb generators in coherent WDM communications. Optics Express, 2020, 28, 12897.	3.4	35
12	Demonstration of long-term thermally stable silicon-organic hybrid modulators at 85 \hat{A}° C. Optics Express, 2018, 26, 27955.	3.4	32
13	Comb-based WDM transmission at 10 Tbit/s using a DC-driven quantum-dash mode-locked laser diode. Optics Express, 2019, 27, 31110.	3.4	30
14	Coherent ePIC Receiver for 64 GBaud QPSK in 0.25 \hat{l} 4m Photonic BiCMOS Technology. Journal of Lightwave Technology, 2019, 37, 103-109.	4.6	24
15	$110\mbox{-m}$ THz Wireless Transmission at $100\mbox{ Gbit/s}$ Using a Kramers-Kronig Schottky Barrier Diode Receiver. , $2018,$, .		20
16	32QAM WDM transmission at 12 Tbit/s using a quantum-dash mode-locked laser diode (QD-MLLD) with external-cavity feedback. Optics Express, 2020, 28, 23594.	3.4	18
17	32QAM WDM Transmission Using a Quantum-Dash Passively Mode-Locked Laser with Resonant Feedback. , 2017, , .		16
18	WDM Transmission Using Quantum-Dash Mode-Locked Laser Diodes as Multi-Wavelength Source and Local Oscillator., 2017,,.		14

#	Article	IF	CITATIONS
19	Full C and L-Band Transmission at 20 Tbit/s Using Cavity-Soliton Kerr Frequency Combs., 2015,,.		13
20	Electrically packaged silicon-organic hybrid (SOH) I/Q-modulator for 64 GBd operation. Optics Express, 2018, 26, 34580.	3.4	12
21	8-channel 448 Gbit/s Silicon Photonic Transmitter Enabled by Photonic Wire Bonding. , 2017, , .		11
22	Coherent Terabit Communications Using a Quantum-Dash Mode-Locked Laser and Self-Homodyne Detection. , $2015, \ldots$		10
23	Terahertz-to-Optical Conversion Using a Plasmonic Modulator. , 2018, , .		10
24	SOH Mach-Zehnder Modulators for 100 GBd PAM4 Signaling With Sub-1 dB Phase-Shifter Loss. , 2020, , .		10
25	8.32 Tbit/s Coherent Transmission Using a Quantum-Dash Mode-Locked Laser Diode. , 2016, , .		9
26	Capacitively Coupled Silicon-Organic Hybrid Modulator for 200 Gbit/s PAM-4 Signaling. , 2019, , .		8
27	Wireless Transmission at 0.3 THz Using Direct THz-to-Optical Conversion at the Receiver. , 2018, , .		5
28	Four-Channel 784 Gbit/s Transmitter Module Enabled by Photonic Wire Bonding and Silicon-Organic Hybrid Modulators. , 2017, , .		4
29	Wireless THz Communications Using Optoelectronic Techniques for Signal Generation and Coherent Reception., 2017,,.		4
30	Colorless Coherent TDM-PON Based on a Frequency-Comb Laser. Journal of Lightwave Technology, 2022, 40, 4287-4299.	4.6	4
31	50 Tbit/s Massively Parallel WDM Transmission in C and L Band Using Interleaved Cavity-Soliton Kerr Combs. , 2016, , .		3
32	Parallel multi-wavelength intradyne reception using an optical frequency comb as a local oscillator. , $2015, , .$		2
33	Terabit/s communications using chip-scale frequency comb sources. , 2015, , .		1
34	Chip-based frequency combs for wavelength-division multiplexing applications. , 2020, , 51-102.		1
35	Silicon-organic hybrid (SOH) devices and their use in comb-based communication systems. , 2016, , .		0
36	Multi-terabit/s transmission using chip-scale frequency comb sources. , 2016, , .		0

#	Article	IF	CITATIONS
37	Chip-scale frequency comb generators for high-speed communications and optical metrology. , 2017, , .		O
38	Photonic Wire Bonding and 3D Nanoprinting in Photonic Integration – from Lab Demonstrations to Production. , 2018, , .		0