Marion Maurin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9171282/publications.pdf

Version: 2024-02-01

61984 46799 9,032 145 43 89 citations h-index g-index papers 161 161 161 6685 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of Cadmium Zinc Telluride ECG-gated SPECT equilibrium radionuclide angiocardiography to magnetic resonance imaging to measure right ventricular volumes and ejection fraction in patients with cardiomyopathy. Journal of Nuclear Cardiology, 2022, 29, 1647-1656.	2.1	5
2	Ulceroglandular Infection and Bacteremia Caused by <i>Francisella salimarina</i> Immunocompromised Patient, France. Emerging Infectious Diseases, 2022, 28, 465-467.	4.3	5
3	Identification of Algerian field-caught mosquito vectors by MALDI-TOF MS. Veterinary Parasitology: Regional Studies and Reports, 2022, 31, 100735.	0.5	3
4	A case report of ulceroglandular tularemia caused by Francisella tularensis subsp. Holarctica in Iran. Acta Tropica, 2022, 234, 106570.	2.0	0
5	Acute postoperative endophthalmitis: Microbiology from the laboratory to the bedside. Survey of Ophthalmology, 2022, 67, 1698-1710.	4.0	3
6	Metabotypes of Pseudomonas aeruginosa Correlate with Antibiotic Resistance, Virulence and Clinical Outcome in Cystic Fibrosis Chronic Infections. Metabolites, 2021, 11, 63.	2.9	20
7	Amoebae can promote the survival of <i>Francisella</i> species in the aquatic environment. Emerging Microbes and Infections, 2021, 10, 277-290.	6.5	10
8	Francisella tularensis human infections in a village of northwest Iran. BMC Infectious Diseases, 2021, 21, 310.	2.9	8
9	Current Status of Putative Animal Sources of SARS-CoV-2 Infection in Humans: Wildlife, Domestic Animals and Pets. Microorganisms, 2021, 9, 868.	3.6	38
10	Prognosis of Coronary Atherosclerotic Burden in Non-Ischemic Dilated Cardiomyopathies. Journal of Clinical Medicine, 2021, 10, 2183.	2.4	4
11	Multimodal Imaging to Understand Left Ventricular Systolic Dysfunction in a Patient With Sepsis-Related Myocardial Calcification. JACC: Case Reports, 2021, 3, 966-970.	0.6	O
12	Presence of Francisella tularensis subsp. holarctica DNA in the Aquatic Environment in France. Microorganisms, $2021, 9, 1398$.	3.6	8
13	Tularemia as a Mosquito-Borne Disease. Microorganisms, 2021, 9, 26.	3.6	14
14	Specific PCR and Quantitative Real-Time PCR in Ocular Samples from Acute and Delayed-Onset Postoperative Endophthalmitis. American Journal of Ophthalmology, 2020, 212, 34-42.	3.3	22
15	Tularemia: A Case Series of Patients Diagnosed at the National Reference Center for Rickettsioses From 2008 to 2017. Open Forum Infectious Diseases, 2020, 7, ofaa440.	0.9	11
16	Francisella tularensis, Tularemia and Serological Diagnosis. Frontiers in Cellular and Infection Microbiology, 2020, 10, 512090.	3.9	51
17	Genomic trajectories to fluoroquinolone resistance in Francisella tularensis subsp. holarctica live vaccine strain. International Journal of Antimicrobial Agents, 2020, 56, 106153.	2.5	4
18	Evaluation of the Biotoxis qPCR Detection Kit for Francisella tularensis Detection in Clinical and Environmental Samples. Journal of Clinical Microbiology, 2020, 59, .	3.9	4

#	Article	IF	CITATIONS
19	Optimized MALDI TOF Mass Spectrometry Identification of Francisella tularensis Subsp. holarctica. Microorganisms, 2020, 8, 1143.	3.6	10
20	Evaluation of Rapid Sepsityper \hat{A}^{\otimes} protocol and specific MBT-Sepsityper module (Bruker Daltonics) for the rapid diagnosis of bacteremia and fungemia by MALDI-TOF-MS. Annals of Clinical Microbiology and Antimicrobials, 2020, 19, 60.	3.8	23
21	Phylogeography and Genetic Diversity of Francisella tularensis subsp. holarctica in France (1947‰2018). Frontiers in Microbiology, 2020, 11, 287.	3.5	17
22	Tularemia as a waterborne disease: a review. Emerging Microbes and Infections, 2019, 8, 1027-1042.	6.5	68
23	Seroepidemiological study of Q fever, brucellosis and tularemia in butchers and slaughterhouses workers in Lorestan, western of Iran. Comparative Immunology, Microbiology and Infectious Diseases, 2019, 66, 101322.	1.6	19
24	<i>Francisella tularensis</i> : FupA mutation contributes to fluoroquinolone resistance by increasing vesicle secretion and biofilm formation. Emerging Microbes and Infections, 2019, 8, 808-822.	6.5	38
25	Epidemiological survey of tularemia in Ilam Province, west of Iran. BMC Infectious Diseases, 2019, 19, 502.	2.9	11
26	Genetic and Phenotypic Traits of Staphylococcus Epidermidis Strains Causing Postcataract Endophthalmitis Compared to Commensal Conjunctival Flora. American Journal of Ophthalmology, 2018, 191, 76-82.	3.3	13
27	Antibiotic susceptibility of Francisella tularensis subsp. holarctica strains isolated from tularaemia patients in France between 2006 and 2016. Journal of Antimicrobial Chemotherapy, 2018, 73, 687-691.	3.0	30
28	Evaluation of In-House and Commercial Serological Tests for Diagnosis of Human Tularemia. Journal of Clinical Microbiology, 2018, 56, .	3.9	12
29	ReSynPlex: Respiratory Syndrome Linked Pathogens Multiplex Detection and Characterization. Irbm, 2018, 39, 368-375.	5.6	1
30	Phenotypic and genetic resistance traits of Pseudomonas aeruginosa strains infecting cystic fibrosis patients: A French cohort study. International Journal of Antimicrobial Agents, 2018, 52, 358-364.	2.5	9
31	Structural and functional studies of the metalloregulator Fur identify a promoter-binding mechanism and itsÂrole in Francisella tularensis virulence. Communications Biology, 2018, 1, 93.	4.4	19
32	Functional Characterization of the DNA Gyrases in Fluoroquinolone-Resistant Mutants of Francisella novicida. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	12
33	Severe glandular tularemia in a patient treated with anti-tumour necrosis factor for psoriatic arthritis. International Journal of Infectious Diseases, 2017, 60, 1-3.	3.3	6
34	In vitro and in vivo evaluation of fluoroquinolone resistance associated with DNA gyrase mutations in Francisella tularensis, including in tularaemia patients with treatment failure. International Journal of Antimicrobial Agents, 2017, 50, 377-383.	2.5	10
35	Minimum inhibitory concentration (MIC) distribution among wild-type strains of Legionella pneumophila identifies a subpopulation with reduced susceptibility to macrolides owing to efflux pump genes. International Journal of Antimicrobial Agents, 2017, 50, 684-689.	2.5	32
36	<i>Brucella suis</i> biovar 2 infection in humans in France: emerging infection or better recognition?. Epidemiology and Infection, 2017, 145, 2711-2716.	2.1	26

#	Article	IF	CITATIONS
37	Digital PCR for Detection and Quantification of Fluoroquinolone Resistance in Legionella pneumophila. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	15
38	MALDI-TOF mass spectrometry for rapid diagnosis of postoperative endophthalmitis. Journal of Proteomics, 2017, 152, 150-152.	2.4	12
39	From Q Fever to Coxiella burnetii Infection: a Paradigm Change. Clinical Microbiology Reviews, 2017, 30, 115-190.	13.6	616
40	Francisella tularensis Susceptibility to Antibiotics: A Comprehensive Review of the Data Obtained In vitro and in Animal Models. Frontiers in Cellular and Infection Microbiology, 2017, 7, 122.	3.9	51
41	Keep an Ear Out for Francisella tularensis: Otomastoiditis Cases after Canyoneering. Frontiers in Medicine, 2016, 3, 9.	2.6	18
42	Human brucellosis in France in the 21st century: Results from national surveillance 2004–2013. Médecine Et Maladies Infectieuses, 2016, 46, 411-418.	5.0	23
43	Tularaemia: clinical aspects in Europe. Lancet Infectious Diseases, The, 2016, 16, 113-124.	9.1	187
44	The Molecular Diagnosis of Endophthalmitis. , 2016, , 77-97.		0
45	Hidden Selection of Bacterial Resistance to Fluoroquinolones In Vivo: The Case of Legionella pneumophila and Humans. EBioMedicine, 2015, 2, 1179-1185.	6.1	43
46	Antibiotic Susceptibility Testing of Brucella Species - Old and New Drugs. , 2015, , .		1
46	Antibiotic Susceptibility Testing of Brucella Species - Old and New Drugs. , 2015, , . Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011.	1.9	33
	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health,	1.9	
47	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011. Correlation between clinical data and antibiotic resistance in coagulase-negative Staphylococcus species isolated from 68 patients with acute post-cataract endophthalmitis. Clinical Microbiology and		33
47	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011. Correlation between clinical data and antibiotic resistance in coagulase-negative Staphylococcus species isolated from 68 patients with acute post-cataract endophthalmitis. Clinical Microbiology and Infection, 2015, 21, 592.e1-592.e8.	6.0	33
47 48 49	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011. Correlation between clinical data and antibiotic resistance in coagulase-negative Staphylococcus species isolated from 68 patients with acute post-cataract endophthalmitis. Clinical Microbiology and Infection, 2015, 21, 592.e1-592.e8. <i>>i>Francisella tularensis</i> i>a potential agent of bioterrorism?. Expert Review of Anti-Infective Therapy, 2015, 13, 141-144. Novel synthetic bis-indolic derivatives with antistaphylococcal activity, including against MRSA and	6.0 4.4	33 37 47
47 48 49 50	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011. Correlation between clinical data and antibiotic resistance in coagulase-negative Staphylococcus species isolated from 68 patients with acute post-cataract endophthalmitis. Clinical Microbiology and Infection, 2015, 21, 592.e1-592.e8. <i>>i>Francisella tularensis /i>as a potential agent of bioterrorism?. Expert Review of Anti-Infective Therapy, 2015, 13, 141-144. Novel synthetic bis-indolic derivatives with antistaphylococcal activity, including against MRSA and VISA strains. Journal of Antimicrobial Chemotherapy, 2015, 70, 1727-1737. An original case of <i>Francisella /i>tularensis subsp. <i>holarctica /i>bacteremia after a</i></i></i>	6.0 4.4 3.0	33 37 47 19
47 48 49 50	Tularemia, a re-emerging infectious disease in Iran and neighboring countrie. Epidemiology and Health, 2015, 37, e2015011. Correlation between clinical data and antibiotic resistance in coagulase-negative Staphylococcus species isolated from 68 patients with acute post-cataract endophthalmitis. Clinical Microbiology and Infection, 2015, 21, 592.e1-592.e8. <i>>i>Francisella tularensis /i> as a potential agent of bioterrorism?. Expert Review of Anti-Infective Therapy, 2015, 13, 141-144. Novel synthetic bis-indolic derivatives with antistaphylococcal activity, including against MRSA and VISA strains. Journal of Antimicrobial Chemotherapy, 2015, 70, 1727-1737. An original case of <i> Francisella /i> tularensis subsp. <i> holarctica /i> bacteremia after a near-drowning accident. Infectious Diseases, 2015, 47, 588-590. Bis-indolic compounds as potential new therapeutic alternatives for tularaemia. Frontiers in Cellular</i></i></i>	6.0 4.4 3.0 2.8	33 37 47 19

#	Article	IF	CITATIONS
55	New anti-infective strategies for treatment of tularemia. Frontiers in Cellular and Infection Microbiology, 2014, 4, 115.	3.9	5
56	Evolution toward high-level fluoroquinolone resistance in Francisella species. Journal of Antimicrobial Chemotherapy, 2014, 69, 101-110.	3.0	57
57	FRIENDS Group: clinical and microbiological characteristics of post-filtering surgery endophthalmitis. Graefe's Archive for Clinical and Experimental Ophthalmology, 2014, 252, 101-107.	1.9	21
58	1â€(1 <i>H</i> à€Indolâ€3â€yl)ethanamine Derivatives as Potent <i>Staphylococcus aureus</i> NorA Efflux Pump Inhibitors. ChemMedChem, 2014, 9, 1534-1545.	3.2	29
59	Principles and applications of molecular biology techniques for the microbiological diagnosis of acute post-operative endophthalmitis. Survey of Ophthalmology, 2014, 59, 286-303.	4.0	35
60	Serological survey of tularemia among butchers and slaughterhouse workers in Iran. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2014, 108, 516-518.	1.8	30
61	A Type III Secretion Negative Clinical Strain of Pseudomonas aeruginosa Employs a Two-Partner Secreted Exolysin to Induce Hemorrhagic Pneumonia. Cell Host and Microbe, 2014, 15, 164-176.	11.0	92
62	A multicentre prospective study of postâ€ŧraumatic endophthalmitis. Acta Ophthalmologica, 2013, 91, 475-482.	1.1	46
63	Prevalence of mupirocin resistance among invasive coagulase-negative staphylococci and methicillin-resistant Staphylococcus aureus (MRSA) in France: emergence of a mupirocin-resistant MRSA clone harbouring mupA. Journal of Antimicrobial Chemotherapy, 2013, 68, 1714-1717.	3.0	56
64	Treatment of Tularemia in Pregnant Woman, France. Emerging Infectious Diseases, 2013, 19, 996-998.	4.3	21
65	<i>Psychrobacter arenosus</i> Bacteremia after Blood Transfusion, France. Emerging Infectious Diseases, 2013, 19, 1118-1120.	4.3	15
66	Gardnerella vaginalis as a Rare Cause of Prosthetic Joint Infection. Journal of Clinical Microbiology, 2012, 50, 4154-4156.	3.9	14
67	Typhoidal Tularemia: 2 Familial Cases. Case Reports in Infectious Diseases, 2012, 2012, 1-2.	0.5	4
68	Three Cases of Post-Cataract Surgery Endophthalmitis Due to Rhizobium (Agrobacterium) radiobacter. Journal of Clinical Microbiology, 2012, 50, 1487-1490.	3.9	22
69	RELATIONSHIP BETWEEN BASELINE CLINICAL DATA AND MICROBIOLOGIC SPECTRUM IN 100 PATIENTS WITH ACUTE POSTCATARACT ENDOPHTHALMITIS. Retina, 2012, 32, 549-557.	1.7	40
70	Real-time PCR as a diagnostic tool for bacterial diseases. Expert Review of Molecular Diagnostics, 2012, 12, 731-754.	3.1	67
71	Disseminated Infection Caused by <i>Francisella philomiragia </i> , France, 2014. Emerging Infectious Diseases, 2012, 21, 2260-2261.	4.3	17
72	Two cases of type A infant botulism in Grenoble, France: no honey for infants. European Journal of Pediatrics, 2012, 171, 589-591.	2.7	11

#	Article	IF	Citations
73	Baseline predictive factors of visual prognosis in acute bacterial postcataract endophthalmitis. Acta Ophthalmologica, 2012, 90, 0-0.	1.1	O
74	Emergence of tularemia in France: paradigm of the Burgundy region. International Journal of Infectious Diseases, 2011, 15, e882-e883.	3.3	12
75	Synthesis and evaluation of 1-(1H-indol-3-yl)ethanamine derivatives as new antibacterial agents. Bioorganic and Medicinal Chemistry, 2011, 19, 3204-3215.	3.0	20
76	Human Tularemia in France, 2006-2010. Clinical Infectious Diseases, 2011, 53, e133-e141.	5.8	100
77	Insertion Sequences as Highly Resolutive Genomic Markers for Sequence Type 1 Legionella pneumophila Paris. Journal of Clinical Microbiology, 2011, 49, 315-324.	3.9	6
78	Ocular manifestations of syphilis: recent cases over a 2.5-year period. Graefe's Archive for Clinical and Experimental Ophthalmology, 2010, 248, 1623-1629.	1.9	72
79	Therapeutic impact and diagnostic performance of multiplex PCR in patients with malignancies and suspected sepsis. Journal of Infection, 2010, 61, 335-342.	3.3	43
80	Quantitative real-time PCR tests for diagnostic and prognostic purposes in cases of legionellosis. Clinical Microbiology and Infection, 2010, 16, 379-384.	6.0	30
81	Real-Time PCR for Diagnosis of Oculoglandular Tularemia. Emerging Infectious Diseases, 2010, 16, 152-153.	4.3	17
82	Phenotypic and genetic characterization of macrolide resistance in Francisella tularensis subsp. holarctica biovar I. Journal of Antimicrobial Chemotherapy, 2010, 65, 2359-2367.	3.0	39
83	Comprehensive Diagnostic Strategy for Blood Culture–Negative Endocarditis: A Prospective Study of 819 New Cases. Clinical Infectious Diseases, 2010, 51, 131-140.	5.8	418
84	Usefulness of anin-vitrotuberculosis interferon- \hat{l}^3 release assay (T-SPOT.TB) in the first-line check-up of uveitis patients. Annals of Medicine, 2010, 42, 546-554.	3.8	11
85	Mutational paths towards increased fluoroquinolone resistance in Legionella pneumophila. Journal of Antimicrobial Chemotherapy, 2009, 64, 284-293.	3.0	43
86	Analysis of Diluted Vitreous Samples from Vitrectomy Is Useful in Eyes with Severe Acute Postoperative Endophthalmitis. Ophthalmology, 2009, 116, 2437-2441.e1.	5.2	33
87	In vitro selection of fluoroquinolone resistance in Brucella melitensis. International Journal of Antimicrobial Agents, 2009, 34, 76-81.	2.5	25
88	Does an Educational Session With an Infectious Diseases Physician Reduce the Use of Inappropriate Antibiotic Therapy for Inpatients With Positive Urine Culture Results? A Controlled Before-and-After Study. Infection Control and Hospital Epidemiology, 2009, 30, 596-599.	1.8	42
89	African Tick Bite Fever in Elderly Patients: 8 Cases in French Tourists Returning from South Africa. Clinical Infectious Diseases, 2008, 47, e28-e35.	5.8	58
90	Eubacterial PCR for Bacterial Detection and Identification in 100 Acute Postcataract Surgery Endophthalmitis., 2008, 49, 1971.		115

#	Article	IF	Citations
91	P1229 New concerns with human brucellosis in France in the beginning of the 3rd millenium. International Journal of Antimicrobial Agents, 2007, 29, S337.	2.5	0
92	Human Infection with <i>Schineria larvae </i> Emerging Infectious Diseases, 2007, 13, 657-659.	4.3	30
93	Coxiella burnetii infection of aortic aneurysms or vascular grafts: report of 30 new cases and evaluation of outcome. European Journal of Clinical Microbiology and Infectious Diseases, 2007, 26, 635-640.	2.9	132
94	The changing pattern of fusobacterium infections in humans: recent experience with fusobacterium bacteraemia. Clinical Microbiology and Infection, 2006, 12, 178-181.	6.0	29
95	Quantitative Real-Time Legionella PCR for Environmental Water Samples: Data Interpretation. Applied and Environmental Microbiology, 2006, 72, 2801-2808.	3.1	112
96	Real-time PCR for detection of Brucella spp. DNA in human serum samples. European Journal of Clinical Microbiology and Infectious Diseases, 2005, 24, 842-845.	2.9	57
97	Antibiotic susceptibilities of Legionella pneumophila strain Paris in THP-1 cells as determined by real-time PCR assay. Journal of Antimicrobial Chemotherapy, 2005, 55, 866-871.	3.0	8
98	Abdominal aortic aneurysm and Coxiella burnetii infection: Report of three cases and review of the literature. Journal of Vascular Surgery, 2005, 42, 153-158.	1.1	43
99	Guidelines for the diagnosis of tick-borne bacterial diseases in Europe. Clinical Microbiology and Infection, 2004, 10, 1108-1132.	6.0	328
100	Measurement of the antibiotic susceptibility of Coxiella burnetii using real time PCR. International Journal of Antimicrobial Agents, 2004, 23, 169-174.	2.5	41
101	Can Whipple's Disease Be Transmitted by Gastroscopes?. Infection Control and Hospital Epidemiology, 2003, 24, 191-194.	1.8	22
102	Culture and Antibiotic Susceptibility of Bartonella quintana in Human Erythrocytes. Antimicrobial Agents and Chemotherapy, 2003, 47, 614-619.	3.2	30
103	Antibiotic Susceptibilities of Anaplasma (Ehrlichia) phagocytophilum Strains from Various Geographic Areas in the United States. Antimicrobial Agents and Chemotherapy, 2003, 47, 413-415.	3.2	81
104	Molecular Evaluation of Antibiotic Susceptibility: Tropheryma whipplei Paradigm. Antimicrobial Agents and Chemotherapy, 2003, 47, 1658-1664.	3.2	49
105	Wolbachia pipientis Growth Kinetics and Susceptibilities to 13 Antibiotics Determined by Immunofluorescence Staining and Real-Time PCR. Antimicrobial Agents and Chemotherapy, 2003, 47, 1665-1671.	3.2	60
106	Antibiotic Susceptibilities of Parachlamydia acanthamoeba in Amoebae. Antimicrobial Agents and Chemotherapy, 2002, 46, 3065-3067.	3.2	42
107	Comparison of In-House and Commercial Slides for Detection by Immunofluorescence of Immunoglobulins G and M against Bartonella henselae and Bartonella quintana. Vaccine Journal, 2002, 9, 1004-1009.	3.1	36
108	Evaluation of Antibiotic Susceptibilities of Three Rickettsial Species Including Rickettsia felis by a Quantitative PCR DNA Assay. Antimicrobial Agents and Chemotherapy, 2002, 46, 2747-2751.	3.2	109

#	Article	IF	CITATIONS
109	Bacteriostatic and Bactericidal Activities of Moxifloxacin against Coxiella burnetii. Antimicrobial Agents and Chemotherapy, 2001, 45, 301-302.	3.2	29
110	DNA Gyrase-Mediated Natural Resistance to Fluoroquinolones in Ehrlichia spp. Antimicrobial Agents and Chemotherapy, 2001, 45, 2098-2105.	3.2	44
111	Use of Aminoglycosides in Treatment of Infections Due to Intracellular Bacteria. Antimicrobial Agents and Chemotherapy, 2001, 45, 2977-2986.	3.2	111
112	Bactericidal effect of antibiotics on Bartonella and Brucella spp.: clinical implications. Journal of Antimicrobial Chemotherapy, 2000, 46, 811-814.	3.0	61
113	In Vitro Activities of Telithromycin (HMR 3647) against Rickettsia rickettsii , Rickettsia conorii , Rickettsia africae , Rickettsia typhi , Rickettsia prowazekii , Coxiella burnetii , Bartonella henselae , Bartonella quintana , Bartonella bacilliformis , and Ehrlichia chaffeensis. Antimicrobial Agents and Chemotherapy, 2000, 44, 1391-1393.	3.2	56
114	Bactericidal Activities of Antibiotics against Intracellular Francisella tularensis. Antimicrobial Agents and Chemotherapy, 2000, 44, 3428-3431.	3.2	68
115	Isolation in Endothelial Cell Cultures of <i>Chlamydia trachomatis</i> LGV (Serovar L2) from a Lymph Node of a Patient with Suspected Cat Scratch Disease. Journal of Clinical Microbiology, 2000, 38, 2062-2064.	3.9	14
116	In Vitro Susceptibilities of Four <i>Bartonella bacilliformis</i> Strains to 30 Antibiotic Compounds. Antimicrobial Agents and Chemotherapy, 1999, 43, 2090-2092.	3.2	40
117	Q Fever. Clinical Microbiology Reviews, 1999, 12, 518-553.	13.6	1,724
118	Three-dimensional modelling of the motion range of axial rotation of the upper arm. Journal of Biomechanics, 1998, 31, 899-908.	2.1	55
119	A new case of Streptococcus equisimilis septic arthritis. Clinical Rheumatology, 1998, 17, 71-72.		
		2.2	5
120	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 203-205.	2.2	10
120 121	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases,		
	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 203-205.	2.9	10
121	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 203-205. A Guinea Pig Model for Q Fever Endocarditis. Journal of Infectious Diseases, 1998, 178, 278-281.	2.9	10
121	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 203-205. A Guinea Pig Model for Q Fever Endocarditis. Journal of Infectious Diseases, 1998, 178, 278-281. Minimal Inhibitory Concentration Determination in <i>Bartonella henselae</i> //i> //i> //i> //i> //i> //i>	2.9	10 30 2
121 122 123	Use of 16S rRNA gene sequencing to identifyLactobacillus casei in septicaemia secondary to a paraprosthetic enteric fistula. European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 203-205. A Guinea Pig Model for Q Fever Endocarditis. Journal of Infectious Diseases, 1998, 178, 278-281. Minimal Inhibitory Concentration Determination in <i>Bartonella henselae</i> I)., 1998, 1, 164-175. Bartonella infections. Current Opinion in Infectious Diseases, 1998, 11, 189-194.	2.9 4.0 3.1	10 30 2 26

#	Article	IF	Citations
127	A new tick-transmitted disease due to Rickettsia slovaca. Lancet, The, 1997, 350, 112-113.	13.7	172
128	Intracellular organisms. International Journal of Antimicrobial Agents, 1997, 9, 61-70.	2.5	22
129	Guinea pig model for Staphylococcus aureus native valve endocarditis. Antimicrobial Agents and Chemotherapy, 1997, 41, 1815-1817.	3.2	12
130	Coxiella burnetii: the â€~query' fever bacterium: A model of immune subversion by a strictly intracellular microorganism. FEMS Microbiology Reviews, 1997, 19, 209-217.	8.6	46
131	Coxiella burnetii: the 'query' fever bacterium A model of immune subversion by a strictly intracellular microorganism. FEMS Microbiology Reviews, 1997, 19, 209-217.	8.6	49
132	Current knowledge ofBartonella species. European Journal of Clinical Microbiology and Infectious Diseases, 1997, 16, 487-506.	2.9	180
133	Serological cross-reactions between Bartonella and Chlamydia species: implications for diagnosis. Journal of Clinical Microbiology, 1997, 35, 2283-2287.	3.9	182
134	Optimum Treatment of Intracellular Infection. Drugs, 1996, 52, 45-59.	10.9	46
135	Bartonella (Rochalimaea) quintana infections. Clinical Microbiology Reviews, 1996, 9, 273-292.	13.6	183
136	MICs of 28 antibiotic compounds for 14 Bartonella (formerly Rochalimaea) isolates. Antimicrobial Agents and Chemotherapy, 1995, 39, 2387-2391.	3.2	111
137	Brain Abscess Due to Gordona terrae in an Immunocompromised Child: Case Report and Review of Infections Caused by G. terrae. Clinical Infectious Diseases, 1994, 19, 258-262.	5.8	39
138	Phagolysosomal Alkalinization and Intracellular Killing of Staphylococcus aureus by Amikacin. Journal of Infectious Diseases, 1994, 169, 330-336.	4.0	49
139	Isolation and characterization by immunofluorescence, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, western blot, restriction fragment length polymorphism-PCR, 16S rRNA gene sequencing, and pulsed-field gel electrophoresis of Rochalimaea quintana from a patient with bacillary angiomatosis, lournal of Clinical Microbiology, 1994, 32, 1166-1171.	3.9	99
140	In vitro susceptibilities of spotted fever group rickettsiae and Coxiella burnetti to clarithromycin. Antimicrobial Agents and Chemotherapy, 1993, 37, 2633-2637.	3.2	58
141	Antimicrobial susceptibility of Rochalimaea quintana, Rocholimaea vinsonii, and the newly recognized Rochalimaea henselae. Journal of Antimicrobial Chemotherapy, 1993, 32, 587-594.	3.0	83
142	Antibiotic susceptibilities of Afipia felis in axenic medium and in cells. Antimicrobial Agents and Chemotherapy, 1993, 37, 1410-1413.	3.2	26
143	Phagolysosomal Alkalinization and the Bactericidal Effect of Antibiotics: TheCoxiella burnetii Paradigm. Journal of Infectious Diseases, 1992, 166, 1097-1102.	4.0	170
144	Phagolysosomes of Coxiella burnetii-infected cell lines maintain an acidic pH during persistent infection. Infection and Immunity, 1992, 60, 5013-5016.	2.2	139

#	Article	IF	CITATIONS
145	PCR identification of Rhizobium radiobacter in post-operative endophthalmitis. Acta Ophthalmologica, 0, 85, 0-0.	0.3	0