Franc Strle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9174506/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Colocalization of Radicular Pain and Erythema Migrans in Patients With Bannwarth Syndrome Suggests a Direct Spread of <i>Borrelia</i> Into the Central Nervous System. Clinical Infectious Diseases, 2022, 75, 81-87.	5.8	9
2	Lyme Disease in Humans. Current Issues in Molecular Biology, 2022, 42, 333-384.	2.4	46
3	Rapid Viral Testing and Antibiotic Prescription in Febrile Children With Respiratory Symptoms Visiting Emergency Departments in Europe. Pediatric Infectious Disease Journal, 2022, 41, 39-44.	2.0	8
4	Clinical and Laboratory Characteristics and Outcome of Illness Caused by Tick-Borne Encephalitis Virus without Central Nervous System Involvement. Emerging Infectious Diseases, 2022, 28, 291-301.	4.3	13
5	Unique Clinical, Immune, and Genetic Signature in Patients with Borrelial Meningoradiculoneuritis1. Emerging Infectious Diseases, 2022, 28, .	4.3	5
6	Comparison of laboratory and immune characteristics of the initial and second phase of tick-borne encephalitis. Emerging Microbes and Infections, 2022, 11, 1647-1656.	6.5	11
7	Complete Genome Sequencing of Tick-Borne Encephalitis Virus Directly from Clinical Samples: Comparison of Shotgun Metagenomic and Targeted Amplicon-Based Sequencing. Viruses, 2022, 14, 1267.	3.3	5
8	Recommendations to Improve Tick-Borne Encephalitis Surveillance and Vaccine Uptake in Europe. Microorganisms, 2022, 10, 1283.	3.6	28
9	Development and validation of a prediction model for invasive bacterial infections in febrile children at European Emergency Departments: MOFICHE, a prospective observational study. Archives of Disease in Childhood, 2021, 106, 641-647.	1.9	13
10	Diagnostic Utility of CXCL13 in Lyme Neuroborreliosis. Clinical Infectious Diseases, 2021, 72, 1727-1729.	5.8	8
11	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis, and Treatment of Lyme Disease. Arthritis and Rheumatology, 2021, 73, 12-20.	5.6	25
12	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis, and Treatment of Lyme Disease. Arthritis Care and Research, 2021, 73, 1-9.	3.4	27
13	Human Oocytes Express Both ACE2 and BSG Genes and Corresponding Proteins: Is SARS-CoV-2 Infection Possible?. Stem Cell Reviews and Reports, 2021, 17, 278-284.	3.8	13
14	Low Virus-Specific IgG Antibodies in Adverse Clinical Course and Outcome of Tick-Borne Encephalitis. Microorganisms, 2021, 9, 332.	3.6	5
15	Acrodermatitis chronica atrophicans: clinical and microbiological characteristics of a cohort of 693 Slovenian patients. Journal of Internal Medicine, 2021, 290, 335-348.	6.0	11
16	Characteristics of spirochetemic patients with a solitary erythema migrans skin lesion in Europe. PLoS ONE, 2021, 16, e0250198.	2.5	4
17	Comparison of Clinical, Laboratory and Immune Characteristics of the Monophasic and Biphasic Course of Tick-Borne Encephalitis. Microorganisms, 2021, 9, 796.	3.6	12
18	Are Differences in Presentation of Early Lyme Borreliosis in Europe and North America a Consequence of a More Frequent Spirochetemia in American Patients? Journal of Clinical Medicine, 2021, 10, 1448	2.4	2

#	Article	IF	CITATIONS
19	Clinical Characteristics of Patients with Tick-Borne Encephalitis (TBE): A European Multicentre Study from 2010 to 2017. Microorganisms, 2021, 9, 1420.	3.6	36
20	Upregulated Intrathecal Expression of VEGF-A and Long Lasting Global Upregulation of Proinflammatory Immune Mediators in Vaccine Breakthrough Tick-Borne Encephalitis. Frontiers in Cellular and Infection Microbiology, 2021, 11, 696337.	3.9	3
21	Comparison of Lyme Disease in the United States and Europe. Emerging Infectious Diseases, 2021, 27, 2017-2024.	4.3	99
22	A NICE combination for predicting hospitalisation at the Emergency Department: a European multicentre observational study of febrile children. Lancet Regional Health - Europe, The, 2021, 8, 100173.	5.6	4
23	Comparison of the clinical practice guidelines for Lyme disease from the Infectious Diseases Society of America: 2000, 2006, and 2020. Diagnostic Microbiology and Infectious Disease, 2021, 101, 115446.	1.8	3
24	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study. PLoS ONE, 2021, 16, e0244810.	2.5	9
25	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis and Treatment of Lyme Disease. Clinical Infectious Diseases, 2021, 72, e1-e48.	5.8	174
26	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis and Treatment of Lyme Disease. Clinical Infectious Diseases, 2021, 72, 1-8.	5.8	66
27	Title is missing!. , 2021, 16, e0244810.		0
28	Title is missing!. , 2021, 16, e0244810.		0
29	Title is missing!. , 2021, 16, e0244810.		0
30	Title is missing!. , 2021, 16, e0244810.		0
31	Effect of Statin Use on the Clinical Manifestations, Laboratory Test Results and Outcome of Lyme Neuroborreliosis. Journal of Clinical Medicine, 2020, 9, 2995.	2.4	2
32	Course and Outcome of Erythema Migrans in Pregnant Women. Journal of Clinical Medicine, 2020, 9, 2364.	2.4	6
33	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): AAmulticentreAobservational study. PLoS Medicine, 2020, 17, e1003208.	8.4	59
34	Evaluation of the role of oral penicillin for treating Lyme disease patients with erythema migrans in the United States. Diagnostic Microbiology and Infectious Disease, 2020, 97, 115071.	1.8	1
35	Posttreatment Symptoms in Lyme Borreliosis. Clinical Infectious Diseases, 2020, 71, 3125-3127.	5.8	4

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 17, e1003208.		Ο
38	Title is missing!. , 2020, 17, e1003208.		0
39	Title is missing!. , 2020, 17, e1003208.		0
40	Title is missing!. , 2020, 17, e1003208.		0
41	Erythema Migrans: Course and Outcome in Patients Treated With Rituximab. Open Forum Infectious Diseases, 2019, 6, ofz292.	0.9	10
42	Early Lyme Borreliosis in Patients Treated with Tumour Necrosis Factor-Alfa Inhibitors. Journal of Clinical Medicine, 2019, 8, 1857.	2.4	9
43	Inflammatory Immune Responses in Patients with Tick-Borne Encephalitis: Dynamics and Association with the Outcome of the Disease. Microorganisms, 2019, 7, 514.	3.6	15
44	Inflammatory Immune Responses in the Pathogenesis of Tick-Borne Encephalitis. Journal of Clinical Medicine, 2019, 8, 731.	2.4	15
45	Diversity in the emergency care for febrile children in Europe: a questionnaire study. BMJ Paediatrics Open, 2019, 3, e000456.	1.4	21
46	Is Doxycycline Appropriate for Routine Treatment of Young Children With Erythema Migrans?. Pediatric Infectious Disease Journal, 2019, 38, 1113-1114.	2.0	7
47	Cost-effectiveness of a potential anti-tick vaccine with combined protection against Lyme borreliosis and tick-borne encephalitis in Slovenia. Ticks and Tick-borne Diseases, 2019, 10, 63-71.	2.7	5
48	Borrelia burgdorferi sensu lato infection in patients with peripheral facial palsy. Ticks and Tick-borne Diseases, 2019, 10, 398-406.	2.7	13
49	Acrodermatitis chronica atrophicans in children: Report on two cases and review of the literature. Ticks and Tick-borne Diseases, 2019, 10, 180-185.	2.7	6
50	How safe is doxycycline for young children or for pregnant or breastfeeding women?. Diagnostic Microbiology and Infectious Disease, 2019, 93, 238-242.	1.8	29
51	Lyme borreliosis–from tick bite to diagnosis and treatment. FEMS Microbiology Reviews, 2018, 42, 233-258.	8.6	135
52	ls the risk of early neurologic Lyme borreliosis reduced by preferentially treating patients with erythema migrans with doxycycline?. Diagnostic Microbiology and Infectious Disease, 2018, 91, 156-160.	1.8	15
53	CXCL13 concentrations in cerebrospinal fluid of patients with Lyme neuroborreliosis and other neurological disorders determined by Luminex and ELISA. Ticks and Tick-borne Diseases, 2018, 9, 1137-1142.	2.7	30
54	Oral doxycycline versus intravenous ceftriaxone for treatment of multiple erythema migrans: an open-label alternate-treatment observational trial. Journal of Antimicrobial Chemotherapy, 2018, 73, 1352-1358.	3.0	21

#	Article	IF	CITATIONS
55	The long-term outcome of tick-borne encephalitis in Central Europe. Ticks and Tick-borne Diseases, 2018, 9, 369-378.	2.7	38
56	Delayed Interferon Type 1-Induced Antiviral State Is a Potential Factor for Hemorrhagic Fever With Renal Syndrome Severity. Journal of Infectious Diseases, 2018, 217, 926-932.	4.0	10
57	To test or not to test? Laboratory support for the diagnosis of Lyme borreliosis – Author's reply. Clinical Microbiology and Infection, 2018, 24, 211-212.	6.0	5
58	To test or not to test? Laboratory support for the diagnosis of Lyme borreliosis: a position paper of ESGBOR, the ESCMID study group for Lyme borreliosis. Clinical Microbiology and Infection, 2018, 24, 118-124.	6.0	103
59	Clinical Course, Serologic Response, and Long-Term Outcome in Elderly Patients with Early Lyme Borreliosis. Journal of Clinical Medicine, 2018, 7, 506.	2.4	21
60	Factors associated with severity of tick-borne encephalitis: A prospective observational study. Travel Medicine and Infectious Disease, 2018, 26, 25-31.	3.0	31
61	Impact of pre-existing treatment with statins on the course and outcome of tick-borne encephalitis. PLoS ONE, 2018, 13, e0204773.	2.5	2
62	Doxycycline-induced photosensitivity in patients treated for erythema migrans. BMC Infectious Diseases, 2018, 18, 365.	2.9	3
63	Relationship between circulating vascular endothelial growth factor and its soluble receptor in patients with hemorrhagic fever with renal syndrome. Emerging Microbes and Infections, 2018, 7, 1-9.	6.5	12
64	Risk factors for bronchiolitis severity: A retrospective review of patients admitted to the university hospital from central region of Slovenia. Influenza and Other Respiratory Viruses, 2018, 12, 765-771.	3.4	20
65	Sequential assessment of clinical and laboratory parameters in patients with hemorrhagic fever with renal syndrome. PLoS ONE, 2018, 13, e0197661.	2.5	13
66	Critical analysis of a doxycycline treatment trial of rhesus macaques infected with Borrelia burgdorferi. Diagnostic Microbiology and Infectious Disease, 2018, 92, 183-188.	1.8	9
67	Comparison of Clinical Course and Treatment Outcome for Patients With Early Disseminated or Early Localized Lyme Borreliosis. JAMA Dermatology, 2018, 154, 1050.	4.1	27
68	Virus RNA Load in Patients with Tick-Borne Encephalitis, Slovenia. Emerging Infectious Diseases, 2018, 24, 1315-1323.	4.3	28
69	Response letter to Drs. Halperin and Greenberg. Diagnostic Microbiology and Infectious Disease, 2017, 88, 108-109.	1.8	0
70	Tickâ€borne encephalitis in patients vaccinated against this disease. Journal of Internal Medicine, 2017, 282, 142-155.	6.0	49
71	Pathogenetic implications of the age at time of diagnosis and skin location for acrodermatitis chronica atrophicans. Ticks and Tick-borne Diseases, 2017, 8, 266-269.	2.7	17
72	Should we consider faecal colonisation with extended-spectrum β-lactamase-producing Enterobacteriaceae in empirical therapy of community-onset sepsis?. International Journal of Antimicrobial Agents, 2017, 50, 564-571.	2.5	6

#	Article	IF	CITATIONS
73	Studies that report unexpected positive blood cultures for Lyme borrelia – are they valid?. Diagnostic Microbiology and Infectious Disease, 2017, 89, 178-181.	1.8	8
74	EAN consensus review on prevention, diagnosis and management of tickâ€borne encephalitis. European Journal of Neurology, 2017, 24, 1214.	3.3	142
75	A critical appraisal of the mild axonal peripheral neuropathy of late neurologic Lyme disease. Diagnostic Microbiology and Infectious Disease, 2017, 87, 163-167.	1.8	24
76	Respiratory and Enteric Virus Detection in Children. Journal of Child Neurology, 2017, 32, 84-93.	1.4	19
77	Comparison of MKP and BSK-H media for the cultivation and isolation of Borrelia burgdorferi sensu lato. PLoS ONE, 2017, 12, e0171622.	2.5	12
78	Differences in Genotype, Clinical Features, and Inflammatory Potential <i>of Borrelia burgdorferi</i> sensu stricto Strains from Europe and the United States. Emerging Infectious Diseases, 2016, 22, 818-827.	4.3	76
79	Comparison of Growth of Borrelia afzelii, Borrelia garinii, and Borrelia burgdorferi Sensu Stricto at Five Different Temperatures. PLoS ONE, 2016, 11, e0157706.	2.5	8
80	Lyme borreliosis. Nature Reviews Disease Primers, 2016, 2, 16090.	30.5	530
81	Course and Outcome of Early European Lyme Neuroborreliosis (Bannwarth Syndrome): Clinical and Laboratory Findings. Clinical Infectious Diseases, 2016, 63, 346-353.	5.8	103
82	Cluster of ulceroglandular tularemia cases in Slovenia. Ticks and Tick-borne Diseases, 2016, 7, 1193-1197.	2.7	7
83	Viral respiratory infections in a nursing home: a six-month prospective study. BMC Infectious Diseases, 2016, 16, 637.	2.9	17
84	Borrelial Lymphocytoma in Adult Patients. Clinical Infectious Diseases, 2016, 63, 914-921.	5.8	22
85	The Role of Human Coronaviruses in Children Hospitalized for Acute Bronchiolitis, Acute Gastroenteritis, and Febrile Seizures: A 2-Year Prospective Study. PLoS ONE, 2016, 11, e0155555.	2.5	38
86	Simultaneous isolation of Borrelia burgdorferi sensu lato from blood and cerebrospinal fluid in three patients with multiple erythema migrans. Journal of Pediatric Infectious Diseases, 2015, 01, 123-125.	0.2	0
87	Tick-borne encephalitis: A review of epidemiology, clinical characteristics, and management. World Journal of Clinical Cases, 2015, 3, 430.	0.8	314
88	medplot: A Web Application for Dynamic Summary and Analysis of Longitudinal Medical Data Based on R. PLoS ONE, 2015, 10, e0121760.	2.5	6
89	Comparison of clinical and laboratory characteristics of patients fulfilling criteria for proven and probable human granulocytic anaplasmosis. Microbes and Infection, 2015, 17, 829-833.	1.9	8
90	Oseltamivir prophylaxis in controlling influenza outbreak in nursing homes: a comparison between three different approaches. Infection, 2015, 43, 73-81.	4.7	13

#	Article	IF	CITATIONS
91	Intelligent System for Diagnosis of Erythema Migrans. Applied Artificial Intelligence, 2015, 29, 134-147.	3.2	0
92	Course and Outcome of Early Lyme Borreliosis in Patients With Hematological Malignancies: Table 1 Clinical Infectious Diseases, 2015, 61, 427-431.	5.8	11
93	Lyme neuroborreliosis in a patient treated with TNF-alpha inhibitor. Infection, 2015, 43, 759-762.	4.7	8
94	Presence of human cytomegalovirus DNA in blood of patients with community-acquired pneumonia. Clinical Microbiology and Infection, 2015, 21, 97-102.	6.0	3
95	The authors reply to comments on "The lymphocyte transformation test for the diagnosis of Lyme borreliosis has currently not been shown to be clinically useful.―Clin Microbiol Infect 2014;20:O786–O787. Clinical Microbiology and Infection, 2015, 21, e21.	6.0	3
96	Correlation of Culture Positivity, PCR Positivity, and Burden of Borrelia burgdorferi Sensu Lato in Skin Samples of Erythema Migrans Patients with Clinical Findings. PLoS ONE, 2015, 10, e0136600.	2.5	29
97	Reply to Seligman et al. Clinical Infectious Diseases, 2014, 59, 747-748.	5.8	0
98	Quantitative Evaluation of the Severity of Acute Illness in Adult Patients with Tick-Borne Encephalitis. BioMed Research International, 2014, 2014, 1-5.	1.9	16
99	Tick borne encephalitis without cerebrospinal fluid pleocytosis. BMC Infectious Diseases, 2014, 14, 614.	2.9	10
100	Elevated Levels of IL-23 in a Subset of Patients With Post-Lyme Disease Symptoms Following Erythema Migrans. Clinical Infectious Diseases, 2014, 58, 372-380.	5.8	92
101	Influence of MKP medium stored for prolonged periods on growth and morphology of <i>Borrelia afzelii, Borrelia garinii, and Borrelia burgdorferi</i> sensu stricto. Apmis, 2014, 122, 230-235.	2.0	5
102	Comparison of isolation rate of Borrelia burgdorferi sensu lato in two different culture media, MKP and BSK-H. Clinical Microbiology and Infection, 2014, 20, 636-641.	6.0	19
103	Are Patients with Erythema Migrans Who Have Leukopenia and/or Thrombocytopenia Coinfected with Anaplasma phagocytophilum or Tick-Borne Encephalitis Virus?. PLoS ONE, 2014, 9, e103188.	2.5	7
104	Suspected Early Lyme Neuroborreliosis in Patients With Erythema Migrans. Clinical Infectious Diseases, 2013, 57, 501-509.	5.8	44
105	Tick-borne Encephalitis Associated with Consumption of Raw Goat Milk, Slovenia, 2012. Emerging Infectious Diseases, 2013, 19, 806-8.	4.3	94
106	Diagnostic Value of Cytokines and Chemokines in Lyme Neuroborreliosis. Vaccine Journal, 2013, 20, 1578-1584.	3.1	59
107	Clinical Characteristics Associated with Borrelia burgdorferi Sensu Lato Skin Culture Results in Patients with Erythema Migrans. PLoS ONE, 2013, 8, e82132.	2.5	20
108	Quantitative Detection of Borrelia burgdorferi sensu lato in Erythema Migrans Skin Lesions Using Internally Controlled Duplex Real Time PCR. PLoS ONE, 2013, 8, e63968.	2.5	42

#	Article	IF	CITATIONS
109	Gender Disparity between Cutaneous and Non-Cutaneous Manifestations of Lyme Borreliosis. PLoS ONE, 2013, 8, e64110.	2.5	49
110	Treatment of Erythema Migrans With Doxycycline for 10 Days Versus 15 Days. Clinical Infectious Diseases, 2012, 55, 343-350.	5.8	76
111	Lyme borreliosis. Lancet, The, 2012, 379, 461-473.	13.7	1,086
112	Pregnant women with erythema migrans and isolation of borreliae from blood: course and outcome after treatment with ceftriaxone. Diagnostic Microbiology and Infectious Disease, 2011, 71, 446-448.	1.8	28
113	Lyme borreliosis: Clinical case definitions for diagnosis and management in Europe. Clinical Microbiology and Infection, 2011, 17, 69-79.	6.0	474
114	Comparison of Post-Lyme Borreliosis Symptoms in Erythema Migrans Patients with Positive and Negative <i>Borrelia burgdorferi Sensu Lato</i> Skin Culture. Vector-Borne and Zoonotic Diseases, 2011, 11, 883-889.	1.5	24
115	Isolation of Borrelia burgdorferi sensu lato from blood of adult patients with borrelial lymphocytoma, Lyme neuroborreliosis, Lyme arthritis and acrodermatitis chronica atrophicans. Infection, 2011, 39, 35-40.	4.7	33
116	Comparison of Erythema Migrans Caused by <i>Borrelia burgdorferi</i> and <i>Borrelia garinii</i> . Vector-Borne and Zoonotic Diseases, 2011, 11, 1253-1258.	1.5	34
117	Humoral Immune Responses in Patients with Lyme Neuroborreliosis. Vaccine Journal, 2010, 17, 645-650.	3.1	32
118	Evaluation of real-time PCR targeting hbb gene for Borrelia species identification. Journal of Microbiological Methods, 2010, 82, 115-119.	1.6	19
119	Subjective Symptoms after Treatment of Early Lyme Disease. American Journal of Medicine, 2010, 123, 79-86.	1.5	166
120	What tick-borne encephalitis may look like: Clinical signs and symptoms. Travel Medicine and Infectious Disease, 2010, 8, 246-250.	3.0	52
121	Clinical Manifestations and Diagnosis of Lyme Borreliosis. Current Problems in Dermatology, 2009, 37, 51-110.	0.7	139
122	How Do I Manage Tick Bites and Lyme Borreliosis in Pregnant Women?. Current Problems in Dermatology, 2009, 37, 183-190.	0.7	11
123	<i>Borrelia burgdorferi</i> Stimulates Macrophages to Secrete Higher Levels of Cytokines and Chemokines than <i>Borrelia afzelii</i> or <i>Borrelia garinii</i> . Journal of Infectious Diseases, 2009, 200, 1936-1943.	4.0	73
124	Protein profile determination of Borrelia afzelii and Borrelia garinii isolated from skin and cerebrospinal fluid. World Journal of Microbiology and Biotechnology, 2009, 25, 1287-1296.	3.6	1
125	Concomitant human granulocytic anaplasmosis and Lyme neuroborreliosis. Clinical Microbiology and Infection, 2009, 15, 28-29.	6.0	6
126	Comparison of PCR methods and culture for the detection of Borrelia spp. in patients with erythema migrans. Clinical Microbiology and Infection, 2008, 14, 653-658.	6.0	39

#	Article	IF	CITATIONS
127	Tick-borne encephalitis after active immunization. International Journal of Medical Microbiology, 2008, 298, 309-313.	3.6	22
128	Characterization of Borrelia burgdorferi sensu lato isolates by pulsed-field gel electrophoresis after Mlul restriction of genomic DNA. Research in Microbiology, 2008, 159, 441-448.	2.1	39
129	Lyme Disease—European Perspective. Infectious Disease Clinics of North America, 2008, 22, 327-339.	5.1	62
130	Validation of Cultivation and PCR Methods for Diagnosis of Lyme Neuroborreliosis. Journal of Clinical Microbiology, 2008, 46, 3375-3379.	3.9	89
131	Comparison of immunofluorescence assay (IFA) and LIAISON® in patients with different clinical manifestations of Lyme borreliosis. Wiener Klinische Wochenschrift, 2006, 118, 686-690.	1.9	12
132	Tick-borne encephalitis in Slovenia from 2000 to 2004: Comparison of the course in adult and elderly patients. Wiener Klinische Wochenschrift, 2006, 118, 702-707.	1.9	48
133	Epidemiological, clinical and laboratory characteristics of patients with human granulocytic anaplasmosis in Slovenia. Wiener Klinische Wochenschrift, 2006, 118, 708-713.	1.9	32
134	Erythema Migrans in Solid-Organ Transplant Recipients. Clinical Infectious Diseases, 2006, 42, 1751-1754.	5.8	28
135	Comparison of Findings for Patients with Borrelia garinii and Borrelia afzelii Isolated from Cerebrospinal Fluid. Clinical Infectious Diseases, 2006, 43, 704-710.	5.8	126
136	The Clinical Assessment, Treatment, and Prevention of Lyme Disease, Human Granulocytic Anaplasmosis, and Babesiosis: Clinical Practice Guidelines by the Infectious Diseases Society of America. Clinical Infectious Diseases, 2006, 43, 1089-1134.	5.8	1,795
137	Hemorrhagic fever with renal syndrome in the Pomurje region of Slovenia – An 18-year survey. Wiener Klinische Wochenschrift, 2005, 117, 398-405.	1.9	25
138	Concomitant Tickborne Encephalitis and Human Granulocytic Ehrlichiosis. Emerging Infectious Diseases, 2005, 11, 485-488.	4.3	22
139	Comparison of Borrelia burgdorferi Sensu Lato Strains Isolated from Specimens Obtained Simultaneously from Two Different Sites of Infection in Individual Patients. Journal of Clinical Microbiology, 2005, 43, 2194-2200.	3.9	37
140	The importance of tick-borne encephalitis virus RNA detection for early differential diagnosis of tick-borne encephalitis. Journal of Clinical Virology, 2005, 33, 331-335.	3.1	92
141	Intravenous ceftriaxone compared with oral doxycycline for the treatment of Lyme neuroborreliosis. Scandinavian Journal of Infectious Diseases, 2005, 37, 449-454.	1.5	97
142	Comparison of Erythema Migrans Caused by Borrelia afzelii and Borrelia garinii. Infection, 2004, 32, 15-19.	4.7	79
143	Human granulocytic ehrlichiosis in Europe. International Journal of Medical Microbiology Supplements, 2004, 293, 27-35.	0.4	47
144	Solitary and Multiple Erythema Migrans in Children: Comparison of Demographic, Clinical and Laboratory Findings. Infection, 2003, 31, 404-409.	4.7	34

#	Article	IF	CITATIONS
145	Lyme borreliosis. Lancet, The, 2003, 362, 1639-1647.	13.7	411
146	Clinical and epidemiological findings for patients with erythema migrans. Comparison of cohorts from the years 1993 and 2000. Wiener Klinische Wochenschrift, 2002, 114, 493-7.	1.9	17
147	Characterization of Borrelia burgdorferi sensu lato strains isolated from human material in Slovenia. Wiener Klinische Wochenschrift, 2002, 114, 544-50.	1.9	31
148	Evaluation of immunofluorescence test (IFT) and immuno (western) blot (WB) test in patients with erythema migrans. Wiener Klinische Wochenschrift, 2002, 114, 586-90.	1.9	16
149	Sensitivity of culture and polymerase chain reaction for the etiologic diagnosis of erythema migrans. Wiener Klinische Wochenschrift, 2002, 114, 606-9.	1.9	16
150	ls azithromycin treatment associated with prolongation of the Q-Tc interval?. Wiener Klinische Wochenschrift, 2002, 114, 396-9.	1.9	9
151	Isolation of Borrelia burgdorferi sensu lato from blood of children with solitary erythema migrans. Pediatric Infectious Disease Journal, 2001, 20, 251-255.	2.0	36
152	Isolation of Borrelia burgdorferi Sensu Lato from Blood of Patients with Erythema Migrans. Infection, 2001, 29, 65-70.	4.7	28
153	Analysis of Borrelia burgdorferi sensu lato isolated from cerebrospinal fluidNote. Apmis, 2001, 109, 707-713.	2.0	29
154	First European Pediatric Case of Human Granulocytic Ehrlichiosis. Journal of Clinical Microbiology, 2001, 39, 4591-4592.	3.9	47
155	Prospective Assessment of the Etiology of Acute Febrile Illness after a Tick Bite in Slovenia. Clinical Infectious Diseases, 2001, 33, 503-510.	5.8	42
156	Genotypic and phenotypic characterisation of Borrelia burgdorferi sensu lato strains isolated from human blood. Journal of Medical Microbiology, 2001, 50, 896-901.	1.8	32
157	Demographic features, clinical characteristics and laboratory findings in children with multiple erythema migrans in Slovenia. Wiener Klinische Wochenschrift, 2001, 113, 98-101.	1.9	7
158	Clinical Distinction Between Human Granulocytic Ehrlichiosis and the Initial Phase of Tick-borne Encephalitis. Journal of Infection, 2000, 40, 55-58.	3.3	17
159	Characterisation of Borrelia burgdorferi sensu lato strains isolated from patients with skin manifestations of Lyme borreliosis residing in Slovenia. Journal of Medical Microbiology, 2000, 49, 47-53.	1.8	41
160	Comparison of Culture-Confirmed Erythema Migrans Caused by Borrelia afzelii in Slovenia. Annals of Internal Medicine, 1999, 130, 32.	3.9	160
161	Identity of Ehrlichial DNA Sequences Derived from <i>lxodes ricinus</i> Ticks with Those Obtained from Patients with Human Granulocytic Ehrlichiosis in Slovenia. Journal of Clinical Microbiology, 1999, 37, 209-210.	3.9	79
162	Erythema migrans in the immunocompromised host. Wiener Klinische Wochenschrift, 1999, 111, 923-32.	1.9	6

#	Article	IF	CITATIONS
163	Erythema migrans in pregnancy. Wiener Klinische Wochenschrift, 1999, 111, 933-40.	1.9	16
164	Has the presence or absence of Borrelia burgdorferi sensu lato as detected by skin culture any influence on the course of erythema migrans?. Wiener Klinische Wochenschrift, 1999, 111, 945-50.	1.9	5
165	Concomitant infection with tick-borne encephalitis virus andBorrelia burgdorferi sensu lato in patients with acute meningitis or meningoencephalitis. Infection, 1998, 26, 160-164.	4.7	31
166	Identification of Three Species of Borrelia burgdorferi Sensu Lato (B. burgdorferi Sensu Stricto, B.) Tj ETQq0 0 0 r Investigative Dermatology, 1998, 110, 211-214.	gBT /Over 0.7	lock 10 Tf 50 89
167	Human Granulocytic Ehrlichiosis in Europe: Clinical and Laboratory Findings for Four Patients from Slovenia. Clinical Infectious Diseases, 1998, 27, 424-428.	5.8	124
168	A two year prospective study to compare culture and polymerase chain reaction amplification for the detection and diagnosis of Lyme borreliosis Journal of Clinical Pathology, 1997, 50, 186-193.	1.9	58
169	Molecular Subtyping of Borrelia burgdorferi sensu lato Isolates from Five Patients with Solitary Lymphocytoma. Journal of Investigative Dermatology, 1997, 108, 92-97.	0.7	56
170	Human disease in Europe caused by a granulocytic Ehrlichia species. Journal of Clinical Microbiology, 1997, 35, 1556-1559.	3.9	271
171	European Lyme Borreliosis: 231 Culture-Confirmed Cases Involving Patients with Erythema Migrans. Clinical Infectious Diseases, 1996, 23, 61-65.	5.8	93
172	Azithromycin and doxycycline for treatment ofBorrelia culture-positive erythema migrans. Infection, 1996, 24, 64-68.	4.7	85
173	Treatment of borrelial lymphocytoma. Infection, 1996, 24, 80-84.	4.7	34
174	Single-tube nested polymerase chain reaction assay based on flagellin gene sequences for detection ofBorrelia burgdorferi sensu lato. European Journal of Clinical Microbiology and Infectious Diseases, 1996, 15, 489-498.	2.9	46
175	Molecular characterization ofBorrelia burgdorferi sensu lato from Slovenia revealing significant differences between tick and human isolates. European Journal of Clinical Microbiology and Infectious Diseases, 1996, 15, 313-323.	2.9	61
176	Treatment of Erythema Migrans in Pregnancy. Clinical Infectious Diseases, 1996, 22, 788-793.	5.8	56
177	Infection rate oflxodes ricinus ticks withBorrelia afzelii, Borrelia garinii, andBorrelia burgdorferi sensu stricto in Slovenia. European Journal of Clinical Microbiology and Infectious Diseases, 1995, 14, 994-1001.	2.9	46
178	Thrombocytopenia — A common finding in the initial phase of tick-borne encephalitis. Infection, 1995, 23, 203-206.	4.7	42
179	Persistence of Borrelia burgdorferi Sensu Lato in Resolved Erythema Migrans Lesions. Clinical Infectious Diseases, 1995, 21, 380-389.	5.8	44
180	Azithromycin versus doxycycline for treatment of erythema migrans: Clinical and microbiological findings. Infection, 1993, 21, 83-88.	4.7	104

#	Article	IF	CITATIONS
181	Erythema migrans: comparison of treatment with azithromycin, doxycycline and phenoxymethylpenicillin. Journal of Antimicrobial Chemotherapy, 1992, 30, 543-550.	3.0	66
182	Solitary borrelial lymphocytoma: Report of 36 cases. Infection, 1992, 20, 201-206.	4.7	66