

Guang He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9176437/publications.pdf>

Version: 2024-02-01

47
papers

4,233
citations

236925

25
h-index

223800

46
g-index

51
all docs

51
docs citations

51
times ranked

5736
citing authors

#	ARTICLE	IF	CITATIONS
1	A lithiophilic/lithiophobic ternary alloy anode with Ag concentration gradients guides uniform Li deposition. <i>Chemical Communications</i> , 2022, 58, 3158-3161.	4.1	7
2	Non-aqueous synthesis of high-quality Prussian blue analogues for Na-ion batteries. <i>Chemical Communications</i> , 2022, 58, 4472-4475.	4.1	16
3	A room temperature alloying strategy to enable commercial metal foil for efficient Li/Na storage and deposition. <i>Energy Storage Materials</i> , 2021, 34, 708-715.	18.0	15
4	Dual-ion intercalation to enable high-capacity VOPO ₄ cathodes for Na-ion batteries. <i>Electrochimica Acta</i> , 2021, 365, 137376.	5.2	14
5	Applications of Low-Melting-Point Metals in Rechargeable Metal Batteries. <i>Chemistry - A European Journal</i> , 2021, 27, 6407-6421.	3.3	15
6	In Situ Electrolyte Gelation to Prevent Chemical Crossover in Li Metal Batteries. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002152.	3.7	2
7	Frontispiece: Applications of Low-Melting-Point Metals in Rechargeable Metal Batteries. <i>Chemistry - A European Journal</i> , 2021, 27, .	3.3	0
8	Robust silver nanowire membrane with high porosity to construct stable Li metal anodes. <i>Materials Today Energy</i> , 2021, 21, 100751.	4.7	9
9	Capacity-limited Na-M foil Anode: toward Practical Applications of Na Metal Anode. <i>Small</i> , 2021, 17, e2102126.	10.0	16
10	Structural Evolution upon Delithiation/Lithiation in Prelithiated Foil Anodes: A Case Study of AgLi Alloys with High Li Utilization and Marginal Volume Variation. <i>Advanced Energy Materials</i> , 2021, 11, 2003082.	19.5	42
11	Exploration of Nanoporous CuBi Binary Alloy for Potassium Storage. <i>Advanced Functional Materials</i> , 2020, 30, 2003838.	14.9	26
12	Dealloyed Nanoporous Materials for Rechargeable Post-Lithium Batteries. <i>ChemSusChem</i> , 2020, 13, 3376-3390.	6.8	20
13	A thermodynamically stable quasi-liquid interface for dendrite-free sodium metal anodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6822-6827.	10.3	20
14	Dealloyed Nanoporous Materials for Rechargeable Post-Lithium Batteries. <i>ChemSusChem</i> , 2020, 13, 3287-3287.	6.8	14
15	An amalgam route to stabilize potassium metal anodes over a wide temperature range. <i>Chemical Communications</i> , 2020, 56, 3512-3515.	4.1	43
16	Dealloyed nanoporous materials for rechargeable lithium batteries. <i>Electrochemical Energy Reviews</i> , 2020, 3, 541-580.	25.5	49
17	Amalgams Anodes for Alkali Metal Batteries. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 321-321.	0.0	0
18	Amalgam Protection for Alkali Metal Anodes. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 91-91.	0.0	0

#	ARTICLE	IF	CITATIONS
19	A New Reaction Pathway Enables High Volumetric-Energy-Density Li-Se Batteries. <i>Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica</i> , 2020, .	4.9	1
20	Chemical-dealloying to fabricate nonconductive interlayers for high-loading lithium sulfur batteries. <i>Journal of Alloys and Compounds</i> , 2019, 806, 881-888.	5.5	16
21	Flexible Amalgam Film Enables Stable Lithium Metal Anodes with High Capacities. <i>Angewandte Chemie</i> , 2019, 131, 18637-18641.	2.0	7
22	Flexible Amalgam Film Enables Stable Lithium Metal Anodes with High Capacities. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18466-18470.	13.8	67
23	Tailoring nanoporous structures of Ge anodes for stable potassium-ion batteries. <i>Electrochemistry Communications</i> , 2019, 101, 68-72.	4.7	67
24	Ultrathin Al foils to fabricate dendrite-free Li-Al anodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25415-25422.	10.3	27
25	Ambient stable Na _{0.76} Mn _{0.48} Ti _{0.44} O ₂ as anode for Na-ion battery. <i>Electrochimica Acta</i> , 2019, 295, 181-186.	5.2	14
26	Delithiation/lithiation behaviors of three polymorphs of LiVOPO ₄ . <i>Chemical Communications</i> , 2018, 54, 13224-13227.	4.1	14
27	Stable cycling of δ -VOPO ₄ /NaVOPO ₄ cathodes for sodium-ion batteries. <i>Electrochimica Acta</i> , 2018, 292, 47-54.	5.2	26
28	Rechargeable Al-CO ₂ Batteries for Reversible Utilization of CO ₂ . <i>Advanced Materials</i> , 2018, 30, e1801152.	21.0	96
29	Crystallite Size Control of Prussian White Analogues for Nonaqueous Potassium-Ion Batteries. <i>ACS Energy Letters</i> , 2017, 2, 1122-1127.	17.4	294
30	δ -NaVOPO ₄ Obtained by a Low-Temperature Synthesis Process: A New 3.3 V Cathode for Sodium-Ion Batteries. <i>Chemistry of Materials</i> , 2016, 28, 1503-1512.	6.7	60
31	A 3.4 V Layered VOPO ₄ Cathode for Na-Ion Batteries. <i>Chemistry of Materials</i> , 2016, 28, 682-688.	6.7	100
32	VO ₂ /rGO nanorods as a potential anode for sodium- and lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14750-14758.	10.3	99
33	Crystal Chemistry of Electrochemically and Chemically Lithiated Layered δ -LiVOPO ₄ . <i>Chemistry of Materials</i> , 2015, 27, 6699-6707.	6.7	45
34	Hierarchical pore-in-pore and wire-in-wire catalysts for rechargeable Zn-air and Li-air batteries with ultra-long cycle life and high cell efficiency. <i>Energy and Environmental Science</i> , 2015, 8, 3274-3282.	30.8	107
35	Gentle reduction of SBA-15 silica to its silicon replica with retention of morphology. <i>RSC Advances</i> , 2014, 4, 22048-22052.	3.6	4
36	Stable Cycling of a Scalable Graphene-Encapsulated Nanocomposite for Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 10917-10923.	8.0	80

#	ARTICLE	IF	CITATIONS
37	Nanostructured $\text{Li}_2\text{MnSiO}_4/\text{C}$ Cathodes with Hierarchical Macro-/Mesoporosity for Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2014, 24, 5277-5283.	14.9	51
38	Bimodal Mesoporous Carbon Nanofibers with High Porosity: Freestanding and Embedded in Membranes for Lithium-Sulfur Batteries. <i>Chemistry of Materials</i> , 2014, 26, 3879-3886.	6.7	80
39	Sulfur Speciation in Li-S Batteries Determined by Operando X-ray Absorption Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 3227-3232.	4.6	462
40	Tailoring Porosity in Carbon Nanospheres for Lithium-Sulfur Battery Cathodes. <i>ACS Nano</i> , 2013, 7, 10920-10930.	14.6	439
41	Hydrothermal Synthesis and Electrochemical Properties of $\text{Li}_2\text{CoSiO}_4/\text{C}$ Nanospheres. <i>Chemistry of Materials</i> , 2013, 25, 1024-1031.	6.7	44
42	Spherical Ordered Mesoporous Carbon Nanoparticles with High Porosity for Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 3591-3595.	13.8	1,021
43	Investigation of hydrogen absorption in Li_7VN_4 and Li_7MnN_4 . <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 8889.	2.8	6
44	High α -rate Li-S cathodes: sulfur imbibed bimodal porous carbons. <i>Energy and Environmental Science</i> , 2011, 4, 2878.	30.8	446
45	Preparation and electrochemical properties of MgNi-MB (M=Co, Ti) composite alloys. <i>Journal of Alloys and Compounds</i> , 2008, 450, 375-379.	5.5	22
46	Effect of synthesis method on the structure and electrochemical behaviour of Co-Si particles. <i>International Journal of Hydrogen Energy</i> , 2007, 32, 3416-3419.	7.1	29
47	Preparation and electrochemical hydrogen storage property of alloy CoSi. <i>Electrochemistry Communications</i> , 2006, 8, 1633-1638.	4.7	39