

# Violetta Dymicka-Piekarska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9177857/publications.pdf>

Version: 2024-02-01

42  
papers

1,283  
citations

516710

16  
h-index

377865

34  
g-index

44  
all docs

44  
docs citations

44  
times ranked

2145  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory cell-associated tumors. Not only macrophages (TAMs), fibroblasts (TAFs) and neutrophils (TANs) can infiltrate the tumor microenvironment. The unique role of tumor associated platelets (TAPs). <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1497-1510.	4.2	26
2	Sirtuins – The New Important Players in Women’s Gynecological Health. <i>Antioxidants</i> , 2021, 10, 84.	5.1	11
3	Dynamics of Matrix Metalloproteinase-1 and -8 Secretion in Gingival Crevicular Fluid after Gingival Recession Therapy via MCAT with Either Subepithelial Connective Tissue Graft or Collagen Matrix. <i>Biomolecules</i> , 2021, 11, 731.	4.0	1
4	The Relationship between Inflammation Markers (CRP, IL-6, sCD40L) and Colorectal Cancer Stage, Grade, Size and Location. <i>Diagnostics</i> , 2021, 11, 1382.	2.6	6
5	Association of Tumour Microenvironment with Protein Glycooxidation, DNA Damage, and Nitrosative Stress in Colorectal Cancer. <i>Cancer Management and Research</i> , 2021, Volume 13, 6329-6348.	1.9	14
6	Myelin-associated proteins are potential diagnostic markers in patients with primary brain tumour. <i>Annals of Medicine</i> , 2021, 53, 1710-1721.	3.8	0
7	IL-6 Quotient (The Ratio of Cerebrospinal Fluid IL-6 to Serum IL-6) as a Biomarker of an Unruptured Intracranial Aneurysm. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 6103-6114.	3.5	12
8	Intraoperative Peritoneal Interleukin-6 Concentration Changes in Relation to the High-Mobility Group Protein B1 and Heat Shock Protein 70 Levels in Children Undergoing Cholecystectomy. <i>Mediators of Inflammation</i> , 2020, 2020, 1-9.	3.0	3
9	Elevated plasma 20S proteasome chymotrypsin-like activity is correlated with IL-8 levels and associated with an increased risk of death in glial brain tumor patients. <i>PLoS ONE</i> , 2020, 15, e0238406.	2.5	6
10	Ratio of IL-8 in CSF Versus Serum Is Elevated in Patients with Unruptured Brain Aneurysm. <i>Journal of Clinical Medicine</i> , 2020, 9, 1761.	2.4	11
11	Pro-Oxidant Enzymes, Redox Balance and Oxidative Damage to Proteins, Lipids and DNA in Colorectal Cancer Tissue. Is Oxidative Stress Dependent on Tumour Budding and Inflammatory Infiltration?. <i>Cancers</i> , 2020, 12, 1636.	3.7	51
12	Diagnostic utility of protein to creatinine ratio (P/C ratio) in spot urine sample within routine clinical practice. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2020, 57, 345-364.	6.1	51
13	Factors Associated with RANTES Concentration in Cardiovascular Disease Patients. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	10
14	Differences in Monocyte Subsets and Monocyte-Platelet Aggregates in Acute Myocardial Infarction – Preliminary Results. <i>American Journal of the Medical Sciences</i> , 2019, 357, 421-434.	1.1	4
15	Mean Platelet Volume (MPV): New Perspectives for an Old Marker in the Course and Prognosis of Inflammatory Conditions. <i>Mediators of Inflammation</i> , 2019, 2019, 1-14.	3.0	288
16	Serum and cerebrospinal fluid Neudesin concentration and Neudesin Quotient as potential circulating biomarkers of a primary brain tumor. <i>BMC Cancer</i> , 2019, 19, 319.	2.6	10
17	Factors associated with erythrocyte count and hemoglobin concentration in men and women with type 2 diabetes. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2019, 55, 199-208.	0.1	1
18	Cerebrospinal fluid and serum IL-8, CCL2, and ICAM-1 concentrations in astrocytic brain tumor patients. <i>Irish Journal of Medical Science</i> , 2018, 187, 767-775.	1.5	18

#	ARTICLE	IF	CITATIONS
19	From inflammation to cancer. Irish Journal of Medical Science, 2017, 186, 57-62.	1.5	206
20	The Effect of Nonsurgical Periodontal Therapy on HNP1-3 Level in Gingival Crevicular Fluid of Chronic Periodontitis Patients. Archivum Immunologiae Et Therapiae Experimentalis, 2017, 65, 355-361.	2.3	5
21	The Effect of Nonsurgical Periodontal Therapy on the Level of Human Neutrophil Peptides 1-3 in Patients with Aggressive Periodontitis. Oral Health & Preventive Dentistry, 2017, 15, 557-561.	0.5	1
22	Immunohistochemical expression and serum level of survivin protein in colorectal cancer patients. Oncology Letters, 2016, 12, 3591-3597.	1.8	18
23	Lectin adhesion proteins (P-, L- and E-selectins) as biomarkers in colorectal cancer. Biomarkers, 2016, 22, 1-6.	1.9	12
24	Plasma C16-Cer levels are increased in patients with preterm labor. Prostaglandins and Other Lipid Mediators, 2016, 123, 40-45.	1.9	6
25	Predictive value of Galectin-3 for the occurrence of coronary artery disease and prognosis after myocardial infarction and its association with carotid IMT values in these patients: A mid-term prospective cohort study. Atherosclerosis, 2016, 246, 309-317.	0.8	49
26	Serum soluble CD40L concentration depending on the stage of multiple myeloma and its correlation with selected angiogenic cytokines. Polish Archives of Internal Medicine, 2016, 126, 321-329.	0.4	7
27	Effect of nonsurgical periodontal treatment in conjunction with either systemic administration of amoxicillin and metronidazole or additional photodynamic therapy on the concentration of matrix metalloproteinases 8 and 9 in gingival crevicular fluid in patients with aggressive periodontitis. BMC Oral Health, 2015, 15, 63.	2.3	32
28	sVCAM-1 concentration and carotid IMT values in patients with acute myocardial infarction – Atherosclerotic markers of the presence, progress and prognosis. Advances in Medical Sciences, 2015, 60, 101-106.	2.1	9
29	Application of the Bead-Based Technique in Neurodegeneration: A Literature Review. Neurodegenerative Diseases, 2015, 15, 281-293.	1.4	6
30	Potential Role of Soluble CD40 Ligand as Inflammatory Biomarker in Colorectal Cancer Patients. International Journal of Biological Markers, 2014, 29, 261-267.	1.8	6
31	Diagnostic significance of TIMP-1 level in serum and its immunohistochemical expression in colorectal cancer patients. Polish Journal of Pathology, 2014, 4, 296-304.	0.3	12
32	Multifunctional CD40L: pro- and anti-neoplastic activity. Tumor Biology, 2014, 35, 9447-9457.	1.8	37
33	Immunohistochemical expression of MMP-7 protein and its serum level in colorectal cancer. Folia Histochemica Et Cytobiologica, 2013, 51, 206-212.	1.5	12
34	Prognostic significance of adhesion molecules (sICAM-1, sVCAM-1) and VEGF in colorectal cancer patients. Thrombosis Research, 2012, 129, e47-e50.	1.7	42
35	Does <i>Toxoplasma gondii</i> Infection Affect the Levels of IgE and Cytokines (IL-5, IL-6, IL-10, IL-12, and) Tj ETQq1.10.784314 rgBT 3.3 63	3.3	63
36	IFN-gamma, IL-5, IL-6 and IgE in patients infected with Giardia intestinalis.. Folia Histochemica Et Cytobiologica, 2009, 47, 93-7.	1.5	37

#	ARTICLE	IF	CITATIONS
37	Does colorectal cancer clinical advancement affect adhesion molecules (sP- selectin, sE- selectin and) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.7	45
38	Thrombopoietin and reticulated platelets as thrombopoietic markers in colorectal cancer. Thrombosis Research, 2008, 122, 141-143.	1.7	11
39	Relationship between soluble P-selectin and inflammatory factors (interleukin-6 and C-reactive) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.7	36
40	Does surgery affect certain mediators of thrombocytopoiesis in patients with colorectal cancer?. Hepato-Gastroenterology, 2007, 54, 1407-11.	0.5	3
41	Platelet count, mean platelet volume and thrombocytopoietic indices in healthy women and men. Thrombosis Research, 2006, 118, 199-204.	1.7	80
42	Activation of blood platelets in echinococcosis â€” CD62P and CD63 expression. Parasitology Research, 2006, 98, 214-217.	1.6	7