

Daniela Valensin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9186085/publications.pdf>

Version: 2024-02-01

67
papers

4,430
citations

159585

30
h-index

114465

63
g-index

67
all docs

67
docs citations

67
times ranked

4828
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal specificity of the Ni(Ni^{2+}) and Zn(Zn^{2+}) binding sites of the N-terminal and G-domain of <i>E. coli</i> HypB. Dalton Transactions, 2021, 50, 12635-12647.	3.3	1
2	Dynamic Interplay between Copper Toxicity and Mitochondrial Dysfunction in Alzheimer's Disease. Life, 2021, 11, 386.	2.4	5
3	Metal Complexation Mechanisms of Polyphenols Associated to Alzheimer's Disease. Current Medicinal Chemistry, 2021, 28, 7278-7294.	2.4	7
4	Binding and Reactivity of Copper to R_{12} and R_{32} Fragments of tau Protein. Inorganic Chemistry, 2020, 59, 274-286.	4.0	33
5	Novel Perspective on Alzheimer's Disease Treatment: Rosmarinic Acid Molecular Interplay with Copper(II) and Amyloid β . Life, 2020, 10, 118.	2.4	16
6	Zn(II)-alloferon complexes – Similar sequence, different coordination modes, no antibacterial activity. Journal of Inorganic Biochemistry, 2020, 213, 111275.	3.5	0
7	Metal Complexes of Two Specific Regions of ZnuA, a Periplasmic Zinc(II) Transporter from <i>Escherichia coli</i> . Inorganic Chemistry, 2020, 59, 1947-1958.	4.0	9
8	Fibrils of β -Synuclein Abolish the Affinity of Cu^{2+} -Binding Site to His50 and Induce Hopping of Cu^{2+} Ions in the Termini. Inorganic Chemistry, 2019, 58, 10920-10927.	4.0	12
9	The role of methylation in the copper(Cu^{2+}) coordination properties of a His-containing decapeptide. Dalton Transactions, 2019, 48, 1859-1870.	3.3	2
10	Structural analysis of copper(I) interaction with amyloid β peptide. Journal of Inorganic Biochemistry, 2019, 195, 31-38.	3.5	25
11	Chemically stable inhibitors of 14-3-3 protein-protein interactions derived from BV02. Journal of Enzyme Inhibition and Medicinal Chemistry, 2019, 34, 657-664.	5.2	12
12	How copper ions and membrane environment influence the structure of the human and chicken tandem repeats domain?. Journal of Inorganic Biochemistry, 2019, 191, 143-153.	3.5	5
13	Structure, Function, Involvement in Diseases and Targeting of 14-3-3 Proteins: An Update. Current Medicinal Chemistry, 2018, 25, 5-21.	2.4	56
14	The effect of a membrane-mimicking environment on the interactions of Cu^{2+} with an amyloidogenic fragment of chicken prion protein. Dalton Transactions, 2017, 46, 7758-7769.	3.3	6
15	Coordination and redox properties of copper interaction with β -synuclein. Journal of Inorganic Biochemistry, 2016, 163, 292-300.	3.5	43
16	Influence of membrane environments and copper ions on the structural features of amyloidogenic proteins correlated to neurodegeneration. Coordination Chemistry Reviews, 2016, 327-328, 8-19.	18.8	8
17	DOES hemopressin bind metal ions in vivo?. Dalton Transactions, 2016, 45, 18267-18280.	3.3	5
18	Copper(I) Forms a Redox-Stable 1:2 Complex with β -Synuclein N-Terminal Peptide in a Membrane-Like Environment. Inorganic Chemistry, 2016, 55, 6100-6106.	4.0	23

#	ARTICLE	IF	CITATIONS
19	Specific binding modes of Cu(I) and Ag(I) with neurotoxic domain of the human prion protein. <i>Journal of Inorganic Biochemistry</i> , 2016, 155, 26-35.	3.5	16
20	Copper(I/II), α -Synuclein and Amyloid- β : Menage À Trois?. <i>ChemBioChem</i> , 2015, 16, 2319-2328.	2.6	38
21	Differences in the Binding of Copper(I) to α - and β -Synuclein. <i>Inorganic Chemistry</i> , 2015, 54, 265-272.	4.0	32
22	Metal ion mediated transition from random coil to β -sheet and aggregation of Bri2-23, a natural inhibitor of A β aggregation. <i>Metallomics</i> , 2015, 7, 478-490.	2.4	7
23	Impact of SDS surfactant on the interactions of Cu ²⁺ ions with the amyloidogenic region of human prion protein. <i>Dalton Transactions</i> , 2015, 44, 13125-13132.	3.3	12
24	Remote His50 Acts as a Coordination Switch in the High-Affinity N-Terminal Centered Copper(II) Site of α -Synuclein. <i>Inorganic Chemistry</i> , 2015, 54, 4744-4751.	4.0	35
25	Reactivity of copper- α -synuclein peptide complexes relevant to Parkinson's disease. <i>Metallomics</i> , 2015, 7, 1091-1102.	2.4	39
26	Interactions of metal ions with α -synuclein and amyloid β peptides. , 2014, , .		0
27	NMR investigations of metal interactions with unstructured soluble protein domains. <i>Coordination Chemistry Reviews</i> , 2014, 269, 1-12.	18.8	33
28	Copper-induced structural propensities of the amyloidogenic region of human prion protein. <i>Journal of Biological Inorganic Chemistry</i> , 2014, 19, 635-645.	2.6	19
29	The unusual stabilization of the Ni ²⁺ and Cu ²⁺ complexes with NSFRY. <i>Dalton Transactions</i> , 2013, 42, 448-458.	3.3	13
30	The extracellular loop of IRT1 ZIP protein " the chosen one for zinc?. <i>Journal of Inorganic Biochemistry</i> , 2013, 127, 246-252.	3.5	17
31	Copper(I)- α -Synuclein Interaction: Structural Description of Two Independent and Competing Metal Binding Sites. <i>Inorganic Chemistry</i> , 2013, 52, 1358-1367.	4.0	58
32	Specific metal ion binding sites in unstructured regions of proteins. <i>Coordination Chemistry Reviews</i> , 2013, 257, 2625-2638.	18.8	63
33	Copper, zinc and iron in neurodegenerative diseases (Alzheimer's, Parkinson's and prion diseases). <i>Coordination Chemistry Reviews</i> , 2012, 256, 2129-2141.	18.8	354
34	Metal compounds as inhibitors of β -amyloid aggregation. Perspectives for an innovative metallotherapeutics on Alzheimer's disease. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2357-2366.	18.8	65
35	Thermodynamic and spectroscopic investigation on the role of Met residues in Cull binding to the non-octarepeat site of the human prion protein. <i>Metallomics</i> , 2012, 4, 794.	2.4	22
36	NMR metabolomic investigation of astrocytes interacted with A β 42 or its complexes with either copper(II) or zinc(II). <i>Journal of Inorganic Biochemistry</i> , 2012, 117, 326-333.	3.5	11

#	ARTICLE	IF	CITATIONS
37	Structural characterization of Cu ²⁺ , Ni ²⁺ and Zn ²⁺ binding sites of model peptides associated with neurodegenerative diseases. <i>Coordination Chemistry Reviews</i> , 2012, 256, 352-368.	18.8	100
38	Exploring the Reactions of Î ² -Amyloid (AÎ ²) Peptide 1â€“28 with AlIII and FeIII Ions. <i>Inorganic Chemistry</i> , 2011, 50, 6865-6867.	4.0	42
39	The role of His-50 of Î±-synuclein in binding Cu(II): pH dependence, speciation, thermodynamics and structure. <i>Metallomics</i> , 2011, 3, 292.	2.4	38
40	Copper binding to chicken and human prion protein amyloidogenic regions: Differences and similarities revealed by Ni ²⁺ as a diamagnetic probe. <i>Journal of Inorganic Biochemistry</i> , 2010, 104, 71-78.	3.5	30
41	Bioinorganic Chemistry of Parkinson's Disease: Structural Determinants for the Copper-Mediated Amyloid Formation of Alpha-Synuclein. <i>Inorganic Chemistry</i> , 2010, 49, 10668-10679.	4.0	119
42	[Ru(CO) ₃] ²⁺ Selectively Targets the Histidine Residues of the Î ² -Amyloid Peptide 1-28. Implications for New Alzheimer's Disease Treatments Based on Ruthenium Complexes. <i>Inorganic Chemistry</i> , 2010, 49, 4720-4722.	4.0	76
43	Copper, iron, and zinc ions homeostasis and their role in neurodegenerative disorders (metal uptake,)	18.8	105
44	Molecular Dynamics Study of the Cu ²⁺ Binding-Induced Structuring of the N-Terminal Domain of Human Prion Protein. <i>Journal of Physical Chemistry B</i> , 2009, 113, 3277-3279.	2.6	16
45	The complex-formation behaviour of His residues in the fifth Cu ²⁺ binding site of human prion protein: a close look. <i>New Journal of Chemistry</i> , 2009, 33, 2300.	2.8	23
46	Copper(II) coordination outside the tandem repeat region of an unstructured domain of chicken prion protein. <i>Molecular BioSystems</i> , 2009, 5, 497.	2.9	16
47	Heteronuclear and Homonuclear Cu ²⁺ and Zn ²⁺ Complexes with Multihistidine Peptides Based on Zebrafish Prion-like Protein. <i>Inorganic Chemistry</i> , 2009, 48, 7330-7340.	4.0	27
48	Specificity in the Cu ²⁺ interactions with prion protein fragments and related His-rich peptides from mammals to fishes. <i>Coordination Chemistry Reviews</i> , 2008, 252, 1069-1078.	18.8	66
49	Cu binding sites located at His-96 and His-111 of the human prion protein: thermodynamic and spectroscopic studies on model peptides. <i>Dalton Transactions</i> , 2008, , 5207.	3.3	49
50	Structural features of the Cu(II) complex with the rat AÎ ² (1â€“28) fragment. <i>Chemical Communications</i> , 2008, , 341-343.	4.1	48
51	Structural Characterization of the Intra- and Inter-Repeat Copper Binding Modes within the N-Terminal Region of Prion Related Protein (PrP-rel-2) of Zebrafish. <i>Journal of Physical Chemistry B</i> , 2008, 112, 15140-15150.	2.6	21
52	NMR Studies of the Zn ²⁺ Interactions with Rat and Human Î ² -Amyloid (1â€“28) Peptides in Water-Micelle Environment. <i>Journal of Physical Chemistry B</i> , 2008, 112, 100-109.	2.6	98
53	Structural and Dynamic Characterization of Copper(II) Binding of the Human Prion Protein Outside the Octarepeat Region. <i>Chemistry - A European Journal</i> , 2007, 13, 1991-2001.	3.3	60
54	Copper Homeostasis and Neurodegenerative Disorders (Alzheimer's, Prion, and Parkinson's Diseases)	49.7	1,510

#	ARTICLE	IF	CITATIONS
55	Metal Ion Binding Properties of Proteins Related to Neurodegeneration. , 2006, , 61-87.		1
56	Structure and Stability of the Cull Complexes with Tandem Repeats of the Chicken Prion. <i>Biochemistry</i> , 2005, 44, 12940-12954.	2.5	36
57	NMR studies on Cu(ii)â€“peptide complexes: exchange kinetics and determination of structures in solution. <i>Molecular BioSystems</i> , 2005, 1, 79.	2.9	40
58	Fine tuning the structure of the Cu ²⁺ complex with the prion protein chicken repeat by proline isomerization. <i>Chemical Communications</i> , 2005, , 3298.	4.1	12
59	Interaction Of The Human Prion PrP(106â€“126) Sequence With Copper(II), Manganese(II), And Zinc(II):Â NMR and EPR Studies. <i>Journal of the American Chemical Society</i> , 2005, 127, 996-1006.	13.7	127
60	Probing the role of metal ions on reversible peptideâ€“protein interactions by NMR. <i>Spectroscopy</i> , 2004, 18, 251-256.	0.8	0
61	Copper Binding to the Neurotoxic Peptide PrP106-126: Thermodynamic and Structural Studies. <i>ChemBioChem</i> , 2004, 5, 349-359.	2.6	63
62	Identification of a novel high affinity copper binding site in the APP(145â€“155) fragment of amyloid precursor protein. <i>Dalton Transactions</i> , 2004, , 16-22.	3.3	52
63	The dimeric and tetrameric octarepeat fragments of prion protein behave differently to its monomeric unit. <i>Dalton Transactions</i> , 2004, , 1284-1293.	3.3	93
64	Cull Ion Coordination to an Unprotected Pentadecapeptide Containing Two His Residues: Competition Between the Terminal Amino and the Side-Chain Imidazole Nitrogen Donors. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 1694-1702.	2.0	10
65	¹ H NMR studies of copper binding by histidine-containing peptides. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 877-883.	1.9	40
66	Is the monomeric prion octapeptide repeat PHGGGWGQ a specific ligand for Cu ²⁺ ions?. <i>Dalton Transactions RSC</i> , 2002, , 2269-2274.	2.3	84
67	Cu(ii) ion coordination to the pentadecapeptide model of the SPARC copper-binding site. <i>Dalton Transactions RSC</i> , 2002, , 3939.	2.3	26