

Andreas PlÃ¼ckthun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9188061/publications.pdf>

Version: 2024-02-01

444
papers

36,269
citations

2309

101
h-index

5347

170
g-index

467
all docs

467
docs citations

467
times ranked

26317
citing authors

#	ARTICLE	IF	CITATIONS
1	Improved Repeat Protein Stability by Combined Consensus and Computational Protein Design. <i>Biochemistry</i> , 2023, 62, 318-329.	1.2	1
2	Modular peptide binders—development of a predictive technology as alternative for reagent antibodies. <i>Biological Chemistry</i> , 2022, 403, 535-543.	1.2	4
3	Crystal structure of the β 1B-adrenergic receptor reveals molecular determinants of selective ligand recognition. <i>Nature Communications</i> , 2022, 13, 382.	5.8	21
4	Universal platform for the generation of thermostabilized GPCRs that crystallize in LCP. <i>Nature Protocols</i> , 2022, 17, 698-726.	5.5	5
5	Structural basis of adenylyl cyclase 9 activation. <i>Nature Communications</i> , 2022, 13, 1045.	5.8	19
6	Sortase-Mediated Site-Specific Conjugation and ⁸⁹ Zr-Radiolabeling of Designed Ankyrin Repeat Proteins for PET. <i>Molecular Pharmaceutics</i> , 2022, , .	2.3	5
7	Disrupting the HDAC6-ubiquitin interaction impairs infection by influenza and Zika virus and cellular stress pathways. <i>Cell Reports</i> , 2022, 39, 110736.	2.9	19
8	International nonproprietary names for monoclonal antibodies: an evolving nomenclature system. <i>MAbs</i> , 2022, 14, 2075078.	2.6	10
9	Designed Ankyrin Repeat Proteins as a tool box for analyzing p63. <i>Cell Death and Differentiation</i> , 2022, 29, 2445-2458.	5.0	3
10	Thermal Shift Assay for Small GTPase Stability Screening: Evaluation and Suitability. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7095.	1.8	10
11	NK cells with tissue-resident traits shape response to immunotherapy by inducing adaptive antitumor immunity. <i>Science Translational Medicine</i> , 2022, 14, .	5.8	29
12	Structural basis for the activation and ligand recognition of the human oxytocin receptor. <i>Nature Communications</i> , 2022, 13, .	5.8	12
13	Probing the Conformation States of Neurotensin Receptor 1 Variants by NMR Site-Directed Methyl Labeling. <i>ChemBioChem</i> , 2021, 22, 139-146.	1.3	18
14	Animal- versus <i>in vitro</i> -derived antibodies: avoiding the extremes. <i>MAbs</i> , 2021, 13, 1950265.	2.6	11
15	Complexes of the neurotensin receptor 1 with small-molecule ligands reveal structural determinants of full, partial, and inverse agonism. <i>Science Advances</i> , 2021, 7, .	4.7	32
16	Cryo-EM structure of an activated GPCR-G protein complex in lipid nanodiscs. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 258-267.	3.6	71
17	An Approach for the Real-Time Quantification of Cytosolic Protein-Protein Interactions in Living Cells. <i>ACS Sensors</i> , 2021, 6, 1572-1582.	4.0	9
18	iMATCH: an integrated modular assembly system for therapeutic combination high-capacity adenovirus gene therapy. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021, 20, 572-586.	1.8	21

#	ARTICLE	IF	CITATIONS
19	Engineering of Challenging G Protein-Coupled Receptors for Structure Determination and Biophysical Studies. <i>Molecules</i> , 2021, 26, 1465.	1.7	5
20	Directed evolution for high functional production and stability of a challenging G protein-coupled receptor. <i>Scientific Reports</i> , 2021, 11, 8630.	1.6	11
21	The SHREAD gene therapy platform for paracrine delivery improves tumor localization and intratumoral effects of a clinical antibody. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	15
22	Crystal structures of HER3 extracellular domain 4 in complex with the designed ankyrin-repeat protein D5. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2021, 77, 192-201.	0.4	4
23	Engineering an anti-HER2 biparatopic antibody with a multimodal mechanism of action. <i>Nature Communications</i> , 2021, 12, 3790.	5.8	29
24	Generation of ordered protein assemblies using rigid three-body fusion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	25
25	Apoptosis-inducing anti-HER2 agents operate through oligomerization-induced receptor immobilization. <i>Communications Biology</i> , 2021, 4, 762.	2.0	12
26	Thermodynamic Stability Is a Strong Predictor for the Delivery of DARPins to the Cytosol via Anthrax Toxin. <i>Pharmaceutics</i> , 2021, 13, 1285.	2.0	4
27	An automated iterative approach for protein structure refinement using pseudocontact shifts. <i>Journal of Biomolecular NMR</i> , 2021, 75, 319-334.	1.6	5
28	Engineering Single Pan-Specific Ubiquibodies for Targeted Degradation of All Forms of Endogenous ERK Protein Kinase. <i>ACS Synthetic Biology</i> , 2021, 10, 2396-2408.	1.9	10
29	Designed Ankyrin Repeat Proteins as Novel Binders for Ultrasound Molecular Imaging. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 2664-2675.	0.7	1
30	Purification of MBP fusion proteins using engineered DARPin affinity matrix. <i>International Journal of Biological Macromolecules</i> , 2021, 187, 105-112.	3.6	3
31	Half-life extension of efficiently produced DARPin serum albumin fusions as a function of FcRn affinity and recycling. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 167, 104-113.	2.0	5
32	Flavonol-mediated stabilization of PIN efflux complexes regulates polar auxin transport. <i>EMBO Journal</i> , 2021, 40, e104416.	3.5	61
33	A structural model of a Ras-Raf signalosome. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 847-857.	3.6	44
34	Asymmetric requirement of Dpp/BMP morphogen dispersal in the <i>Drosophila</i> wing disc. <i>Nature Communications</i> , 2021, 12, 6435.	5.8	22
35	Distinct conformations of the HIV-1 V3 loop crown are targetable for broad neutralization. <i>Nature Communications</i> , 2021, 12, 6705.	5.8	9
36	Structures of neurokinin 1 receptor in complex with G _q and G _s proteins reveal substance P binding mode and unique activation features. <i>Science Advances</i> , 2021, 7, eabk2872.	4.7	25

#	ARTICLE	IF	CITATIONS
37	The RGD-binding integrins $\alpha_6\beta_1$ and $\alpha_3\beta_1$ are receptors for mouse adenovirus-1 and -3 infection. <i>PLoS Pathogens</i> , 2021, 17, e1010083.	2.1	8
38	Chaperone-assisted structure elucidation with DARPins. <i>Current Opinion in Structural Biology</i> , 2020, 60, 93-100.	2.6	21
39	High-Throughput Generation of Bispecific Binding Proteins by Sortase A-Mediated Coupling for Direct Functional Screening in Cell Culture. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 1080-1088.	1.9	12
40	Engineering Af1521 improves ADP-ribose binding and identification of ADP-ribosylated proteins. <i>Nature Communications</i> , 2020, 11, 5199.	5.8	49
41	Animal-free alternatives and the antibody iceberg. <i>Nature Biotechnology</i> , 2020, 38, 1234-1239.	9.4	58
42	Crystal structure of the human oxytocin receptor. <i>Science Advances</i> , 2020, 6, eabb5419.	4.7	67
43	Salmonella-based platform for efficient delivery of functional binding proteins to the cytosol. <i>Communications Biology</i> , 2020, 3, 342.	2.0	14
44	Malignant tissues produce divergent antibody glycosylation of relevance for cancer gene therapy effectiveness. <i>MAbs</i> , 2020, 12, 1792084.	2.6	7
45	Animal-derived-antibody generation faces strict reform in accordance with European Union policy on animal use. <i>Nature Methods</i> , 2020, 17, 755-756.	9.0	27
46	The Antibody Society's antibody validation webinar series. <i>MAbs</i> , 2020, 12, 1794421.	2.6	26
47	Optimizing the anti-tumor efficacy of protein-drug conjugates by engineering the molecular size and half-life. <i>Journal of Controlled Release</i> , 2020, 327, 186-197.	4.8	30
48	Reengineering anthrax toxin protective antigen for improved receptor-specific protein delivery. <i>BMC Biology</i> , 2020, 18, 100.	1.7	9
49	Optimizing the $\alpha_1\text{B}$ -adrenergic receptor for solution NMR studies. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183354.	1.4	19
50	Photoinduced damage of AsLOV2 domain is accompanied by increased singlet oxygen production due to flavin dissociation. <i>Scientific Reports</i> , 2020, 10, 4119.	1.6	10
51	Structure-Guided Design of a Peptide Lock for Modular Peptide Binders. <i>ACS Chemical Biology</i> , 2020, 15, 457-468.	1.6	8
52	Reproducibility: bypass animals for antibody production. <i>Nature</i> , 2020, 581, 262-262.	18.7	17
53	Lactoferrin-Hexon Interactions Mediate CAR-Independent Adenovirus Infection of Human Respiratory Cells. <i>Journal of Virology</i> , 2020, 94, .	1.5	16
54	Influence of size and charge of unstructured polypeptides on pharmacokinetics and biodistribution of targeted fusion proteins. <i>Journal of Controlled Release</i> , 2019, 307, 379-392.	4.8	22

#	ARTICLE	IF	CITATIONS
55	Reprogramming Bacteriophage Host Range through Structure-Guided Design of Chimeric Receptor Binding Proteins. <i>Cell Reports</i> , 2019, 29, 1336-1350.e4.	2.9	135
56	Rigid fusions of designed helical repeat binding proteins efficiently protect a binding surface from crystal contacts. <i>Scientific Reports</i> , 2019, 9, 16162.	1.6	11
57	New views into class B GPCRs from the crystal structure of PTH1R. <i>FEBS Journal</i> , 2019, 286, 4852-4860.	2.2	3
58	Structural analysis of biological targets by host:guest crystal lattice engineering. <i>Scientific Reports</i> , 2019, 9, 15199.	1.6	17
59	Multispecific Targeting with Synthetic Ankyrin Repeat Motif Chimeric Antigen Receptors. <i>Clinical Cancer Research</i> , 2019, 25, 7506-7516.	3.2	43
60	Peptide binding affinity redistributes preassembled repeat protein fragments. <i>Biological Chemistry</i> , 2019, 400, 395-404.	1.2	3
61	Systemic analysis of tyrosine kinase signaling reveals a common adaptive response program in a HER2-positive breast cancer. <i>Science Signaling</i> , 2019, 12, .	1.6	26
62	Computational Modeling of Designed Ankyrin Repeat Protein Complexes with Their Targets. <i>Journal of Molecular Biology</i> , 2019, 431, 2852-2868.	2.0	6
63	Targeted delivery and endosomal cellular uptake of DARPIn-siRNA bioconjugates: Influence of linker stability on gene silencing. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 141, 37-50.	2.0	10
64	High-Throughput Quantification of Surface Protein Internalization and Degradation. <i>ACS Chemical Biology</i> , 2019, 14, 1154-1163.	1.6	14
65	Insight into microtubule nucleation from tubulin-capping proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9859-9864.	3.3	15
66	A survival selection strategy for engineering synthetic binding proteins that specifically recognize post-translationally phosphorylated proteins. <i>Nature Communications</i> , 2019, 10, 1830.	5.8	9
67	Trapped! A Critical Evaluation of Methods for Measuring Total Cellular Uptake versus Cytosolic Localization. <i>Bioconjugate Chemistry</i> , 2019, 30, 1006-1027.	1.8	53
68	Inhibition of the MET Kinase Activity and Cell Growth in MET-Addicted Cancer Cells by Bi-Paratopic Linking. <i>Journal of Molecular Biology</i> , 2019, 431, 2020-2039.	2.0	20
69	High-Throughput Fluorescence Polarization Assay to Identify Ligands Using Purified G Protein-Coupled Receptor. <i>SLAS Discovery</i> , 2019, 24, 915-927.	1.4	12
70	Mutations in sigma 70 transcription factor improves expression of functional eukaryotic membrane proteins in <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2019, 9, 2483.	1.6	8
71	Rotational symmetry of the structured Chip/LDB-SSDP core module of the Wnt enhanceosome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 20977-20983.	3.3	10
72	Labeling surface proteins with high specificity: Intrinsic limitations of phosphopantetheinyl transferase systems. <i>PLoS ONE</i> , 2019, 14, e0226579.	1.1	5

#	ARTICLE	IF	CITATIONS
73	Unravelling Receptor and RGD Motif Dependence of Retargeted Adenoviral Vectors using Advanced Tumor Model Systems. <i>Scientific Reports</i> , 2019, 9, 18568.	1.6	14
74	Crystal structures of the human neurokinin 1 receptor in complex with clinically used antagonists. <i>Nature Communications</i> , 2019, 10, 17.	5.8	68
75	In vivo assembly and large-scale purification of a GPCR - G β fusion with G γ ³ , and characterization of the active complex. <i>PLoS ONE</i> , 2019, 14, e0210131.	1.1	8
76	Site-Selective Enzymatic Labeling of Designed Ankyrin Repeat Proteins Using Protein Farnesyltransferase. <i>Methods in Molecular Biology</i> , 2019, 2033, 207-219.	0.4	4
77	Facile Site-Specific Multiconjugation Strategies in Recombinant Proteins Produced in Bacteria. <i>Methods in Molecular Biology</i> , 2019, 2033, 253-273.	0.4	5
78	Peptide-Guided Assembly of Repeat Protein Fragments. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 4576-4579.	7.2	10
79	Adenoviral vector with shield and adapter increases tumor specificity and escapes liver and immune control. <i>Nature Communications</i> , 2018, 9, 450.	5.8	65
80	Peptide-Guided Assembly of Repeat Protein Fragments. <i>Angewandte Chemie</i> , 2018, 130, 4666-4669.	1.6	1
81	Segmental isotopic labeling by asparaginyl endopeptidase-mediated protein ligation. <i>Journal of Biomolecular NMR</i> , 2018, 71, 225-235.	1.6	19
82	Determinants of Ligand Subtype-Selectivity at β 1A-Adrenoceptor Revealed Using Saturation Transfer Difference (STD) NMR. <i>ACS Chemical Biology</i> , 2018, 13, 1090-1102.	1.6	26
83	Modification of the kinetic stability of immunoglobulin G by solvent additives. <i>MAbs</i> , 2018, 10, 607-623.	2.6	12
84	Structural Basis for the Selective Inhibition of c-Jun N-Terminal Kinase 1 Determined by Rigid DARPin-DARPin Fusions. <i>Journal of Molecular Biology</i> , 2018, 430, 2128-2138.	2.0	12
85	High-resolution crystal structure of parathyroid hormone 1 receptor in complex with a peptide agonist. <i>Nature Structural and Molecular Biology</i> , 2018, 25, 1086-1092.	3.6	99
86	DARPin recognizing mTFP1 as novel reagents for <i>in vitro</i> and <i>in vivo</i> protein manipulations. <i>Biology Open</i> , 2018, 7, .	0.6	7
87	Rapid Selection of High-Affinity Antibody scFv Fragments Using Ribosome Display. <i>Methods in Molecular Biology</i> , 2018, 1827, 235-268.	0.4	11
88	Assessment of ab initio models of protein complexes by molecular dynamics. <i>PLoS Computational Biology</i> , 2018, 14, e1006182.	1.5	33
89	PtdIns(4,5)P ₂ stabilizes active states of GPCRs and enhances selectivity of G-protein coupling. <i>Nature</i> , 2018, 559, 423-427.	13.7	236
90	An Interface-Driven Design Strategy Yields a Novel, Corrugated Protein Architecture. <i>ACS Synthetic Biology</i> , 2018, 7, 2226-2235.	1.9	11

#	ARTICLE	IF	CITATIONS
91	A Library-Based Screening Strategy for the Identification of DARPins as Ligands for Receptor-Targeted AAV and Lentiviral Vectors. <i>Molecular Therapy - Methods and Clinical Development</i> , 2018, 10, 128-143.	1.8	30
92	Lung macrophage scavenger receptor SR-A6 (MARCO) is an adenovirus type-specific virus entry receptor. <i>PLoS Pathogens</i> , 2018, 14, e1006914.	2.1	56
93	Curvature of designed armadillo repeat proteins allows modular peptide binding. <i>Journal of Structural Biology</i> , 2018, 201, 108-117.	1.3	12
94	A Biotin Ligase-Based Assay for the Quantification of the Cytosolic Delivery of Therapeutic Proteins. <i>Methods in Molecular Biology</i> , 2017, 1575, 223-236.	0.4	10
95	Changes to International Nonproprietary Names for antibody therapeutics 2017 and beyond: of mice, men and more. <i>MAbs</i> , 2017, 9, 898-906.	2.6	28
96	Rigidity of the extracellular part of HER2: Evidence from engineering subdomain interfaces and shared α -helix DARPins-DARPin fusions. <i>Protein Science</i> , 2017, 26, 1796-1806.	3.1	10
97	Ligand Discovery for a Peptide-Binding GPCR by Structure-Based Screening of Fragment- and Lead-Like Chemical Libraries. <i>ACS Chemical Biology</i> , 2017, 12, 735-745.	1.6	24
98	Personalised proteome analysis by means of protein microarrays made from individual patient samples. <i>Scientific Reports</i> , 2017, 7, 39756.	1.6	17
99	SPRi-MALDI MS: characterization and identification of a kinase from cell lysate by specific interaction with different designed ankyrin repeat proteins. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 1827-1836.	1.9	13
100	A quantitative comparison of cytosolic delivery via different protein uptake systems. <i>Scientific Reports</i> , 2017, 7, 13194.	1.6	67
101	Analysis of IgG kinetic stability by differential scanning calorimetry, probe fluorescence and light scattering. <i>Protein Science</i> , 2017, 26, 2229-2239.	3.1	14
102	Rigidly connected multispecific artificial binders with adjustable geometries. <i>Scientific Reports</i> , 2017, 7, 11217.	1.6	30
103	Structures of designed armadillo repeat proteins binding to peptides fused to globular domains. <i>Protein Science</i> , 2017, 26, 1942-1952.	3.1	10
104	Design and applications of a clamp for Green Fluorescent Protein with picomolar affinity. <i>Scientific Reports</i> , 2017, 7, 16292.	1.6	49
105	Functional and dynamic polymerization of the ALS-linked protein TDP-43 antagonizes its pathologic aggregation. <i>Nature Communications</i> , 2017, 8, 45.	5.8	242
106	Covalently circularized nanodiscs for studying membrane proteins and viral entry. <i>Nature Methods</i> , 2017, 14, 49-52.	9.0	221
107	Advances in the design and engineering of peptide-binding repeat proteins. <i>Biological Chemistry</i> , 2017, 398, 23-29.	1.2	16
108	SPR-based fragment screening with neurotensin receptor 1 generates novel small molecule ligands. <i>PLoS ONE</i> , 2017, 12, e0175842.	1.1	24

#	ARTICLE	IF	CITATIONS
109	Receptor-Targeted Nipah Virus Glycoproteins Improve Cell-Type Selective Gene Delivery and Reveal a Preference for Membrane-Proximal Cell Attachment. <i>PLoS Pathogens</i> , 2016, 12, e1005641.	2.1	58
110	Directed evolution of G protein-coupled receptors in yeast for higher functional production in eukaryotic expression hosts. <i>Scientific Reports</i> , 2016, 6, 21508.	1.6	55
111	DARPin-Based Crystallization Chaperones Exploit Molecular Geometry as a Screening Dimension in Protein Crystallography. <i>Journal of Molecular Biology</i> , 2016, 428, 1574-1588.	2.0	30
112	Computationally Designed Armadillo Repeat Proteins for Modular Peptide Recognition. <i>Journal of Molecular Biology</i> , 2016, 428, 4467-4489.	2.0	19
113	Intermolecular biparatopic trapping of ErbB2 prevents compensatory activation of PI3K/AKT via RAS-p110 crosstalk. <i>Nature Communications</i> , 2016, 7, 11672.	5.8	38
114	Structures of designed armadillo-repeat proteins show propagation of inter-repeat interface effects. <i>Acta Crystallographica Section D: Structural Biology</i> , 2016, 72, 168-175.	1.1	12
115	Destabilizing an interacting motif strengthens the association of a designed ankyrin repeat protein with tubulin. <i>Scientific Reports</i> , 2016, 6, 28922.	1.6	27
116	A generic selection system for improved expression and thermostability of G protein-coupled receptors by directed evolution. <i>Scientific Reports</i> , 2016, 6, 21294.	1.6	25
117	Enhanced lysis by bispecific oncolytic measles viruses simultaneously using HER2 /neu or EpCAM as target receptors. <i>Molecular Therapy - Oncolytics</i> , 2016, 3, 16003.	2.0	20
118	Conformational dynamics of a G-protein $\beta\gamma$ subunit is tightly regulated by nucleotide binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3629-38.	3.3	77
119	Generation of Fluorogen-Activating Designed Ankyrin Repeat Proteins (FADAs) as Versatile Sensor Tools. <i>Journal of Molecular Biology</i> , 2016, 428, 1272-1289.	2.0	22
120	Structure and Energetic Contributions of a Designed Modular Peptide-Binding Protein with Picomolar Affinity. <i>Journal of the American Chemical Society</i> , 2016, 138, 3526-3532.	6.6	27
121	The INNs and outs of antibody nonproprietary names. <i>MAbs</i> , 2016, 8, 1-9.	2.6	48
122	Advanced analyses of kinetic stabilities of iggs modified by mutations and glycosylation. <i>Protein Science</i> , 2015, 24, 1100-1113.	3.1	13
123	Comprehensive analysis of heterotrimeric G-protein complex diversity and their interactions with GPCRs in solution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1181-90.	3.3	41
124	Antibodies: validate recombinants once. <i>Nature</i> , 2015, 520, 295-295.	13.7	26
125	A Combined NMR and Computational Approach to Investigate Peptide Binding to a Designed Armadillo Repeat Protein. <i>Journal of Molecular Biology</i> , 2015, 427, 1916-1933.	2.0	6
126	Efficient cell-specific uptake of binding proteins into the cytoplasm through engineered modular transport systems. <i>Journal of Controlled Release</i> , 2015, 200, 13-22.	4.8	66

#	ARTICLE	IF	CITATIONS
127	Off-target-free gene delivery by affinity-purified receptor-targeted viral vectors. <i>Nature Communications</i> , 2015, 6, 6246.	5.8	91
128	Liposome functionalization with copper-free click chemistry. <i>Journal of Controlled Release</i> , 2015, 202, 14-20.	4.8	47
129	Designed Ankyrin Repeat Proteins (DARPin): Binding Proteins for Research, Diagnostics, and Therapy. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 489-511.	4.2	468
130	Phase Behavior of a Designed Cyclopropyl Analogue of Monoolein: Implications for Low-Temperature Membrane Protein Crystallization. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1027-1031.	7.2	29
131	Receptor-targeted lentiviral vectors are exceptionally sensitive toward the biophysical properties of the displayed single-chain Fv. <i>Protein Engineering, Design and Selection</i> , 2015, 28, 93-106.	1.0	23
132	Development of the designed ankyrin repeat protein (DARPin) G3 for HER2 molecular imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 288-301.	3.3	70
133	Single-molecule spectroscopy of protein conformational dynamics in live eukaryotic cells. <i>Nature Methods</i> , 2015, 12, 773-779.	9.0	217
134	Antibody-Drug Conjugates for Tumor Targeting: Novel Conjugation Chemistries and the Promise of non-IgG Binding Proteins. <i>Bioconjugate Chemistry</i> , 2015, 26, 2176-2185.	1.8	38
135	A cleavable ligand column for the rapid isolation of large quantities of homogeneous and functional neurotensin receptor 1 variants from <i>E. coli</i> . <i>Protein Expression and Purification</i> , 2015, 108, 106-114.	0.6	19
136	Getting to reproducible antibodies: the rationale for sequenced recombinant characterized reagents. <i>Protein Engineering, Design and Selection</i> , 2015, 28, 303-305.	1.0	50
137	Reproducibility: Standardize antibodies used in research. <i>Nature</i> , 2015, 518, 27-29.	13.7	530
138	Protein interference applications in cellular and developmental biology using DARPins that recognize GFP and mCherry. <i>Biology Open</i> , 2014, 3, 1252-1261.	0.6	73
139	The ErbB4 CYT2 variant protects EGFR from ligand-induced degradation to enhance cancer cell motility. <i>Science Signaling</i> , 2014, 7, ra78.	1.6	34
140	Novel Prodrug-Like Fusion Toxin with Protease-Sensitive Bioorthogonal PEGylation for Tumor Targeting. <i>Bioconjugate Chemistry</i> , 2014, 25, 2144-2156.	1.8	19
141	Crystal structures of designed armadillo repeat proteins: Implications of construct design and crystallization conditions on overall structure. <i>Protein Science</i> , 2014, 23, 1572-1583.	3.1	16
142	Structure of signaling-competent neurotensin receptor 1 obtained by directed evolution in <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E655-62.	3.3	197
143	Co-Crystallization with Conformation-Specific Designed Ankyrin Repeat Proteins Explains the Conformational Flexibility of BCL-W. <i>Journal of Molecular Biology</i> , 2014, 426, 2346-2362.	2.0	15
144	Increasing the Antitumor Effect of an EpCAM-Targeting Fusion Toxin by Facile Click PEGylation. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 375-385.	1.9	37

#	ARTICLE	IF	CITATIONS
145	From DARPins to LoopDARPins: Novel LoopDARPin Design Allows the Selection of Low Picomolar Binders in a Single Round of Ribosome Display. <i>Journal of Molecular Biology</i> , 2014, 426, 691-721.	2.0	94
146	Modular peptide binding: From a comparison of natural binders to designed armadillo repeat proteins. <i>Journal of Structural Biology</i> , 2014, 185, 147-162.	1.3	50
147	G-quadruplexes are specifically recognized and distinguished by selected designed ankyrin repeat proteins. <i>Nucleic Acids Research</i> , 2014, 42, 9182-9194.	6.5	16
148	Spontaneous Self-Assembly of Engineered Armadillo Repeat Protein Fragments into a Folded Structure. <i>Structure</i> , 2014, 22, 985-995.	1.6	19
149	Improving the apo-state detergent stability of NTS1 with CHES for pharmacological and structural studies. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 2817-2824.	1.4	36
150	Amyloid- β Peptide-specific DARPins as a Novel Class of Potential Therapeutics for Alzheimer Disease. <i>Journal of Biological Chemistry</i> , 2014, 289, 27080-27089.	1.6	17
151	Engineered proteins with desired specificity: DARPins, other alternative scaffolds and bispecific IgGs. <i>Current Opinion in Structural Biology</i> , 2014, 27, 102-112.	2.6	104
152	A Universal Approach to Prepare Reagents for DNA-Assisted Protein Analysis. <i>PLoS ONE</i> , 2014, 9, e108061.	1.1	5
153	Structure of a kinesin-tubulin complex and implications for kinesin motility. <i>Nature Structural and Molecular Biology</i> , 2013, 20, 1001-1007.	3.6	143
154	Knowledge-Based Design of a Biosensor to Quantify Localized ERK Activation in Living Cells. <i>Chemistry and Biology</i> , 2013, 20, 847-856.	6.2	49
155	Structural Basis for Eliciting a Cytotoxic Effect in HER2-Overexpressing Cancer Cells via Binding to the Extracellular Domain of HER2. <i>Structure</i> , 2013, 21, 1979-1991.	1.6	111
156	Orthogonal Assembly of a Designed Ankyrin Repeat Protein-Cytotoxin Conjugate with a Clickable Serum Albumin Module for Half-Life Extension. <i>Bioconjugate Chemistry</i> , 2013, 24, 1955-1966.	1.8	53
157	Development of a generic adenovirus delivery system based on structure-guided design of bispecific trimeric DARPin adapters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E869-77.	3.3	67
158	Directed Evolution of G-Protein-Coupled Receptors for High Functional Expression and Detergent Stability. <i>Methods in Enzymology</i> , 2013, 520, 67-97.	0.4	20
159	Direct Molecular Evolution of Detergent-Stable G Protein-Coupled Receptors Using Polymer Encapsulated Cells. <i>Journal of Molecular Biology</i> , 2013, 425, 662-677.	2.0	71
160	Stabilizing membrane proteins through protein engineering. <i>Current Opinion in Chemical Biology</i> , 2013, 17, 427-435.	2.8	75
161	Epithelial cell adhesion molecule-targeted drug delivery for cancer therapy. <i>Expert Opinion on Drug Delivery</i> , 2013, 10, 451-468.	2.4	79
162	Protein tag-mediated conjugation of oligonucleotides to recombinant affinity binders for proximity ligation. <i>New Biotechnology</i> , 2013, 30, 144-152.	2.4	33

#	ARTICLE	IF	CITATIONS
163	DARPin-targeting of Measles Virus: Unique Bispecificity, Effective Oncolysis, and Enhanced Safety. <i>Molecular Therapy</i> , 2013, 21, 849-859.	3.7	65
164	Conformation-Dependent Recognition of HIV gp120 by Designed Ankyrin Repeat Proteins Provides Access to Novel HIV Entry Inhibitors. <i>Journal of Virology</i> , 2013, 87, 5868-5881.	1.5	34
165	Structural Model for the Interaction of a Designed Ankyrin Repeat Protein with the Human Epidermal Growth Factor Receptor 2. <i>PLoS ONE</i> , 2013, 8, e59163.	1.1	17
166	Transfer of engineered biophysical properties between different antibody formats and expression systems. <i>Protein Engineering, Design and Selection</i> , 2012, 25, 485-506.	1.0	34
167	A designed ankyrin repeat protein selected to bind to tubulin caps the microtubule plus end. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12011-12016.	3.3	133
168	Structural and functional analysis of phosphorylation-specific binders of the kinase ERK from designed ankyrin repeat protein libraries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2248-57.	3.3	91
169	Rapid Selection of High-Affinity Binders Using Ribosome Display. <i>Methods in Molecular Biology</i> , 2012, 805, 261-286.	0.4	71
170	Design and Characterization of Modular Scaffolds for Tubulin Assembly. <i>Journal of Biological Chemistry</i> , 2012, 287, 31085-31094.	1.6	22
171	Critical features for biosynthesis, stability, and functionality of a G protein-coupled receptor uncovered by all-versus-all mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9810-9815.	3.3	71
172	Direct identification of ligand-receptor interactions on living cells and tissues. <i>Nature Biotechnology</i> , 2012, 30, 997-1001.	9.4	154
173	Facile Double-Functionalization of Designed Ankyrin Repeat Proteins using Click and Thiol Chemistries. <i>Bioconjugate Chemistry</i> , 2012, 23, 279-286.	1.8	54
174	Engineering Aggregation Resistance in IgG by Two Independent Mechanisms: Lessons from Comparison of <i>Pichia pastoris</i> and Mammalian Cell Expression. <i>Journal of Molecular Biology</i> , 2012, 417, 309-335.	2.0	43
175	Maximizing Detergent Stability and Functional Expression of a GPCR by Exhaustive Recombination and Evolution. <i>Journal of Molecular Biology</i> , 2012, 422, 414-428.	2.0	55
176	Ribosome Display: A Perspective. <i>Methods in Molecular Biology</i> , 2012, 805, 3-28.	0.4	106
177	Optimization of designed armadillo repeat proteins by molecular dynamics simulations and NMR spectroscopy. <i>Protein Science</i> , 2012, 21, 1298-1314.	3.1	34
178	Designed Armadillo Repeat Proteins: Library Generation, Characterization and Selection of Peptide Binders with High Specificity. <i>Journal of Molecular Biology</i> , 2012, 424, 68-87.	2.0	46
179	Designed Ankyrin Repeat Proteins (DARPins). <i>Methods in Enzymology</i> , 2012, 503, 101-134.	0.4	101
180	Beyond antibodies: advances from engineered binding proteins. <i>New Biotechnology</i> , 2012, 29, S34-S35.	2.4	0

#	ARTICLE	IF	CITATIONS
181	Structure-based optimization of designed Armadillo-repeat proteins. <i>Protein Science</i> , 2012, 21, 1015-1028.	3.1	32
182	Designed Ankyrin Repeat Proteins (DARPs) as Novel Isoform-Specific Intracellular Inhibitors of c-Jun N-Terminal Kinases. <i>ACS Chemical Biology</i> , 2012, 7, 1356-1366.	1.6	56
183	DARPs: An Efficient Targeting Domain for Lentiviral Vectors. <i>Molecular Therapy</i> , 2011, 19, 686-693.	3.7	93
184	Her2-specific Multivalent Adapters Confer Designed Tropism to Adenovirus for Gene Targeting. <i>Journal of Molecular Biology</i> , 2011, 405, 410-426.	2.0	56
185	Evolution of Three Human GPCRs for Higher Expression and Stability. <i>Journal of Molecular Biology</i> , 2011, 408, 599-615.	2.0	77
186	DARPs Recognizing the Tumor-Associated Antigen EpCAM Selected by Phage and Ribosome Display and Engineered for Multivalency. <i>Journal of Molecular Biology</i> , 2011, 413, 826-843.	2.0	110
187	Ribosome Display: A Technology for Selecting and Evolving Proteins from Large Libraries. <i>Methods in Molecular Biology</i> , 2011, 687, 283-306.	0.4	58
188	Bispecific Designed Ankyrin Repeat Proteins (DARPs) Targeting Epidermal Growth Factor Receptor Inhibit A431 Cell Proliferation and Receptor Recycling. <i>Journal of Biological Chemistry</i> , 2011, 286, 41273-41285.	1.6	89
189	DARPs and other repeat protein scaffolds: advances in engineering and applications. <i>Current Opinion in Biotechnology</i> , 2011, 22, 849-857.	3.3	212
190	Individual filamentous phage imaged by electron holography. <i>European Biophysics Journal</i> , 2011, 40, 1197-1201.	1.2	24
191	A Novel Fusion Toxin Derived from an EpCAM-Specific Designed Ankyrin Repeat Protein Has Potent Antitumor Activity. <i>Clinical Cancer Research</i> , 2011, 17, 100-110.	3.2	87
192	Antibodies with a split personality. <i>Nature</i> , 2010, 467, 537-538.	13.7	8
193	Computational analysis of off-rate selection experiments to optimize affinity maturation by directed evolution. <i>Protein Engineering, Design and Selection</i> , 2010, 23, 175-184.	1.0	48
194	Knowledge-based design of reagentless fluorescent biosensors from a designed ankyrin repeat protein. <i>Protein Engineering, Design and Selection</i> , 2010, 23, 229-241.	1.0	16
195	Efficient Tumor Targeting with High-Affinity Designed Ankyrin Repeat Proteins: Effects of Affinity and Molecular Size. <i>Cancer Research</i> , 2010, 70, 1595-1605.	0.4	218
196	Construction of scFv Fragments from Hybridoma or Spleen Cells by PCR Assembly. , 2010, , 21-44.		19
197	Residue-Resolved Stability of Full-Consensus Ankyrin Repeat Proteins Probed by NMR. <i>Journal of Molecular Biology</i> , 2010, 402, 241-258.	2.0	33
198	Structural Determinants for Improved Stability of Designed Ankyrin Repeat Proteins with a Redesigned C-Capping Module. <i>Journal of Molecular Biology</i> , 2010, 404, 381-391.	2.0	76

#	ARTICLE	IF	CITATIONS
199	Designed ankyrin repeat proteins: a novel tool for testing epidermal growth factor receptor 2 expression in breast cancer. <i>Modern Pathology</i> , 2010, 23, 1289-1297.	2.9	39
200	Improving Expression of scFv Fragments by Co-expression of Periplasmic Chaperones. , 2010, , 345-361.		11
201	Miniantibodies. , 2010, , 85-99.		1
202	EpCAM-targeted delivery of nanocomplexed siRNA to tumor cells with designed ankyrin repeat proteins. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 2674-2683.	1.9	85
203	Crystal Structure and Function of a DARPIn Neutralizing Inhibitor of Lactococcal Phage TP901-1. <i>Journal of Biological Chemistry</i> , 2009, 284, 30718-30726.	1.6	55
204	Stabilization and humanization of a single-chain Fv antibody fragment specific for human lymphocyte antigen CD19 by designed point mutations and CDR-grafting onto a human framework. <i>Protein Engineering, Design and Selection</i> , 2009, 22, 135-147.	1.0	46
205	The influence of the framework core residues on the biophysical properties of immunoglobulin heavy chain variable domains. <i>Protein Engineering, Design and Selection</i> , 2009, 22, 121-134.	1.0	63
206	Selection and characterization of DARPins specific for the neurotensin receptor 1. <i>Protein Engineering, Design and Selection</i> , 2009, 22, 357-366.	1.0	33
207	Construction and characterization of protein libraries composed of secondary structure modules. <i>Protein Science</i> , 2009, 11, 2631-2643.	3.1	23
208	Folding of a designed simple ankyrin repeat protein. <i>Protein Science</i> , 2009, 13, 2864-2870.	3.1	37
209	Facile promoter deletion in <i>Escherichia coli</i> in response to leaky expression of very robust and benign proteins from common expression vectors. <i>Microbial Cell Factories</i> , 2009, 8, 8.	1.9	20
210	Alternative Scaffolds: Expanding the Options of Antibodies. , 2009, , 243-272.		4
211	Structure of the recombinant antibody Fab fragment f3p4. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2008, 64, 636-643.	2.5	5
212	Characterization and Further Stabilization of Designed Ankyrin Repeat Proteins by Combining Molecular Dynamics Simulations and Experiments. <i>Journal of Molecular Biology</i> , 2008, 375, 837-854.	2.0	77
213	Folding and Unfolding Mechanism of Highly Stable Full-Consensus Ankyrin Repeat Proteins. <i>Journal of Molecular Biology</i> , 2008, 376, 241-257.	2.0	161
214	Stabilizing Ionic Interactions in a Full-consensus Ankyrin Repeat Protein. <i>Journal of Molecular Biology</i> , 2008, 376, 232-240.	2.0	51
215	Designed Armadillo Repeat Proteins as General Peptide-Binding Scaffolds: Consensus Design and Computational Optimization of the Hydrophobic Core. <i>Journal of Molecular Biology</i> , 2008, 376, 1282-1304.	2.0	108
216	Efficient Selection of DARPins with Sub-nanomolar Affinities using SRP Phage Display. <i>Journal of Molecular Biology</i> , 2008, 382, 1211-1227.	2.0	236

#	ARTICLE	IF	CITATIONS
217	Directed evolution of a G protein-coupled receptor for expression, stability, and binding selectivity. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 14808-14813.	3.3	176
218	Antitumor activity of an epithelial cell adhesion molecule- α -targeted nanovesicular drug delivery system. Molecular Cancer Therapeutics, 2007, 6, 3019-3027.	1.9	87
219	Monovalent antibody scFv fragments selected to modulate T-cell activation by inhibition of CD86- α -CD28 interaction. Protein Engineering, Design and Selection, 2007, 20, 91-98.	1.0	4
220	In vitro selection and characterization of DARPins and Fab fragments for the co-crystallization of membrane proteins: The Na ⁺ -citrate symporter CitS as an example. Journal of Structural Biology, 2007, 159, 206-221.	1.3	59
221	A Designed Ankyrin Repeat Protein Evolved to Picomolar Affinity to Her2. Journal of Molecular Biology, 2007, 369, 1015-1028.	2.0	211
222	Affinity-Matured Recombinant Antibody Fragments Analyzed by Single-Molecule Force Spectroscopy. Biophysical Journal, 2007, 93, 3583-3590.	0.2	73
223	ProteomeBinders: planning a European resource of affinity reagents for analysis of the human proteome. Nature Methods, 2007, 4, 13-17.	9.0	231
224	Ribosome display: selecting and evolving proteins in vitro that specifically bind to a target. Nature Methods, 2007, 4, 269-279.	9.0	271
225	The design of evolution and the evolution of design. Current Opinion in Structural Biology, 2007, 17, 451-453.	2.6	6
226	Inhibition of Caspase-2 by a Designed Ankyrin Repeat Protein: Specificity, Structure, and Inhibition Mechanism. Structure, 2007, 15, 625-636.	1.6	125
227	Stepwise Unfolding of Ankyrin Repeats in a Single Protein Revealed by Atomic Force Microscopy. Biophysical Journal, 2006, 90, L30-L32.	0.2	72
228	Isolation of Intracellular Proteinase Inhibitors Derived from Designed Ankyrin Repeat Proteins by Genetic Screening. Journal of Biological Chemistry, 2006, 281, 40252-40263.	1.6	43
229	PIN-bodies: A new class of antibody-like proteins with CD4 specificity derived from the protein inhibitor of neuronal nitric oxide synthase. Biochemical and Biophysical Research Communications, 2006, 343, 334-344.	1.0	7
230	GroEL Walks the Fine Line: The Subtle Balance of Substrate and Co-chaperonin Binding by GroEL. A Combinatorial Investigation by Design, Selection and Screening. Journal of Molecular Biology, 2006, 357, 411-426.	2.0	14
231	Direct Selection of Antibodies from Complex Libraries with the Protein Fragment Complementation Assay. Journal of Molecular Biology, 2006, 357, 427-441.	2.0	44
232	Directed Evolution of an Anti-prion Protein scFv Fragment to an Affinity of 1 pM and its Structural Interpretation. Journal of Molecular Biology, 2006, 363, 75-97.	2.0	110
233	Crystal structure of a consensus-designed ankyrin repeat protein: Implications for stability. Proteins: Structure, Function and Bioinformatics, 2006, 65, 280-284.	1.5	34
234	Molecular dynamics study of the stabilities of consensus designed ankyrin repeat proteins. Proteins: Structure, Function and Bioinformatics, 2006, 65, 285-295.	1.5	13

#	ARTICLE	IF	CITATIONS
235	Signal sequences directing cotranslational translocation expand the range of proteins amenable to phage display. <i>Nature Biotechnology</i> , 2006, 24, 823-831.	9.4	191
236	Rapid selection of specific MAP kinase-binders from designed ankyrin repeat protein libraries. <i>Protein Engineering, Design and Selection</i> , 2006, 19, 219-229.	1.0	63
237	Selection and Characterization of Her2 Binding-designed Ankyrin Repeat Proteins. <i>Journal of Biological Chemistry</i> , 2006, 281, 35167-35175.	1.6	91
238	PEGylation and Multimerization of the Anti-p185HER-2 Single Chain Fv Fragment 4D5. <i>Journal of Biological Chemistry</i> , 2006, 281, 35186-35201.	1.6	109
239	Chemosensitization of carcinoma cells using epithelial cell adhesion molecule-targeted liposomal antisense against bcl-2/bcl-xL. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 3170-3180.	1.9	45
240	A mutation designed to alter crystal packing permits structural analysis of a tight-binding fluorescein-scFv complex. <i>Protein Science</i> , 2005, 14, 2537-2549.	3.1	27
241	Engineering novel binding proteins from nonimmunoglobulin domains. <i>Nature Biotechnology</i> , 2005, 23, 1257-1268.	9.4	598
242	Allosteric Inhibition of Aminoglycoside Phosphotransferase by a Designed Ankyrin Repeat Protein. <i>Structure</i> , 2005, 13, 1131-1141.	1.6	78
243	Engineered proteins as specific binding reagents. <i>Current Opinion in Biotechnology</i> , 2005, 16, 459-469.	3.3	142
244	NMR solution structure of the monomeric form of the bacteriophage λ capsid stabilizing protein gpD. <i>Journal of Biomolecular NMR</i> , 2005, 31, 351-356.	1.6	16
245	Engineering and functional immobilization of opioid receptors. <i>Protein Engineering, Design and Selection</i> , 2005, 18, 153-160.	1.0	9
246	Intracellular Kinase Inhibitors Selected from Combinatorial Libraries of Designed Ankyrin Repeat Proteins. <i>Journal of Biological Chemistry</i> , 2005, 280, 24715-24722.	1.6	115
247	Protein PEGylation Decreases Observed Target Association Rates via a Dual Blocking Mechanism. <i>Molecular Pharmacology</i> , 2005, 68, 1439-1454.	1.0	145
248	A label-free immunosensor array using single-chain antibody fragments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 14587-14592.	3.3	259
249	Ribosome display of mammalian receptor domains. <i>Protein Engineering, Design and Selection</i> , 2005, 18, 285-294.	1.0	25
250	Domain Interactions in the Fab Fragment: A Comparative Evaluation of the Single-chain Fv and Fab Format Engineered with Variable Domains of Different Stability. <i>Journal of Molecular Biology</i> , 2005, 347, 773-789.	2.0	257
251	Identification of a Functional Epitope of the Nogo Receptor by a Combinatorial Approach Using Ribosome Display. <i>Journal of Molecular Biology</i> , 2005, 352, 229-241.	2.0	37
252	Construction and characterization of a kappa opioid receptor devoid of all free cysteines. <i>Protein Engineering, Design and Selection</i> , 2004, 17, 37-48.	1.0	11

#	ARTICLE	IF	CITATIONS
253	High-affinity binders selected from designed ankyrin repeat protein libraries. <i>Nature Biotechnology</i> , 2004, 22, 575-582.	9.4	598
254	In-vitro protein evolution by ribosome display and mRNA display. <i>Journal of Immunological Methods</i> , 2004, 290, 51-67.	0.6	321
255	Letter to the Editor: Assignments of ^1H and ^{15}N resonances of the bacteriophage λ capsid stabilizing protein gpD. <i>Journal of Biomolecular NMR</i> , 2004, 28, 89-90.	1.6	3
256	Letter to the Editor: Backbone ^1H , ^1N , ^{13}C , ^{15}N and ^{13}C chemical shift assignments and secondary structure of FkpA, a 245-residue peptidyl-prolyl cis/trans isomerase with chaperone activity. <i>Journal of Biomolecular NMR</i> , 2004, 28, 405-406.	1.6	4
257	Strategies for Selection from Protein Libraries Composed of de Novo Designed Secondary Structure Modules. <i>Origins of Life and Evolution of Biospheres</i> , 2004, 34, 151-157.	0.8	11
258	Crystal structure of a truncated version of the phage λ protein gpD. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 57, 866-868.	1.5	6
259	Combinatorial Approaches To Novel Proteins. <i>ChemBioChem</i> , 2004, 5, 177-182.	1.3	12
260	Consensus Design of Repeat Proteins. <i>ChemBioChem</i> , 2004, 5, 183-189.	1.3	96
261	Directed in Vitro Evolution and Crystallographic Analysis of a Peptide-binding Single Chain Antibody Fragment (scFv) with Low Picomolar Affinity. <i>Journal of Biological Chemistry</i> , 2004, 279, 18870-18877.	1.6	160
262	Stability improvement of antibodies for extracellular and intracellular applications: CDR grafting to stable frameworks and structure-based framework engineering. <i>Methods</i> , 2004, 34, 184-199.	1.9	200
263	Kinetic Stability and Crystal Structure of the Viral Capsid Protein SHP. <i>Journal of Molecular Biology</i> , 2004, 344, 179-193.	2.0	36
264	An antibody library for stabilizing and crystallizing membrane proteins - selecting binders to the citrate carrier CitS. <i>FEBS Letters</i> , 2004, 564, 340-348.	1.3	43
265	Turnover-based in vitro selection and evolution of biocatalysts from a fully synthetic antibody library. <i>Nature Biotechnology</i> , 2003, 21, 679-685.	9.4	90
266	Design of multivalent complexes using the barnase-barstar module. <i>Nature Biotechnology</i> , 2003, 21, 1486-1492.	9.4	177
267	Structure-Based Improvement of the Biophysical Properties of Immunoglobulin VH Domains with a Generalizable Approach. <i>Biochemistry</i> , 2003, 42, 1517-1528.	1.2	103
268	Biophysical Properties of Human Antibody Variable Domains. <i>Journal of Molecular Biology</i> , 2003, 325, 531-553.	2.0	329
269	Designing Repeat Proteins: Well-expressed, Soluble and Stable Proteins from Combinatorial Libraries of Consensus Ankyrin Repeat Proteins. <i>Journal of Molecular Biology</i> , 2003, 332, 489-503.	2.0	510
270	Designing Repeat Proteins: Modular Leucine-rich Repeat Protein Libraries Based on the Mammalian Ribonuclease Inhibitor Family. <i>Journal of Molecular Biology</i> , 2003, 332, 471-487.	2.0	123

#	ARTICLE	IF	CITATIONS
271	A novel strategy to design binding molecules harnessing the modular nature of repeat proteins. FEBS Letters, 2003, 539, 2-6.	1.3	127
272	Selection based on the folding properties of proteins with ribosome display. FEBS Letters, 2003, 539, 24-28.	1.3	49
273	Structural analysis of mycobacterial and murine hsp60 epitopes in complex with the class I MHC molecule H-2Db. FEBS Letters, 2003, 543, 11-15.	1.3	1
274	Designed to be stable: Crystal structure of a consensus ankyrin repeat protein. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1700-1705.	3.3	262
275	A recombinant immunotoxin derived from a humanized epithelial cell adhesion molecule-specific single-chain antibody fragment has potent and selective antitumor activity. Clinical Cancer Research, 2003, 9, 2837-48.	3.2	85
276	Direct in Vivo Screening of Intrabody Libraries Constructed on a Highly Stable Single-chain Framework. Journal of Biological Chemistry, 2002, 277, 45075-45085.	1.6	80
277	Self-Immobilizing Recombinant Antibody Fragments for Immunoaffinity Chromatography: Generic, Parallel, and Scalable Protein Purification. Protein Expression and Purification, 2002, 24, 313-322.	0.6	36
278	Crystal Structure of the Anti-His Tag Antibody 3D5 Single-chain Fragment Complexed to its Antigen. Journal of Molecular Biology, 2002, 318, 135-147.	2.0	46
279	Biophysical Properties of Camelid VHHDomains Compared to Those of Human VH3 Domains. Biochemistry, 2002, 41, 3628-3636.	1.2	182
280	In Vitro Selection for Catalytic Activity with Ribosome Display. Journal of the American Chemical Society, 2002, 124, 9396-9403.	6.6	76
281	Comparison of In Vivo Selection and Rational Design of Heterodimeric Coiled Coils. Structure, 2002, 10, 1235-1248.	1.6	51
282	Direct Screening for Phosphatase Activity by Turnover-Based Capture of Protein Catalysts This work was supported by BBSRC studentships (to J.B. and H.D.), by an EPSRC studentship (to J.H.R.), and by an EC TMR studentship (to S.C.-T.). Angewandte Chemie - International Edition, 2002, 41, 775.	7.2	36
283	Ligand binding of a ribosome-displayed protein detected in solution at the single molecule level by fluorescence correlation spectroscopy. European Biophysics Journal, 2002, 31, 179-184.	1.2	23
284	Structure of cyclized green fluorescent protein. Acta Crystallographica Section D: Biological Crystallography, 2002, 58, 1400-1406.	2.5	7
285	A kinetic trap is an intrinsic feature in the folding pathway of single-chain Fv fragments. Biophysical Chemistry, 2002, 96, 273-284.	1.5	19
286	AFM structural study of the molecular chaperone GroEL and its two-dimensional crystals: an ideal "living" calibration sample. Ultramicroscopy, 2002, 93, 83-89.	0.8	19
287	Stability engineering of antibody single-chain Fv fragments. Journal of Molecular Biology, 2001, 305, 989-1010.	2.0	554
288	The scFv fragment of the antibody hu4d5-8: evidence for early premature domain interaction in refolding. Journal of Molecular Biology, 2001, 305, 1111-1129.	2.0	28

#	ARTICLE	IF	CITATIONS
289	Fast selection of antibodies without antigen purification: adaptation of the protein fragment complementation assay to select antigen-antibody pairs ¹ Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 2001, 308, 115-122.	2.0	57
290	Yet Another Numbering Scheme for Immunoglobulin Variable Domains: An Automatic Modeling and Analysis Tool. <i>Journal of Molecular Biology</i> , 2001, 309, 657-670.	2.0	221
291	Selection, Characterization and X-ray Structure of Anti-ampicillin Single-chain Fv Fragments from Phage-displayed Murine Antibody Libraries. <i>Journal of Molecular Biology</i> , 2001, 309, 671-685.	2.0	36
292	The Influence of the Buried Glutamine or Glutamate Residue in Position 6 on the Structure of Immunoglobulin Variable Domains. <i>Journal of Molecular Biology</i> , 2001, 309, 687-699.	2.0	47
293	The Importance of Framework Residues H6, H7 and H10 in Antibody Heavy Chains: Experimental Evidence for a New Structural Subclassification of Antibody VH Domains. <i>Journal of Molecular Biology</i> , 2001, 309, 701-716.	2.0	55
294	High enzymatic activity and chaperone function are mechanistically related features of the dimeric <i>E. coli</i> peptidyl-prolyl-isomerase FkpA. <i>Journal of Molecular Biology</i> , 2001, 310, 485-498.	2.0	71
295	Helix-stabilized fv (hsfv) antibody fragments: substituting the constant domains of a fab fragment for a heterodimeric coiled-coil domain ¹ Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 2001, 312, 221-228.	2.0	62
296	Zooming in on the hydrophobic ridge of H-2Db: implications for the conformational variability of bound peptides ¹ Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 2001, 312, 1059-1071.	2.0	16
297	Forces and energetics of hapten-antibody dissociation: a biased molecular dynamics simulation study ¹ Edited by B. Honig. <i>Journal of Molecular Biology</i> , 2001, 314, 589-605.	2.0	46
298	Tumor Targeting of Mono-, Di-, and Tetravalent Anti-p185HER-2 Mini-antibodies Multimerized by Self-associating Peptides. <i>Journal of Biological Chemistry</i> , 2001, 276, 14385-14392.	1.6	79
299	In vitro selection and evolution of proteins. <i>Advances in Protein Chemistry</i> , 2001, 55, 367-403.	4.4	46
300	Imaging the native structure of the chaperone protein GroEL without fixation using atomic force microscopy. <i>Journal of Microscopy</i> , 2001, 203, 195-198.	0.8	16
301	In vitro display technologies: novel developments and applications. <i>Current Opinion in Biotechnology</i> , 2001, 12, 400-405.	3.3	173
302	Protein-fold evolution in the test tube. <i>Trends in Biochemical Sciences</i> , 2001, 26, 577-579.	3.7	14
303	Crystal Structure of the Dimeric C-terminal Domain of TonB Reveals a Novel Fold. <i>Journal of Biological Chemistry</i> , 2001, 276, 27535-27540.	1.6	117
304	In vitro generated antibodies specific for telomeric guanine-quadruplex DNA react with <i>Stylonychia lemnae</i> macronuclei. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 8572-8577.	3.3	554
305	Cyclic Green Fluorescent Protein Produced in Vivo Using an Artificially Split PI-Pful Intein from <i>Pyrococcus furiosus</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 16548-16554.	1.6	131
306	Construction of scFv Fragments from Hybridoma or Spleen Cells by PCR Assembly. , 2001, , 19-40.		12

#	ARTICLE	IF	CITATIONS
307	Miniantibodies. , 2001, , 637-647.		2
308	Tailoring in vitro evolution for protein affinity or stability. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 75-80.	3.3	100
309	Improving Expression of scFv Fragments by Coexpression of Periplasmic Chaperones. , 2001, , 307-317.		0
310	[22] Selectively infective phage technology. Methods in Enzymology, 2000, 328, 364-388.	0.4	6
311	Production of recombinant human \hat{I}^{2} -microglobulin for scintigraphic diagnosis of amyloidosis in uremia and hemodialysis. FEBS Journal, 2000, 267, 627-633.	0.2	15
312	Novel fold and capsid-binding properties of the lambda-phage display platform protein gpD. Nature Structural Biology, 2000, 7, 230-237.	9.7	140
313	Picomolar affinity antibodies from a fully synthetic naive library selected and evolved by ribosome display. Nature Biotechnology, 2000, 18, 1287-1292.	9.4	362
314	Characterizing the functionality of recombinant T-cell receptors in vitro: a pMHC tetramer based approach. Journal of Immunological Methods, 2000, 236, 147-165.	0.6	11
315	The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA. Journal of Biological Chemistry, 2000, 275, 17100-17105.	1.6	156
316	Correlation between in Vitro Stability and in Vivo Performance of Anti-GCN4 Intrabodies as Cytoplasmic Inhibitors. Journal of Biological Chemistry, 2000, 275, 2795-2803.	1.6	121
317	The Periplasmic Escherichia coli Peptidylprolyl cis,trans-Isomerase FkpA. Journal of Biological Chemistry, 2000, 275, 17106-17113.	1.6	127
318	A heterodimeric coiled-coil peptide pair selected in vivo from a designed library-versus -library ensemble 1 1Edited by A. R. Fersht. Journal of Molecular Biology, 2000, 295, 627-639.	2.0	101
319	Fully synthetic human combinatorial antibody libraries (HuCAL) based on modular consensus frameworks and CDRs randomized with trinucleotides 1 1Edited by I. A. Wilson. Journal of Molecular Biology, 2000, 296, 57-86.	2.0	706
320	Viral escape at the molecular level explained by quantitative T-cell receptor/peptide/MHC interactions and the crystal structure of a peptide/MHC complex. Journal of Molecular Biology, 2000, 302, 873-885.	2.0	40
321	[24] Selecting and evolving functional proteins in vitro by ribosome display. Methods in Enzymology, 2000, 328, 404-430.	0.4	93
322	Direct evidence by H/D exchange and ESI-MS for transient unproductive domain interaction in the refolding of an antibody scFv fragment. Protein Science, 2000, 9, 552-563.	3.1	11
323	The hierarchy of mutations influencing the folding of antibody domains in Escherichia coli. Protein Engineering, Design and Selection, 1999, 12, 605-611.	1.0	28
324	An in vivo library-versus-library selection of optimized protein-protein interactions. Nature Biotechnology, 1999, 17, 683-690.	9.4	182

#	ARTICLE	IF	CITATIONS
325	Stable one-step technetium-99m labeling of His-tagged recombinant proteins with a novel Tc(I)â€“carbonyl complex. <i>Nature Biotechnology</i> , 1999, 17, 897-901.	9.4	293
326	Selectively infective phage (SIP) technology: scope and limitations. <i>Journal of Immunological Methods</i> , 1999, 231, 93-104.	0.6	35
327	Ribosome display: an in vitro method for selection and evolution of antibodies from libraries. <i>Journal of Immunological Methods</i> , 1999, 231, 119-135.	0.6	202
328	Beyond binding: using phage display to select for structure, folding and enzymatic activity in proteins. <i>Current Opinion in Structural Biology</i> , 1999, 9, 514-520.	2.6	116
329	Filamentous phage infection: crystal structure of g3p in complex with its coreceptor, the C-terminal domain of TolA. <i>Structure</i> , 1999, 7, 711-722.	1.6	155
330	Different Equilibrium Stability Behavior of ScFv Fragments:â€“ Identification, Classification, and Improvement by Protein Engineering. <i>Biochemistry</i> , 1999, 38, 8739-8750.	1.2	132
331	Antigen recognition by conformational selection. <i>FEBS Letters</i> , 1999, 450, 149-153.	1.3	116
332	Comparison of Escherichia coli and rabbit reticulocyte ribosome display systems. <i>FEBS Letters</i> , 1999, 450, 105-110.	1.3	55
333	Circular β -lactamase: stability enhancement by cyclizing the backbone. <i>FEBS Letters</i> , 1999, 459, 166-172.	1.3	175
334	Domain interactions in antibody Fv and scFv fragments: effects on unfolding kinetics and equilibria. <i>FEBS Letters</i> , 1999, 462, 307-312.	1.3	56
335	Folding, heterodimeric association and specific peptide recognition of a murine β T-cell receptor expressed in Escherichia coli 1 Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 1999, 285, 1831-1843.	2.0	32
336	Folding and assembly of an antibody Fv fragment, a heterodimer stabilized by antigen 1 Edited by P. E. Wright. <i>Journal of Molecular Biology</i> , 1999, 285, 2005-2019.	2.0	44
337	Removal of the conserved disulfide bridges from the scfv fragment of an antibody: effects on folding kinetics and aggregation. <i>Journal of Molecular Biology</i> , 1999, 290, 535-546.	2.0	51
338	Insight into odorant perception: the crystal structure and binding characteristics of antibody fragments directed against the musk odorant traseolide. <i>Journal of Molecular Biology</i> , 1999, 292, 855-869.	2.0	7
339	Selection for improved protein stability by phage display 1 Edited by J. A. Wells. <i>Journal of Molecular Biology</i> , 1999, 294, 163-180.	2.0	204
340	The structural basis of phage display elucidated by the crystal structure of the N-terminal domains of g3p. <i>Nature Structural Biology</i> , 1998, 5, 140-147.	9.7	116
341	Selection for a periplasmic factor improving phage display and functional periplasmic expression. <i>Nature Biotechnology</i> , 1998, 16, 376-380.	9.4	190
342	Increasing the secretory capacity of Saccharomyces cerevisiae for production of single-chain antibody fragments. <i>Nature Biotechnology</i> , 1998, 16, 773-777.	9.4	244

#	ARTICLE	IF	CITATIONS
343	Selecting proteins with improved stability by a phage-based method. <i>Nature Biotechnology</i> , 1998, 16, 955-960.	9.4	192
344	Parallel pathways in the folding of a short-term denatured scFv fragment of an antibody. <i>Folding & Design</i> , 1998, 3, 39-49.	4.5	15
345	Tandem Immobilized Metal-Ion Affinity Chromatography/Immunoaffinity Purification of His-tagged Proteins Evaluation of Two Anti-His-Tag Monoclonal Antibodies. <i>Analytical Biochemistry</i> , 1998, 259, 54-61.	1.1	75
346	Model and Simulation of Multivalent Binding to Fixed Ligands. <i>Analytical Biochemistry</i> , 1998, 261, 149-158.	1.1	135
347	Docking small ligands in flexible binding sites. <i>Journal of Computational Chemistry</i> , 1998, 19, 21-37.	1.5	120
348	Recent advances in producing and selecting functional proteins by using cell-free translation. <i>Current Opinion in Biotechnology</i> , 1998, 9, 534-548.	3.3	145
349	Mutual Stabilization of VL and VH in Single-Chain Antibody Fragments, Investigated with Mutants Engineered for Stability. <i>Biochemistry</i> , 1998, 37, 13120-13127.	1.2	124
350	The first constant domain (CH1 and CL) of an antibody used as heterodimerization domain for bispecific miniantibodies. <i>FEBS Letters</i> , 1998, 422, 259-264.	1.3	76
351	An intrinsically stable antibody scFv fragment can tolerate the loss of both disulfide bonds and fold correctly. <i>FEBS Letters</i> , 1998, 427, 357-361.	1.3	110
352	A dimeric bispecific miniantibody combines two specificities with avidity. <i>FEBS Letters</i> , 1998, 432, 45-49.	1.3	69
353	Factors Influencing the Dimer to Monomer Transition of an Antibody Single-Chain Fv Fragment. <i>Biochemistry</i> , 1998, 37, 12918-12926.	1.2	144
354	Ribosome display efficiently selects and evolves high-affinity antibodies in vitro from immune libraries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14130-14135.	3.3	290
355	Identification of the Binding Surface on β -Lactamase for GroEL by Limited Proteolysis and MALDI-Mass Spectrometry. <i>Biochemistry</i> , 1998, 37, 11660-11669.	1.2	23
356	Antibody scFv fragments without disulfide bonds, made by molecular evolution 1 Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 1998, 275, 245-253.	2.0	242
357	Two conformational states of β -lactamase bound to GroEL: a biophysical characterization 1 Edited by A. R. Fersht. <i>Journal of Molecular Biology</i> , 1998, 275, 663-675.	2.0	25
358	The nature of antibody heavy chain residue H6 strongly influences the stability of a VH domain lacking the disulfide bridge. <i>Journal of Molecular Biology</i> , 1998, 283, 95-110.	2.0	30
359	Reproducing the natural evolution of protein structural features with the selectively infective phage (SIP) technology. the kink in the first strand of antibody kappa domains 1 Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 1998, 283, 395-407.	2.0	35
360	Structural Changes of the Escherichia coli GroEL GroES Chaperonins upon Complex Formation in Solution: A Neutron Small Angle Scattering Study. <i>Journal of Structural Biology</i> , 1998, 121, 30-40.	1.3	26

#	ARTICLE	IF	CITATIONS
361	Atomic Force Microscopy Detects Changes in the Interaction Forces between GroEL and Substrate Proteins. <i>Biophysical Journal</i> , 1998, 74, 3256-3263.	0.2	86
362	Induction and Exhaustion of Lymphocytic Choriomeningitis Virus-specific Cytotoxic T Lymphocytes Visualized Using Soluble Tetrameric Major Histocompatibility Complex Class II Peptide Complexes. <i>Journal of Experimental Medicine</i> , 1998, 187, 1383-1393.	4.2	688
363	Antigen binding forces of individually addressed single-chain Fv antibody molecules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 7402-7405.	3.3	250
364	Studying Protein Structure and Function by Directed Evolution. , 1998, , 37-57.		0
365	Disrupting the hydrophobic patches at the antibody variable/constant domain interface: improved in vivo folding and physical characterization of an engineered scFv fragment. <i>Protein Engineering, Design and Selection</i> , 1997, 10, 435-444.	1.0	209
366	The Escherichia coli SlyD Is a Metal Ion-regulated Peptidyl-prolyl cis/trans-Isomerase. <i>Journal of Biological Chemistry</i> , 1997, 272, 15697-15701.	1.6	133
367	In vitro selection and evolution of functional proteins by using ribosome display. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 4937-4942.	3.3	1,040
368	Improving in vivo folding and stability of a single-chain Fv antibody fragment by loop grafting. <i>Protein Engineering, Design and Selection</i> , 1997, 10, 959-966.	1.0	139
369	A natural antibody missing a cysteine in VH: consequences for thermodynamic stability and folding. <i>Journal of Molecular Biology</i> , 1997, 265, 161-172.	2.0	121
370	Selectively-infective phage (SIP): a mechanistic dissection of a novel in vivo selection for protein-ligand interactions. <i>Journal of Molecular Biology</i> , 1997, 268, 607-618.	2.0	91
371	Multiple cycles of global unfolding of GroEL-bound cyclophilin A evidenced by NMR. <i>Journal of Molecular Biology</i> , 1997, 271, 803-818.	2.0	28
372	New protein engineering approaches to multivalent and bispecific antibody fragments. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1997, 3, 83-105.	2.4	310
373	Folding intermediates of β -lactamase recognized by GroEL. <i>FEBS Letters</i> , 1997, 401, 138-142.	1.3	12
374	Comparison of the amide proton exchange behavior of the rapidly formed folding intermediate and the native state of an antibody scFv fragment. <i>FEBS Letters</i> , 1997, 407, 42-46.	1.3	19
375	Affinity and folding properties both influence the selection of antibodies with the selectively infective phage (SIP) methodology. <i>FEBS Letters</i> , 1997, 415, 289-293.	1.3	30
376	The rate-limiting steps for the folding of an antibody scFv fragment. <i>FEBS Letters</i> , 1997, 418, 106-110.	1.3	41
377	Selectively infective phage (SIP) technology: A novel method for in vivo selection of interacting protein-ligand pairs. <i>Nature Medicine</i> , 1997, 3, 694-696.	15.2	38
378	Functional antibody production using cell-free translation: Effects of protein disulfide isomerase and chaperones. <i>Nature Biotechnology</i> , 1997, 15, 79-84.	9.4	179

#	ARTICLE	IF	CITATIONS
379	Reliable cloning of functional antibody variable domains from hybridomas and spleen cell repertoires employing a reengineered phage display system. <i>Journal of Immunological Methods</i> , 1997, 201, 35-55.	0.6	469
380	Conformational changes and spatial arrangement of the E. coli chaperones GroEL and GroES. <i>Physica B: Condensed Matter</i> , 1997, 234-236, 220-222.	1.3	1
381	BIACORE Analysis of Histidine-Tagged Proteins Using a Chelating NTA Sensor Chip. <i>Analytical Biochemistry</i> , 1997, 252, 217-228.	1.1	337
382	Folding Nuclei of the scFv Fragment of an Antibody. <i>Biochemistry</i> , 1996, 35, 8457-8464.	1.2	36
383	Inclusion of an upstream transcriptional terminator in phage display vectors abolishes background expression of toxic fusions with coat protein g3p. <i>Gene</i> , 1996, 178, 71-74.	1.0	69
384	Effect of single point mutations in citrate synthase on binding to GroEL. <i>FEBS Letters</i> , 1996, 380, 152-156.	1.3	11
385	beta-Lactamase binds to GroEL in a conformation highly protected against hydrogen/deuterium exchange.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 12189-12194.	3.3	45
386	Monovalent single-chain Fv fragments and bivalent miniantibodies bound to vesicular stomatitis virus protect against lethal infection. <i>European Journal of Immunology</i> , 1996, 26, 2801-2806.	1.6	33
387	Competition BIAcore for Measuring True Affinities: Large Differences from Values Determined from Binding Kinetics. <i>Analytical Biochemistry</i> , 1996, 234, 155-165.	1.1	292
388	Effects of overexpressing folding modulators on the in vivo folding of heterologous proteins in Escherichia coli. <i>Current Opinion in Biotechnology</i> , 1995, 6, 507-516.	3.3	91
389	Engineered turns of a recombinant antibody improve its in vivo folding. <i>Protein Engineering, Design and Selection</i> , 1995, 8, 81-89.	1.0	219
390	A Mouse Ig $\hat{\nu}$ Domain of Very Unusual Framework Structure Loses Function when Converted to the Consensus. <i>Journal of Biological Chemistry</i> , 1995, 270, 12446-12451.	1.6	6
391	Functional antibody single-chain fragments from the cytoplasm of Escherichia coli: influence of thioredoxin reductase (TrxB). <i>Gene</i> , 1995, 159, 203-207.	1.0	78
392	Tetavalent Miniantibodies with High Avidity Assembling in Escherichia coli. <i>Journal of Molecular Biology</i> , 1995, 246, 28-34.	2.0	143
393	Electron Microscopy of the GroEL-GroES Filament. <i>Journal of Structural Biology</i> , 1995, 115, 68-77.	1.3	10
394	Co-selection of cognate antibody-antigen pairs by selectively-infective phages. <i>FEBS Letters</i> , 1995, 377, 227-231.	1.3	73
395	Destabilization of the complete protein secondary structure on binding to the chaperone GroEL. <i>Nature</i> , 1994, 368, 261-265.	13.7	157
396	Protein folding in the periplasm of Escherichia coli. <i>Molecular Microbiology</i> , 1994, 12, 685-692.	1.2	177

#	ARTICLE	IF	CITATIONS
397	Sequence Statistics Reliably Predict Stabilizing Mutations in a Protein Domain. <i>Journal of Molecular Biology</i> , 1994, 240, 188-192.	2.0	320
398	Thermodynamic Partitioning Model for Hydrophobic Binding of Polypeptides by GroEL. <i>Journal of Molecular Biology</i> , 1994, 242, 150-184.	2.0	74
399	Thermodynamic Partitioning Model for Hydrophobic Binding of Polypeptides by GroEL. <i>Journal of Molecular Biology</i> , 1994, 242, 165-174.	2.0	75
400	Correctly Folded T-cell Receptor Fragments in the Periplasm of <i>Escherichia coli</i> . <i>Journal of Molecular Biology</i> , 1994, 242, 655-669.	2.0	83
401	Transmission Electron Microscopy of GroEL, GroES, and the Symmetrical GroEL/ES Complex. <i>Journal of Structural Biology</i> , 1994, 112, 216-230.	1.3	42
402	Structural and Dynamic Properties of the Fv Fragment and the Single-Chain Fv Fragment of an Antibody in Solution Investigated by Heteronuclear 3D NMR Spectroscopy. <i>Biochemistry</i> , 1994, 33, 3296-3303.	1.2	51
403	The Effect of Folding Catalysts on the In Vivo Folding Process of Different Antibody Fragments Expressed in <i>Escherichia coli</i> . <i>Nature Biotechnology</i> , 1993, 11, 77-83.	9.4	89
404	Improved Bivalent Miniantibodies, with Identical Avidity as Whole Antibodies, Produced by High Cell Density Fermentation of <i>Escherichia coli</i> . <i>Nature Biotechnology</i> , 1993, 11, 1271-1277.	9.4	48
405	Characterization of the linker peptide of the single-chain Fv fragment of an antibody by NMR spectroscopy. <i>FEBS Letters</i> , 1993, 320, 97-100.	1.3	72
406	Two-dimensional Crystals of the Molecular Chaperone GroEL Reveal Structural Plasticity. <i>Journal of Molecular Biology</i> , 1993, 229, 579-584.	2.0	31
407	A versatile and highly repressible <i>Escherichia coli</i> expression system based on invertible promoters: expression of a gene encoding a toxic product. <i>Gene</i> , 1993, 136, 199-203.	1.0	18
408	Antibody Engineering to Study Protein-Ligand Interactions and Catalysis: The Phosphorylcholine Binding Antibodies. <i>Bioorganic Chemistry Frontiers</i> , 1993, , 25-66.	1.2	2
409	Stability of engineered antibody fragments. <i>Studies in Organic Chemistry</i> , 1993, 47, 81-90.	0.2	1
410	GroE prevents the accumulation of early folding intermediates of pre-beta-lactamase without changing the folding pathway. <i>Biochemistry</i> , 1992, 31, 3249-3255.	1.2	50
411	The disulfide bonds in antibody variable domains: effects on stability, folding in vitro, and functional expression in <i>Escherichia coli</i> . <i>Biochemistry</i> , 1992, 31, 1270-1279.	1.2	190
412	Refined crystal structure of a recombinant immunoglobulin domain and a complementarity-determining region 1-grafted mutant. <i>Journal of Molecular Biology</i> , 1992, 225, 739-753.	2.0	62
413	Mono- and Bivalent Antibody Fragments Produced in <i>Escherichia coli</i> : Engineering, Folding and Antigen Binding. <i>Immunological Reviews</i> , 1992, 130, 151-188.	2.8	140
414	Miniantibodies: use of amphipathic helices to produce functional, flexibly linked dimeric FV fragments with high avidity in <i>Escherichia coli</i> . <i>Biochemistry</i> , 1992, 31, 1579-1584.	1.2	305

#	ARTICLE	IF	CITATIONS
415	Strategies for the expression of antibody fragments in Escherichia coli. <i>Methods</i> , 1991, 2, 88-96.	1.9	19
416	Mapping and modification of an antibody hapten binding site: a site-directed mutagenesis study of McPC603. <i>Biochemistry</i> , 1991, 30, 3049-3054.	1.2	67
417	Comparison of the FvFragments of Different Phosphorylcholine Binding Antibodies Expressed in Escherichia coli. <i>Annals of the New York Academy of Sciences</i> , 1991, 646, 115-124.	1.8	8
418	Antibody engineering. <i>Current Opinion in Biotechnology</i> , 1991, 2, 238-246.	3.3	22
419	Foldingin vitroand transportin vivoof pre- β -lactamase are SecB independent. <i>Molecular Microbiology</i> , 1991, 5, 117-122.	1.2	22
420	The Rationality of Random Screening – Efficient Methods of Selection of Peptides and Oligonucleotide Ligands. <i>Angewandte Chemie International Edition in English</i> , 1991, 30, 296-298.	4.4	13
421	Biotechnological aspects of antibody production in E. coli. <i>Acta Biotechnologica</i> , 1991, 11, 449-456.	1.0	1
422	The Functional Expression of Antibody Fv Fragments in Escherichia coli: Improved Vectors and a Generally Applicable Purification Technique. <i>Nature Biotechnology</i> , 1991, 9, 273-278.	9.4	203
423	Antibody Engineering: Advances From the Use of Escherichia coli Expression Systems. <i>Nature Biotechnology</i> , 1991, 9, 545-551.	9.4	105
424	Secretion and in vivo folding of the Fab fragment of the antibody McPC603 in Escherichia coli: influence of disulphides and cis-prolines. <i>Protein Engineering, Design and Selection</i> , 1991, 4, 971-979.	1.0	89
425	Catalytic Antibodies: Contributions from Engineering and Expression in Escherichia Coli. <i>Novartis Foundation Symposium</i> , 1991, 159, 103-117.	1.2	0
426	Antibodies from Escherichia coli. <i>Nature</i> , 1990, 347, 497-498.	13.7	51
427	Wege zu neuen Enzymen: Protein Engineering und Katalytische Antikörper. <i>Chemie in Unserer Zeit</i> , 1990, 24, 182-198.	0.1	13
428	Crystallization and preliminary X-ray studies of the VL domain of the antibody McPC603 produced in Escherichia coli. <i>Journal of Molecular Biology</i> , 1990, 213, 613-615.	2.0	32
429	[11] Secretion of heterologous proteins in Escherichia coli. <i>Methods in Enzymology</i> , 1990, 182, 132-143.	0.4	30
430	A comparison of strategies to stabilize immunoglobulin Fv-fragments. <i>Biochemistry</i> , 1990, 29, 1362-1367.	1.2	506
431	Structural features of the McPC603 Fabfragment not defined in the X-ray structure. <i>FEBS Letters</i> , 1990, 271, 203-206.	1.3	10
432	Protein-Struktur und Funktion: Die Möglichkeiten und Probleme der Computersimulation aus der Sicht des Experimentators. <i>Informatik-Fachberichte</i> , 1990, , 258-274.	0.2	0

#	ARTICLE	IF	CITATIONS
433	[34] Expression of functional antibody Fv and Fab fragments in Escherichia coli. Methods in Enzymology, 1989, 178, 497-515.	0.4	126
434	Assembly of a functional immunoglobulin Fv fragment in Escherichia coli. Science, 1988, 240, 1038-1041.	6.0	999
435	Conformation of fatty acyl chains in $\hat{1}\pm$ - and $\hat{1}^2$ -phosphatidylcholine and phosphatidylethanolamine derivatives in sonicated vesicles. Biochimica Et Biophysica Acta - Biomembranes, 1986, 856, 144-154.	1.4	3
436	Mechanism of Interaction of Phospholipase A2 with Phospholipid Substrates and Activators. , 1986, , 121-132.		2
437	Short-chain phosphatidylethanolamines: physical properties and susceptibility of the monomers to phospholipase A2 action. Biochemistry, 1985, 24, 4201-4208.	1.2	38
438	Phosphorus-31 NMR of Phospholipids in Micelles. , 1984, , 423-446.		16
439	The membrane attack complex of complement and its precursor proteins lack phospholipase activity. Molecular Immunology, 1983, 20, 377-382.	1.0	10
440	Role of monomeric activators in cobra venom phospholipase A2 action. Biochemistry, 1982, 21, 1750-1756.	1.2	41
441	Hemolytic assay for venom phospholipase A2. Analytical Biochemistry, 1981, 118, 262-268.	1.1	21
442	Cobra venom phospholipase A2: A review of its action toward lipid/water interfaces. Molecular and Cellular Biochemistry, 1981, 36, 37-45.	1.4	50
443	Docking small ligands in flexible binding sites. , 0, .		1
444	Modern Antibody Technology: The Impact on Drug Development. , 0, , 1147-1186.		25