
## Shylie Fordyce Mackintosh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9192344/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Occupational therapists and physiotherapists weighing up the dignity of risk for people living with a brain injury: grounded theory. Disability and Rehabilitation, 2022, 44, 7145-7151.	1.8	2
2	Improving physical mobility is critical for wellbeing in people with severe impairment after an acquired brain injury: a qualitative study. Brain Injury, 2022, 36, 232-238.	1.2	1
3	Improvement in postural alignment is associated with recovery of mobility after complex acquired brain injury: An observational study. Physiotherapy Theory and Practice, 2022, , 1-13.	1.3	1
4	Are group identity and sense of belonging relevant for group pain management programmes? An exploratory pilot study. British Journal of Pain, 2022, 16, 528-537.	1.5	1
5	Is the psychological composition of the therapeutic group associated with individual outcomes in group cognitive behavioural therapy for chronic pain?. British Journal of Pain, 2021, 15, 69-81.	1.5	2
6	Development of autonomy on placement: perceptions of physiotherapy students and educators in Australia and the United Kingdom. Physiotherapy Theory and Practice, 2021, , 1-11.	1.3	1
7	Effect of Individual Nutrition Therapy and Exercise Regime on Gait Speed, Physical Function, Strength and Balance, Body Composition, Energy and Protein, in Injured, Vulnerable Elderly: A Multisite Randomized Controlled Trial (INTERACTIVE). Nutrients, 2021, 13, 3182.	4.1	4
8	Can student-peers teach using simulated-based learning as well as faculty: A non-equivalent posttest-only study. Nurse Education Today, 2020, 91, 104470.	3.3	2
9	Scope of occupational therapy practice for adults with both Down syndrome and dementia: A crossâ€sectional survey. Australian Occupational Therapy Journal, 2020, 67, 218-228.	1.1	3
10	Changes in the six-minute walk test and foot health status using customised foot orthoses vs sham inserts in an adult flat foot population. A pilot randomised control trial The Allied Health Scholar, 2020, 1, 87-115.	0.1	0
11	Relationships between adiposity and postural control in girls during balance tasks of varying difficulty. Obesity Research and Clinical Practice, 2019, 13, 358-364.	1.8	7
12	A comparison of electronic and paper-based clinical skills assessment: Systematic review. Medical Teacher, 2019, 41, 1151-1159.	1.8	3
13	Access to rehabilitation for patients with stroke in Australia. Medical Journal of Australia, 2019, 210, 21-26.	1.7	28
14	Are group size and composition associated with treatment outcomes in group cognitive behavioural therapy for chronic pain?. Pain, 2018, 159, 783-792.	4.2	7
15	Visibility and meanings of partnership in health care for older people who need support to live at home. Scandinavian Journal of Caring Sciences, 2018, 32, 1027-1037.	2.1	6
16	Paediatric flexible flat foot: how are we measuring it and are we getting it right? A systematic review. Journal of Foot and Ankle Research, 2018, 11, 21.	1.9	78
17	Experiences of health care for older people who need support to live at home: A systematic review of the qualitative literature. Geriatric Nursing, 2017, 38, 315-324.	1.9	35
18	Is there a relationship between postural alignment and mobility for adults after acquired brain injury? A systematic review. Brain Injury, 2017, 31, 571-580.	1.2	1

#	Article	IF	CITATIONS
19	Risk Factors for Falls in People With a Lower Limb Amputation: A Systematic Review. PM and R, 2017, 9, 170.	1.6	67
20	Developing physiotherapy student safety skills in readiness for clinical placement using standardised patients compared with peer-role play: a pilot non-randomised controlled trial. BMC Medical Education, 2017, 17, 133.	2.4	28
21	Cost-effectiveness of individualized nutrition and exercise therapy for rehabilitation following hip fracture. Journal of Rehabilitation Medicine, 2016, 48, 378-385.	1.1	13
22	Fall Recovery Subactivity Recognition With RGB-D Cameras. IEEE Transactions on Industrial Informatics, 2016, 12, 2312-2320.	11.3	34
23	Reconsidering inherent requirements: a contribution to the debate from the clinical placement experience of a physiotherapy student with vision impairment. BMC Medical Education, 2016, 16, 74.	2.4	16
24	Harnessing group composition-related effects in pain management programs: a review and recommendations. Pain Management, 2016, 6, 161-173.	1.5	12
25	Improvement of Physical Therapist Assessment of Risk of Falls in the Hospital and Discharge Handover Through an Intervention to Modify Clinical Behavior. Physical Therapy, 2016, 96, 764-773.	2.4	9
26	Improvements in knee biomechanics during walking are associated with increased physical activity after total knee arthroplasty. Journal of Orthopaedic Research, 2015, 33, 1818-1825.	2.3	13
27	Adults with flexible pes planus and the approach to the prescription of customised foot orthoses in clinical practice: A clinical records audit. Foot, 2015, 25, 101-109.	1.1	14
28	Consensusâ€based recommendations of Australian podiatrists for the prescription of foot orthoses for symptomatic flexible pes planus in adults. Journal of Foot and Ankle Research, 2014, 7, 49.	1.9	36
29	The Experience of Acupuncture Care from the Perspective of People with Chronic Low Back Pain: A Grounded Theory Study. Acupuncture in Medicine, 2014, 32, 333-339.	1.0	7
30	Altered dynamic foot kinematics in people with medial knee osteoarthritis during walking: A cross-sectional study. Knee, 2014, 21, 1101-1106.	1.6	19
31	Use of the Theoretical Domains Framework to Develop an Intervention to Improve Physical Therapist Management of the Risk of Falls After Discharge. Physical Therapy, 2014, 94, 1660-1675.	2.4	33
32	Foot orthoses for adults with flexible pes planus: a systematic review. Journal of Foot and Ankle Research, 2014, 7, 23.	1.9	80
33	Differences in foot kinematics between young and older adults during walking. Gait and Posture, 2014, 39, 689-694.	1.4	70
34	Regular group exercise is associated with improved mood but not quality of life following stroke. PeerJ, 2014, 2, e331.	2.0	10
35	Physical activity habits and preferences in the month prior to a first-ever stroke. PeerJ, 2014, 2, e489.	2.0	8
36	Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. Journal of Physiotherapy, 2013, 59, 125.	1.7	6

#	Article	IF	CITATIONS
37	Repeatability of stance phase kinematics from a multi-segment foot model in people aged 50 years and older. Gait and Posture, 2013, 38, 349-351.	1.4	21
38	†l understand all the major things': how older people with limited English proficiency decide their need for a professional interpreter during health care after stroke. Ethnicity and Health, 2013, 18, 610-625.	2.5	23
39	Snakes and ladders: the barriers and facilitators of elective hip- and knee-replacement surgery in Australian public hospitals. Australian Health Review, 2013, 37, 166.	1.1	5
40	Falls efficacy and fear of falling in stroke: issues with measurement and interpretation. Disability and Rehabilitation, 2012, 34, 704-704.	1.8	6
41	Sociodemographic Factors Associated With Self-Reported Exercise and Physical Activity Behaviors and Attitudes of South Australians. Journal of Aging and Health, 2012, 24, 287-306.	1.7	11
42	Expectations Confounded: Patients Are Satisfied with THR and TKR Delivery in Australian Public Hospitals—A Multisite Case Study. , 2012, 2012, 1-6.		0
43	The effect of limited English proficiency on falls risk and falls prevention after stroke. Age and Ageing, 2012, 41, 104-107.	1.6	8
44	The journey to total hip or knee replacement. Australian Health Review, 2012, 36, 130.	1.1	6
45	Effects of a Multifactorial Falls Prevention Program for People With Stroke Returning Home After Rehabilitation: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1648-1655.	0.9	70
46	Qualitative studies using inâ€depth interviews with older people from multiple language groups: methodological systematic review. Journal of Advanced Nursing, 2012, 68, 22-35.	3.3	22
47	Falls after Stroke. International Journal of Stroke, 2012, 7, 482-490.	5.9	244
48	Aerobic Exercise to Improve Cognitive Function in Adults With Neurological Disorders: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1044-1052.	0.9	111
49	Determining Current Physical Therapist Management of Hip Fracture in an Acute Care Hospital and Physical Therapists' Rationale for This Management. Physical Therapy, 2011, 91, 1490-1502.	2.4	15
50	Patient Self-report Measures of Chronic Pain Consultation Measures: A Systematic Review. Clinical Journal of Pain, 2010, 26, 235-243.	1.9	11
51	An isokinetic muscle strengthening program for adults with an acquired brain injury leads to meaningful improvements in physical function. Brain Injury, 2010, 24, 970-977.	1.2	8
52	What Works in Falls Prevention After Stroke?. Stroke, 2010, 41, 1715-1722.	2.0	137
53	Acupuncturists' perspectives on outcome measures to evaluate acupuncture care for chronic low back pain. Complementary Therapies in Medicine, 2010, 18, 28-41.	2.7	6
54	Walking aid use after discharge following hip fracture is rarely reviewed and often inappropriate: an observational study. Journal of Physiotherapy, 2010, 56, 267-272.	1.7	21

Shylie Fordyce Mackintosh

#	Article	IF	CITATIONS
55	Does the 'Otago exercise programme' reduce mortality and falls in older adults?: a systematic review and meta-analysis. Age and Ageing, 2010, 39, 681-687.	1.6	241
56	lsokinetic strength training of lower limb muscles following acquired brain injury. Brain Injury, 2010, 24, 1399-1407.	1.2	6
57	The FLASSH study: protocol for a randomised controlled trial evaluating falls prevention after stroke and two sub-studies. BMC Neurology, 2009, 9, 14.	1.8	14
58	Telephone and faceâ€ŧoâ€face interviews generate similar falls circumstances information from communityâ€dwelling adults with stroke. Australian and New Zealand Journal of Public Health, 2009, 33, 295-296.	1.8	4
59	Functional Independence Measure. Australian Journal of Physiotherapy, 2009, 55, 65.	0.9	51
60	Individual nutrition therapy and exercise regime: A controlled trial of injured, vulnerable elderly (INTERACTIVE trial). BMC Geriatrics, 2008, 8, 4.	2.7	19
61	Exercise class participation among residents in low-level residential aged care could be enhanced: a qualitative study. Australian Journal of Physiotherapy, 2008, 54, 111-117.	0.9	22
62	Hydrotherapy and Tai Chi each provide clinical improvements for older people with osteoarthritis. Australian Journal of Physiotherapy, 2008, 54, 143.	0.9	1
63	Balance Score and a History of Falls in Hospital Predict Recurrent Falls in the 6 Months Following Stroke Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1583-1589.	0.9	205
64	A balance screening tool for older people: Reliability and validity. International Journal of Therapy and Rehabilitation, 2006, 13, 558-561.	0.3	10
65	Falls and injury prevention should be part of every stroke rehabilitation plan. Clinical Rehabilitation, 2005, 19, 441-451.	2.2	166
66	Balance, fear of falling, pain and gait aid use by low care older people: pilot study. Australasian Journal on Ageing, 2004, 23, 77-81.	0.9	8
67	Oral Testosterone Supplementation Increases Muscle and Decreases Fat Mass in Healthy Elderly Males With Low-Normal Gonadal Status. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2003, 58, M618-M625.	3.6	294
68	A multidisciplinary evaluation and management unit reduces mortality in sick, frail older patients. Australian Journal of Physiotherapy, 2002, 48, 321.	0.9	0
69	TECHNOLOGY IN EDUCATION: WHAT IS APPROPRIATE FOR RURAL AND REMOTE ALLIED HEALTH PROFESSIONALS?. Australian Journal of Rural Health, 1998, 6, 189-193.	1.5	34
70	Validity study of a novel test protocol for the identification of submaximal muscular effort. Isokinetics and Exercise Science, 1996, 6, 139-144.	0.4	8
71	A Survey of Animal Physiotherapy Practice in Britain. Physiotherapy, 1994, 80, 285-289.	0.4	3
72	Veterinary Surgeons' Perceptions of Animal Physiotherapy. Physiotherapy, 1993, 79, 312-316.	0.4	5

#	Article	IF	CITATIONS
73	Injuries in Young Female Élite Gymnasts. Physiotherapy, 1992, 78, 804-808.	0.4	16
74	Development and feasibility testing of an <scp>evidenceâ€based</scp> occupational therapy program for adults with both Down syndrome and dementia. Journal of Policy and Practice in Intellectual Disabilities, 0, , .	2.7	0