
Burcin M Atak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9193045/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	C-reactive protein to lymphocyte count ratio is a promising novel marker in hepatitis C infection: the clear hep-c study. Revista Da Associação Médica Brasileira, 2022, 68, 838-841.	0.7	16
2	The association between serum uric acid to high density lipoprotein-cholesterol ratio and non-alcoholic fatty liver disease: the abund study. Revista Da Associação Médica Brasileira, 2021, 67, 549-554.	0.7	53
3	ĐšĐ¾Đ¼ĐįлаÑ"Đ½Ñ•ĐƊ¾ Đ»Ñ–Đ°ÑƒĐ²Đ°Đ½Đ½Ñ•Đ»ĐµĐ²Đ¾Ñ,Đ¸Ñ€Đ¾ĐºÑĐ¸Đ½Đ¾Đ¼ ÑĐ²Đ¾Ñŧ	€ Ð ,ÃÐ	¹⁄2ᡚ° Đ³Ñ—Ð
4	Inappropriate Medication Use In Older Adults According To Beers Criteria In A Tertiary Referral Hospital, In Bolu, Turkey. Russian Open Medical Journal, 2021, 10, .	0.3	1
5	Characteristics of the type 2 diabetic patients with hypoglycemia in a tertiary referral hospital. Mìžnarodnij EndokrinologìÄnij Žurnal, 2021, 17, 472-476.	0.4	0
6	Hypothyroidism is Strongly Correlated with Mean Platelet Volume and Red Cell Distribution Width. National Journal of Health Sciences, 2021, 6, 7-10.	0.1	11
7	Severe Pancytopenia and Stomatitis Case due to the Treatment with High Dose Methotrexate. National Journal of Health Sciences, 2021, 6, 32-34.	0.1	0
8	General characteristics of anemia in postmenopausal women and elderly men. Aging Male, 2020, 23, 780-784.	1.9	8
9	Uric acid to HDL cholesterol ratio is a strong predictor of diabetic control in men with type 2 diabetes mellitus. Aging Male, 2020, 23, 1098-1102.	1.9	107
10	Association between novel inflammatory markers derived from hemogram indices and metabolic parameters in type 2 diabetic men. Aging Male, 2020, 23, 923-927.	1.9	79
11	Type 2 diabetes mellitus is more commonly well controlled in younger men compared to older men. Aging Male, 2020, 23, 906-910.	1.9	4
12	ls Neuregulinâ€4 a predictive marker of microvascular complications in type 2 diabetes mellitus?. European Journal of Clinical Investigation, 2020, 50, e13206.	3.4	68
13	Monocyte lymphocyte ratio As a predictor of Diabetic Kidney Injury in type 2 Diabetes mellitus; The MADKID Study. Journal of Diabetes and Metabolic Disorders, 2020, 19, 997-1002.	1.9	58
14	Edmonton frail score is associated with diabetic control in elderly type 2 diabetic subjects. Journal of Diabetes and Metabolic Disorders, 2020, 19, 511-514.	1.9	14
15	An unusual immune thrombocytopenia case associated with dietary supplements containing 3G (Green) Tj ETQq1	10.784 0.3	314 rgBT /O
16	Neutrophil to lymphocyte ratio as an indicative of diabetic control level in type 2 diabetes mellitus. African Health Sciences, 2019, 19, 1602.	0.7	115
17	Diabetes control could through platelet-to-lymphocyte ratio in hemograms. Revista Da Associação Médica Brasileira, 2019, 65, 38-42.	0.7	84
18	Diabetic regulation of subjects with type 2 diabetes mellitus is associated with serum vitamin D levels. Revista Da Associação Médica Brasileira, 2019, 65, 51-55.	0.7	25

BURCIN M ATAK

#	Article	IF	CITATIONS
19	Serum uric acid to HDL-cholesterol ratio is a strong predictor of metabolic syndrome in type 2 diabetes mellitus. Revista Da Associação Médica Brasileira, 2019, 65, 9-15.	0.7	75
20	ls Uric Acid elevation a random finding or a causative agent of diabetic nephropathy?. Revista Da Associação Médica Brasileira, 2019, 65, 1155-1160.	0.7	37
21	Neuregulin-4 is associated with plasma glucose and increased risk of type 2 diabetes mellitus. Swiss Medical Weekly, 2019, 149, w20139.	1.6	35
22	Hypopituitarism as a Rare Cause of Hyponatremia. National Journal of Health Sciences, 2019, 4, 167-169.	0.1	0
23	A Case Of Sitagliptin-induced Mild Acute Pancreatitis. Journal of the College of Physicians and SurgeonsPakistan: JCPSP, 2018, 27, 334-334.	0.4	2
24	A Relapsing Immune Thrombocytopenia Case in a Patient Following COVID-19 Vaccination. Journal of Health and Allied Sciences NU, 0, , .	0.4	1